LITERATURE REFERENCES FOR MOSQUITOES AND MOSQUITO-BORNE DISEASES

1989—PART 1

A. RALPH BARR

University of California, Los Angeles, CA 90024

ANATOMY AND MORPHOLOGY

Dahl, C. et al. 1988. Functional analysis of the suspension feeding system in mosquitoes (Diptera: Culicidae). Ann. Entomol. Soc. Am. 81(1):105–127.

Li, D. S. et al. 1986. [Studies of the eggs of *Anopheles dirus* with S.E.M. and E.D.S.] Acta Sci. Nat. Univ. Sunyatseni 1986(4):117–120. In Chinese.

Magnuson, L. J. and R. J. Baerwald. 1987. Water current trichobothria on the larvae of *Toxorhynchites rutilus* (Diptera: Culicidae). Ann. Entomol. Soc. Am. 80(5):637–641.

Mohsen, Z. H. et al. 1987. Dimensions and instar recognition of nine sclerotized characters in the larvae of *Culex quinquefasciatus* Say and *C. molestus* Forskal. J. Biol. Sci. Res. 18(3):1–15.

Pappas, L. G. 1988. Stimulation and sequence operation of cibarial and pharyngeal pumps during sugar feeding by mosquitoes (Diptera: Culicidae). Ann. Entomol. Soc. Am. 81(2):274–277.

PHYSIOLOGY

Barr, A. R. et al. 1986. Seasonal variation in number of eggs laid by *Culiseta incidens* (Diptera: Culicidae). J. Med. Entomol. 23(2):178–181.

Beyenbach, K. W. 1988. Multiple pathways for sodium entry across the basolateral membrane of a secretory epithelium. FASEB J. 2(5), Abst. 6928.

Borovsky, D. and D. A. Carlson. 1988. Inhibition of proteolytic enzymes biosynthesis with mosquito oostatic hormone. FASEB J. 2(4), Abst. 354.

Carvalho, M. G. C. and M. S. Freitas. 1988. Effect of continuous heat stress on cell growth and protein synthesis in *Aedes albopictus*. J. Cell Biochem., Suppl. (12, D):288.

Dadd, R. H. et al. 1988. Eicosapentaenoic acid in mosquito tissues: differences between wild and laboratory-reared adults. Environ. Entomol. 17(2):172–180.

Hatfield, P. R. 1987. An immunological approach to vector control: how host immune responses to vector antigens may affect the mosquito *Aedes aegypti* (Linnaeus) as a vector of yellow fever virus, and the flea *Xenopsylla cheopis*. UK Index to Theses 36(1):288.

Hegarty, J. L. et al. 1988. Amiloride inhibition of fluid secretion in insect malpighian tubules. FASEB J. 2(4), Abst. 2628.

Hu, Y. X. et al. 1986. [On the reproductive capacity of *Anopheles sinensis* at different temperatures.] Chin. J. Parasitol. Paras. Dis. 4(1):53–54. In Chinese.

Jiang, C. S. et al. 1987. [Studies on the patterns of nonspecific esterase isozymes of *Anopheles (Cellia) minimus* Theobald (Diptera: Culicidae).] Acta Entomol. Sinica 30(2):229–230. In Chinese.

Kelly, T. J. et al. 1988. Current status of fly and mosquito oostatic hormone. J. Cell Biochem., Suppl. (12, A):226.

Laufer, S. et al. 1988. Functional similarities of diuresis in male and female mosquitoes. FASEB J. 2(4), Abst. 2656.

Ma, M. et al. 1988. Permissive action of juvenile hormone on vitellogenin production by the mosquito *Aedes aegypti*. J. Insect Physiol. 34(7):593–596.

Nayar, J. K. 1985. Development of immature stages and larval excretion. *In*: Bionomics and Physiology of *Aedes taeniorhynchus* and *Aedes sollicitans*, the Salt Marsh Mosquitoes of Florida, pp. 18–42.

Nayar, J. K. and E. van Handel. 1985. Larval and adult nutrition and adult excretion. *In*: Bionomics and Physiology of *Aedes taeniorhynchus* and *Aedes sollicitans*, the Salt Marsh Mosquitoes of Florida, pp. 50–66.

Ouda, N. A. et al. 1988. Some biological observations on autogeny in *Culex pipiens molestus* Forskal (Diptera: Culicidae) in Mosul area, Iraq. J. Biol. Sci. Res. 19(1):155–162.

Prasad, R. S. 1987. Nutrition and reproduction in haematophagous arthropods. Proc. Indian Acad. Sci., Anim. Sci. 96(3):253–273.

Raikhel, A. S. 1987. Monoclonal antibodies as probes for processing of the mosquito yolk protein; a high-resolution immunolocalization of secretory and accumulative pathways. Tissue & Cell 19(4):515–529.

Ray, S. and A. Choudhury. 1988. Salinity tolerance of *Culex sitiens* Wied. (Diptera: Culicidae) larvae in laboratory condition. Curr. Sci. 57(3):159–160.

Reuben, R. 1987. Feeding and reproduction in vector mosquitoes. Proc. Indian Acad. Sci., Anim. Sci. 96(3):275–280.

Schneider, M. et al. 1986. Absorption and transport of radioactive tracers in the midgut of the malaria mosquito, *Anopheles stephensi*. J. Ultrastruc. Mol. Struct. Res. 97(1–3):50–63.

Wang, R. L. 1987. [Monthly distribution of diapausing *Culex pipiens pallens* in winter season in Shanghai.] Chin. J. Parasitol. Paras. Dis. 5(2):151. In Chinese.

Wun, Y. C. et al. 1987. [Physiological effect of photoperiod on winter diapause of *Anopheles sinensis*.] Chin. J. Parasitol. Paras. Dis. 5(2):158. In Chinese.

Xue, J. M. et al. 1987. [Preliminary observations on the autogeny of *Aedes (Finlaya) togoi* Theobald (Diptera, Culicidae).] Chin. J. Parasitol. Parasit. Dis. 5(1):17–18. In Chinese.

Zhang, B. et al. 1988. Bumetanide-sensitive cotransport in the basolateral membrane of malpighian tubules of the mosquito *Aedes aegypti*. FASEB J. 2(6), Abst. 8299.

Zimmer, D. J. et al. 1988. Transepithelial voltage measurements in isolated malpighian tubules. FASEB J. 2(4), Abst. 2655.

BIOCHEMISTRY

Brogdon, W. G. 1988. Microassay of acetylcholine activity in small portions of single mosquito homogenates. Comp. Biochem. Physiol. C90(1):145–150.

BEHAVIOR

Ali, A. and J. K. Nayar. 1988. Attractiveness of wild populations of adult mosquitoes to artificial light in central Florida. Excerpta Med. Int. Cong. Ser. 810, p. 140.

Apasov, S. G. et al. 1986. [Acoustic orientation of males of *Aedes diantaeus* during pairing.] Parazitologiya 20(5):351–355. In Russian.

Bidlingmayer, W. L. 1985. Field flight behavior. C. Dispersal and searching flights. *In*: Bionomics and Physiology of *Aedes taeniorhynchus* and *Aedes sollicitans*, the Salt Marsh Mosquitoes of Florida, pp. 81–88.

Charlwood, J. D. et al. 1986. Influence of moonlight and gonotrophic age on biting activity of *Anopheles farauti* (Diptera: Culicidae) from Papua New Guinea. J. Med. Entomol. 23(2):132–135.

Edman, J. D. 1985. Blood-feeding behavior. *In*: Bionomics and Physiology of *Aedes taeniorhynchus* and *Aedes sollicitans*, the Salt Marsh Mosquitoes of Florida, pp. 95–103.

Forattini, O. P. and A. de Castro Gomes. 1988. Biting activity of *Aedes scapularis* (Rondani) and *Haemagogus* mosquitoes in southern Brazil (Diptera: Culicidae). Rev. Saude Publica 22(2):84–93.

Ginsberg, H. S. 1986. Dispersal patterns of *Aedes sollicitans* (Diptera: Culicidae) at the east end of Fire Island National Seashore, New York, USA. J. Med. Entomol. 23(2):146–155.

Haeger, J. S. 1985. Field flight behavior. B. Migratory flight. *In*: Bionomics and Physiology of *Aedes taeniorhynchus* and *Aedes sollicitans*, the Salt Marsh Mosquitoes of Florida, pp. 72–80.

Hati, A. K. et al. 1987. Daytime resting habits of *Anopheles stephensi* in an area of Calcutta. Indian J. Malariol. 24(1):85–87.

Khawaled, K. et al. 1988. Feeding behavior of *Aedes aegypti* larvae and toxicity of dispersed and of naturally encapsulated *Bacillus thuringiensis* var. *israelensis*. J. Invertbr. Pathol. 52(3):419–426.

Kulkarni, S. M. 1987. Feeding behaviour of anopheline mosquitoes in an area endemic for malaria in Bastar district, Madhya Pradesh. Indian J. Malariol. 24(2):163–171.

Kurihara, T. and K. Ichimori. 1988. The effects of adulticides on the behaviour of vector mosquitoes under the laboratory conditions. Excerpta Med. Int. Congr. Ser. 810, p. 44.

Linley, J. R. 1985. Larval behavior. *In*: Bionomics and Physiology of *Aedes taeniorhynchus* and *Aedes sollicitans*, the Salt Marsh Mosquitoes of Florida, pp. 43–49.

Lounibos, L. P. and J. R. Linley. 1987. A quantitative analysis of underwater oviposition by the mosquito *Mansonia titillans*. Physiol. Entomol. 12(4):435–443.

Lounibos, L. P. and C. E. Machado-Allison. 1987. Female brooding protects mosquito eggs from rainfall. Biotropica 19(1):83–85.

Lutwana, J. J. and L. G. Mukwaya. 1988. Behavioural and ecological diversity of *Aedes simpsoni* complex (Diptera: Culicidae) in Africa. Excerpta Med. Int. Congr. Ser. 810, p. 139.

Mahmood, F. et al. 1986. *Culex tritaeniorhynchus* Giles: changes in male mating competence and reproductive system morphology associated with age and mating experience. Pak. J. Zool. 18(3):273–296.

McLain, D. K. and K. S. Rai. 1986. Reinforcement for ethological isolation in the southeast Asian *Aedes albopictus* subgroup (Diptera: Culicidae). Evolution 40(6):1346–1350.

Murillo B., C. et al. 1988. [Biology of *Anopheles (Kerteszia) neivai* H., D. & K., 1913 (Diptera: Culicidae) on the Pacific coast of Colombia. III. Measures of luminosity and biting behavior.] Rev. Saude Publica 22(22):109–112. In Portuguese.

Navarro-Ortega, A. et al. 1988. [Attraction of mosquitoes (Diptera: Culicidae) by means of a Cuban miniature CDC light trap with lactic acid as additional attraction.] Rev. Cubana Med. Trop. 40(1):70–74. In Spanish.

Nayar, J. K. and D. M. Sauerman Jr. 1985. Laboratory flight behavior and energetics. *In*: Bionomics and Physiology of *Aedes taeniorhynchus* and *Aedes sollicitans*, the Salt Marsh Mosquitoes of Florida, pp. 89–94.

Nielsen, E. T. 1985. Field flight behavior, A. Swarming. *In*: Bionomics and Physiology of *Aedes taeniorhynchus* and *Aedes sollicitans*, the Salt Marsh Mosquitoes of Florida, pp. 67–71.

O'Meara, G. F. and J. S. Haeger. 1985. Sexual behavior and reproduction. *In*: Bionomics and Physiology of *Aedes taeniorhynchus* and *Aedes sollicitans*, the Salt Marsh Mosquitoes of Florida, pp. 104–123.

Patra, U. C. and M. R. Lenka. 1988. Blood meal analysis of certain biting flies: anophelines from the foot hill areas of Keonjhar, Orissa, India. Indian Biol. 20(1):21–22.

Rajput, K. B. and T. K. Singh. 1987. Day biting mosquitoes (Diptera: Culicidae) of Manipur. Entomon 12(1):21–25.

Rockett, C. L. 1987. Bacteria as ovipositional attractants for *Culex pipiens* (Diptera: Culicidae). Great Lakes Entomol. 20(3):151–155.

Roy, A. and V. P. Sharma. 1987. Microdot ELISA: development of a sensitive and rapid test to identify the source of mosquito blood meals. Indian J. Malariol. 24(1):51–58.

Sharp, B. L. et al. 1988. Host preference studies on *Aedes durbanensis*. J. Entomol. Soc. South Afr. 51(1):137–138.

Zimmerman, J. H. et al. 1988. Host-feeding patterns of mosquitoes (Diptera: Culicidae) in a rural village near Cairo, Egypt. J. Med. Entomol. 25(5):410–412.

REPELLENTS

Curtis, C. F. 1988. Are insect repellents safe? Lancet II(8618):1020.

Ombaka, J. H. and J. M. Waithaka. 1988. Pyrethrum lotion in mosquito repellents. Excerpta Med. Int. Congr. Ser. 810, p. 43.

Robbins, P. J. and M. G. Cherniack. 1986. Review of the biodistribution and toxicity of the insect repellent *N,N*-diethyl-*m*-toluamide (deet). J. Toxicol. Environ. Health 18(4):503–525.

Schreck, C. E. 1988. State of the art of personal protection strategies for control of vector-borne disease. Excerpta Med. Int. Congr. Ser. 810, p. 26.

Suarez A., M. F. and G. A. Fleming. 1986. [Field trial of a new formulation of soap type repellent against mosquitoes.] Biomedica 6(3/4):85–88. In Spanish.

Taylor, W. G. 1987. Identification and determination of some *in vitro* metabolites of deet insect repellent. *In*: Research Highlights 1985–86, Lethbridge Research Station, Alberta, pp. 40–42.

BIOLOGY

Chiang, G. L. et al. 1988. A study of dispersal, survival and gonotrophic cycle estimates of *Mansonia uniformis* in an open swamp ecotype. Southeast Asian J. Trop. Med. Public Health 19(2):271–281.

Gad, A. M. et al. 1987. Distribution and bionomics of Egyptian *Culex antennatus* (Becker). J. Egypt. Soc. Parasitol. 17(2):591–608.

Mutero, C. M. and M. H. Birley. 1987. Estimation of the survival rate and oviposition cycle of field populations of malaria vectors in Kenya. J. Appl. Ecol. 24(3):853–863.

Nasci, R. S. 1988. Biology of *Aedes triseriatus* (Diptera: Culicidae) developing in tires in Louisiana. J. Med. Entomol. 25(5):402–405.

Singh, R. 1986. Bionomics of *Anopheles stephensi* and *Anopheles subpictus* (Diptera: Culicidae) associated with malaria. Entomon 11(3):179–182.

Tamarina, N. A. 1987. [Ways of formation of gonotrophic relations in bloodsucking Diptera.] Parasitologiya 21(2):89–96. In Russian.

Zhong, Z. L. and G. M. He. 1987. [The developmental durations of larval instars of *Aedes albopictus*.] Acta Entomol. Sinica 30(2):175–179. In Chinese.

MOLECULAR BIOLOGY

Black, W. C. IV and K. S. Rai. 1988. Genome evolution in mosquitoes: intraspecific and interspecific variation in repetitive DNA amounts and organization. Genet. Res. 51(3):185–196.

Durbin, J. E. et al. 1988. Identification of cDNAs corresponding to mosquito ribosomal protein genes (BBA 91823). Biochim. Biophys. Acta 950(2):182–192.

Faria, F. S. and O. Leoncini. 1988. Evolution of ribosomal genes in the family Culicidae. Rev. Bras. Genet. 11(2):275–286.

McGrane, V. et al. 1988. Microinjection of DNA into *Aedes triseriatus* ova and detection of integration. Am. J. Trop. Med. Hyg. 39(5):502–510.

McLain, D. K. et al. 1987. Intraspecific and interspecific variation in the sequence and abundance of highly repeated DNA among mosquitoes of the *Aedes albopictus* subgroup. Heredity 58(3):373–381.

CYTOLOGY

Baimai, V. et al. 1988. Cytological differences and chromosomal rearrangements in four members of the *Anopheles dirus* complex (Diptera: Culicidae). Genome 30(3):372–379.

Booth, D. R. et al. 1987. The larval salivary gland polytene chromosomes of *Anopheles (Cellia) annulipes* s.l. Walker (Diptera: Culicidae). Aust. J. Zool. 35(3):247–252.

Robinson, A. S. et al. 1987. Breakpoint distribution in male-linked translocations in *Anopheles stephensi* Liston. J. Hered. 78(6):394–398.

Shetty, N. J. and G. Devi K. 1988. Further isolation of radiation-induced chromosomal translocations in the malaria mosquito, *Anopheles stephensi* Liston. Excerpta Med. Int. Congr. Ser. 810, p. 36.

Wang, T. C. and C. L. Wu. 1986. Cell genetics, cytogenetics and sister chromatid differentiation in *Aedes albopictus* cell line. Chin. J. Entomol. 6:112.

GENETIC CONTROL

Seawright, J. A. et al. 1987. Current research relevant to genetic sexing at the Insects Affecting Man and Animals Laboratory. *In*: Fruit flies. Proceedings of the Second International Symposium, A. P. Economopoulos, ed., pp. 203–208.

ECOLOGY

Astaiza V. R. et al. 1988. [Biology of *Anopheles (Kerteszia) neivai* H., D. & K., 1913 (Diptera: Culicidae) on the Pacific coast of Colombia. II. Fluctuation of the adult population.] Rev. Saude Publica 22(2): 101–108. In Portuguese.

Bradshaw, W. E. and C. M. Holzapfel. 1988. Drought and the organization of tree-hole mosquito communities. Oecologia 74(4):507–514.

de Castro Gomes, A. and G. R. A. M. Marques. 1988. [Finding of a natural breeding place of *Aedes (Stegomyia) albopictus* (Skuse), State of Sao Paulo, Brasil.] Rev. Saude Publica 22(3):245. In Portuguese.

Frank, J. H. et al. 1988. Mosquito larvae in axils of the imported bromeliad *Billbergia pyramidalis* in southern Florida U.S.A. Fla. Entomol. 71(1):33–43.

Fuhrmann, S. 1986. [The seasonal population dynamics of Diptera on horses with regard to their control.] Thesis, Ludwig-Maximilians-University, Munich, 97 pp. In German.

Jewsbury, J. M. and A. M. A. Imevbore. 1988. Small dam health studies. Parasitol. Today 4(2):57–59.

Kitching, R. L. 1987. A preliminary account of the metazoan food webs in phytotelmata from Sulawesi. Malay. Nat. J. 41(1):1–12.

Livdahl, T. P. and J. S. Edgerly. 1987. Egg hatching inhibition: field evidence for population regulation in a treehole mosquito. Ecol. Entomol. 12(4):395–399.

Lounibos, L. P. et al. 1987. Survival, development and predatory effects of mosquito larvae in Venezuelan phytotelmata. J. Trop. Ecol. 3(3):221–242.

Lourenco-de-Oliveira, R. et al. 1986. [Some aspects of the ecology of mosquitoes (Diptera: Culicidae) in a lowland area (Granjas Calábria), in Jacarepaguá, Rio de Janeiro. V. Breeding places.] Mem. Inst. Oswaldo Cruz Rio J. 81(3):265–271. In Portuguese.

Margalit, J. et al. 1988. Geographical, seasonal and ecological distribution of mosquito larvae (Diptera: Culicidae) in southern Israel. Arch. Hydrobiol. 112(2):233–250.

Murillo, B. C. et al. 1988. [Biology of *Anopheles (Kerteszia) neivai* H., D. & K., 1913 (Diptera: Culicidae) on the Pacific coast of Colombia. I. Fluctuation of the larval population and characteristics of its breeding places.] Rev. Saude Publica 22(2):94–100. In Portuguese.

Prokhorova, I. N. and I. S. Kuul. 1987. [Basements as breeding sites of the bloodsucking mosquito *Culex pipiens* in the territory of Astrakhan and causes of

their flooding.] Med. Parazitol. Parazit. Bolezni 1987(1):22–24. In Russian.
Udevitz, M. S. et al. 1987. Prediction of the occurrence of four species of mosquito larvae with logistic regression on water-chemistry variables. Environ. Entomol. 16(1):281–285.
Walker, E. D. and R. W. Merritt. 1988. The significance of leaf detritus to mosquito (Diptera: Culicidae) productivity from treeholes. Environ. Entomol. 17(2):199–206.
Walker, I. 1986. Experiments on colonization of small water bodies by Culicidae and Chironomidae as a function of decomposing plant substrates and their implication for natural Amazonian ecosystems. Amazoniana 10(1):113–125.
Wang, R. L. 1987. [Monthly distribution of diapausing *Culex pipiens pallens* in winter season in Shanghai.] Chin. J. Parasitol. Paras. Dis. 5(2):151. In Chinese.
Xue, Z. 1987. [The parous rate of *Anopheles sinensis* at different hours in the night.] Chin. J. Parasitol. Paras. Dis. 5(2):151. In Chinese.

BIOLOGICAL CONTROL

Gillette, B. 1988. Controlling mosquitoes biologically. Bioscience 38(2):80–83.
Maurice, J. and A. M. Pearce (eds.) 1987. Biological control of vectors. *In*: Tropical disease research: a global partnership. UNDP/WORLD BANK/WHO 8th Prog. Rpt., pp. 125–133.

PREDATORS

Chimanuka, B. and G. Josens. 1988. Experimental predator-prey relations between *Culex tigripes* and anophelinae larvae. Excerpta Med. Int. Congr. Ser. 810, p. 140.
Dawson, P. and P. J. Bishop. 1987. The painted reed frog (*Hyperolius marmoratus*), aspects of life history, experimental use and husbandry. Animal Technol. 38(2):81–86.
Garces-Fonseca, J. F. et al. 1988. [Predatory capacity of *Poecilia reticulata* Peters 1895 (Cyprinodontiformes: Poecillidae) on larvae of *Culex quinquefasciatus* Say 1823 and *Aedes aegypti* Linneo. 1762 (Diptera: Culicidae) under laboratory conditions in Cuba.] Rev. Cubana Med. Trop. 40(1):54–60. In Spanish.
Hull, E. R. and A. Perlmutter. 1988. A new technique for the economical mass storage of annual killifish eggs for utilization in mosquito control. Excerpta Med. Int. Congr. Ser. 810, p. 90.
Kolasa, J. 1987. Population growth in some *Mesostoma* species (Turbellaria) predatory in mosquitoes. Freshwater Biol. 18(2):205–212.
Koldenkova, L. et al. 1988. [Predatory capacity of larvivorous fish *Poecilia reticulata* Peters 1895 (Cyprinodontiformes: Poecillidae) in a natural breeding place of the mosquito *Culex quinquefasciatus* Say 1823.] Rev. Cubana Med. Trop. 40(1):21–26. In Spanish.
Menon, A. G. K. 1988. Larvivorous fishes of south and south east Asia for control of mosquitoes causing malaria. Excerpta Med. Int. Congr. Ser. 810, p. 27.
Morton, R. M. et al. 1988. Fishes of a subtropical Australian saltmarsh and their predation upon mosquitoes. Environ. Biol. Fishes 21(3):185–194.
Ormerod, S. J. and S. J. Tyler. 1988. The diet of Green Sandpipers, *Tringa ochropus*, in contrasting areas of their winter range. Bird Study 35(1):25–30.
Pimm, S. L. and R. L. Kitching. 1987. The determinants of food chain lengths. Oikos 50(3):302–307.
Shagov, E. M. and E. G. Khorkhordin. 1988. [Test insects of developing and manufacturing microbiological preparations quality control.] Biotekhnologiya 1988(1):143–146. In Russian.
Sharma, R. C. et al. 1987. Studies on the role of indigenous fishes in the control of mosquito breeding. Indian J. Malariol. 24(1):73–77.
Streams, F. A. 1987. Foraging behavior in a notonectid assemblage. Am. Midl. Nat. 117(2):353–361.
Van der Goot, V. S. and R. De Vos. 1988. [Swarms of *Rhamphomyia marginata* at dusk (Diptera: Empididae).] Entomol. Ber. 48(4):49–52. In Dutch.
Venkatesan, P. and S. Muthukrishnan. 1987. Impact of predation and food utilization on reproduction of *Diplonychus indicus* and *Ranatra filiformis*. Proc. Indian Acad. Sci., Anim. Sci. 96(3):293–304.
Yao, C. Q. and X. D. Xu. 1987. [Investigation on *Toxorhynchites aurifluus* preying on mosquito larvae.] Chin. J. Biol. Cont. 3(4):186. In Chinese.

MICROBIAL CONTROL AGENTS

Alekseev, A. N. 1987. [Prospects of improving microbiological preparations and methods of controlling bloodsucking arthropods and disease vectors.] Med. Parazitol. Parazit. Boleznei 1987(1):3–8. In Russian.
Yap, H. H. 1987. Microbial insecticides in aquatic environments: factors affecting efficacy in the field. Food Fertilizer Technol. Cent. (Taiwan), Tech Bull. 104, pp. ii + 8.

VIRUSES

Robinson, B. L. et al. 1988. The biology and control of cytoplasmic polyhedrosis virus (CPV) in *Anopheles stephensi*. Excerpta Med. Int. Congr. Ser. 810, p. 36.

BACTERIA

Aly, C. 1988. Filter feeding of mosquito larvae (Diptera: Culicidae) in the presence of the bacterial pathogen *Bacillus thuringiensis* var. *israelensis*. J. Appl. Entomol. 105(2):160–166.
Becker, N. 1986. [*Bacillus thuringiensis* subspec. *israelensis*—a microbial alternative in the control of mosquitoes and blackflies.] Mitt. Biol. Bundesanst. Land- Forstwirtsch. Berl. Dahlem 233:69–82. In German.
Bounias, M. et al. 1986. [A study of the action of the δ-endotoxin of *Bacillus thuringiensis israelensis* on functional biochemical relationships in *Aedes aegypti* (Diptera).] C. R. Acad. Sci. Ser. III Sci. Vie. 303(7):285–289. In French.
Bowen, D. J. and J. C. Ensign. 1988. Crystalline protein inclusions of *Xenorhabdus luminescens*. Am. Soc. Microbiol., Abstr. Ann. Mtg. 88:200.
Briggs, J. D. 1986. Pioneering and advanced phases of commercial use of *Bacillus thuringiensis* in North America. Mitt. Biol. Bundesanst. Land- Forstwirtsch. Berl. Dahlem 233:25–35.
Charles, J.-F. et al. 1988. *Bacillus sphaericus* asporo-

genous mutants: morphology, protein pattern and larvicidal activity. Ann. Inst. Pasteur Microbiol. 139(2):243–260.

Clark, T. B. et al. 1987. New spiroplasmas from insects and flowers: isolation, ecology, and host association. Isr. J. Med. Sci. 23(6):687–690.

Coonrod, P. and K. Keudell. 1988. Serotyping of *Bacillus laterosporus* strains. Am. Soc. Microbiol., Abst. Ann. Mtg. 88:238.

Davidson, E. W. et al. 1987. Enzymatic activation and degradation of the *Bacillus sphaericus* mosquito larvicidal toxin. Toxicon 25(2):138.

Donovan, W. P. et al. 1988. Molecular characterization of a gene encoding a 72-kilodalton mosquito-toxic crystal protein from *Bacillus thuringiensis* subsp. *israelensis*. J. Bacteriol. 170(10):4732–4738.

Donovan, W. P. et al. 1988. Amino acid sequence and entomocidal activity of the P2 crystal protein. An insect toxin from *Bacillus thuringiensis* var. *kurstaki*. J. Biol. Chem. 263(1):561–567.

Edoh, D. A. and K. O. Nyarko. 1988. A new medium for the preservation and mass production of *Bacillus thuringiensis* (H-14). Excerpta Med. Int. Congr. Ser. 810, p. 267.

Farghal, A. L. and Y. A. Darwish. 1988. Effect of storage temperature on the insecticidal activity of a wettable powder formulation of *Bacillus thuringiensis* var. *israelensis* on *Culex pipiens molestus* larvae. Anz. Schaedlingskd. Pflanzenschutz Umweltschutz 61(2):31–33.

Ganushkina, L. A. 1987. [Evaluation of the effect of larvicides based on *Bacillus thuringiensis* var. *israelensis* H-14 and *Bacillus sphaericus* on the susceptibility of adult mosquitoes to *Plasmodium*.] Med. Parazitol. Parazit. Boleznei 1987(1):10–13. In Russian.

Granum, P. E. et al. 1988. Comparison of the *in vivo* and *in vitro* activity of the δ-endotoxin of *Bacillus thuringiensis* var. *morrisoni* (HD-12) and two of its constituent proteins after cloning and expression in *Escherichia coli*. Eur. J. Biochem. 172(3):731–738.

Haider, M. Z. and D. J. Ellar. 1987. Characterization of the toxicity and cytopathic specificity of a cloned *Bacillus thuringiensis* crystal protein using insect cell culture. Mol. Microbiol. 1(1):59–66.

Hong, H. and X. Li. 1988. Comparative studies on insecticidal parasporal crystals of two *Bacillus thuringiensis* var. *israelensis* strains. Excerpta Med. Int. Congr. Ser. 810, p. 267.

Ibarra, J. E. 1986. Characterization of mosquito larvicidal proteins in the parasporal body of *Bacillus thuringiensis*. Diss. Abstr. Int., B 47(4):1399.

Jamil, K. and U. S. Murty. 1988. Application of biocides (*Bacillus thuringiensis* and *B. sphaericus*) for the biological control of mosquitoes of different habitats. Excerpta Med. Int. Congr. Ser. 810, p. 267.

Kang, S. C. and C. S. Chen. 1986. [Histopathological studies of mosquito larvae infected by *Bacillus thuringiensis* var. *israelensis*.] Chin. J. Entomol. 6:39–56. In Chinese.

Lacey, L. A. et al. 1988. Experimental formulations of *Bacillus sphaericus* for the control of anopheline and culicine larvae. J. Indust. Microbiol. 3(1):39–48.

Lakshmi Narasu, M. and K. P. Gopinathan. 1988. Effect of *Bacillus sphaericus* 1593 toxin on choline acetyl transferase and mitochondrial oxidative activities of the mosquito larvae. Indian J. Biochem. Biophys. 25(3):253–256.

Lewis, L. O. et al. 1987. Characterization of the surface protein layers of the mosquito-pathogenic strains of *Bacillus sphaericus*. J. Bacteriol. 169(1):72–79.

Luo, S. B. et al. 1987. [Enzyme-linked immunosorbent assay for the detection and quantification of crystal toxins of *Bacillus thuringiensis*.] Chin. J. Biol. Cont. 3(4):145–151. In Chinese.

Mikhnovskaya, N. D. et al. 1987. [Mixed infections in the pathology of larvae of bloodsucking mosquitoes. Part 1. Entomopathogenic properties of bacterial complexes.] Med. Parazitol. Parazit. Boleznei 1987(1):13–17. In Russian.

Misch, D. W. et al. 1987. The relative toxicity of a spore preparation of *Bacillus thuringiensis* var. *israelensis* against fourth instar larvae of *Aedes aegypti* and *Toxorhynchites amboinensis*: suspension feeding compared with enemas and forced feeding. Entomol. Exp. Appl. 44(2):151–154.

Mohsen, Z. H. et al. 1987. Midgut histopathology in *Culex quinquefasciatus* Say treated with *Bacillus thuringiensis H-14* and *Bacillus sphaericus* 2362. J. Biol. Sci. Res. 18(1):219–228.

Mohsen, Z. H. et al. 1987. Larvicidal activity of various formulations of *Bacillus thuringiensis* H-14 and *B. sphaericus* 2362 against larvae of *Culex quinquefasciatus*. J. Biol. Sci. Res. 18(3):17–24.

Monod, M. et al. 1987. Cloning and analysis of *ermG*, a new macrolide-lincosamide-streptogramin B resistance element from *Bacillus sphaericus*. J. Bacteriol. 169(1):340–350.

Nicholas, L. et al. 1987. Persistence and recycling of *Bacillus sphaericus* 2362 spores in *Culex quinquefasciatus* breeding sites in West Africa. Appl. Microbiol. Biotechnol. 25:341–345.

Nizeyimana, B. et al. 1987. [Biochemical effects of the intoxication of *Aedes aegypti* (Insecta, Diptera) larvae by the δ-endotoxin of *Bacillus thuringiensis israelensis*. II. Abdominal lipids.] C. R. Seances Soc. Biol. Fil. 181(4):355–363. In French.

Obeta, J. A. N. 1988. Experimental control of mosquitoes at Nsukka with primary powder of *Bacillus thuringiensis* var. *israelensis*. Excerpta Med. Int. Congr. Ser. 810, p. 268.

Pao-intara, M. et al. 1988. The mosquito larvicidal activity of 130-kDa δ-endotoxin of *Bacillus thuringiensis* var. *israelensis* resides in the 72-kDa amino-terminal fragment. Biochem. Biophys. Res. Commun. 153(1):294–300.

Qiu, J. B. et al. 1987. [Observations on the larvicidal effect of *Bacillus thuringiensis* [subsp. *israelensis*] against *Culex pipiens* complex.] Chin. J. Parasitol. Paras. Dis. 5(2):144. In Chinese.

Simitzis le Flohic, A. M. et al. 1988. [Survey of the experimental pathogenic effect of spiroplasmas isolated from mosquitoes on the hatching of *Aedes aegypti* ova and their larval development.] Ann. Parasitol. Hum. Comp. 63(1):76–84. In French.

Singer, S. 1988. Clonal populations with special reference to *Bacillus sphaericus*. Adv. Appl. Microbiol. 33:47–74.

Singh, G. J. P. and S. S. Gill. 1988. An electron microscope study of the toxic action of *Bacillus sphaericus* in *Culex quinquefasciatus* larvae. J. Invertebr. Pathol. 52(2):237–247.

Singh, R. P. 1987. Isolation and identification of a *Bacillus* species pathogenic to mosquito larvae: its commercial implications as bioinsecticide. Curr. Sci. 56(14):702–704.

Souza, A. E. et al. 1988. Cloning and expression in *Escherichia coli* of two DNA fragments from *Bacillus sphaericus* encoding mosquito-larvicidal activity. J. Biotechnol. 7(1):71–82.

Stray, J. E. et al. 1988. Toxicity of *Bacillus sphaericus* crystal toxin to adult mosquitoes. Appl. Environ. Microbiol. 54(9):2320–2321.

Suenaga, O. 1988. Change of cytoplasmic incompatibility after tetracycline treatment in *Culex pipiens quinquefasciatus*. Excerpta Med. Int. Congr. Ser. 810, p. 89.

Sundaram, A. et al. 1987. Influence of surfactants and polymeric adjuvants on physicochemical properties, droplet size spectra and deposition of fenitrothion and *Bacillus thuringiensis* formulations under laboratory conditions. J. Environ. Sci. Health, B22(6): 691–720.

Szalay-Marzsó, L. 1985. [Study of selectivity of *Bacillus thuringiensis* var. *israelensis* in natural waters.] Növényvédelem 21(10):442–446. In Hungarian.

Taylor, L. D. and W. F. Burke Jr. 1988. Plasmid transformation of *Bacillus thuringiensis* ssp. *israelensis* protoplasts. Am. Soc. Microbiol., Abstr. Ann. Mtg. 88:155.

Vorgetts, J. Jr. et al. 1988. Interpretation of density dependent data in comparisons of *Bacillus thuringiensis* var. *israelensis* formulations. J. Entomol. Sci. 23(2):149–154.

Wang, S. et al. 1988. Study of active substances of strain 187 [*Bacillus thuringiensis*] toxic to larvae of mosquitoes and toxicity stability. Excerpta Med. Int. Congr. Ser. 810, p. 267.

Wang, Y. et al. 1988. The pathological studies of larvae of *Culex pipiens fatigans* infected with *Bacillus thuringiensis* var. *israelensis* strain 187. Excerpta Med. Int. Congr. Ser. 810, p. 268.

Wu, D. 1987. Purification of crystal components, protein synergism and cloning of mosquitocidal genes from *Bacillus thuringiensis* subsp. *israelensis*. Diss. Abstr. Int., B 48(4):970-B.

Zhang, Y. M. et al. 1986. [Biological characteristics of 2 strains of *Bacillus sphaericus* and their virulence to *Culex fatigans*.] Nat. Enemies of Insects 8(1):5–13. In Chinese.

FUNGI

El Tayeb, I. M. et al. 1988. The parasitism of the malaria vector *Anopheles arabiensis* with the fungus *Achlya* sp. Excerpta Med. Int. Congr. Ser. 810, p. 28.

Lucarotti, C. J. and M. B. Klein. 1988. Pathology of *Coelomomyces stegomyiae* in adult *Aedes aegypti* ovaries. Can. J. Bot. 66(5):877–884.

Murty, U. S. et al. 1987. Effect of avermectin B_1 (L-676) a metabolite from *Streptomyces avermilitis* on immatures of *Culex quinquefasciatus*. Indian J. Med. Res. 85(5):539–541.

Nnakumusana, E. S. 1987. Effects of temperature on the susceptibility of *Aedes aegypti* (L.) (Diptera: Culicidae) larvae to a mosquito pathogen *Coelomomyces stegomyiae* in Uganda. Appl. Entomol. Zool. 22(1):7–12.

Sabwa, D. S. and J. Shemanchuk. 1988. Residual mosquito larvicidal activity of *Coelomomyces utahensis* (Blastocladiales: Coelomomycetaceae). Excerpta Med. Int. Congr. Ser. 810, p. 268.

Saunders, G. A. et al. 1988. Pathogenicity of fungi isolated from field-collected larvae of the Western Treehole Mosquito, *Aedes sierrensis* (Diptera: Culicidae). J. Invertebr. Pathol. 52(2):360–363.

Vey, A. et al. 1987. [Insecticidal mode of action of a mycotoxin, destruxin E, on dipteran vectors and disseminators of germs.] C. R. Acad. Sci. III Sci. Vie 304(9):229–234. In French.

PROTISTA

Undeen, A. H. and S. W. Avery. 1988. Spectrophotometric measurement of *Nosema algerae* (Microspora: Nosematidae) spore germination rate. J. Invertebr. Pathol. 52(2):253–258.

Undeen, A. H. and S. W. Avery. 1988. Ammonium chloride inhibition of the germination of spores of *Nosema algerae* (Microspora: Nosematidae). J. Invertebr. Pathol. 52(2):326–334.

Washburn, J. O. et al. 1988. Density reduction in larval mosquito (Diptera: Culicidae) populations by interactions between a parasitic ciliate (Ciliophora: Tetrahymenidae) and an opportunistic fungal (Oömycetes: Pythiaceae) parasite. J. Med. Entomol. 25(5):307–314.

MULTICELLULAR PARASITES

Giblin, R. M. 1987. Biological control of mosquitoes with the nematode, *Romanomermis culicivorax*. Nematology Circular, Div. Plant Indust., Fla. Dept. Agric. Consumer Serv. No. 142, 4 pp.

Gordon, R. 1987. Glyoxylate pathway in the free-living stages of the entomophilic nematode *Romanomermis culicivorax*. J. Nematol. 19(3):277–281.

Lanciani, C. A. 1988. Sexual bias in host selection by parasitic mites of the mosquito *Anopheles crucians* (Diptera: Culicidae). J. Parasitol. 74(5):768–773.

Santamarina-Mijares, A. and R. Gonzalez-Broche. 1988. [Study of infestation and parasite development of *Romanomermis culicivorax* Ross and Smith 1967 (Rhabditida: Mermithidae) in larvae of *Anopheles albimanus* Wiedeman 1821 (Diptera: Culicidae) under laboratory conditions.] Rev. Cubana Med. Trop. 40(1):27–31. In Spanish.

Santamarina-Mijares, A. and R. Gonzalez-Broche. 1988. [Study of age of cultures of *Romanomermis culicivorax* Ross and Smith 1976 (Rhabditida: Mermithidae) in the infestation of mosquito larvae *Culex quinquefasciatus* Say 1823 under laboratory conditions.] Rev. Cubana Med. Trop. 40(1):75–79. In Spanish.

Song, J. Z. et al. 1987. [Studies on the natural infection of *Anopheles sinensis* by *Romanomermis sichuanensis* in Leshan.] Chin. J. Biol. Cont. 3(4):163–165. In Chinese.

Vyas-Patel, N. 1988. Parasitism of Kenyan mosquito larvae (Diptera: Culicidae) by *Romanomermis culicivorax* (Nematoda: Mermithidae). J. Nematol. 20(1):96–101.

Webber, R. A. et al. 1987. The effects of *Plagiorchis noblei* (Trematoda: Plagiorchiidae) metacercariae on the susceptibility of *Aedes aegypti* larvae to predation by guppies (*Poecilia reticulata*) and meadow voles (*Microtus pennsylvanicus*). Can. J. Zool. 65(10):2346–2348.

MOSQUITO-BORNE DISEASES

Acha, P. N. and B. Szyfres. 1987. *Zoonoses and Communicable Diseases Common to Man and Animals* (2nd ed.), Pan Amer. Hlth. Organ., Wash., pp. xx + 963.

Castle, M. D. et al. 1988. Hematozoan parasites of Rio Grande wild turkeys from southern Texas U.S.A. J. Wildl. Dis. 24(1):88–96.

Chan, V. F. 1988. Tropical diseases of public health importance in the Philippines. Southeast Asian J. Trop. Med. Public Health 19(3):361–367.

Kirkpatrick, C. E. and T. B. Smith. 1988. Blood parasites of birds in Cameroon. J. Parasitol. 74(6):1009–1013.

Liang, J. M. et al. 1987. [Investigations on the vectorial capacity of *Anopheles sinensis* and *Anopheles minimus* in Rong County, Guangxi.] Chin. J. Parasitol. Paras. Dis. 5(1):57. In Chinese.

Liu, G. Z. 1986. [Investigations on the distribution and vector capacity of *Anopheles lesteri anthropophagus* in Congjiang County, Guizhou.] J. Parasitol. Paras. Dis. 4(1):64. In Chinese.

Sucharit, S. (ed.) 1987. Annotated bibliography on mosquito borne diseases in Asia—1984. Bangkok, SEAMEO-TROPMED Natl. Center, pp. vii + 253.

VIRAL DISEASES

Beran, G. W. 1988. Overview of the impact of arboviral infections on animal and human health. J. Am. Vet. Med. Assoc. 192(12):1769.

Blondel, D. et al. 1988. Vesicular stomatitis virus in *Drosophila melanogaster* cells: regulation of viral transcription and replication. J. Virol. 62(1):277–284.

Dezélée, S. et al. 1987. Vesicular stomatitis virus in *Drosophila melanogaster* cells: lack of leader RNA transport into the nuclei and frequent abortion of the replication step. J. Virol. 61(5):1391–1397.

Francy, D. B. et al. 1988. Epizoötic vesicular stomatitis in Colorado, 1982: isolation of virus from insects collected along the northern Colorado Rocky Mountain front range. J. Med. Entomol. 25(5):343–347.

Karim, S. S. A. et al. 1988. The prevalence and transmission of hepatitis B virus infection in urban, rural and institutionalized black children of Natal—Kwazulu, South Africa. Int. J. Epidemiol. 17(1):168–173.

Nichol, S. T. 1988. Genetic diversity of enzootic isolates of vesicular stomatitis virus, New Jersey. J. Virol. 62(2):572–579.

Quiroz, E. et al. 1988. A human case of encephalitis associated with vesicular stomatitis virus (Indiana serotype) infection. Am. J. Trop. Med. Hyg. 39(3):312–314.

Rodrigues, J. J. et al. 1988. Localization of arboviral antigen in brain tissues from patients with encephalitis. Southeast Asian J. Trop. Med. Public Health. 19(2):323–326.

Siemens, D. F. Jr. 1987. AIDS transmission and insects. Science 238(4824):143.

Tavares-Neto, J. et al. 1986. [Search for arbovirus antibodies in sera from residents of the village of Corte de Pedra, Valenca, Bahia.] Mem. Inst. Oswaldo Cruz Rio J. 81(4):351–358. In Portuguese.

Vazeille, M. C. et al. 1988. An orbivirus of mosquitoes which induces CO_2 sensitivity in mosquitoes and is lethal for rabbits. J. Virol. 62(9):3484–3487.

You, Z. et al. 1988. [Preliminary identification of two arbovirus isolates from Hainan Island, China.] Chin. J. Virol. 4(1):11–17. In Chinese.

Zhou, C. Y. et al. 1988. [Observation on the sensitivity and growth curve pattern of *Aedes albopictus* cell line to infection by dengue and Chikungunya viruses.] Virol. Sinica 3(1):98–101. In Chinese.

TOGAVIRUSES

Banerjee, K. et al. 1988. Susceptibility and transmissibility of different geographical strains of *Aedes aegypti* mosquitoes to Chikungunya virus. Indian J. Med. Res. 87(Feb.):134–138.

Ksiazek, T. G. et al. 1988. Equine encephalitides in the Americas. J. Am. Vet. Med. Assoc. 192(12):1769.

Mourya, D. T. 1987. Absence of transovarial transmission of Chikungunya virus in *Aedes aegypti* and *Ae. albopictus* mosquitoes. Indian J. Med. Res. 85(5):593–595.

Naim, Y. H. and H. Koblet. 1988. Infectivity and fusogenicity of Semliki Forest virus (SFV) containing alternative glycans. Experientia 44(Abst.):A82.

Roehrig, J. T. et al. 1988. *In vitro* mechanisms of monoclonal antibody neutralization of Alphaviruses. Virology 165(1):66–73.

FLAVIVIRUSES

Kay, B. H. et al. 1987. A mathematical model for the rural amplification of Murray Valley encephalitis virus in southern Australia. Am. J. Epidemiol. 125(4):690–705.

Kostyukov, M. A. et al. 1986. [Experimental evidence of the infection of the mosquito *Culex pipiens* L. with West Nile fever virus on the lake frog *Rana ridibunda* Pallas and its transmission by bite.] Med. Parazitol. Parazit. Boleznei 1986(6):76–78. In Russian.

Lobigs, M. et al. 1988. Murray Valley encephalitis virus field strains from Australia and Papua New Guinea: studies on the sequence of the major envelope protein gene and virulence for mice. Virology 165(1):245–255.

Nathin, M. A. et al. 1988. Dengue haemorrhagic fever and Japanese B encephalitis in Indonesia. Southeast Asian J. Trop. Med. Public Health 19(3):475–481.

FLAVIVIRUSES—*Yellow fever*

Cane, P. A. and E. A. Gould. 1988. Reduction of yellow fever virus mouse neurovirulence by immunization with a bacterially synthesized non-structural protein (NS1) fragment. J. Gen. Virol. 69(6):1241–1246.

FLAVIVIRUSES—*Dengue*

Aaskov, J. G. et al. 1988. Failure of a dengue 1 subunit vaccine to protect mice against a lethal dengue virus infection. Am. J. Trop. Med. Hyg. 39(5):511–518.

Anonymous. 1988. Dengue in the Americas, 1987. Dengue Surveil. Summ. No. 56, 5 pp.

Anonymous. 1988. Dengue and dengue hemorrhagic

fever in the Americas, 1986. J. Am. Med. Assoc. 259(12):1781–1782.
Anonymous. 1988. Dengue Control: The Challenge to the Social Sciences. Agenda and Readings for the Workshop. October 20–22, 1988. The Johns Hopkins University School of Hygiene and Public Health. 121 pp.
Cardosa, M. J. 1988. Dengue fever and dengue haemorrhagic fever in Malaysia. Southeast Asian J. Trop. Med. Public Health 19(3):483–486.
Farfan-Ale, J. A. et al. 1988. Numerical taxonomy of dengue viruses, a mathematical approach in the characterization of viral strains. Excerpta Med. Int. Congr. Ser. 810, p. 165.
Gomez-Dantes, H. et al. 1988. Dengue epidemics on the Pacific Coast of Mexico. Int. J. Epidemiol. 17(1):178–186.
Gruenberg, A. et al. 1988. Partial nucleotide sequence and deduced amino acid sequence of the structural proteins of dengue virus type-2, New Guinea-C and PUO-218 strains. J. Gen. Virol. 69(6):1391–1398.
Soemarsono et al. 1988. Outbreak of dengue hemorrhagic fever (DHF) in adults and adolescents of Jakarta Indonesia. Excerpta Med. Int. Congr. Ser. 810, p. 165.
Turell, M. J. et al. 1987. Increased dissemination of dengue 2 virus in *Aedes aegypti* associated with concurrent ingestion of microfilariae of *Brugia malayi*. Am. J. Trop. Med. Hyg. 37(1):197–201.
Ungchusak, K. and P. Kunasol. 1988. Dengue haemorrhagic fever in Thailand, 1987. Southeast Asian J. Trop. Med. Public Health 19(3):487–490.

FLAVIVIRUSES—*Japanese encephalitis*

Dhanda, V. et al. 1988. Natural occurrence of transovarial transmission of Japanese encephalitis virus in mosquitoes. Excerpta Med. Int. Congr. Ser. 810, p. 379.
Geevarghese, G. et al. 1987. Isolation of Japanese encephalitis virus from a sentinel domestic pig from Kolar district in Karnataka. Indian J. Med. Res. 86(Sept.):273–275.
Igarashi, A. 1988. Development of the second generation Japanese encephalitis (JE) vaccine. Southeast Asian J. Trop. Med. Public Health 19(3):493–500.
Nisalak, A. et al. 1988. Field trial of JE vaccine in Thailand. Southeast Asian J. Trop. Med. Public Health 19(3):500.
Ogata, T. and A. Oya. 1988. Spread of Japanese encephalitis virus in Japan based on pig infection during these 23 years. Excerpta Med. Int. Congr. Ser. 810, p. 380.
Reuben, R. et al. 1988. Surveillance for vectors of Japanese encephalitis in Tamil Nadu, India. Excerpta Med. Int. Congr. Ser. 810, p. 136.
Yu, Y.-X. et al. 1988. A large-scale vaccination with a Japanese encephalitis live attenuated virus vaccine (SA14-14-2). Excerpta Med. Int. Congr. Ser. 810, p. 216.

BUNYAVIRUSES

Beaty, B. J. and D. H. L. Bishop. 1988. Bunyavirus-vector interactions. Virus Res. 10(4):289–302.
Bishop, D. H. L. and B. J. Beaty. 1986. Interference—immunity of mosquitoes to Bunyavirus superinfection. In: *Immune Mechanisms in Invertebrate Vectors*, A. M. Lackie ed., Symp. Zool. Soc. London 56, pp. 95–115.
Calisher, C. H. et al. 1988. Brus Laguna virus, A Gamboa Bunyavirus from *Aedeomyia squamipennis* collected in Honduras. Am. J. Trop. Med. Hyg. 39(4):406–408.
Calisher, C. H. et al. 1988. Kairi virus identified from a febrile horse in Argentina. Am. J. Trop. Med. Hyg. 39(5):519–521.
Godsey, M. S. Jr. et al. 1988. California serogroup virus infections in Wisconsin domestic animals. Am. J. Trop. Med. Hyg. 39(4):409–416.
Gonzalez-Scarano, F. et al. 1988. Genetic determinants of the virulence and infectivity of LaCrosse virus. Microb. Pathog. 4(1):1–8.
Kolakofsky, D. et al. 1987. The translational requirement for La Crosse virus S-mRNA synthesis. Cold Spring Harb. Symp. 52:373–379.
Labuda, M. 1988. Amplification of arboviral transmission by multiply intradermal probings of mosquitoes. Excerpta Med. Int. Congr. Ser. 810, p. 139. [Tahyna]
Tessier, S. F. et al. 1987. Viral haemorrhagic fever survey in Chobe (Botswana). Trans. Roy. Soc. Trop. Med. Hyg. 81(4):699–700.

BUNYAVIRUSES—*Rift Valley fever*

Digoutte, J. P. et al. 1988. Virological, immunological and clinical study of the epidemic of Rift Valley fever in the south of the Mauritanian Islamic Republic. Excerpta Med. Int. Congr. Ser. 810, p. 164.
Jouan, A. et al. 1988. Rift Valley fever epidemic in Mauritania—epidemiological features. Excerpta Med. Int. Congr. Ser. 810, p. 228.
Jupp, P. G. et al. 1988. Mosquito vectors of Rift Valley fever (RVF) virus in South Africa. Excerpta Med. Int. Congr. Ser. 810, p. 164.
Morita, C. 1988. Prevalence of Rift Valley fever in Lusaka and Mazabuka, Zambia. J. Vet. Med., B 35(3):157–160.
Soliman, A. K. et al. 1988. Solid-phase immunosorbent technique for rapid detection of Rift Valley fever virus immunoglobulin M by hemagglutination inhibition. J. Clin. Microbiol. 26(9):1913–1915.

PARASITIC DISEASES

Garcia, L. S. and D. A. Bruckner. 1988. *Diagnostic Medical Parasitology*. Elsevier, pp. xiii + 500.

MALARIA—*General*

Anonymous. 1988. Malaria, mosquito control, and primary health care. Lancet I(8584):511–512.
Bruce-Chwatt, L. J. 1987. *Unde venis viator et quo vadis*? Ann. Trop. Med. Parasitol. 81(5):471–486.
Bruce-Chwatt, L. J. 1987. Letter to the editor. Trop. Med. Hyg. News 36(4):81–82.
Carter, R. 1988. Aspects of molecular biological studies of sexual stages of malaria parasites. Excerpta Med. Int. Congr. Ser. 810, p. 327.
Gordon, S. et al. 1988. Malaria—a city hospital experience. Arch. Intern. Med. 148(7):1569–1571.

Haynes, J. D. et al. 1988. Receptor-like specificity of a *Plasmodium knowlesi* malarial protein that binds to Duffy antigen ligands on erythrocytes. J. Exp. Med. 167(6):1873–1881.

Hendrickse, R. G. 1987. Malaria and child health. Ann. Trop. Med. Parasitol. 81(5):499–509.

Marsh, K. 1988. Cytoadherence and the pathophysiology of cerebral malaria. Excerpta Med. Int. Congr. Ser. 810, pp. 5–6.

Mashaal, H. 1988. Economic impact role of malaria on agro-industrial projects. Excerpta Med. Int. Congr. Ser. 810, p. 38.

McGregor, I. A. 1988. Nutrition and malaria. Excerpta Med. Int. Congr. Ser. 810, pp. 177–178.

Mendis, K. N. et al. 1988. The use of Old World monkeys in malaria research. Excerpta Med. Int. Congr. Ser. 810, p. 119.

Mons, B. et al. 1988. *In vitro* culture of *Plasmodium vivax* using blood of human and non-human origin. Excerpta Med. Int. Congr. Ser. 810, p. 119.

Mons, B. et al. 1988. Erythrocytic schizogony and invasion of *Plasmodium vivax in vitro*. Int. J. Parasitol. 18(3):307–311.

Naing, T. et al. 1988. Falciparum malaria and pregnancy: relationship and treatment response. Southeast Asian J. Trop. Med. Public Health. 19(2):253–258.

Okanurak, K. and S. Sornmani. 1988. The attrition of village malaria volunteers. Excerpta Med. Int. Congr. Ser. 810, p. 122.

Pye, D. et al. 1988. *Plasmodium falciparum* in Guyanan *Saimiri* monkeys. Excerpta Med. Int. Congr. Ser. 810, p. 34.

Richie, T. L. 1988. Interactions between malaria parasites infecting the same vertebrate host. Parasitology 96(3):607–639.

Smythe, J. A. et al. 1988. Identification of two integral membrane proteins of *Plasmodium falciparum*. Proc. Natl. Acad. Sci. USA 85(14):5195–5199.

Trager, W. 1987. The cultivation of *Plasmodium falciparum*: applications in basic and applied research on malaria. Ann. Trop. Med. Parasitol. 81(5):511–529.

Vernick, K. D. et al. 1988. Mung bean nuclease exhibits a generalized gene-excision activity upon purified *Plasmodium falciparum* genomic DNA. Nucl. Acids Res. 16(14B):6883–6896.

Vernick, K. D. et al. 1988. Genetic hypervariability of telomere-related sequences is associated with meiosis in *Plasmodium falciparum*. Nucl. Acids Res. 16(14B):6973–6985.

Wirima, J. J. and A. D. Harries. 1987. Absence of fever in nonimmune patients developing falciparum malaria. Br. Med. J. 295(6603):913.

MALARIA—*Diagnosis*

Evengård, B. et al. 1988. Standardization of a filter-paper technique for blood sampling. Ann. Trop. Med. Parasitol. 82(3):295–303.

Francis, V. S. and K. Ayyanathan. 1988. DNA probes for the identification of *Plasmodium*. Excerpta Med. Int. Congr. Ser. 810, p. 189.

Golenser, J. et al. 1988. Detection of *Plasmodium falciparum* in infected blood by sensitive ELISA based on a monoclonal antibody crossreacting with *P. berghei*. Excerpta Med. Int. Congr. Ser. 810, p. 55.

Lee, M. and C. Lambros. 1988. The ELISA-U: an enzyme-linked immunosorbent assay using urease as the enzyme marker for rapid detection of *Plasmodium falciparum* antibody in human serum. Am. J. Trop. Med. Hyg. 39(5):421–426.

Sethabutr, O. et al. 1988. A comparative field study of radiolabeled and enzyme-conjugated synthetic DNA probes for the diagnosis of falciparum malaria. Am. J. Trop. Med. Hyg. 39(3):227–231.

Sluiters, J. F. 1988. The use of soft slides in preparation of blood films. Excerpta Med. Int. Congr. Ser. 810, p. 56.

Spielman, A. et al. 1988. Malaria diagnosis by direct observation of centrifuged samples of blood. Am. J. Trop. Med. Hyg. 39(4):337–342.

Wang, M. et al. 1988. Diagnosis and investigation of *P. vivax* malaria on detecting antigen by enzyme linked immunosorbent assay. Excerpta Med. Int. Congr. Ser. 810, p. 56.

Zhou, Z. X. et al. 1988. A simple test to detect serum-antigen of malaria. Excerpta Med. Int. Congr. Ser. 810, p. 56.

MALARIA—*Drugs*

Anonymous. 1988. Chloroquine utilisation studies and its impact on malaria—a 10 year review for Tanzania. Excerpta Med. Int. Congr. Ser. 810, p. 293.

Badam, L. et al. 1987. *In vitro* antimalarial activity of neem (*Azadirachta indica* A. Juss) leaf and seed extracts. Indian J. Malariol. 24(2):111–117.

Botero, D. et al. 1988. *P. falciparum* suppressive effect of mefloquine plus pyrimethamine-sulfadoxine and of pyrimethamine sulfadoxine in Colombia. Excerpta Med. Int. Congr. Ser. 810, p. 130.

Das, S. K. et al. 1988. Design and comparative bioavailability study of controlled release antimalarial agents. Excerpta Med. Int. Congr. Ser. 810, p. 348.

Divo, A. A. et al. 1988. Activity of fluoroquinolone antibiotics against *Plasmodium falciparum* in vitro. Antimicrob. Agents Chemother. 32(8):1182–1186.

Edstein, M. D. et al. 1988. Excretion of mefloquine in human breast milk. Chemotherapy 34(3):165–169.

Fairfield, A. S. et al. 1988. Oxidant defense enzymes of *Plasmodium falciparum* (MBP 00997). Mol. Biochem. Parasitol. 30(1):77–82.

Fry, M. 1988. Electron transport: the target of new antimalarial hydroxynaphthoquinones. Excerpta Med. Int. Congr. Ser. 810, pp. 81–82.

Gbeassor, M. et al. 1988. Anti-malarial testing of some African medicinal plants. Excerpta Med. Int. Congr. Ser. 810, p. 346.

Heppner, D. G. et al. 1988. Antimalarial properties of orally active iron chelators. Blood 72(1):358–361.

Jefford, C. W. et al. 1988. 1,2,4-trioxane derivatives as potential antimalarial agents. Excerpta Med. Int. Congr. Ser. 810, p. 320.

Klayman, D. L. and A. J. Lin. 1988. Artelinic acid sodium salt: a new water soluble antimalarial agent derived from artemisinin. Excerpta Med. Int. Congr. Ser. 810, p. 320.

Milhous, W. K. et al. 1988. New alternatives to primaquine. Excerpta Med. Int. Congr. Ser. 810, p. 333.

Murphy, J. R. et al. 1988. Stage-selective inhibition of

rodent malaria by cyclosporine. Antimicrob. Agents Chemother. 32(4):462–466.
Raether, W. and B. Enders. 1988. Preliminary studies on blood schizontocidal action of new acridinediones against *Plasmodium falciparum*. Excerpta Med. Int. Congr. Ser. 810, p. 32.
Riscoe, M. K. et al. 1988. Analogs of 5-methylthioribose: a novel class of antimalarial agents. Excerpta Med. Int. Congr. Ser. 810, p. 32.
Rowell, V. et al. 1988. A specific ELISA method for determining chloroquine in urine or dried blood spots. Bull. W. H. O. 66(2):211–217.
Winstanley, P. A. and A. M. Breckenridge. 1987. Currently important antimalarial drugs. Ann. Trop. Med. Parasitol. 81(5):619–627.

MALARIA—*Treatment*

Axmann, A. et al. 1988 Clinical trial of quinidine treatment in malaria. Excerpta Med. Int. Congr. Ser. 810, p. 132.
Chanthavanich, P. et al. 1988. A combination of quinine, quinidine and cinchonine (Falcimax TM) in the treatment of falciparum malaria in Thai children. Excerpta Med. Int. Congr. Ser. 810, p. 234.
Chongsuphajaisikkhi, T. et al. 1988. Phase III clinical trial with a fixed dose combination of mefloquine, sulfadoxine and pyrimethamine (Fansimef) in Thai children with falciparum malaria. Excerpta Med. Int. Congr. Ser. 810, p. 131.
Ekanem, O. J. 1988. Suppressive treatment of malaria with Fansimef and chloroquine in Nigeria. Excerpta Med. Int. Congr. Ser. 810, p. 131.
Heim, M. U. et al. 1988. [Exchange transfusion and/or plasmapheresis—is it an effective treatment in fulminant falciparum malaria?] Deut. Med. Wochenschr. 113(23):941–944. In German.
Le Bras, J. et al. 1988. Evaluation of intramuscular amopyroquine in 439 patients with falciparum malaria in Africa (1987). Excerpta Med. Int. Congr. Ser. 810, p. 32.
Li, G. et al. 1988. A randomised comparative study of quinine and sodium artesunate in falciparum malaria. Excerpta Med. Int. Congr. Ser. 810, p. 129.
Richard-Lenoble, D. et al. 1988. Efficacy, safety and acceptability of halofantrine chlorhydrate in the treatment of acute falciparum malaria in African children. Excerpta Med. Int. Congr. Ser. 810, p. 321.
Roue, R. et al. 1988. Preliminary results. Efficacy, safety of halofantrine in the treatment of a first *Plasmodium falciparum* malaria attack in adults. Excerpta Med. Int. Congr. Ser. 810, p. 129.
Schapira, A. and J. F. L. Schwalbach. 1988. Evaluation of 4 therapeutic regimens for falciparum malaria in Mozambique, 1986. Bull. W. H. O. 66(2):219–226.
Triolo, N. 1988. Adrenaline as therapy helping quinine both in cases of chronic and acute malaria as well as in latent malaria. Excerpta Med. Int. Congr. Ser. 810, p. 133.

MALARIA—*Prophylaxis*

Anonymous. 1988. Recommendations for the prevention of malaria in travelers. J. Am. Med. Assoc. 259(23):3390–3391, 3395–3396.
Bunnag, D. et al. 1988. Fansimef for prophylaxis of malaria. Excerpta Med. Int. Congr. Ser. 810, p. 131.
Dietrich, M. et al. 1988. Mefloquine vs. mefloquine in combination with sulfadoxin and pyrimethamine in prophylaxis of malaria. A prospective randomized double-blind study. Excerpta Med. Int. Congr. Ser. 810, p. 225.
Gilles, H. M. 1987. The treatment and prophylaxis of malaria. Ann. Trop. Med. Parasitol. 81(5):607–617.
Harries, A. D. et al. 1988. Malaria prophylaxis amongst British residents in Malawi. Excerpta Med. Int. Congr. Ser. 810, p. 37.
Heimgartner, E. et al. 1988. Acceptance and tolerability of Fansimef versus mefloquine in malaria prophylaxis. Excerpta Med. Int. Congr. Ser. 810, p. 131.
Holdener, F. and R. Wyss. 1988. A way away from malaria chemoprophylaxis. Excerpta Med. Int. Congr. Ser. 810, p. 225.
Lobel, H. O. et al. 1988. Malaria prevention in travelers to Kenya. Excerpta Med. Int. Congr. Ser. 810, p. 226.
Nosten, F. et al. 1988. A double blind placebo controlled study of mefloquine prophylaxis in women at high risk from falciparum malaria. Excerpta Med. Int. Congr. Ser. 810, p. 233.
Rooth, I. et al. 1988. A comparative study of the prophylactic effect of proguanil and chlorproguanil against *Plasmodium falciparum* in Tanzania. Excerpta Med. Int. Congr. Ser. 810, p. 225.
Smit, E. H. D. 1988. Malaria chemoprophylaxis . . . or quinine. Excerpta Med. Int. Congr. Ser. 810, p. 226.
Steffen, R. et al. 1988. Use, safety and efficacy of malaria chemoprophylaxis in European travelers to Africa: a follow-up study. Excerpta Med. Int. Congr. Ser. 810, pp. 184–185.
Wetsteyn, J. C. F. M. 1988. Comparison of three different chemoprophylactic regimes against malaria in travellers and workers in East Africa. Excerpta Med. Int. Congr. Ser. 810, p. 37.
White, N. J. 1988. Drug treatment and prevention of malaria. Eur. J. Clin. Pharmacol. 34(1):1–14.

MALARIA—*Drug resistance*

Bayoumi, R. A. et al. 1988. Chloroquine-resistant *Plasmodium falciparum* in eastern Sudan. Excerpta Med. Int. Congr. Ser. 810, p. 350.
Brasseur, P. et al. 1988. In vivo resistance to chloroquine of *P. falciparum* isolates from Douala (Cameroon). Excerpta Med. Int. Congr. Ser. 810, p. 334.
Brockelman, C. R. et al. 1988. Comparative sensitivity of mefloquine and to combination of mefloquine-sulfadoxine-pyrimethamine of *Plasmodium falciparum* in Thailand. Excerpta Med. Int. Congr. Ser. 810, p. 133.
Brockelman, C. R. et al. 1988. Mefloquine-sulfadoxine-pyrimethamine (MSP) combination delays in vitro emergence of mefloquine resistance in multiple drug resistant *Plasmodium falciparum*. Excerpta Med. Int. Congr. Ser. 810, p. 234.
Carosi, G. et al. 1988. *P. falciparum* chloroquine sensitivity in West Africa. Excerpta Med. Int. Congr. Ser. 810, p. 350.
Delmont, J. et al. 1988. Response of *Plasmodium falciparum* to chloroquine (25 mg/kg over 3 days) in four regions of the Central African Republic (C. A. R.). Excerpta Med. Int. Congr. Ser. 810, p. 350.
Edrissian, G. H. 1988. Status of the response of *Plasmodium falciparum* to chloroquine and mefloquine

in Iran. Excerpta Med. Int. Congr. Ser. 810, p. 334.
Gbary, A. R. et al. 1988. [Emergence of chloroquino-resistant malaria in West Africa: case of Sokode (Togo).] Trop. Med. Parasitol. 39(2):142–144. In French.
Hatz, C. F. R. et al. 1988. Evolution of chloroquine resistance in falciparum malaria. Excerpta Med. Int. Congr. Ser. 810, p. 335.
Howells, R. E. 1987. The antimalarial action of chloroquine and mechanisms of resistance. Ann. Trop. Med. Parasitol. 81(5):629–637.
Ichimori, K. et al. 1988. Effects of chloroquine on the infectivity to mosquitoes of chloroquine resistant and sensitive populations of *Plasmodium yoelii nigeriensis*. Excerpta Med. Int. Congr. Ser. 810, p. 35.
Irare, S. M. et al. 1988. The evolution and current status of antimalarial drug resistance in Tanzania. Excerpta Med. Int. Congr. Ser. 810, p. 335.
Lancastre, F. et al. 1988. [A case of chloroquine-resistant *Plasmodium falciparum* malaria in the Ivory Coast.] Presse Med. 17(12):589. In French.
Le Bras, J. et al. 1988. Geographical spread of drug resistant falciparum malaria in Africa. Excerpta Med. Int. Congr. Ser. 810, pp. 181–182.
Lemuge, M. M. and A. W. Inambao. 1988. *Plasmodium falciparum* response to chloroquine in Zambia: use of quinine or amodiaquine as alternatives. Excerpta Med. Int. Congr. Ser. 810, p. 336.
Martin, S. K. 1988. Reversal of chloroquine resistance in *Plasmodium falciparum*. Excerpta Med. Int. Congr. Ser. 810, pp. 80–81.
McLaughlin, G. L. et al. 1988. DNA hybridization for assessment of response of *Plasmodium falciparum* to chloroquine therapy. J. Clin. Microbiol. 26(9): 1704–1707.
Mutabingwa, T. K. et al. 1988. Trial of six malaria treatment regimens for the management of malaria in an holoendemic African area with multi drug resistance. Excerpta Med. Int. Congr. Ser. 810, p. 335.
Nevill, C. G. et al. 1988. Epidemic malaria in N. Tanzania; a longitudinal follow up of the in vivo response of *P. falciparum* to chloroquine, short course quinine/Fansidar and Fansidar during 1984 and 1985. Excerpta Med. Int. Congr. Ser. 810, p. 308.
Peters, W. 1988. Multiple drug-resistant falciparum malaria: epidemiology and prophylaxis. Excerpta Med. Int. Congr. Ser. 810, pp. 180–181.
Petersen, E. et al. 1988. *In vitro* susceptibility of *P. falciparum* isolates from Liberia to pyrimethamine, cycloguanil and chlorcycloguanil. Excerpta Med. Int. Congr. Ser. 810, p. 36.
Qiu, C. et al. 1988. Sensitivity of *Plasmodium falciparum* to pyronaridine and sodium artesunate in Hainan Island, China. Excerpta Med. Int. Congr. Ser. 810, p. 128.
Sher, A. et al. 1988. In-vitro assessment of the sensitivity of *Plasmodium falciparum* to mefloquine in Kuwait. Excerpta Med. Int. Congr. Ser. 810, p. 132.
Simon, F. et al. 1988. Reduced in vitro sensitivity of *P. falciparum* to mefloquine in Africa. Excerpta Med. Int. Congr. Ser. 810, p. 133.
Sinha, S. et al. 1987. *In vitro* chloroquine resistant *Plasmodium falciparum* in Calcutta and its sensitivity to pinghaosu (artemisitene). Indian J. Malariol. 24(2):107–109.
Watkins, W. M. et al. 1988. Efficacy of multiple-dose halofantrine in treatment of chloroquine-resistant falciparum malaria in children in Kenya. Lancet II(8605):247–250.
Watkins, W. M. et al. 1988. The place of proguanil and chlorproguanil in the prophylaxis of drug-resistant malaria. Excerpta Med. Int. Congr. Ser. 810, pp. 183–184.
Watkins, W. M. et al. 1988. Chloroquine-resistant falciparum malaria responsive to treatment with halofantrine. Excerpta Med. Int. Congr. Ser. 810, p. 321.
Wernsdorfer, W. H. 1988. Prophylaxis of drug-resistant falciparum malaria. Excerpta Med. Int. Congr. Ser. 810, pp. 182–183.

MALARIA—*Antigens*

Anders, R. F. et al. 1988. Antigenic and karyotypic diversity in *Plasmodium falciparum*. Excerpta Med. Int. Congr. Ser. 810, p. 88.
Atkinson, C. T. et al. 1988. Ultrastructural localization of circumsporozoite protein in *P. cynomolgi* and *P. berghei* exoerythrocytic schizonts. Excerpta Med. Int. Congr. Ser. 810, p. 200.
Carter, R. 1988. Aspects of molecular biological studies of sexual stages of malaria parasites. Excerpta Med. Int. Congr. Ser. 810, p. 327.
Carter, R. et al. 1988. A molecule related to PF155/RESA present in gametocytes but not axexual stages of *P. falciparum*. Excerpta Med. Int. Congr. Ser. 810, p. 87.
Hamilton, A. J. et al. 1988. Immunoelectron microscopic localization of circumsporozoite antigen in the differentiating exoerythrocytic trophozoite of *Plasmodium berghei*. Cell Biol. Int. Rep. 12(2):123–129.
Howard, R. J. 1987. Antigenic variation and antigenic diversity in malaria. *In*: Antigenic Variation: Molecular and Genetic Mechanisms of Relapsing Disease, J. M. Cruse and R. E. Lewis, eds., pp. 176–218. (Also in Contrib. Microbiol. Immunol. 8:176–218, 1987).
Matsumoto, Y. et al. 1988. Release of malaria gametes from erythrocytes: involvement of Pf155/RESA cross-reactive antigen. Excerpta Med. Int. Congr. Ser. 810, p. 263.
Matsumoto, Y. et al. 1988. Immunoelectron microscopic localization of vivax malaria antigens to the clefts and caveolavesicle complexes of infected erythrocytes. Am. J. Trop. Med. Hyg. 39(4):317–322.
Ruangjirachuporn, W. et al. 1988. Monoclonal antibodies to a synthetic peptide corresponding to a repeated sequence in the *Plasmodium falciparum* antigen Pf155 (MBP 00959). Mol. Biochem. Parasitol. 29(1):19–28.
Suhrbier, A. et al. 1988. The fate of the circumsporozoite antigens during the exoerythrocytic stage of *Plasmodium berghei*. Eur. J. Cell Biol. 46(1):25–30.

MALARIA—*Immunity*

Anuradha, V. et al. 1988. Age-specific prevalence of antibody to a synthetic peptide of the CS-protein of *P. falciparum* in sera from malaria-endemic areas. Excerpta Med. Int. Congr. Ser. 810, p. 227.
Beckers, P. et al. 1988. An epitope specific serological assay for the [transmission] blocking of *Plasmodium*

falciparum. Excerpta Med. Int. Congr. Ser. 810, p. 227.

Behr, C. et al. 1988. Human cellular immune response to blood stage antigens of *Plasmodium falciparum*. Excerpta Med. Int. Congr. Ser. 810, p. 198.

Campbell, J. R. et al. 1988. Immune response of humans to the circumsporozoite protein of *Plasmodium falciparum*: limited T cell response to the immunodominant central repeat region. Am. J. Trop. Med. Hyg. 39(3):232–235.

Chizzolini, C. et al. 1988. Null or marginal T cell responsiveness to various *P. falciparum* antigens in a large proportion of inhabitants of an endemic area for malaria. Excerpta Med. Int. Congr. Ser. 810, p. 197.

Collins, W. E. et al. 1988. Antibody responses to malarial antigens in the Wopkaimin population of the Star Mountains, Papua New Guinea. Am. J. Trop. Med. Hyg. 39(3):241–245.

David, P. H. et al. 1988. A *Plasmodium vivax* antigen shared between gametes and asexual blood stages is a target of transmission blocking immunity. Excerpta Med. Int. Congr. Ser. 810, p. 102.

Druilhe, P. et al. 1988. Patterns of responses to *P. falciparum* sporozoite and liver stage antigens suggest that anti-sporozoite immunity has a regulatory rather than blocking effect. Excerpta Med. Int. Congr. Ser. 810, p. 198.

Fries, H. C. W. et al. 1988. Biosynthesis of a major target antigen (Mr 25 kD) for transmission blocking antibodies of *Plasmodium falciparum*. Excerpta Med. Int. Congr. Ser. 810, p. 262.

Gopal, K. et al. 1987. Specific IgM and IgG antimalarial antibody responses in paired samples from malaria patients. Indian J. Malariol. 24(2):125–129.

Graves, P. M. et al. 1988. Detection of naturally-occurring antibodies to an epitope on *Plasmodium falciparum* gametes by monoclonal antibody-based competitive ELISA. Excerpta Med. Int. Congr. Ser. 810, p. 126.

Graves, P. M. et al. 1988. Naturally occurring antibodies to an epitope on *Plasmodium falciparum* gametes detected by monoclonal antibody-based competitive enzyme-linked immunosorbent assay. Infec. Immun. 56(11):2818–2821.

Gross, A. and S. Frankenburg. 1988. Induction of macrophage motility by a T-cell line from Balb/c mice specific for *Plasmodium berghei* malaria. J. Parasitol. 74(6):979–984.

Guttinger, M. et al. 1988. Human T cells recognize polymorphic and non-polymorphic regions of the *Plasmodium falciparum* circumsporozoite protein. EMBO J. 7(8):2555–2558.

Høgh, B. et al. 1988. Antibodies to the PF155 antigen of *Plasmodium falciparum* in infants and young children in a holoendemic area of Liberia. Excerpta Med. Int. Congr. Ser. 810, p. 197.

Hollingdale, M. R. 1988. Biology and immunology of sporozoite invasion of liver cells and exoerythrocytic development of malaria parasites. Prog. Allergy 41:15–48. (Also in: *Malaria Immunology*, P. Perlmann and H. Wigzell, eds.).

Hviid, L. et al. 1988. Malaria antigen-induced cellular immune responses in residents of an area of hyperendemic, unstable malaria transmission. Excerpta Med. Int. Congr. Ser. 810, p. 198.

Johnston, D. A. et al. 1988. Monoclonal antibodies from marmosets infected with *Plasmodium vivax*. Excerpta Med. Int. Congr. Ser. 810, p. 196.

Kumar, S. et al. 1988. Cytotoxic T cells specific for the circumsporozoite protein of *Plasmodium falciparum*. Nature 334(6179):258–260.

Li, J. L. and Y. J. Li. 1988. Inhibitory, opsonic, and cytotoxic activities of monoclonal antibodies against asexual erythrocytic stages of *Plasmodium falciparum*. Excerpta Med. Int. Congr. Ser. 810, p. 197.

Malini, R. and D. N. Rao. 1988. Chemical synthesis and study of immunological properties of repeat epitope of CS protein of *Plasmodium vivax*. Excerpta Med. Int. Congr. Ser. 810, p. 88.

McGregor, I. A. 1987. Malarial immunity: current trends and prospects. Ann. Trop. Med. Parasitol. 81(5):647–656.

Mendis, K. N. et al. 1988. Acquired species specific immunity against *P. vivax*: the relative effects of transmission blocking versus protective immunity. Excerpta Med. Int. Congr. Ser. 810, p. 226.

Müller, H.-M. et al. 1988. Differential interaction of the *P. falciparum* P190 protein with sera from different age groups in a malaria endemic population. Excerpta Med. Int. Congr. Ser. 810, p. 200.

Perlmann, P. and H. Wigzell, eds. 1988. *Malaria Immunology*, S. Karger AG, pp. ix + 372.

Pied, S. et al. 1988. *In vitro* and *in vivo* results suggest that C-reactive protein protects against preerythrocytic stages of malaria. Excerpta Med. Int. Congr. Ser. 810, p. 200.

Renia, L. et al. 1988. Dual role of anti-sporozoite antibodies. Excerpta Med. Int. Congr. Ser. 810, p. 200.

Riley, E. M. et al. 1988. Cellular immune responses to *Plasmodium falciparum* antigens in Gambian children during and after an acute attack of falciparum malaria. Clin. Exp. Immunol. 73(1):17–22.

Rzepczyk, C. M. et al. 1988. Investigation of the effect of monocytes with Papua New Guinea sera on *Plasmodium falciparum* in culture. Int. J. Parasitol. 18(3):401–406.

Rzepczyk, C. M. et al. 1988. Epitopes in key malarial antigens recognised by human T cells. Excerpta Med. Int. Congr. Ser. 810, p. 87.

Sauerwein, R. W. et al. 1988. Human T-cell reactivity against sexual stages of *Plasmodium falciparum*. Excerpta Med. Int. Congr. Ser. 810, p. 199.

Sinigaglia, F. et al. 1988. Human T cells recognize polymorphic and non-polymorphic regions of the *Plasmodium falciparum* circumsporozoite protein. Excerpta Med. Int. Congr. Ser. 810, p. 19.

Theander, T. G. et al. 1988. Cell-mediated immunity to *Plasmodium falciparum* infection: evidence against the involvement of cytotoxic lymphocytes. Scand. J. Immunol. 28(1):105–111.

Theander, T. G. et al. 1988. Soluble *Plasmodium falciparum* antigen of 77 kD contains epitopes recognized by lymphocytes from immune individuals. Excerpta Med. Int. Congr. Ser. 810, p. 197.

Thelu, J. and P. Ambroise-Thomas. 1988. [New prospects for the epidemiological and immunological study of malaria by western blotting technic]. C. R. Acad. Sci. Ser. III Sci. Vie 306(1):11–16. In French.

Wang, X. Z. et al. 1988. Monoclonal antibodies against *P. vivax*: the inhibitory effect on gametocyte infectivity. Excerpta Med. Int. Congr. Ser. 810, p. 196.

De Zoysa, A. P. K. et al. 1988. Modulation of human

malaria transmission by anti-gamete transmission blocking immunity. Excerpta Med. Int. Congr. Ser. 810, p. 226.

MALARIA—*Immunization*

Anonymous. 1988. New World primates in development of malaria vaccines. Excerpta Med. Int. Congr. Ser. 810, p. 120.

Barr, P. J. et al. 1988. Production of recombinant vaccine candidates in the yeast *Saccharomyces cerevisiae*. Excerpta Med. Int. Congr. Ser. 810, p. 18.

Hockmeyer, W. T. and W. R. Ballou. 1988. Sporozoite immunity and vaccine development. Prog. Allergy 41:1–14. (Also in: *Malaria Immunology*, P. Perlmann and H. W. Wigzell, eds.).

Kidson, C. 1988. Development of asexual blood stage malaria vaccines. Southeast Asian J. Trop. Med. Public Health 19(3):391–396.

Levine, M. M. et al. 1988. Malaria vaccines: experience with sporozoite vaccines against falciparum malaria. Southeast Asian J. Trop. Med. Public Health 19(3):369–374.

Miller, L. H. and M. F. Good. 1988. The main obstacle to a malaria vaccine: the malaria parasite. Vaccine 6(2):104–106.

Perlmann, P. et al. 1988. Malaria vaccines: immunogen selection and epitope mapping. Vaccine 6(2):183–187.

Phillips, R. S. 1988. The role of non-human primates in malaria vaccine devlopment: report of a consultative meeting at WHO headquarters in Geneva, April 18–19th, 1988. Excerpta Med. Int. Congr. Ser. 810, p. 119.

Siddiqui, W. A. and L. Tam. 1988. Role of adjuvants in induction of protective immunity in *Aotus* and *Saimiri* monkeys against *Plasmodium falciparum* (a review). Excerpta Med. Int. Congr. Ser. 810, p. 119.

Stürchler, D. et al. 1988. *P. falciparum* synthetic sporozoite vaccine in Swiss volunteers: effects of simultaneous administration of interferons. Excerpta Med. Int. Congr. Ser. 810, p. 102.

Webster, H. K. et al. 1988. Vaccines for human malaria: epidemiological and immunological perspectives. Southeast Asian J. Trop. Med. Public Health 19(3):375–389.

MALARIA—*Vectors*

Beier, M. S. et al. 1988. Identification of malaria species by ELISA in sporozoite and oocyst infected *Anopheles* from western Kenya. Am. J. Trop. Med. Hyg. 39 (4):323–327.

Billingsley, P. F. and W. Rudin. 1988. The role of the mosquito peritrophic membrane in blood digestion and *Plasmodium* infectivity. Excerpta Med. Int. Congr. Ser. 810, p. 324.

Burgos, A. M. 1988. *Anopheles (Nyssorhynchus) brasiliensis*, a vector of malaria in the coastal and savanna area of Suriname. Excerpta Med. Int. Congr. Ser. 810, p. 137.

Burkot, T. R. et al. 1988. Factors determining the *Plasmodium falciparum* and *P. vivax* transmission rates in Papua New Guinea. Excerpta Med. Int. Congr. Ser. 810, p. 126.

Chen, P. H. et al. 1988. Observation on the development of *Plasmodium falciparum* in *Anopheles dirus*. Excerpta Med. Int. Congr. Ser. 810, p. 35.

Chen, P. H. et al. 1988. Electron microscopic observation on the effects of 5 antimalarial drugs on sporogony of *Plasmodium gallinaceum*. Excerpta Med. Int. Congr. Ser. 810, p. 136.

Chouchuri, S. K. and A. K. Sen. 1987. Incrimination of *Anopheles stephensi* Liston as malaria vector in Calcutta. Indian J. Malariol. 24(2):183–185.

Coosemans, M. and M. Barutwanayo. 1988. Malaria transmission in a malathion treated rice culture village in Burundi. Excerpta Med. Int. Congr. Ser. 810, p. 42.

Dutta, P. and B. D. Baruah. 1987. Incrimination of *Anopheles minimus* Theobald as a vector of malaria in Arunachal Pradesh. Indian J. Malariol. 24(2): 159–162.

Feldman, A. M. et al. 1988. Digestion in *Anopheles stephensi* of varying susceptibility to *Plasmodium falciparum*. Excerpta Med. Int. Congr. Ser. 810, p. 138.

Gao, X. Z. et al. 1988. The development of oocysts and formation of sporozoites of *Plasmodium vivax* with long and short incubation period under electron microscope. Excerpta Med. Int. Congr. Ser. 810, p. 134.

Haile, D. G. 1988. A weather-based model for computer simulation of anopheline population dynamics and malaria transmission. Excerpta Med. Int. Congr. Ser. 810, p. 125.

Herath, P. R. J. et al. 1988. The role of anophelines in human malaria transmission: the use of ELISA for confirmation of natural infections. Excerpta Med. Int. Congr. Ser. 810, p. 126.

Ijumba, J. N. et al. 1988. Malaria transmission potential of *Anopheles* mosquitoes in the irrigation scheme of Mwea-Tebere, Kenya. Excerpta Med. Int. Congr. Ser. 810, p. 138.

Kasap, H. 1988. Experimental infections and development of *Plasmodium vivax* in *Anopheles sacharovi* and *Anopheles superpictus*. Excerpta Med. Int. Congr. Ser. 810, p. 324.

Krettli, A. U. et al. 1988. *Plasmodium gallinaceum* sporozoites: specific monoclonal antibodies (MAb) and cell interactions *in vitro*. Excerpta Med. Int. Congr. Ser. 810, p. 88.

Muhinda, N. 1988. The evolution of anophelism and malaria transmission in a high altitude zone of eastern Zaire (Central Africa). Excerpta Med. Int. Congr. Ser. 810, p. 345.

Nanda, N. et al. 1987. Studies on the development of *Plasmodium vivax* in *Anopheles subpictus*. Indian J. Malariol. 24(2):135–142.

Ponnudurai, T. et al. 1988. Sporozoites of *Plasmodium falciparium* in mosquitoes and their significance in the epidemiology of malaria. Excerpta Med. Int. Congr. Ser. 810, p. 126.

Posthuma, G. et al. 1988. Immunogold localization of circumsporozoite protein of the malaria parasite *Plasmodium falciparum* during sporogony in *Anopheles stephensi* midguts. Eur. J. Cell Biol. 46(1):18–24.

Posthuma, G. et al. 1988. Immunogold localization of circumsporozoite proteins of *Plasmodium falciparum* in a mosquito vector *Anopheles stephensi*. Ultramicrosopy 24(4):445–446.

Ramsey, J. et al. 1988. Transmission blocking immunity in *Plasmodium vivax* infected Mexican patients

and its effects on *Anopheles albimanus* susceptibility. Excerpta Med. Int. Congr. Ser. 810, p. 199.

Ratanatham, S. et al. 1988. Bionomics of *Anopheles minimus* and its role in malaria transmission in Thailand. Southeast Asian J. Trop. Med. Public Health 19(2):283–289.

Ribeiro, H. et al. 1988. An attempt to infect *Anopheles atroparvus* from Portugal with African *Plasmodium falciparum*. Excerpta Med. Int. Congr. Ser. 810, p. 35.

Rong, Y. -Q. and C. -X. Yang. 1988. Experimental study on the susceptibility of *Anopheles sinensis* and *Anopheles lesteri anthropophagus* to *Plasmodium vivax* and *Plasmodium falciparum*. Excerpta Med. Int. Congr. Ser. 810, p. 34.

Do Rosario, V. E. et al. 1988. The effect of chloroquine on the sporogonic cycle of *Plasmodium berghei* ANKA and *Plasmodium falciparum* in anopheline mosquitoes. Excerpta Med. Int. Congr. Ser. 810, p. 227.

Samanidou, A. et al. 1988. Anopheline mosquitoes, vectors of the human malaria plasmodia in different Greek areas. Excerpta Med. Int. Congr. Ser. 810, p. 89.

Song, Z. C. et al. 1985. [Observation on the susceptibility of *Anopheles dirus* to *Plasmodium yoelii yoelii*.] J. Parasitol. Paras. Dis. 3(2):116–119. In Chinese.

Upatham, E. S. et al. 1988. Bionomics of *Anopheles maculatus* complex and their role in malaria transmission in Thailand. Southeast Asian J. Trop. Med. Public Health 19(2):259–269.

Van Druten, J. A. M. and J. P. Verhave. 1988. Estimation of the malaria sporozoite rate using pooled samples of mosquitoes. Excerpta Med. Int. Congr. Ser. 810, p. 125.

Vaughn, J. A. et al. 1988. Quantitative measurements of host specific antibodies against *Plasmodium falciparum* sporozoite in the gut and hemolymph of anopheline mosquitoes. Excerpta Med. Int. Congr. Ser. 810, p. 227.

Wang, H. et al. 1987. [Geographical distribution of *Anopheles lesteri anthropophagus* and its role in malaria transmission in Guangxi.] Chin. J. Parasitol. Paras. Dis 5(2):104–106. In Chinese.

Wang, X. Z. et al. 1988. Monoclonal antibodies against *P. vivax*: the inhibitory effect of gametocyte infectivity. Excerpta Med. Int. Congr. Ser. 810, p. 196.

Yu, Y. et al. 1988. Experimental comparison on the susceptibility of *Anopheles (Cellia) minimus* forms A and B to *Plasmodium vivax*. Excerpta Med. Int. Congr. Ser. 810, p. 35.

MALARIA—*Epidemiology*

Ahmad, S. et al. 1988. A seven year study on prevalence of malaria in Aligarh (India). Excerpta Med. Int. Congr. Ser. 810, p. 342.

Ayyamni, U. D. and C. C. Seang. 1988. The malaria situation in Malaysia. Southeast Asian J. Trop. Med. Public Health 19(3):349–353.

Bada, J. L. et al. 1988. Epidemiology of malaria in two different areas in Rwanda. Excerpta Med. Int. Congr. Ser. 810, p. 344.

Barraviera, B. et al. 1987. [Malaria in the Humaitá County, Amazonas State. XXI. Prevalence of glucose-6-phosphate dehydrogenase deficiency in a population sample and in malaria patients. (*Plasmodium falciparum*)]. Rev. Inst. Med. Trop. Sao Paulo 29(6):374–380. In Portuguese.

Beljaev, A. E. et al. 1987. Studies on the detection of malaria at primary health centres. III. Parasitological profile of population surveyed for malaria through passive case detection. Indian J. Malariol. 24(2):97–106.

Chuttani, C. S. et al. 1988. Role of migratory population in keeping up the endemicity of malaria in metropolitan cities of India. Excerpta Med. Int. Congr. Ser. 810, p. 344.

Fasulo, G. et al. 1988. Clinical and epidemiological features of imported malaria in Bologna from 1977 to 1987. Excerpta Med. Int. Congr. Ser. 810, p. 73.

Fleming, A. F. 1988. Ovalocytosis and malaria. Lancet II(8615):857.

Gazin, P. et al. 1988. Malaria morbidity in a sahelian dispensary of Burkina Faso. Excerpta Med. Int. Congr. Ser. 810, p. 294.

Hill, A. V. S. et al. 1988. Beta-thalassemia in Melanesia: association with malaria and characterization of a common variant (IVS-1 nt 5G→C). Blood 72(1):9–14.

Hira, P. R. et al. 1988. Current status of important malaria in Kuwait, Arabian Gulf. Excerpta Med. Int. Congr. Ser. 810, p. 72.

Janssens, P. G. and M. Wery. 1987. Malaria in Africa south of the Sahara. Ann. Trop. Med. Parasitol. 81(5):487–498.

Kondrashin, A. V. 1988. Malaria as anthropo-ecological system. Excerpta Med. Int. Congr. Ser. 810, p. 342.

Kumar, R. et al. 1987. Immunofluorescence test in the seroepidemiology of malaria around Delhi. Indian J. Malariol. 24(2):119–129.

Kyrönseppä, H. and M. Sillanpää. 1988. Imported malaria in Finland. Excerpta Med. Int. Congr. Ser. 810, p. 73.

Lombardi, S. et al. 1988. Antibodies to sporozoites applied as epidemiological tool in a malaria control project. Excerpta Med. Int. Congr. Ser. 810, p. 191.

MacCormack, C. P. 1987. The human host as active agent in malaria epidemiology. Trop. Med. Parasitol. 38(3):233–235.

Marcelou-Kinti, O. et al. 1988. Malaria in Greece during the past ten years. Excerpta Med. Int. Congr. Ser. 810, p. 73.

Meek, S. R. 1988. Epidemiology of malaria in displaced Khmers on the Thai-Kampuchean border. Southeast Asian J. Trop. Med. Public Health. 19(2):243–252.

Mickelson, K. N. P. and R. J. A. Trent. 1988. Alpha globin gene rearrangements in Polynesians are not associated with malaria. Excerpta Med. Int. Congr. Ser. 810, p. 345.

Naing, T. et al. 1988. Falciparum malaria and pregnancy: relationship and treatment response. Southeast Asian J. Trop. Med. Public Health 19(2):253–258.

Parody, A. et al. 1988. Malaria in children (categories at risk) in Fontem, Cameroon. Excerpta Med. Int. Congr. Ser. 810, p. 299.

Phillips-Howard, P. A. and D. J. Bradley. 1988. Malaria risk in British residents visiting malarious areas. Excerpta Med. Int. Congr. Ser. 810, p. 72.

Ramalingeswara Rao, A. et al. 1987. Importation of malaria cases from Sri Lanka to Rameswaram Island (Tamil Nadu). Indian J. Malariol. 24(2):181–182.

Ratnamala, R. A. 1988. Incidence of malaria in Hyderabad (A. P.) India. Excerpta Med. Int. Congr. Ser. 810, p. 343.

Robert, V. et al. 1988. Urban malaria in Bobo-Dioulasso (Burkina Faso). Excerpta Med. Int. Congr. Ser. 810, p. 344.

Rogers, E. and G. Calderon. 1988. Malaria vivax risk analysis in two Peruvian villages. Excerpta Med. Int. Congr. Ser. 810, p. 345.

Sawyer, D. O. and D. R. Sawyer. 1988. Human factors in malaria prevalence in the initial stages of settlement project in Brazil: a three-year follow-up study. Excerpta Med. Int. Congr. Ser. 810, p. 8.

Service, M. W. 1988. Rice, malaria and other vector-borne diseases. Excerpta Med. Int. Congr. Ser. 810, p. 26.

Shihab, K. I. et al. 1988. Immunological and parasitological survey in areas where malaria transmission has been interrupted since several years in Iraq. Excerpta Med. Int. Congr. Ser. 810, p. 343.

Silva, K. T. 1988. Gender as a factor affecting the transmission and control of malaria in Sri Lanka. Excerpta Med. Int. Congr. Ser. 810, p. 7.

Simooya, O. O. et al. 1988. Relation between falciparum malaria and HIV seropositivity in Ndola, Zambia. Br. Med. J. 297(6640):30–31.

Sodeinde, O. and F. A. Akinbami. 1988. A reversible red cell defect contributes to resistance to malaria in Kwashiorkor. Excerpta Med. Int. Congr. Ser. 810, p. 109.

Trape, J. F. and A. Fribourg-Bland. 1988. Ahaptoglobinaemia in the Congo and its relation to malaria endemicity. Excerpta Med. Int. Congr. Ser. 810, p. 342.

Trape, J. F. and A. Fribourg-Blanc. 1988. Ahaptoglobinemia in African populations and its relation to malaria endemicity. Am. J. Epidemiol. 127(6):1282–1288.

Verhave, J. P. 1988. Epidemiology and immunity in the history of Indonesian malaria. Excerpta Med. Int. Congr. Ser. 810, pp. 187–188.

Weatherall, D. J. 1987. Common genetic disorders of the red cell and the "malaria hypothesis." Ann. Trop. Med. Parasitol. 81(5):539–548.

Yuan, H.-K. 1988. Some epidemiological aspects of malaria in the surrounding area of Dan-Jang water reservoir in Northwestern part of Hubei province, China. Excerpta Med. Int. Congr. Ser. 810, p. 343.

MALARIA—*Control*

Al-Seghayer, S. M. 1988. Progress achieved in the control of malaria in Saudi Arabia. Excerpta Med. Int. Congr. Ser. 810, p. 39.

Alzate, A. 1988. The methodology of assessment of malaria and of its control in Colombia. Excerpta Med. Int. Congr. Ser. 810, p. 247.

Benzerroug, E. H. et al. 1988. The eradication programme of malaria in Algeria; the present situation. Excerpta Med. Int. Congr. Ser. 810, p. 39.

Butegwa, F. 1988. Malaria control and the law in Kenya. Excerpta Med. Int. Congr. Ser. 810, p. 384.

Carle, P. R. and S. Nitcheman. 1988. Intravectorial action of deltamethrin against agents of major protozoal infections. Excerpta Med. Int. Congr. Ser. 810, p. 191.

Coosemans, M. and M. Barutwanayo. 1988. Malaria transmission in a malathion treated rice culture village in Burundi. Excerpta Med. Int. Congr. Ser. 810, p. 42.

Goriup, S. 1988. Needs and opportunities for operational research on assessment methodology. Excerpta Med. Int. Congr. Ser. 810, p. 248.

Liu, X. et al. 1988. Malarial control measures and their effectiveness in basic eradication of malaria in large area in Guizhou. Excerpta Med. Int. Congr. Ser. 810, p. 38.

Malikul, S. 1988. The current situation of the anti-malaria programme in Thailand. Southeast Asian J. Trop. Med. Public Health 19 (3):355–359.

Molineaux, L. 1988. Critical review of current assessment methodologies and identification of needs, opportunities, constraints. Excerpta Med. Int. Congr. Ser. 810, p. 247.

Najera, J. A. 1988. New approach to control and changing information needs. Excerpta Med. Int. Congr. Ser. 810, p. 247.

Norankar, S. N. 1988. Role of primary health care workers in malaria control work in a high endemic area of India. Excerpta Med. Int. Congr. Ser. 810, p. 293.

Okanla, E. O. 1988. Health education and the malaria situation in the rural populace in Kwara State of Nigeria. Excerpta Med. Int. Congr. Ser. 810, p. 41.

Osei, L. and R. K. Anteson. 1988. Some aspects of malaria control. Excerpta Med. Int. Congr. Ser. 810, p. 191.

Patil, A. V. 1988. Community participation in malaria control in rural Maharashtra. Excerpta Med. Int. Congr. Ser. 810, p. 41.

Reausoleil, B. G. 1988. The methodology of assessment of malaria and of its control in tropical Africa. Excerpta Med. Int. Congr. Ser. 810, p. 247.

Sawyer, D. R. and D. O. Sawyer. 1988. Community participation in malaria control on the Amazon frontier. Excerpta Med. Int. Congr. Ser. 810, p. 318.

Sharma, S. K. 1988. Integrated sanitary epidemiological approach to tackle malaria in Chandigarh (India). Excerpta Med. Int. Congr. Ser. 810, p. 384.

Silva, K. T. 1988. Possibilities for community-based malaria control: lesions from the Sarvodaya malaria control experiment in the Anuradhapura District, Sri Lanka. Excerpta Med. Int. Congr. Ser. 810, pp. 317–318.

Snellen, W. B. 1988. Environmental management for malaria control in Indonesia before World War II. Excerpta Med. Int. Congr. Ser. 810, p. 17.

FILARIASIS

Bories, C. et al. 1986. [Infectivity of larvae of *Molinema dessetae* (Nematoda: Filarioidea) obtained from an unusual intermediate host: *Toxorhynchites amboinensis* Diptera: Culicidae).] Cah. ORSTOM, Entomol. Med. Parasitol. 24(3):207–212. In French.

Büttner, D. W. et al. 1987. Proceedings from the Seminar on Filariasis 1987 held on 19 June 1987 at

the Bernhard-Nocht-Institut Hamburg. Trop. Med. Parasitol. 38(4):339–350.

Chattaraj, S. C. et al. 1988. Development of controlled release drug delivery systems for lymphatic filariasis. Excerpta Med. Int. Congr. Ser. 810, p. 157.

Christensen, B. M. 1986. Immune mechanisms and mosquito-filarial worm relationships. In: *Immune Mechanisms in Invertebrate Vectors*, A. M. Lackie, ed., Symp. Zool. Soc. London, 56, pp. 145–160.

Christie, D. A. et al. 1987. The design of phosphoenolpyruvate carboxykinase inhibitors as potential filaricides. Trop. Med. Parasitol. 38(1):63–64.

Gayral, P. et al. 1987. *Molinema* (ex. *Dipetalonema*) *dessetae* for in vitro and in vivo evaluations of filaricidal activities. Trop. Med. Parasitol. 38(1):65.

Ilahude, H. D. et al. 1988. Control of filariasis by a community health centre. Excerpta Med. Int. Congr. Ser. 810, p. 155.

Kaushal, N. A. et al. 1988. Identification of *Setaria cervi* antigens having diagnostic potential for human filariasis. Excerpta Med. Int. Congr. Ser. 810, p. 232.

Long, G. W. et al. 1988. Detection and identification of microfilariae in blood using a capillary tube/fluorescent dye technique. Excerpta Med. Int. Congr. Ser. 810, p. 157.

Mei, H. C. 1986. [Review of parasite-vector relationships in human filariasis.] Chin. J. Entomol. 6:1–14. In Chinese.

Paulson, C. W. et al. 1988. Microfilarial surface carbohydrates as a function of developmental stage and ensheathment status in six species of filariids. J. Parasitol. 74(5):743–747.

Rajagopalan, P. K. et al. 1988. Evaluation of integrated vector control measures on filariasis transmission in Pondicherry. Indian J. Med. Res. 87(May):434–439.

Tao, Z. 1988. Control and surveillance of lymphatic filariasis in Guizhou China. Excerpta Med. Int. Congr. Ser. 810, p. 154.

Tekwani, B. L. et al. 1988. Suppression of release of microfilariae *in vitro* from *Setaria cervi* (Nematoda: Filariodeae). J. Parasitol. 74(5):893–895.

Vanparijs, O. and H. Van den Bossche. 1987. Benzimidazole carbamates—potential antifilarial compounds. Trop. Med. Parasitol. 38(1):75.

Wang, Y. X. et al. 1988. Efficacy of diethylcarbamazine cream on lymphatic filariasis by topical application. Excerpta Med. Int. Congr. Ser. 810, p. 157.

Zheng, H.-J. 1988. Detection of circulation antigens in human lymphatic filariasis by sandwich ELISA with monoclonal antibodies. Excerpta Med. Int. Congr. Ser. 810, p. 273.

WUCHERERIA

Almeida, Y. M. and I. A. B. Vasconcelos. 1988. Filariasis in Ceará, Brazil. Excerpta Med. Int. Congr. Ser. 810, p. 154.

Babu, N. P. S. and R. K. Raj. 1988. Hemolymph response to the development of microfilariae of *Wuchereria bancrofti* in *Culex quinquefasciatus*. Curr. Sci. 57(5):276–278.

Eberhard, M. L. R. et al.. 1988. Persistence of microfilaremia in Bancroftian filariasis after diethylcarbamazine citrate therapy. Trop. Med. Parasitol. 39(2):128–130.

Gad, A. M. et al. 1988. Vector competence to *Wuchereria bancrofti* in *Culex pipiens* collected from the Nile Delta, Egypt. J. Egypt. Soc. Parasitol. 18(1): 259–272.

Kershaw, W. E. et al. 1987. The coir rope industry and filariasis in Sri Lanka (1961–1986). Trop. Med. Parasitol. 38(1):68.

Kumaraswami, V. et al. 1988. Invermectin for the treatment of *Wuchereria bancrofti* filariasis: efficacy and adverse reactions. J. Am. Med. Assoc. 259(21):3150–3153.

Kurniawan, L. et al. 1988. Cellular and humoral responses of individuals transmigrating into an endemic area of Bancroftian filariasis in Jambi, Indonesia. Excerpta Med. Int. Congr. Ser. 810, p. 155.

Mataika, J. U. et al. 1988. Recent situation of filariasis in Lau and Rotuma Provinces in Fiji. Excerpta Med. Int. Congr. Ser. 810, p. 155.

Maxwell, C. A. et al. 1988. Filariasis control by mass chemotherapy plus polystyrene beads for suppression of the vector population. Excerpta Med. Int. Congr. Ser. 810, p. 156.

Oyerinde, J. P. O. et al. 1988. Investigations of filarial worms of man in Metropolitan Lagos. Acta Trop. 45(2):191–192.

Schultz, G. W. 1988. A study of Bancroftian filariasis on the islands of Batan and Rapu Rapu, Philippines. Southeast Asian J. Trop. Med. Public Health 19(2):207–214.

Séchan, Y. et al. 1988. Reduction of the developmental potentialities in *Aedes polynesiensis* of microfilariae emerging from *Wuchereria bancrofti* parasitized patients by ivermectin. Excerpta Med. Int. Congr. Ser. 810, p. 153.

Shi, Z. J. et al. 1987. [Estimation of some entomological parameters in relation to the transmission of Bancroftian filariasis.] Chin. J. Parasitol. Paras. Dis. 5(2):89–92.

Tao, Z. 1988. Control and surveillance of lymphatic filariasis in Guizhou, China. Excerpta Med. Int. Congr. Ser. 810, p. 154.

Udonsi, J. K. 1988. Bancroftian filariasis in the Igwun Basin, Nigeria: an epidemiological, parasitological, and clinical study in relation to the transmission dynamics. Acta Trop. 45(2):171–179.

Wamae, C. N. et al. 1988. Studies with filarial parasites in nonhuman primates. Excerpta Med. Int. Congr. Ser. 810, p. 156.

Wassif, S. M. et al. 1988. Bancroftian filariasis in Sharkia Governorate. An epidemiologic study. Excerpta Med. Int. Congr. Ser. 810, p. 154.

Zhang, Q. and S. Zhang. 1988. An analysis of distribution tendency of residual source of filariasis with virtually eradicated filariasis. Excerpta Med. Int. Congr. Ser. 810, p. 156.

BRUGIA

Chen, C. C. 1988. Encapsulation of sheathed microfilariae of *Brugia pahangi* in the haemocoel of *Anopheles quadrimaculatus*. Excerpta Med. Int. Congr. Ser. 810, p. 153.

Ellrott, D. 1987. The effect of different microfilarial densities of *Brugia malayi* in *Mastomys natalensis* on the mortality of the vector *Aedes aegypti*. Trop. Med. Parasitol. 38(4):344.

Jain, D. C. et al. 1988. Epidemiological study of Brugian filariasis. Excerpta Med. Int. Congr. Ser. 810, p. 155.
Katiyar, J. C. et al. 1988. Diagnostic potential of skin test using *Brugia malayi* L_3 antigen in human filariasis. Excerpta Med. Int. Congr. Ser. 810, p. 377.
Ogura, N. 1987. *In vitro* melanin deposition of heat-killed microfilariae of *Brugia pahangi* in haemolymph of the mosquito, *Armigeres subalbatus*. Jpn. J. Parasitol. 36(3):183–186.
Perrine, K. G. et al. 1988. A multi-copy gene encodes a potentially protective antigen in *Brugia malayi* (MBP 01013). Mol. Biochem. Parasitol. 30(1):97–104.
Peters, W. et al. 1987. Formation and degradation of chitin during the development of microfilariae. Trop. Med. Parasitol. 38(1):70.
Rathaur, S. et al. 1987. Secretory acetylcholinesterase from *Brugia malayi*. Trop. Med. Parasitol. 38(1):71.
Shutidamrong, C. and W. Chusattayanond. 1988. Malayan filariasis in Bangkok? Southeast Asian J. Trop. Med. Public Health 19(2):333–335.
Srivastava, A. J. et al. 1987. Glycerophospholipid metabolism of filarial worms. Trop. Med. Parasitol. 38(1):72.
Sudomo, M. et al. 1988. Filariasis in the native population in Kumpeh, Jambi, Indonesia. Excerpta Med. Int. Congr. Ser. 810, p. 154.
Weller, P. F. and D. L. Longworth. 1987. Arachidonic acid metabolism in *Brugia malayi*. Trop. Med. Parasitol. 38(1):75.
Yang, Y. K. et al. 1987. [Observations on the transmission of Malayan filariasis by *Anopheles yatsushiroensis* and *Anopheles kweiyangensis* in Emei County, Sichuan.] Chin. J. Parasitol. Paras. Dis. 5(2):146–147. In Chinese.

DIROFILARIA

Berry, W. J. et al. 1988. Spontaneous flight activity of *Aedes trivittatus* infected with *Dirofilaria immitis*. J. Parasitol. 74(6):970–974.
Grauer, G. F. et al. 1988. Parasite excretory-secretory antigen and antibody to excretory-secretory antigen in body fluids and kidney tissue of *Dirofilaria immitis* infected dogs. Am. J. Trop. Med. Hyg. 39(4):380–387.
Grieve, R. B. et al. 1988. Induction of protective immunity in dogs to infection with *Dirofilaria immitis* using chemically-abbreviated infections. Am. J. Trop. Med. Hyg. 39(4):373–379.
Ohishi, I. et al. 1988. Semifield study on prophylactic efficacy of ivermectin by intermittent medication against *Dirofilaria immitis* infection in dogs. Jpn. J. Vet. Sci. 50(1):125–130.

TECHNIQUE

Cao, Y. C. et al. 1987. [Experimental breeding of autogenous *Culex modestus* population.] Acta Entomol. Sinica 30(2):231–232. In Chinese.
Ikeshoji, T. and H. H. Yap. 1987. Monitoring and chemosterilization of a mosquito population, *Culex quinquefasciatus* (Diptera: Culicidae) by sound traps. Appl. Entomol. Zool. 22(4):474–481.
Siachinji, V. J. et al. 1988. The mass rearing of *Anopheles arabiensis*. Excerpta Med. Int. Congr. Ser. 810, p. 140.
Zaim, M. et al. 1988. A comparative field study of *Anopheles culicifacies* Giles sampling methods in Baluchistan, Iran. Excerpta Med. Int. Congr. Ser. 810, p. 136.

TISSUE CULTURE

Agathos, S. N. et al. 1988. Kinetics of free and immobilized insect cell cultures. Abstr. Pap. Chem. Cong. North Am. 3(2), MBTD 56.
Homan, E. J. and C. E. Yunker. 1988. Growth of bluetongue and epizootic hemorrhagic disease of deer viruses in poikilothermic cell systems. Vet. Microbiol. 16(1):15–24.

SPRAY EQUIPMENT

Hill, B. D. and D. J. Inaba. 1987. An impingement plate method to detect deposits of pyrethroid insecticides. J. Environ. Sci. Hlth., B22(6):643–662.
Hill, B. D. et al. 1987. On-target deposition of aerially applied deltamethrin. J. Environ. Sci. Health B22(5):601–617.

CONTROL

Anonymous. 1988. Urban vector and pest control. WHO Tech. Rep. Ser. No. 767, 77 pp.
Balaraman, K. and S. L. Hoti. 1987. Comparative cost of mosquito control with larvicidal bacilli and insecticides. Indian J. Malariol. 24(2):131–139.
Biedler, E. J. and G. D. Dodd. 1985. Control of larvae. In: *Bionomics and Physiology of Aedes taeniorhynchus and Aedes sollicitans, the Salt Marsh Mosquitoes of Florida*, pp. 124–138.
Rathburn, C. B. Jr. 1985. Control of adults. In: *Bionomics and Physiology of Aedes taeniorhynchus and Aedes sollicitans, the Salt Marsh Mosquitoes of Florida*, pp. 139–147.
Sharma, R. N. 1988. Non-conventional methods of vector control. Excerpta Med. Int. Congr. Ser. 810, p. 89.
Yebakima, A. 1988. Practical problems of *Aedes aegypti* control in Martinique. Excerpta Med. Int. Congr. Ser. 810, p. 139.

PHYSICAL CONTROL

Bos, R. 1988. The joint WHO/FAO/UNEP panel of experts on environmental management for vector control (PEEM). Excerpta Med. Int. Congr. Ser. 810, p. 16.
Chandrahas, R. K. and V. P. Sharma. 1987. Small-scale field trials with polystyrene beads for the control of mosquito breeding. Indian J. Malariol. 24(2):175–180.
Sloof, R. 1988. Environmental management for vector control in the WHO programme of work. Excerpta Med. Int. Congr. Ser. 810, p. 16.

PHYSICAL CONTROL—*Bednets*

Itoh, T. et al. 1988. Preventive efficacy of wide mesh net impregnated with an insecticide from biting of

mosquitoes. Excerpta Med. Int. Congr. Ser. 810, p. 39.

Li, Z.-Z. et al. 1988. A 3 year field trial of deltamethrin impregnated bed nets for the control of malaria transmitted by *Anopheles sinensis* and *An. anthropophagus*. Excerpta Med. Int. Congr. Ser. 810, p. 40.

Li, Z.-Z. et al. 1988. Field trial of deltamethrin impregnated bed-nets for the control of *Anopheles dirus* transmitted malaria. Excerpta Med. Int. Congr. Ser. 810, p. 311.

Lindsay, S. W. et al. 1988. The control of malaria using insecticide-treated bed nets in the Gambia. Excerpta Med. Int. Congr. Ser. 810, p. 311.

Lines, J. D. et al. 1988. Do mosquito nets divert mosquitoes onto other people in the same room? Excerpta Med. Int. Congr. Ser. 810, p. 39.

Lines, J. D. et al. 1988. Permethrin-treated sisal and polypropylene fibres as anti-mosquito bed-curtains in Tanzania. Excerpta Med. Int. Congr. Ser. 810, p. 190.

Loyola, E. G. et al. 1988. Effect of bendiocarb on *Anopheles pseudopunctipennis* populations and its efficacy in the control of malaria in the State of Sinaloa, Mexico. Excerpta Med. Int. Congr. Ser. 810, p. 43.

Lucas, J. R. et al. 1988. The development of an effective anti-mosquito vaporising mat formulation. Excerpta Med. Int. Congr. Ser. 810, p. 312.

Lyimo, E. et al. 1988. Measuring the effect of community-wide use of permethrin treated bednets on malaria in Tanzania. Excerpta Med. Int. Congr. Ser. 810, p. 190.

Majori, G. et al. 1988. Impact of permethrin-impregnated curtains on malaria vector population in Ouagadougou area, Burkina Faso. Excerpta Med. Int. Congr. Ser. 810, p. 311.

Njunwa, K. J. et al. 1988. Measuring the effect of community-wide use of permethrin treated bednets on malaria vectors in Tanzania. Excerpta Med. Int. Congr. Ser. 810, p. 311.

Procacci, P. et al. 1988. Longitudinal study on the impact of permethrin impregnated curtains on malaria morbidity in children. Excerpta Med. Int. Congr. Ser. 810, p. 191.

Shirley, C. D. et al. 1988. The use of permethrin as a fabric treatment for the protection of humans from biting insects and other arthropods. Excerpta Med. Int. Congr. Ser. 810, p. 40.

INTEGRATED CONTROL

Jayaraman, K. S. 1987. Indian health planners shun insecticides in disease control. Nature 329(6140): 572.

INSECTICIDES

Anonymous. 1988. Pyrethroid insecticides in public health. Parasitol. Today 4(7):S1–S2.

Anonymous. 1988. *Organophosphorous Insecticides: A General Introduction*. W.H.O., 181 pp.

Arnason, J. T. et al. 1988. Phototoxic insecticides from plants. Abstr. Pap. Chem. Congr. North Am. 3(1), Agro. 142.

Badescu, C. 1986. [Field experiments with granular and emulsifiable temephos (Abate) for controlling larvae of Culicidae.] Lucr. Stiint. Inst. Agron. Nicolae Balcescu 29(1):67–74. In Roumanian.

Bekheit, S. S. 1988. Laboratory evaluation of insecticide (Dimilin) against *Culex pipiens*. Excerpta Med. Int. Congr. Ser. 810, p. 44.

Birdie, N. S. et al. 1986. Gas liquid chromatographic separation of pyrethrins from some synthetic pyrethroids in formulations. Pyrethrum Post 16(3):77–80.

Chang, M. S. et al. 1988. Residual house spraying for the control of *Mansonia bonneae*, vector of Brugian filariasis in Sarawak, Malaysia. Excerpta Med. Int. Congr. Ser. 810, p. 42.

Chiao-Cheng, J. H. et al. 1988. Carbamate insecticide removal in laundering from cotton and polyester fabrics. Arch. Environ. Contam. Toxicol. 17(1):87–94.

Cónsoli, R. A. G. B. et al. 1986. [Susceptibility of adults of *Culex quinquefasciatus* Say and *Aedes fluviatilis* (Lutz) (Diptera, Culicidae) to some insecticides in the laboratory.] Rev. Bras. Entomol. 30(1):79–85. In Portuguese.

de Dianous, S. et al. 1988. The effect of mode of application on the toxicity of *Androctonus australis* Hector insect toxin. Pestic. Sci. 23(1):35–40.

Gebara, A. B. and M. D. C. R. R. D. Almeida. 1988. [Evaluation of thermonebulization of propoxur used against mosquitoes by means of biological tests]. Rev. Saude Publica 22(1):1–7. In Portuguese.

Gupta, R. K. and L. C. Rutledge. 1988. Effects of weathering on fabrics treated with permethrin for protection against mosquitoes. Excerpta Med. Int. Congr. Ser. 810, p. 43.

Ho, C. M. et al. 1987. Effect of Dimilin, a chitin synthesis inhibitor, on the growth and development of larvae of *Aedes albopictus* Skuse. Clin. J. Entomol. 7:131–141.

Imai, C. et al. 1987. Efficacy of several larvicides in laboratory and field tests against *Anopheles sundaicus* in a village, North Sumatra, Indonesia. Jpn. J. Sanit. Zool. 38(2):93–102.

Ishii, T. et al. 1987. [Field trials using Altosid 10F growth regulator against *Culex pipiens pallens* (Diptera: Culicidae of Tokushima, Japan.] Jpn. J. Sanit. Zool. 38(2):65–75. In Japanese.

Miyakado, M. et al. 1988. Biological active natural products from plants: leads for tomorrow's agrochemicals. Chem. Congr. North Am., Abstr. Pap. 3(1), Agro. 141.

Montada-Dorta, D. et al. 1988. [Evaluation of diflubenzuron urea growth regulator of insects under simulated natural conditions in *Culex quinquefasciatus* Say 1823 (Diptera: Culicidae).] Rev. Cubana Med. Trop. 40(1):38–45. In Spanish.

Mpofu, S. M. et al. 1988. A field trial of Ficam for malaria control in Zimbabwe. Excerpta Med. Int. Congr. Ser. 810, p. 27.

Niwa, A. et al. 1988. Development of phenoxyphenoxyalkane aldoxime and benzylphenoxyalkanaldoxime O-ethers as potent insect juvenile hormone mimics and their quantitative structure-activity relationship. J. Agric. Food Chem. 36(2):378–384.

Patra, U. C. and M. R. Lenka. 1988. Insecticide susceptibility status of two species of anophelines in

Keonjhar, Orissa, India. Indian Biol. 20(1):19–20.
Quélennec, G. 1988. Pyrethroids in the WHO pesticide evaluation scheme (WHOPES). Parasitol. Today 4(7):S15–S17.
Reiner, E. and Z. Radić. 1986. An enzyme test for determining isomalathion impurities in water-dispersible powders of malathion. Bull. W.H.O. 64(3):397–401.
Sakena, P. N. and A. J. Crocoe. 1988. An investigation of the efficacy of organotin compounds for the control of the mosquito *Anopheles stephensi*. Excerpta Med. Int. Congr. Ser. 810, p. 44.
Saleh, M. S. 1988. Use of plastic formulations of chlorpyrifos and sumithion as mosquito larvicides and their delayed effects on the basal follicle numbers developed by female survivors. Anz. Schaedlingskd. Pflanzenschutz Umweltschutz 61(1):14–17.
Simona Cosinzeana, A. M. 1988. Chronotoxicological control of mosquitoes. Excerpta Med. Int. Congr. Ser. 810, p. 41.
lel Tayeb, F. 1988. The use of DIMILIN for mosquito control in Sudan: an evaluation of three years large scale larviciding operations in the Gezira area. Excerpta Med. Int. Congr. Ser. 810, p. 27.
Taylor, W. G. 1988. Carbon-13 NMR spectra of *N* acetyloxazolidines derived from olefinic aldehydes. Chem. Congr. North Am. Abstr. Pap. 3(1), Agro 145.
Winkler, D. A. et al. 1988. Quantitative structure-activity relationships in insecticidal pyrethroid ethers. Quant. Struct.-Act. Relat. 7(2):79–84.
Xie, W.-L. 1988. Field trial of control of *Culex quinquefasciatus* by treatment of breeding places combined with impregnation of nets. Excerpta Med. Int. Congr. Ser. 810, p. 156.
Zerba, E. 1988. Insecticidal activity of pyrethroids on insects of medical importance. Parasitol. Today 4(7):S3–S7.

TOXICOLOGY

Bakthavathsalam, R. et al. 1987. Effects of lindane and atropine sulphate on the tissues of the fish, *Anabas testudineus* (Bloch)—a chronotoxicological approach. Chemosphere 16(6):1339–1345.
Bardin, P. G. et al. 1987. Intensive care management of acute organophosphate poisoning. A 7-year experience in the western Cape. S. Afr. Med. J. 72(9):593–597.
Bashamohideen, M. D. et al. 1987. Behavioral changes induced by malathion and methyl parathion in the freshwater fish *Tilapia mossambica*. Environ. Ecol. 5(2):403–404.
Cunningham, P. A. and L. E. Myers. 1987. Effects of diflubenzuron (Dimilin) on survival, molting, and behavior of juvenile fiddler crabs, *Uca pugilator*. Arch. Environ. Contam. Toxicol. 16(6):745–752.
El-Nabawi, A. et al. 1987. Residue levels of organochlorine chemicals and polychlorinated biphenyls in fish from the Alexandria region, Egypt. Arch. Environ. Contam. Toxicol. 16(6):689–696.
Krawinkel, M. B. et al. 1988. Pesticide concentrations in human blood and fat tissue in Baluchistan/Pakistan. Excerpta Med. Int. Congr. Ser. 810, p. 110.
Lal, B. and T. P. Singh. 1987. α-BHC- and Cythion-induced alterations in lipid metabolism in a freshwater catfish, *Clarias batrachus*, during different phases of its annual reproductive cycle. Ecotoxicol. Environ. Saf. 14(1):38–47.
Lay, J. P. et al. 1987. Effects of γ-BHC (lindane) in zooplankton under outdoor conditions. Chemosphere 16(7):1527–1538.
Manna, A. K. and J. J. Ghosh. 1987. Anaerobic toxicity of sublethal concentration of carbaryl pesticide Sevin to guppy *Lebistes reticulatus*. Environ. Ecol. 5(3):447–450.
Matsumura, F. and J. W. Gooch. 1988. The fate of toxaphene in the Great Lakes ecosystem U.S.A. Abstr. Pap. Chem. Congr. North Am. 3(1), Agro. 64.
Megharaj, M. et al. 1987. Influence of cypermethrin and fenvalerate on a green alga and three cyanobacteria isolated from soil. Ecotoxicol. Environ. Saf. 14(2):142–146.
Mopfu, M. 1996. Human levels of DDT residues in selected Zimbabwe communities. Cent. Afr. J. Med. 32(15):285–289.
Naqvi, S. M. and R. Hawkins. 1988. Toxicity of selected insecticides (Thiodan, Security, Spartan, and Sevin) to mosquitofish, *Gambusia affinis*. Bull. Environ. Contam. Toxicol. 40(5):779–784.
Pal, A. K. and S. K. Konar. 1987. Long-term effects of organophosphorus insecticide methyl parathion on fish. Environ. Ecol. 5(3):564–571.
Pritchard, P. H. et al. 1987. Biotic and abiotic degradation rates of methyl parathion in freshwater and estuarine water and sediment samples. Chemosphere 16(7):1509–1520.
Reddy, P. M. 1987. Toxic impact of malathion on the branchial protein metabolism of freshwater fish *Cyprinus carpio*. Environ. Ecol. 5(2):368–370.
Reddy, P. M. and M. D. Bashamohideen. 1987. Biochemical changes in the kidney and intestine of fresh water fish *Cyprinus carpio* exposed to malathion. Environ. Ecol. 5(2):378–380.
Saxena, P. K. and K. Mani. 1987. Effect of safe concentrations of some pesticides on testicular recrudescence in the freshwater murrel, *Channa punctatus* (Bl.): a morphological study. Ecotoxicol. Environ. Saf. 14(1):56–63.
Scherer, E. and R. E. McNichol. 1986. Behavioural responses of stream-dwelling *Acroneuria lycorias* (Ins., Plecopt.) larvae to methoxychlor and fenitrothion. Aquatic Toxicol. 8:251–263.
Singh, S. and T. P. Singh. 1987. Evaluation of toxicity limit and sex hormone production in response to Cythion and BHC in the vitellogenic catfish *Clarias batrachus*. Environ. Res. 42(2):482–488.
Sundaram, K. M. S. and S. Y. Szeto. 1987. Distribution and persistence of carbaryl in some terrestrial and aquatic components of a forest environment. J. Environ. Sci. Health B22(5):579–599.
Tripathi, G. and S. P. Shukla. 1988. Toxicity bioassay of technical and commercial formulations of carbaryl to the freshwater catfish, *Clarias batrachus*. Ecotoxicol. Environ. Saf. 15(3):277–281.

RESISTANCE

Baik, D. H. et al. 1987. [Insecticide-resistance of *Anopheles sinensis* and *Culex tritaeniorhynchus* in

Korea.] Korean J. Parasitol. 25(1):95–96. In Korean.

Bonning, B. C. and R. H. French-Constant. 1988. Insensitive acetylcholinesterase in insecticide resistant mosquito populations. Excerpta Med. Int. Congr. Ser. 810, p. 44.

Brown, T. M. and G. T. Payne. 1988. Experimental selection for insecticide resistance. J. Econ. Entomol. 81(1):49–56.

Hemingway, J. et al. 1988. The use of biochemical assays in the detection and characterization of insecticide resistance in field populations of mosquitoes. Excerpta Med. Int. Congr. Ser. 810, p. 27.

Lines, J. D. 1988. Do agricultural insecticides select for insecticide resistance in mosquitoes: a look at the evidence. Parasitol. Today 4(7):S17–S20.

Malcolm, C. A. 1988. Current status of pyrethroid resistance in anophelines. Parasitol. Today 4(7): S13–S15.

Miller, T. A. 1988. Mechanisms of resistance to pyrethroid insecticides. Parasitol. Today 4(7):S8–S12.

Yaghoobi-Ershadi, M. and A. V. Manouchehri. 1988. Present status of the susceptibility level of malaria vectors to insecticides in Iran. Excerpta Med. Int. Congr. Ser. 810, p. 41.

SYSTEMATICS

Fujioka, K. K. 1986. Hybridization and electrophoretic studies of three members of the North American *Anopheles maculipennis* complex (Diptera: Culicidae): Diss. Absts. Int., B47(4):1398.

Hati, A. K. and S. Bhattacharya. 1987. Biosystematics of *Culex vishnui* and *Culex pseudovishnui* based on ecobehavioural pattern. Proc. Indian Acad. Sci. 96(5):629–636.

Jiang, C. S. et al. 1986. [Isoenzymic studies on two forms of *Anopheles minimus*.] J. Parasitol. Paras. Dis. 4(1):73. In Chinese.

Lanzaro, G. C. 1987. Use of enzyme polymorphism and hybridization crosses to identify sibling species of the mosquito, *Anopheles quadrimaculatus* (Say). Diss. Abst. Int., B48(4):955–B.

Mukwaya, L. G. et al. 1988. Preliminary studies on variations in morphology and isozymes of *Aedes simpsoni* complex and *Aedes africanus* (Diptera: Culicidae). Excerpta Med. Int. Congr. Ser. 810, p. 89.

Nielsen, L. T. 1988. Editor's corner. Mosq. Syst. 20(2):300–301.

Rosa-Freitas, M. G. et al. 1988. *Anopheles albitarsis* in Brazil: a multi-locus enzyme and morphological study. Excerpta Med. Int. Congr. Ser. 810, p. 34.

Subbarao, S. K. et al. 1987. Seasonal prevalence of sibling species A and B of the taxon *Anopheles culicifacies* in villages around Delhi. Indian J. Malariol. 24(1):9–15.

TAXONOMY

Danilov, V. N. 1987. [Mosquitoes of the genus *Toxorhynchites* of the fauna of the USSR and closely related species in East and South-East Asia (Culicidae)]. Parazitologiya 21(2):151–155. In Russian.

Linthicum, K. J. 1988. A revision of the Argyritarsis Section of the subgenus *Nyssorhynchus* of *Anopheles* (Diptera: Culicidae). Mosq. Syst. 20(2):101–271.

Nayar, J. K. 1985. Nomenclature and distinguishing characteristics. *In*: Bionomics and Physiology of *Aedes taeniorhynchus* and *Aedes sollicitans*, the Salt Marsh Mosquitoes of Florida, pp. 5–13.

Peyton, E. L. and S. Ramalingam. 1988. *Anopheles (Cellia) nemophilous*, a new species of the Leucosphyrus Group from peninsular Malaysia and Thailand (Diptera: Culicidae). Mosq. Syst. 20(2):272–299.

Strickman, D. 1988. Redescription of the holotype of *Culex (Culex) peus* Speiser and taxonomy of *Culex (Culex) stigmatosoma* Dyar and *thriambus* Dyar (Diptera: Culicidae). Proc. Entomol. Soc. Wash. 90(4):484–494.

Wilkerson, R. C. 1988. Notes and redescriptions of some *Anopheles* series Arribalzagia holotypes (Diptera: Culicidae) in the British Museum (Natural History). Proc. Entomol. Soc. Wash. 90(4):411–421.

DISTRIBUTION

Anonymous. 1988. An Ice Age relic. Pest Control 57(2):48–49.

Bidlingmayer, W. L. and J. S. Haeger. 1985. Distribution and abundance. *In*: Bionomics and Physiology of *Aedes taeniorhynchus* and *Aedes sollicitans*, the Salt Marsh Mosquitoes of Florida, pp. 14–17.

Eckard, D. M. et al. 1988. Mosquito species collected at Richards Bay, Natal South Africa. J. Entomol. Soc. S. Afr. 51(1):140–143.

Hall, R. 1988. The tiger is loose. Pest Control 57(2):41–44.

Ibánez-Bernal, S. 1987. [New altitudinal record of *Aedes (Stegomyia) aegypti* (Linnaeus, 1762) (Diptera: Culicidae) in Mexico.] Folia Entomol. Mex. (72):163–164. In Spanish.

Malhotra, P. R. et al. 1987. Mosquito survey in Tirap and Subansiri districts of Arunachal Pradesh. Indian J. Malariol. 24(2):151–158.

Morsy, T. A. et al. 1988. Studies on blood sucking insects in Suez City, Egypt. J. Egypt. Soc. Parasitol. 18(1):81–86.

Mukanov, S. M. and V. V. Shumikhin. 1987. [Species composition and abundance of bloodsucking mosquitoes (Diptera, Culicidae) attacking in the green zone of the town of Ustinov, Udmurt ASSR.] Med. Parazitol. Parazit. Boleznei 1987(1):21–22. In Russian.

Mukanov, S. M. and V. V. Shumikhin. 1987. [Bloodsucking mosquitoes in the zone of the "Druzhba" Pioneer Camp in the Udmurt ASSR.] Med. Parazitol. Parazit. Boleznei 1987(1):84. In Russian.

Nagpal, B. N. and V. P. Sharma. 1987. Survey of mosquito fauna of northeastern region of India. Indian J. Malariol. 24(2):143–149.

Rajput, K. B. and T. K. Singh. 1987. A note on the occurrence of *Anopheles minimus* in Manipur. Entomon 12(1):43–44.

Rivosecchi, L. and C. Khoury. 1984/1985. [Observations on some arthropods of medical-veterinary importance in a park (Migliarino-S. Rossore-Massaciuccoli) in Tuscany, with notes on two preserved

areas (Castel Porziano and Palo Laziale) near Rome.] Frustula Entomol. 7/8:283–306. In Italian.
Starmühlner, F. 1987. Checklist of the fauna of mountain streams of tropical Indopacific islands. Ann. Naturhist. Mus. Wien B 88–89:457–480.
Tewari, S. C. et al. 1987. Survey of the anopheline fauna of the Western Ghats in Tamil Nadu, India. Indian J. Malariol. 24(1):21–28.
Tewari, S. C. et al. 1987. Occurrence of *Aedes (Stegomyia) krombeini* Huang (Diptera: Culicidae) in India. Curr. Sci. 56(14):736–737.
Wang, A. H. et al. 1987. [A survey of mosquito species in Jinhua City, Zhejiang.] Chin. J. Parasitol. Paras. Dis. 5(2):88. In Chinese.

HOST RESPONSE

Faravelli, G. et al. 1986. [Diagnostic value of an intradermal test with mosquito (*Culex*) extract in horses with "sweet itch" skin disease.] Praxis Veterinaria 7(3):17–18. In Italian.

BOOKS, BOOKLETS AND REPORTS

Indian Council of Medical Research. 1988. Centre for Research in Medical Entomology, Madurai. Annual Report 1987–1988. 95 pp.
Service, M. W. 1986. *Lecture Notes on Medical Entomology.* London, Blackwell Sci. Publ., pp. vi + 265.