

LITERATURE REFERENCES TO MOSQUITOES AND MOSQUITO-BORNE DISEASES

HELEN SOLLERS-RIEDEL¹

Plant Pest Control Division, Agricultural Research Service, United States Department of Agriculture

AEROSOLS

FOSTER, J. R. 1967. The use of mist machines for the control of adult mosquitoes. Ohio Mosquito Cont. Assoc. Pap. 19-20:28-31.

MITCHELL, W. R. 1967. Fogging. Ohio Mosquito Cont. Assoc. Pap. 19-20:31-33.

SHIPP, O. E. and HAZELTINE, W. E. 1967. Evaluation of fenthion and Baygon® mixtures for control of adult *Aedes aegypti* (L.) when applied as thermal-fog. Mosquito News 27(2):144-149.

ADULTICIDES AND LARVICIDES

ARMSTRONG, R. L. 1967. Larvicides by ground equipment. Ohio Mosquito Cont. Assoc. Pap. 19-20:25-28.

BARTON, W. I. 1967. Pre-hatch dusting. Ohio Mosquito Cont. Assoc. Pap. 19-20:17-20.

BROOKS, G. D., SMITH, E. A. and MILES, J. W. 1967. Accumulative effects of repeated abate granular treatments in water storage drums. Mosquito News 27(2):164-171.

ELLIOTT, M. and COWORKERS. 1967. 5-benzyl-3-furylmethyl chrysanthemate: a new potent insecticide. Nature (London) 213(5075):493-494. [*Anopheles stephensi* and *Aedes aegypti* included.]

JOBBS, D. M. 1967. Aircraft in mosquito control (with emphasis on larvicides). Ohio Mosquito Cont. Assoc. Pap. 19-20:20-25.

KILPATRICK, J. W. 1967. Performance specifications for ultra low volume aerial application of insecticides for mosquito control. Pest Control 35(5):80, 82, 84.

MICKS, D. W., CHAMBERS, G., JENNINGS, J. and REHMET, A. 1967. Mosquito control agents derived from petroleum hydrocarbons. I. Laboratory effectiveness. J. Econ. Ent. 60(2):426-429.

PANT, C. P. and SELF, L. S. 1966. Field trials of bromophos and Schering 34615 residual sprays and of chescloth impregnated with Bayer 39007 for control of *Anopheles gambiae* and *A. funestus* in Nigeria. WHO Bul. 35(5):709-719.

RAYBOULD, J. N. 1967. Notes on the control of latrine-breeding insects of medical importance

at Amani in Tanzania. I. The control of *Culex pipiens fatigans* Wiedemann. WHO/VBC/67.3, 5 pp.

VARIOUS TYPES OF CONTROL

MULLA, M. S. 1967. Biocidal and biostatic activity of aliphatic amines against southern house mosquito larvae and pupae. J. Econ. Ent. 60(2):515-522.

WELDON, L. W. and BLACKBURN, R. D. 1967. Water lettuce—nature, problem, and control. Weeds 15(1):5-9. [In connection with mosquito control.]

WORLD HEALTH ORGANIZATION. 1967. Observations on mosquito control activities and related research in the United States of America. WHO/Mal/67.598, WHO/VBC/67.10. 16 pp.

STERILIZATION METHODS

CRAIG, G. B., JR. 1967. Mosquitoes: female monogamy induced by male accessory gland substance. Science 156(3781):1499-1501.

RIORDAN, D. F. 1966. Effects of high-intensity light flashes on mortality and reproduction of *Aedes aegypti* (L.) (Diptera: Culicidae). Canad. J. Zool. 44(5):895-902.

AEDES AEGYPTI ERADICATION

CURTIN, T. J. 1967. Status of *Aedes aegypti* in the Eastern Mediterranean. J. Med. Ent. 4(1):48-50.

FLOCH, H. A. 1965. Sur une nouvelle réinfestation de la Guyane Française par une souche d'*Aedes aegypti* résistante aux insecticides chlorés. Inst. Pasteur de Guyane Franç. et de L'Inini Arch. Pub. No. 493, 4 pp.

SCHLISSMANN, D. J. 1967. *Aedes aegypti* Eradication Program in the United States—progress report 1965. Amer. J. Pub. Health 57(3):460-465.

TINKER, M. E. 1967. Measurement of *Aedes aegypti* populations. J. Econ. Ent. 60(3):634-637.

MOSQUITO CONTROL AGENCY PROBLEMS

ALLEN, J. J. 1967. Mosquito control programs in downstate Illinois. Ohio Mosquito Cont. Assoc. Pap. 19-20:7-11.

¹ Complete mailing address: P.O. Box 19009, Washington, D.C. 20036, U.S.A.

BARGER, W. C. 1967. Problems of starting a new mosquito control area. Ohio Mosquito Cont. Assoc. Pap. 19-20:69-71.

DIVISION OF MOSQUITO CONTROL. 1967. Annual report to the City of New Orleans Department of Health, 1966. 19 pp.

DORER, R. E. 1967. Backyard mosquito control. Ohio Mosquito Cont. Assoc. Pap. 19-20:13-16.

EAST VOLUSIA MOSQUITO CONTROL DISTRICT. 1967. Annual Report 29, 10 pp. [Florida.]

HEDEEN, R. A. 1967. Mosquito control in south Cook County. Ohio Mosquito Cont. Assoc. Pap. 19-20:11-13.

JACKSON, W. B. 1967. Chemical vs. environmental changes—their effects on wildlife. Pest Control 35(7):30, 32, 33.

JOHNS, B. E. 1967. Water management mosquito control. Ohio Mosquito Cont. Assoc. Pap. 19-20:33-36.

KLUTH, F. C. 1967. Problems of starting a new mosquito control area. Ohio Mosquito Cont. Assoc. Pap. 19-20:67-69.

VANNOTE, R. L. 1967. Basics to mosquito control and influencing factors concerning costs of a program. Ohio Mosquito Cont. Assoc. Pap. 19-20:1-7.

PARASITES, PREDATORS, VIRUSES AND RELATED AGENTS

CHAPMAN, H. C., WOODARD, D. B., KELLEN, W. R. and CLARK, T. B. 1966. Host-parasite relationships of *Thelohania* associated with mosquitoes in Louisiana (Nosematidae:Microsporidia). J. Invertebrate Path. 8(4):452-456.

CHASTEL, C., RAGEAU, J. and ABONNENC, E. 1966. Présence de *Culicoides anophelis* Edwards, 1922 (Diptera, Ceratopogonidae) au Cambodge. Soc. de Path. Exot. Bul. 59(1):151-155. Engl. Sum. [Ectoparasite on four genera of mosquitoes.]

DABROWSKA-PROT, E. 1966. Experimental studies on the reduction of the abundance of mosquitoes by spiders. II. Activity of mosquitoes in cages. Acad. Pol. Sci. Sér. Sci. Biol. Bul. 14(11/12):771-775.

———, LUCZAK, J. and TARWID, K. 1966. Experimental studies on the reduction of the abundance of mosquitoes by spiders. III. Indices of prey reduction and some controlling factors. Acad. Pol. Sci. Sér. Sci. Biol. Bul. 14(11/12):777-782.

FARR, D. F. and LIGHTWARDT, R. W. 1967. Some cultural and ultrastructural aspects of *Smitium culisetae* (Trichomyctetes) from mosquito larvae. Mycologia 59(1):172-182.

GAD, A. M., SADEK, S. and FATEEN, Y. A. 1967. The occurrence of *Coelomomyces indicus* Iyengar in Egypt, U.A.R. Mosquito News 27(2):201-202.

KELLEN, W. R., CLARK, T. B. and LINDEGREN, J. E. 1967. Two previously undescribed *Nosema* from mosquitoes of California (Nosematidae:Mi-

crosporidia). J. Invertebrate Path. 9(1):19-25. [*N. chapmani* and *N. lunatum*.]

LAIRD, M. 1967. A coral island experiment. A new approach to mosquito control. WHO Chron. 21(1):18-26.

MOROZOV, V. A. 1967. Detection of a parasitic fungus *Coelomomyces* in *Aedes* larvae in the Krasnodar region. Med. Parazit. i Parazit. Bol. ezni 36(3):353, plus 2 plates. In Rus. [*A. vexans*.]

EQUIPMENT

ACHESON, M. and ROY, L. 1967. A field and laboratory trial of a disc flow regulator in Togo. WHO/Mal/67,599, WHO/VBC/67.11. 36 pp.

BUZICKY, A. W. 1967. How we modified a back pack sprayer for ULV insecticide applications. Pest Control 35(6):42, 44, 46.

FITZJOHN, R. A. 1967. Field tests of low pressure "even-spray" flat fan spray nozzles. WHO/Mal/67,597, WHO/VBC/67.19. 8 pp.

MULLA, M. S. 1967. A unit for formulating granular insecticides. Mosquito News 27(2):199-201.

ATTRACTANTS AND REPELLENTS

CUMMING, J. E. and WRIGHT, R. H. 1967. Convection currents that guide mosquitoes. Canad. Ent. 99(5):556-558.

DUBITSKY, A. M. and YAKUNIN, B. M. 1966. Results of the investigation of chemotaxis in mosquitoes. Akad. Nauk Kaz. SSR. Izv. Ser. Eiol. Nauk 5:50-54. In Rus.

KHAN, A. A., STRAUSS, W. G., MAIBACH, H. I. and FENLEY, W. R. 1967. Comparison of the attractiveness of the human palm and other stimuli to the yellow-fever mosquito. J. Econ. Ent. 60(2):318-320.

RESISTANCE AND SUSCEPTIBILITY

BARKAI, A., SALITERNIK, Z. and ROSEN, P. 1967. The susceptibility of *Culex pipiens molestus* Forskal in Israel to several insecticides in 1958-1960 and in 1965. Mosquito News 27(2):191-198.

BROWN, A. W. A. 1967. The extent and importance of insecticide resistance WHO/VBC/67.17, 14 pp. [Includes mosquitoes.]

BUSVINE, J. R. 1967. Integration of different types of research on resistance. WHO/VBC/67.17, 14 pp. [Includes mosquitoes.]

CHAUVET, G. and DAVIDSON, G. 1966. Presence a Madagascar de la resistance a la dieldrine chez la forme B du complexe *Anopheles gambiae* Giles. WHO/Mal/66.581, WHO/Vector Cont./66.224. 14 pp. Engl. Sum.

GEORGHIOU, G. P., METCALF, R. L. and GIDDEN, F. E. 1966. Carbamate-resistance in mosquitoes. Selection of *Culex pipiens fatigans* Wiedemann

(=*C. quinquefasciatus* Say) for resistance to Baygon. WHO Bul. 35(5):691-708.

HOSKINS, W. M. 1967. Some effects of insecticide resistance upon the theory of control practices. WHO/VBC/67.16, 5 pp.

JATANASEN, S. and MOUCHET, J. 1966. Insecticide resistance among *Aedes aegypti* larvae in Bangkok (Thailand). WHO/Vector Cont./66.222, 16 pp.

KHIN MAUNG KYI, U. 1967. Genetics of DDT-resistance in *Aedes aegypti*. WHO/VBC/67.9, 15 pp.

MATSUMURA, F. 1967. Interaction of certain chlorinated hydrocarbon insecticides with insect nerve components. WHO/VBC/67.13, 15 pp.

ROMAN, E. 1966. Sensibilité au DDT des larves du moustique citadin à Lyon de 1945 à aujourd'hui; durée de résistance de ces formes jeunes maintenues à l'abri des insecticides. Soc. de Path. Exot. Bul. 59(3):376-384. Engl. Sum.

TOXICOLOGY

BROWN, A. W. A. 1967. Entomology looks at its mission. Safer Chemical control of insects. Ent. Soc. Amer. Bul. 13(2):95-99.

GAINES, T. B., KIMBROUGH, R. and LAWS, E. R., JR. 1967. Toxicology of abate in laboratory animals. Arch. Environ. Health 14(2):283-288.

GOLEMAN, L. 1967. Safe handling of insecticides. Ohio Mosquito Cont. Assoc. Pap. 19-20:49-52.

GROSCHE, D. S. 1967. Poisoning with DDT: effect on reproductive performance of *Artemia*. Science 155(3762):592-593. [Brine shrimp.]

JACKSON, W. B. 1967. Wildlife and insecticides. Ohio Mosquito Cont. Assoc. Pap. 19-20:58-63.

KEITH, J. O. and MULLA, M. S. 1966. Relative toxicity of five organophosphorus mosquito larvicides to mallard ducks. J. Wildlife Mgt. 30(3):553-563.

LAWS, E. R., JR., RAMOS MORALES, F., HAYES, W. J., JR. and JOSEPH, C. R. 1967. Toxicology of abate in volunteers. Arch. Environ. Health 14(2):289-291.

POST, A. and GARMS, R. 1966. Susceptibility of certain tropical fresh-water fish to DDT and Baytex (Fenthion). WHO/ONCHO/66.53, WHO/Vector Cont./66.228. 5 pp.

RUSSELL, J. H. 1967. Wildlife and insecticides. Ohio Mosquito Cont. Assoc. Pap. 19-20:52-58.

WOODWELL, G. M., WURSTER, C. F., JR. and ISAACSON, P. A. 1967. DDT residues in an east coast estuary: a case of biological concentration of a persistent insecticide. Science 156(3776):821-824.

WORLD HEALTH ORGANIZATION. 1967. Information circular on the toxicity of pesticides to man. No. 25, 54 pp.

WHO EXPERT COMMITTEE ON INSECTICIDES. 1967. Safe use of pesticides in public health. WHO Tech. Rpt. Ser. No. 356, 65 pp.

BEHAVIOR, BIOLOGY AND ECOLOGY

ABDEL-MALEK, A. A. and ABDEL-AAL, M. A. 1966. Study of the dispersion and flight range of *Anopheles sergenti* Theo. in Siwa Oasis using radioactive isotopes as markers. WHO Bul. 35(6):968-973.

CLARKE, J. L., JR. and WRAY, F. C. 1967. Predicting influxes of *Aedes vexans* into urban areas. Mosquito News 27(2):156-163.

DEFOLIART, G. R. 1967. *Aedes canadensis* (Theobald) feeding on Blanding's turtle. J. Med. Ent. 4(1):31.

ELLIOTT, R. 1967. The biting cycles of some anopheline mosquitos of Colombia. WHO/Mal/67.600, WHO/VBC/67.12. 13 pp.

GAD, A. M. 1967. *Anopheles stephensi* Liston in Egypt, UAR. Mosquito News 27(2):171-174

GENTRY, J. W., MOORE, C. G. and HAYES, D. E. 1967. Preliminary report on soluble antigen fluorescent antibody technique for identification of host source of mosquito blood meals. Mosquito News 27(2):141-143.

HAVERTZ, D. S. and CURTIN, T. J. 1967. Reproductive behavior of *Aedes aegypti* (L.) sublethally exposed to DDT. J. Med. Ent. 4(2):143-145.

HAZARD, E. I., MAYER, M. S. and SAVAGE, K. E. 1967. Attraction and oviposition stimulation of gravid female mosquitoes by bacteria isolated from hay infusions. Mosquito News 27(2):133-136.

HERNDON, B. L. and RINGLE, D. A. 1967. Identification of host and host antibodies from mosquito blood meals. Nature (London) 213(5076):624-625.

HORSFALL, W. R. 1967. Anomalous maleness of *Aedes sticticus* (Meigen) (Diptera:Culicidae). Mosquito News 27(2):203-204.

HUDSON, A. and McLINTOCK, J. 1967. A chemical factor that stimulates oviposition by *Culex tarsalis* Coquillett (Diptera, Culicidae). Animal Behav. 15(2/3):336-341.

IKESHOJI, T. 1966. Attractant and stimulant factors for oviposition of *Culex pipiens fatigans* in natural breeding-sites. WHO Bul. 35(6):905-912.

KAPPUS, K. D. and VENARD, C. E. 1967. The effects of photoperiod and temperature on the induction of diapause in *Aedes triseriatus* (Say). J. Insect Physiol. 13(7):1007-1019.

KAWAI, S., WADA, Y. and OMORI, N. 1967. Preliminary note on the swarming of *Culex tritaeniorhynchus*. Trop. Med. (Nagasaki) 9(1):58-64. In Engl.

KUPRIYANOVA, E. S. and VOROTNIKOVA, L. M. 1967. Ecological-biological characteristics of populations of *Culex pipiens pipiens* L. in the vicinity of Moscow. Med. Parazit. i Parazit. Bolezni 36(2):216-224. In Rus., Engl. Sum.

MUIR, D. A., SOERONO, M. and DAVIDSON, G. 1967. Some observations on the behaviour of *Anopheles sundanicus* Rodenwaldt in baited and unbaited experimental huts in Indonesia. WHO/

Mal/67, WHO/VBC/67.18. 6 pp. [Includes mosquitoes.]

ODA, T. 1967. Hourly and seasonal distribution of the number of egg rafts of *Culex pipiens pallens* deposited in earthen jars. Trop. Med. (Nagasaki) 9(1):39-44. In Jap., Engl. Sum.

OMORI, N. and COWORKERS. 1965. Experimental hibernation of *Culex tritaeniorhynchus* in Nagasaki, Japan. Endemic Dis. Bul. (Nagasaki Univ.) 7(4):288-295. In Engl.

OSMUN, J. 1967. Mosquitoes of the general Great Lakes area. Their bionomics and discussion of major problems. Ohio Mosquito Cont. Assoc. Pap. 19-20:36-43.

PAULOVÁ, J. and PAULOV, S. 1967. Aufnahme und Metabolismus einer 10% igen Glucoselösung bei Stechmücken *Culex pipiens molestus* Forsk. Biologia (Bratislava) 22(1):59-63. In Czech., Ger. Sum.

PEARSON, W. G. and HARRISON, B. A. 1967. Research notes on *Aedes aegypti* feeding on the eastern garter snake *Thamnophis sirtalis sirtalis*. Mosquito News 27(2):199.

PERRY, A. S. and FAY, R. W. 1967. Correlation of chemical constitution and physical properties of fatty acid esters with oviposition response of *Aedes aegypti*. Mosquito News 27(2):175-183. [With technical assistance of N. E. Johnson.]

PETERSEN, J. J. and REES, D. M. 1967. Comparative oviposition selection preference by *Aedes dorsalis* and *Aedes nigromaculis* for three inorganic salts in the laboratory. Mosquito News 27(2):136-141.

POTAPOV, A. A., VLADIMIROVA, V. V., KUPRIYANOVA, E. S. and PLOTNIKOVA, A. S. 1967. Study of gnats and measures for protection against them in the area of diamond fields and construction of the Vilyui Hydropower Station in the Yakut ASSR. Communication II. Med. Parazit. i Parazit. Bolezni 36(3):312-319. In Rus., Engl. Sum. [Includes mosquitoes.]

PROVOST, M. W. and HAEGER, J. S. 1967. Mating and pupal attendance in *Deinocerites cancer* and comparisons with *Opifex fuscus* (Diptera: Culicidae). Ent. Soc. Amer. Ann. 60(3):565-574.

SHIMOGAMA, M. and TAKATSUKI, Y. 1967. Seasonal changes in the distribution and abundance of mosquitoes especially of *Culex pipiens pallens* in a cave in Nagasaki City. Endemic Dis. Bul. (Nagasaki Univ.) 8(4):159-165.

SMITH, A., OBUDHO, W. O. and ESODE, S. 1967. The egress of *Anopheles gambiae* and *Mansonia uniformis* from experimental huts with corrugated iron roofs. East Afr. Med. J. 44(4):169-172.

SOLIMAN, A. R., RIFAAT, M. A. and IERAHIM, M. T. H. 1967. Biology of Egyptian anophelins. I. Biological activities of *Anopheles pharoensis* in nature. J. Trop. Med. and Hyg. (London) 70(3):63-67.

STANDFAST, H. A. 1967. Biting times of nine

species of New Guinea Culicidae (Diptera). J. Med. Ent. 4(2):192-196.

VINOGRADOVA, E. B. 1965. Morphological and physiological characters of some natural populations of the blood-sucking mosquitoes *Culex pipiens* L. (Diptera, Culicidae) in the U.S.S.R. Akad. Nauk SSSR Zool. Inst. Trudy. (Leningrad) 36:31-57. In Rus.

VOLOZINA, N. V. 1967. The influence of sucked blood quantity and additional carbohydrate feeding upon ovogenesis in females of bloodsucking mosquitoes of the genus *Aedes* (Diptera, Culicidae) of different weight and age. Ent. Obozr. 46(1):49-59. In Rus., Engl. Sum.

WADA, Y. and COWORKERS. 1967. Ecology of vector mosquitoes of Japanese encephalitis, especially of *Culex tritaeniorhynchus*. I. Results obtained in 1965. Trop. Med. (Nagasaki) 9(1):45-47. In Engl.

WRIGHT, J. E. and VENARD, C. E. 1967. The influence of a blood meal on copulation in *Aedes triseriatus* (Diptera:Culicidae). Ent. Soc. Amer. Ann. 60(4):861-862.

See also Galindo in Techniques Section; Shcherbina in Distribution Section; Grjebine in Taxonomy Section.

GENETICS

CHOWDAIAH, B. N., BAKER, R. H. and KITZMILLER, J. B. 1966. The salivary chromosomes of *Anopheles vestitipennis*. Cytologia 31(2):144-152.

KITZMILLER, J. B., BAKER, R. H. and CHOWDAIAH, B. N. 1966. The salivary gland chromosomes of *Anopheles neomaculipalpus*. Caryologia 19(1):1-12.

KITZMILLER, J. B. and KREUTZER, R. D. 1967. Salivary gland chromosomes of some Central American anopheline mosquitoes. Amer. Zool. 7(2):213.

LEAHY, M. G. and CRAIG, G. B., JR. 1967. Barriers to hybridization between *Aedes aegypti* and *Aedes albopictus* (Diptera:Culicidae). Evolution 21(1):41-58.

SANDERS, R. D. and BARR, A. R. 1966. Variation in crossing-over between two autosomal loci in males of *Culex pipiens*. Expt. Parasitol. 19(1):21-24.

VINOGRADOVA, E. B. 1965. Inheritance of morphological characters by the hybridization in the *Culex pipiens* complex (Diptera, Culicidae). Akad. Nauk SSSR Zool. Inst. Trudy. (Leningrad) 36:58-69. In Rus.

See also Linkfield *et al.* in Techniques Section.

ANATOMY, MORPHOLOGY AND PHYSIOLOGY

BAR ZEEV, M. 1967. Oviposition of *Aedes aegypti* L. on a dry surface and hygroreceptors. Nature (London) 213(5077):737-738.

BRELAND, O. P., GASSNER, G., III, RIESS, R.

W. and BIESELE, J. J. 1967. Certain aspects of the centriole adjunct spermiogenesis, and the mature sperm of insects. *Canad. J. Gen. and Cytol.* 8(4):759-773.

GIGLIOLI, M. E. C. and MASON, G. F. 1966. The mating plug in anopheline mosquitoes. *Roy. Ent. Soc. London Proc. Ser. A.* 41(7):123-129.

JONES, J. C. 1967. Spermatocysts in *Aedes aegypti* (Linnaeus). *Biol. Bul.* 132(1):23-33.

O'BRIEN, J. F. 1965. Development of the muscular network of the midgut in the larval stages of the mosquito, *Aedes aegypti* Linnaeus. *N. Y. Ent. Soc. J.* 73(4):226-231.

ROMOSER, W. S. and VENARD, C. E. 1967. Development of the dorsal oesophageal diverticula in *Aedes triseriatus* (Diptera: Culicidae). *Ent. Soc. Amer. Ann.* 60(3):617-623.

TAKETOMI, M. 1967. Ovariole and age changes in *Anopheles sinensis* Wiedemann, with special reference to the relation to temperature and season. *Endemic Dis. Bul. (Nagasaki Univ.)* 8(4):170-190. In Engl.

TECHNIQUES

CANTWELL, G. E. and LAIRD, M. 1966. The World Health Organization kit for the collection and shipment of pathogens and parasites of diseased vectors. *J. Invertebrate Path.* 8(4):442-451.

CRISTESCO, A. 1966. Contributions à l'étude de la composition par âges des populations du complexe *Anopheles maculipennis*, par rapport à l'application des insecticides rémanents en Roumanie. *Arch. Roumanies Path. Expt. et Microbiol.* 25(2):491-502.

DAVIS, A. G., HUFF, C. G. and PALMER, T. T. 1966. Procedures for maximum production of exoerythrocytic stages of *Plasmodium fallax* in tissue culture. *Expt. Parasitol.* 19(1):1-8.

GALINDO, P. 1967. Preliminary observations on the colonization and bionomics of the crab-hole breeding mosquito *Deinocerites pseudus* Dyar and Knab, 1909. *Mosquito News* 27(2):187-190.

KITAMURA, S. 1966. The *in vitro* cultivation of tissues from the mosquitoes. III. Further studies on the cultivation of ovarian tissues of three mosquito species and the examination of the origin of cells grown *in vitro*. *Kobe J. Med. Sci.* 12(1):63-70.

LINKFIELD, R. L., MORGAN, P. B. and HAUGH, C. G. 1967. A new chromosome squash apparatus. *Ent. Soc. Amer. Ann.* 60(3):706-707. *Illus.* [Mosquitoes mentioned.]

PELEG, J. 1966. Growth of *Aedes aegypti* embryonic cells and tissues *in vitro*. *Experientia* 22(8):555-556.

SMITH, C. N., Editor. 1966. Insect colonization and mass production. 618 pp., New York and London. [Papers by many authors. Mosquitoes included.]

URGENSON, I. A. and TEPLYKH, V. S. 1967. The use of luminiscent microscopy for studying

yellow-bodies in ovaries of insects. *Ent. Obozr.* 46(2):295-298. In Rus., Engl. Sum. [Includes *Aedes aegypti*.]

WEATHERSBY, A. B. and NELMS, M. W. 1966. Malaria oocysts in semi-permanent microscope slide mounts. *Georgia Ent. Soc. J.* 1(4):20.

TAXONOMY

BAISAS, F. E. and DOWELL, F. H. 1967. Keys to the adult female and larval anopheline mosquitoes of the Philippines. *J. Med. Ent.* 4(1):11-23.

DELFINADO, M. D. 1967. Contributions to the mosquito fauna of Southeast Asia.—I. The genus *Aedes*, subgenus *Neomacleaya* Theobald in Thailand. *Amer. Ent. Inst. Contrib.* 1(8):1-56. [*Aedes cretatus*, *gibbosus*, *hispidus*, *latipennis*, *notabilis*, *protuberans* and *torosus* n. spp.]

DÍAZ NÁJERA, A. 1966. *Aedes* de México. Descripción de una nueva especie del subgenero *Howardina* (Diptera: Culicidae). *Rev. Invest. Salud. Púb. (México)* 26(4):331-344. [*Aedes cozumelensis* n. sp.]

GRJEBINE, A. 1966. Biologie et taxonomie des anophelinae de Madagascar et des îles voisines. Thèses présentées à la Faculté des Sciences de l'Université de Dijon. 487 pp. France. [*Anopheles arnoulti* and *A. courdurieri* n. spp.]

MA, S. F. 1966. Investigations on the different types of *Anopheles (A.) hyrcanus sinensis* from representative parts of Szechuan Province. *Acta Ent. Sinica* 15(4):320-326. In Chin., Engl. Sum.

MATTINGLY, P. F. and REID, J. A. 1966. Comments on the proposed suppression of *Anopheles africanus* Theobald, 1901. *Z.N.(S.)* 1722. *Bul. Zool. Nomencl.* 23(4):132.

PEYTON, E. L. and SCANLON, J. E. 1966. Illustrated key to the female *Anopheles* mosquitoes of Thailand. 47 pp. [U. S. Army Med. Component S. E. Asia Treaty Organ. Bangkok, Thailand.]

REID, J. A. 1967. Two forms of *Anopheles philippinensis* in Malaya. *J. Med. Ent.* 4(2):175-179. [*A. philippinensis* Ludlow and *A. nivipes* Theobald.]

——— and BONNE-WEPSTER, J. 1966. *Anopheles errabundus* (Swellingrebel, 1925) (Insecta, Diptera); proposed suppression as a specific name under the plenary powers. *Z.N.(S.)* 1760. *Bul. Zool. Nomencl.* 23(4):190.

REUBEN, R. 1967. *Aedes (Diceromyia) ramachandrai*, n. sp. (Diptera: Culicidae) from southern India. *J. Med. Ent.* 4(2):234-236.

RICKENBACH, A. 1966. Description d'un nouvel *Eretmapodites* (Diptera, Culicidae) capturé au Cameroun. *Soc. de Path. Exot. Bul.* 59(3):374-376. [*E. brottesi* n. sp.]

RONDEROS, R. A. 1965. Consideraciones sobre el complejo *haemorrhoidalis* con la descripción de la pupa de *Lynchiella superba* (Dyar y Knab) (Diptera, Culicidae, Toxorhynchitini). *Prov. de*

Buenos Aires Gobernacion. Comision de Investigat. Cientif. Notas. 3(1):1-7. Engl. Sum.

VINOGRADSKAYA, O. N., OKTYABRSKAYA, T. A. and DEREVITSKAYA, V. V. 1967. Morphology and taxonomy of the Moscow country-side populations of *Culex pipiens* L. Med. Parazit. i Parazit. Bolznyi 36(2):224-231. In Rus., Engl. Sum.

DISTRIBUTION

COLUZZI, A. and FINIZIO, E. 1966. Il problema degli insetti ematofagi nella zona litoranea della provincia di Grosseto. Riv. di Malariol. 45(4/6):137-145. Engl. Sum. [Includes mosquitoes.]

FLOCH, H. and KRAMER, R. 1966. Présence de *Culex (M.) vomerifer* Komp 1932, *Culex (M.) portesi* Senevet et Abonnenc 1941 et *Culex (M.) cayennensis* Floch et Abonnenc 1945, en Guyane Française. Soc. de Path. Exot. Bul. 59(3):384-387.

JANOVY, J., JR. 1966. Mosquitoes of the Cheyenne Bottoms Waterfowl Management Area, Barton County, Kansas. Kans. Ent. Soc. J. 39(4):557-561.

PALČKA, P. 1967. Contribution to the study of mosquitoes (Diptera, Culicidae) occurring in some areas of central and south Moravia. Acta Ent. Bohemoslovaca (Praha) 64(1):69-78. In Engl.

RAHM, U. and VERMYLEN, M. 1966. Répartition et répartition des *Anopheles* de la République Démocratique du Congo. (Seconde partie). Riv. di Malariol. 45(4/6):147-149. Engl. Sum.

SHCHERBINA, V. P. 1967. Occurrence of *Aedes pullatus* Coq. (Diptera, Culicidae) in high-altitude regions of the North Caucasus. Zool. Zhur. 46(4):628-629. In Rus., Engl. Sum.

SPURIS, Z. 1965. Mosquito fauna of the genus *Aedes* in the Latvian SSR. Latvijas Ent. 10:28-32. In Latv., Ger. Sum.

See also Grjebine in Taxonomy Section.

ARBOVIRUSES

ALLAN, B. C. and DOHERTY, R. L. 1966. Laboratory infections with arboviruses including reports of two infections with Kunjin virus. Med. J. Austral. 53(18):844-847. [Isolated from mosquitoes.]

APPLEYARD, G. 1967. The photosensitivity of Semliki Forest and other viruses. J. General Virol. 1(2):143-152.

ARDOIN, P. and CLARKE, D. H. 1967. The use of sonication and of calcium-phosphate chromatography for preparation of group C arbovirus hemagglutinins. Amer. J. Trop. Med. and Hyg. 16(3):357-363.

ARDOIN, P. M. L. and SIMPSON, D. I. H. 1967. Artificial infection of *Aedes (Stegomyia) aegypti* (Linnaeus) with five African arboviruses. J. Med. Ent. 4(2):189-191.

BANERJEE, K. 1965. The inhibitory effect of

Japanese encephalitis and Kyasanur Forest disease viruses upon tumour production by Rous sarcoma virus. Current Sci. (Bangalore) 34(15):461-462.

BASACA-SEVILLA, V. and HALSTEAD, S. B. 1966. Recent virological studies of haemorrhagic fever and other arthropod-borne virus infections in the Philippines. J. Trop. Med. and Hyg. (London) 69(9):203-208.

BHATT, P. N. 1965. Tissue culture methods for arbovirus studies in India. In Tissue culture, pp. 203-207.

BELL, T. M. and WILLIAMS, M. C. 1967. Advances in virology—a review. East Afr. Med. J. 44(2):39-50. [Includes arboviruses.]

BRIGGS, J. D. 1967. 1966 activities of the WHO International Reference Centre for Diagnosis of Diseases of Vectors. WHO/VBC/67.8, 8 pp.

BRITISH MEDICAL JOURNAL. 1967. Transfer of tumour cells by mosquitoes. Brit. Med. J. 5539:517. [*Aedes aegypti*.]

BROTTE, H. and COWORKERS. 1966. Les arbovirus au Cameroun: isolements à partir de moustiques. WHO Bul. 35(6):811-825.

CABASSO, V. J. 1967. An interim scheme for virus nomenclature. Amer. J. Vet. Res. 28(123):539-548. [Includes arboviruses.]

CHAPMAN, H. C., CLARK, T. B., WOODARD, D. B. and KELLEN, W. R. 1966. Additional mosquito hosts of the mosquito iridescent virus. J. Invertebrate Path. 8(4):545-546.

CRAIG, D. E., THOMAS, W. J. and DESANCTIS, A. N. 1967. Stability of Rift Valley fever virus at 4 C. Appl. Microbiol. 15(2):446-447.

GOLDSMITH, L. 1967. Growth characteristics of six neurotropic and one viscerotropic African horse-sickness virus strains in fertilized eggs. Amer. J. Vet. Res. 28(122):19-24.

GOODING, C. D. 1966. Myxomatosis—its decline as a killer. J. Agr. West. Austral. 7(5):200-201, 203-204.

GRIFFIN, E. R., BELL, T. M. and ADATIA, A. K. 1967. Virus infection of teeth in Burkitt's tumour. Part 1—The demonstration of virus-like particles in teeth from active Burkitt's tumour. Part 2—The presence of virus-like particles in a tooth five years after clinical cure. East Afr. Med. J. 44(2):67-70; 71-73. [Possibly mosquito-borne.]

HAHON, N. and COOKE, K. O. 1967. Primary virus-cell interactions in the immunofluorescence assay of Venezuelan equine encephalomyelitis virus. J. Virology 1(2):317-326.

HAMZA, M. H. M., PANABOKKE, R. G. and BALASUBRAMANIAM, C. C. 1966. Clinical and pathological features of two fatal cases of a haemorrhagic fever in Ceylonese children. J. Trop. Med. and Hyg. (London) 69(7):162-164. [*Aedes aegypti*.]

HARRISON, V. R., MARSHALL, J. D. and GUILLOUD, N. B. 1967. The presence of antibody to chikungunya and other serologically related viruses in the sera of sub-human primate imports

to the United States. *J. Immunol.* 98(5):979-981.

MAGUIRE, T. and MACNAMARA, F. N. 1966. The isolation of coxsackie A viruses from human sera and mosquitoes in Fiji. *J. Hygiene* 64(4):451-456.

MAGUIRE, T., MILES, J. A. R. and CASALS, J. 1967. Whataroa virus, a group A arbovirus isolated in South Westland, New Zealand. *Amer. J. Trop. Med. and Hyg.* 16(3):371-373.

MÉCS, E., SONNABEND, J. A., MARTIN, E. M. and FANTES, K. H. 1967. The effect of interferon on the synthesis of RNA in chick cells infected with Semliki Forest virus. *J. General Virol.* 1(1):25-40.

MIRCHAMSY, H. and TASLIMI, H. 1967. Some properties of avirulent cold variants of African horse sickness. *Res. in Vet. Sci.* 8(2):195-200.

ORLANDO, M. D., DELAUTER, R. D. and RILEY, J. M. 1967. Effect of virus input multiplicity and tissue cell concentration on growth of Rift Valley fever virus. *Appl. Microbiol.* 15(3):594-596.

REUBEN, R. 1967. Some entomological and epidemiological observations on the 1964 outbreak of chikungunya fever in South India. *Indian J. Med. Res.* 55(1):1-12.

VIRUS RESEARCH CENTRE (Poona). 1967. Annual Report 1965. 179 pp.

WEST, R. and SIMPSON, D. I. H. 1967. The susceptibility of red-tail monkey kidney cell cultures to mouse-adapted strains of arboviruses. *East Afr. Med. J.* 44(2):108-111.

WOODALL, J. P. and WILLIAMS, M. C. 1967. Tanga virus: a hitherto undescribed virus from *Anopheles* mosquitoes from Tanzania. *East Afr. Med. J.* 44(2):83-86. [*A. funestus* may be vector.]

WRIGHT, D. H., BELL, T. M. and WILLIAMS, M. C. 1967. Burkitt's tumour: a review of clinical features, treatment, pathology, epidemiology, entomology and virology. *East Afr. Med. J.* 44(2):51-61. [Possibly mosquito-borne.]

YORK, C. J. 1967. An international animal virus characterization program. *Amer. J. Vet. Res.* 28(123):527-529.

ENCEPHALITIS

BELLAMY, R. E., REEVES, W. C. and SCRIVANI, R. P. 1967. Experimental cyclic transmission of western equine encephalitis virus in chickens and *Culex tarsalis* through a year. *Amer. J. Epidemiol.* 85(2):282-296.

DARWISH, M. A., HAMMON, W. McD. and SATHER, G. E. 1967. Studies on Japanese B encephalitis virus vaccines from tissue culture. IX. Human response to a hamster-kidney tissue-culture inactivated vaccine. *Amer. J. Trop. Med. and Hyg.* 16(3):364-370.

EMMONS, R. W. and LENNETTE, E. H. 1967. Isolation of St. Louis encephalitis virus from a naturally-infected gray fox *Urocyon cinereoargen-*

teus. *Soc. Expt. Biol. and Med. Proc.* 125(2):443-447.

GRAYSON, M. A., SRIHONGSE, S. and GALINDO, P. 1967. Isolation of St. Louis encephalitis virus from *Deinocerites pseudus* in Panama. *Mosquito News* 27(2):204.

HEARN, H. J., JR. and SOPER, W. T. 1967. Properties of Venezuelan equine encephalomyelitis virus accompanying attenuation in vitro. *J. Virology* 1(3):453-459.

HUGHES, J. P. and JOHNSON, H. N. 1967. A field trial of a live-virus western encephalitis vaccine. *Amer. Vet. Med. Assoc. J.* 150(2):167-171.

LAMOTTE, L. C., JR., CRANE, G. T. SHRINER, R. B. and KIRK, L. J. 1967. Use of adult chickens as arbovirus sentinels. I. Viremia and persistence of antibody in experimentally inoculated adult chickens. *Amer. J. Trop. Med. and Hyg.* 16(3):348-356.

MACDONALD, W. W. and COWORKERS. 1967. Arbovirus infections in Sarawak: further observations on mosquitoes. *J. Med. Ent.* 4(2):146-157.

MACK, T. M. and COWORKERS. 1967. Investigation of an epidemic of St. Louis encephalitis in Danville, Kentucky, 1964. *J. Med. Ent.* 4(1):70-76.

MASTERSOON, R. A. 1967. Encephalitis in the State of Ohio. *Ohio Mosquito Cont. Assoc. Pap.* 19-20:43-48.

OTANI, A. and ARAI, K. 1966. Provocative effect of a nonspecific intracerebral stimulus given to mice following intraperitoneal inoculation of Japanese encephalitis (JE) virus with special reference to its applicability to the potency test of JE vaccine. (Brief report). *Arch. f. dei Gesamte Virusforsch.* 18(3):379-381.

PARSONS, M. 1967. Vector-reservoir field sampling aspects of mosquito-borne encephalitis in Ohio. *Ohio Mosquito Cont. Assoc. Pap.* 19-20:64-66.

REEVES, W. C. 1967. Factors that influence the probability of epidemics of western equine, St. Louis, and California encephalitis in California. *Calif. Vector Views* 14(2):13-18.

SOPER, W. T. and HEARN, H. J., JR. 1967. Properties of Venezuelan equine encephalomyelitis virus grown in vivo. *J. Virology* 1(3):460-465.

SUDIA, W. D. and COWORKERS. 1967. St. Louis encephalitis vector studies in Houston, Texas, 1964. *J. Med. Ent.* 4(1):32-36.

SUDIA, W. D., FOWINKLE, E. and COLEMAN, P. H. 1967. St. Louis encephalitis in Memphis, Tennessee, 1964. *J. Med. Ent.* 4(1):77-79.

FILARIASIS

AN, A. S. and KAMALDINOVA, D. G. 1967. A case of human dirofilariasis. *Med. Parazit. i Parazit. Bolezni* 36(3):356. In Rus.

ATA, A. A. 1967. Evaluation of the intracutaneous test in the diagnosis of bancroftian filariasis in Egypt. *J. Trop. Med. and Hyg. (London)* 70(5):113-116.

- AHMED, S. S. 1966. Location of developing and adult worms of *Brugia* sp. in naturally and experimentally infected animals. *J. Trop. Med. and Hyg.* (London) 69(12):291-293.
- . 1967. Histological studies on the role of the spleen and liver in the destruction of microfilariae of *Litomosoides carinii*, sub-periodic *Brugia malayi* and *B. pahangi* in experimentally infected small laboratory animals. *J. Trop. Med. and Hyg.* (London) 70(4):103-104.
- BASU, P. C. 1967. Notes relating to methodology in epidemiological assessment. WHO/FIL/67.72, 7 pp., 2 pp. in annex.
- CIFERRI, F. E. and KESSEL, J. F. 1967. Relation of age, sex, and microfilaria density to treatment of sub-periodic filariasis with diethylcarbamazine. *Amer. J. Trop. Med. and Hyg.* 16(3):321-328.
- CRUZ FERREIRA, F. S., CUNHA, C. A. C. L., VIERA, R. A. and MATIAS, M. F. 1965. Filariase linfatica em Timor Português. I. Aspectos gerais da infestação por *Brugia* (Timor). *Inst. Med. Trop. An.* (Lisboa) 22(1/4):75-97. Engl. Sum.
- JEFFREY, H. C. and LEACH, R. M. 1966. Atlas of medical helminthology and protozoology. 121 plates, London.
- MASTRANDREA, G. and ILARDI, I. 1966. Metodi arricchimento nelle filariosi (rassegna sinteticocritica con contributo personale). *Arch. Ital. Sci. Med. Torp. Parassitol.* 47(9/10):249-256.
- MANTOVANI, A. and SULZER, A. J. 1967. Indirect fluorescent antibody technique for diagnosis of canine filariasis. *Amer. J. Vet. Res.* 28(123):351-354.
- MILLER, M. J. 1966. Observations on spermatogenesis in *Onchocera volvulus* and *Wuchereria bancrofti*. *Canad. J. Zool.* 44(6):1003-1006.
- OMORI, N. 1966. On the role of Japanese mosquitoes, especially of *Culex pipiens pallens* in the transmission of bancroftian filariasis. *In Progress of medical parasitology in Japan III*:471-507.
- ORJHEL, T. C. 1967. *Brugia guyanensis* from grison (*Grison vittatus*) in Guyana. *J. Parasitol.* 53(3):586.
- SAITO, T. 1966. Studies on the antigenicity of metabolites of the canine filariae in urine. *Kurume Med. J.* 13(1):1-10.
- SCHACHER, J. F. and SAHYOUN, P. F. 1967. A chronological study of the histopathology of filarial disease in cats and dogs caused by *Brugia pahangi* (Buckley and Edeson, 1956). *Roy. Soc. Trop. Med. and Hyg. Trans.* 61(2):234-243.
- SHUPIK, A. L., SOKOVA, L. A. and PROSVETOVA, T. A. 1967. A case of human dirofilariasis. *Med. Parazit. i Parazit. Bolezni* 36(2):239. In Rus., Engl. Sum.
- SINGH, M. V., AGARWALA, R. S. and SRIVASTAVA, R. N. 1963. A note on the observation on the reappearance of *Microfilaria bancrofti* in cases treated with diethyl-carbamazine in doses scheduled under the National Filaria Control Programme. *Indian J. Malariol.* 17(4):279-284.
- TUAZON, R. A., FIRESTONE, F. and BLAUSTEIN, A. U. 1967. Human pulmonary dirofilariasis manifesting as a "coin" lesion. A case report. *Amer. Med. Assoc. J.* 199(1):45-46.
- UEMURA, S. 1967. On the susceptibility of *Anopheles sinensis* to the larvae of *Wuchereria bancrofti* and a note on the feeding habit of the mosquito in Kin area, Okinawa main island. *Trop. Med. (Nagasaki)* 9(1):24-38.
- WIJETUNGE, H. P. A. 1967. Clinical manifestations of early bancroftian filariasis. A study of 212 cases of microfilariaemia. *J. Trop. Med. and Hyg.* (London) 70(4):90-94.

MALARIA

BLANC, F. and NOSNY, Y. 1966. Expressions cliniques actuelles du paludisme en France. *Soc. de Path. Exot. Bul.* 59(4):649-664.

BRUCE-CHWATT, L. J. 1966. L'épidémiologie du paludisme. *Soc. de Path. Exot. Bul.* 59(4):450-466.

CHATTERJEA, J. B. 1966. Haemoglobinopathies, glucose-6-phosphate dehydrogenase deficiency and allied problems in the Indian subcontinent. *WHO Bul.* 35(6):837-856. [In connection with malaria.]

CHIPMAN, M., CADIGAN, F. C., JR. and BENJAPONGSE, W. 1967. Involvement of the nervous system in malaria in Thailand. *Trop. and Geog. Med.* 19(1):8-14.

CLYDE, D. F. 1967. Malaria in Tanzania. 167 pp., London.

COLBOURNE, M. 1966. Malaria in Africa. 115 pp., London.

COVELL, G. 1967. Summary of recent abstracts. III. Malaria. *Trop. Dis. Bul.* 64(4):329-344.

DESTOMBES, P. and CAMAIN, R. 1966. Anatomie pathologique du paludisme. *Soc. de Path. Exot. Bul.* 59(4):532.

FELSENFELD, O. 1966. The epidemiology of tropical diseases. 488 pp., Springfield, Illinois. [Malaria included.]

FLETCHER, K. A. and MAEGRAITH, B. G. 1966. Some aspects of the pathogenesis of malaria. *Soc. de Path. Exot. Bul.* 59(4):526-532. In Engl.

GILLES, H. M. and COWORKERS. 1967. Glucose-6-phosphate-dehydrogenase deficiency, sickling, and malaria in African children in South Western Nigeria. *Lancet* 7482:138-140.

GROSHKOVA, I. M., PAVLOVA, M. S. and PETROVA, E. F. 1967. Grouping of towns and villages according to the degree of danger of malaria spread upon importation and rationalization of planning of prophylactic malaria control measures in the Kazakh SSR. *Med. Parazit. i Parazit. Bolezni* 36(3):348-352. In Rus., Engl. Sum.

HAMON, J. and COZ, J. 1966. Épidémiologie générale du paludisme humain en Afrique Occidentale. Répartition et fréquence des parasites et des vecteurs et observations récentes sur quelques-uns des facteurs gouvernant la transmission de

cette maladie. Soc. de Path. Exot. Bul. 59(4): 466-483. Engl. Sum.

HOBSON, J. H. 1967. Malaria in Britain. Nature (London) 554:701.

ISLAM, N. 1967. Splenic abscess. J. Trop. Med. and Hyg. (London) 70(6):153-155. [Chronic malaria spleen involved.]

JADIN, J. and COWORKERS. 1966. Role des *Pseudomonas* dans la sporogonie de l'hématozoaire du paludisme chez le moustique. Soc. de Path. Exot. Bul. 59(4):514-525.

JANSSENS, P. G., VINCKE, I. H. and BAFORT, J. 1966. Le paludisme d'Afrique centrale. Son influence sur la morbidité et la mortalité des enfants. Soc. de Path. Exot. Bul. 59(4):665.

KIBUKAMUSOKE, J. W. 1966. The nephrotic syndrome in Lagos, Nigeria. West Afr. Med. J. 15(6):213-217. [*Plasmodium malariae* present in 7 cases.]

KRAMCHANINOV, N. F. and POPOVA, F. V. 1967. History of malaria investigation in Russia. Med. Parazit. i Parazit. Bolezni 36(2):234-235. In Rus.

MADECKI, O. and KRETSCHMAR, W. 1966. Frequency and causes of malaria in new-born babies in West Africa. Z. f. Tropenmed. u. Parasitol. 17(2):195-210. In Ger.

MARSDEN, P. D. and COWORKERS. 1967. Splenomegaly in New Guinea. WHO/Mal/67.593, 23 pp.

MCQUAY, R. M., SILBERMAN, S., MUDRIK, P. and KEITH, L. E. 1967. Congenital malaria in Chicago. A case report and a review of published reports (U.S.A.). Amer. J. Trop. Med. and Hyg. 16(3):258-266.

MUKHERJEA, A. K. 1966. Malaria in West Bengal. Part II. Calcutta Schl. Trop. Med. Bul. 14(3):87-88.

NATIONAL COMMUNICABLE DISEASE CENTER. 1967. Malaria surveillance. 1966 annual summary. 19 pp., Atlanta, Georgia.

OGBEIDE, M. I. 1967. Malaria in children. Brit. Med. J. 5538:501-502.

ONORI, E. 1967. Malaria in Karamoja District, Uganda. WHO/Mal/67.595, 17 pp.

POKROVSKY, S. N. and SPUDIS, V. K. 1967. Malaria in RSFSR in the period 1962-1965. Med. Parazit. i Parazit. Bolezni 36(3):345-348. In Rus., Engl. Sum.

REY, M., NOUHOUAYI, A. and DIOP MAR, I. 1966. Les expressions cliniques du paludisme à *Plasmodium falciparum* chez l'enfant noir Africain (d'après une expérience hospitalière dakaroise). Soc. de Path. Exot. Bul. 59(4):683-704.

SEATON, D. R. 1967. Malaria in Britain. Brit. Med. J. 5538:496.

SITPRIJA, V. and COWORKERS. 1966. Renal function in malaria. J. Trop. Med. and Hyg. (London) 69(10):242-246.

——— and ———. 1967. Renal failure in malaria. Lancet 7483:185-188.

SYKES, R. M. 1967. Malaria in children. Brit. Med. J. 5537:425.

VINCKE, I. H., JANSSENS, P. G. and BAFORT, J. 1966. Aspects de l'épidémiologie et de la lutte antipaludique en Afrique tropicale. Soc. de Path. Exot. Bul. 59(4):483-492.

WHO EXPERT COMMITTEE ON MALARIA. 1967. Thirteenth report. WHO Tech. Rpt. Ser. No. 357, 59 pp.

ZUIDEMA, P. J. and MEUWISSEN, J. H. E. T. 1966. Malaria ovale; some clinical and serological observations. Soc. de Path. Exot. Bul. 59(4): 668-677. Engl. Sum.

See also Weathersby in Techniques Section.

Malaria—Cerebral

DEVAKUL, K., HARINASUTA, T. and REID, H. A. 1966. ¹²⁵I-labelled fibrinogen in cerebral malaria. Lancet 7469:886-888.

JELLIFFE, D. B. 1966. The therapy of cerebral malaria in children. J. Pediat. 69(3):483-484. [Editorial.]

LEMERCIER, G., REY, M. and COLLOMB, H. 1966. Lésions cérébrales dans le paludisme de l'enfant. Soc. de Path. Exot. Bul. 59(4):533-548.

Malaria—Eradication

AZIZ, A. A. and CHOWDHURY, S. R. 1965. The role of general health services in malaria eradication programmes in preparation, attack and consolidation phases. Bul. Endemic Dis. 7(1/2): 4-10.

BALESTRINI, C. 1967. Importance de l'écologie humaine dans l'épidémiologie et dans l'éradication du paludisme. WHO/Mal/67.596, 23 pp.

CAMBOURNAC, F. J. C. 1966. Le besoin des études épidémiologiques dans la campagne d'éradication du paludisme en Afrique. Soc. de Path. Exot. Bul. 59(4):501-513.

ESCAMILLA G., C. A. 1966. Educación higiénica en programas de erradicación del paludismo. Salud Púb. México Epoca V. 8(6):949-953.

GRAMICCIA, G. 1966. Le problème de l'éradication du paludisme. Soc. de Path. Exot. Bul. 59(4):492-500. [Discussion pp. 500-501.]

MORENO VALLE, R. and SUÁREZ TORRES, G. 1966. La erradicación del paludismo en México (informe de las actividades en 1964). Salud Púb. México Epoca V. 8(1):83-97.

SALUD PÚBLICA MÉXICO. 1966. Consideraciones sobre factores humanos para la erradicación del paludismo. Salud Púb. México Epoca V. 8(3):379-384.

TELLAECHE, A. M. and BARRÓN, G. R. 1966. Vigilancia antipalúdica en el Territorio de Baja California. Salud Púb. México Epoca V. 8(6): 909-948.

Malaria—Immunology

BRAY, R. S. and EL-NAHAL, H. M. S. 1966. Indirect haemagglutination test for malarial antibody. Nature (London) 212(5057):83.

- COUDERT, J. and COWORKERS. 1966. Perspectives nouvelles sur l'immunologie paludéenne (à propos de 565 examens effectués par la technique des anticorps fluorescents). Soc. de Path. Exot. Bul. 59(4):558-570.
- DESCHIENS, R. and BÉNEX, J. 1966. Immunité naturelle, prémunition et immunité résiduelle dans le paludisme. Soc. de Path. Exot. Bul. 59(4):570-585. Engl. Sum.
- FABIANI, G. 1966. Le rôle de la rate dans l'immunité antipaludéenne. Soc. de Path. Exot. Bul. 59(4):605-647. [Discussion p. 648.]
- GARNHAM, P. C. C. 1966. Immunity against the different stages of malaria parasites. Soc. de Path. Exot. Bul. 59(4):549-557. In Engl.
- LUBY, J. P., COLLINS, W. E. and KAISER, R. L. 1967. Persistence of malarial antibody. Findings in patients infected during the outbreak of malaria in Lake Vera, California, 1952-1953. Amer. J. Trop. Med. and Hyg. 16(3):255-257.
- MEUWISSEN, J. H. E. T. 1966. Fluorescent antibodies in human malaria, especially in *Plasmodium ovale*. Trop. and Geog. Med. 18(3):250-259.
- PAYET, M., PENE, P. and SANKALÉ, M. 1966. Expressions cliniques et immunologiques du paludisme au Sénégal. Soc. de Path. Exot. Bul. 59(4):677-683.
- SCHINDLER, R. 1966. Further investigations on resistance and immunity in mice against an infection with *Plasmodium berghei*. Soc. de Path. Exot. Bul. 59(4):585-593. In Engl.
- and MEHLITZ, D. 1966. Weitere Untersuchungen über die Bedeutung komplementbindender Antikörper für die *Plasmodium berghei*-Infektion der Maus. Z. f. Tropenmed. u. Parasitol. 17(3):294-300.
- TOBIE, J. E. and COWORKERS. 1966. Serum immunoglobulin levels in human malaria and their relationship to antibody production. J. Immunol. 97(4):498-505.
- YOELI, M. 1966. Patterns of immunity and resistance in rodent malaria infections. Soc. de Path. Exot. Bul. 59(4):593-605.
- sitic bodies of *Plasmodium berghei* separated from the blood. WHO Bul. 35(5):802-805.
- DAS, M. M., MUKHERJEE, A. M. and SEN GUPTA, P. C. 1966. Some observations on the liver cell mitochondria in *Plasmodium berghei* infection. Calcutta Schl. Trop. Med. Bul. 14(3):89-90.
- GARIN, J. P., REY, M. and AMBROISE-THOMAS, P. 1966. Réactions sérologiques croisées entre *Plasmodium falciparum* et *Plasmodium cynomolgi bastianellii*. Applications au séro-diagnostic, par immunofluorescence, du paludisme humain à *Plasmodium falciparum*. Soc. de Path. Exot. Bul. 59(3):316-325.
- GARNHAM, P. C. C. 1966. Malaria parasites and other Haemosporidia. 1114 pp., Oxford.
- JAMNBACK, H. 1967. Some effect of ingested thiotepa on the development of *Plasmodium gallinaceum* in yellow fever mosquitoes and in chicks. J. Econ. Ent. 60(2):390-393.
- JEFFERY, G. M. 1966. Epidemiological significance of repeated infections with homologous and heterologous strains and species of *Plasmodium*. WHO Bul. 35(6):873-882.
- JELLIFFE, E. F. P. 1967. The prevalence of *Plasmodium malariae* in a Baganda community in Uganda. Trop. and Geog. Med. 19(1):15-30.
- KREIER, J. and COWORKERS. 1966. Auto-immune reactions in rats with *Plasmodium berghei* infection. Expt. Parasitol. 19(2):155-162.
- LABA, L. and ZWIERTZ, C. 1967. Tropical helminthiasis as occupational diseases of seamen and persons returning from the tropics. Inst. Marine Med. Gdańsk Bul. 18(1/2):43-49. [*Plasmodium falciparum* and *P. vivax* found in some cases.]
- LANDAU, I. 1955. Description de *Plasmodium chabaudi* n. sp., parasite de rongeurs africains. Acad. Sci. Compt. Rend. (Paris) 260(13):3758-3761.
- LUPASCO, G., BOSSIE-AGAVRILOAEI, A. LENGHEL, I. and SMOLINSCHI, M. 1966. Sur un cas de paludisme à *Plasmodium ovale* provenant de Guinée. Arch. Roumaines Path. Expt. et Microbiol. 25(3):561-566.
- MANWELL, R. D. and KUNTZ, R. E. 1966. *Plasmodium hegnei* n. sp. from the European teal *Anas c. crecca* in Taiwan. J. Protozool. 13(3):437-440.
- MARTIN, D. C. and ARNOLD, J. D. 1967. Studies on an East African strain of *Plasmodium falciparum*. Roy. Soc. Trop. Med. and Hyg. Trans. 61(3):331-339.
- SHERMAN, I. W. and TING, I. P. 1966. Carbon dioxide fixation in malaria (*Plasmodium lophurae*). Nature (London) 212(5064):1387-1389.
- SIDDIQUI, W. A., SCHNELL, J. V. and GEIMAN, Q. M. 1967. Stearic acid as plasma replacement for intracellular in vitro culture of *Plasmodium knowlesi*. Science 156(3782):1623-1625.
- TRAGER, W., RUDZINSKA, M. A. and BRADBURY, P. C. 1966. The fine structure of *Plasmodium*

Malaria—Plasmodia

ADAM, J. P., LANDAU, I. and CHABAUD, A. G. 1966. Découverte dans la région de Brazzaville de rongeurs infectés par des *Plasmodium*. Acad. Sci. Compt. Rend. (Paris) Ser. D. 263(2):140-141.

BAFORT, J. 1967. Preservation of viable malaria sporozoites of *Plasmodium berghei* by low temperature freezing. WHO/Mal/67.594, 8 pp.

CHENG YEE LOWE. 1966. The specific status of *Plasmodium metastaticum* Raffle 1965. Riv. di Malariol. 45(4/6):151-154. [Thought to be a synonym of *P. gallinaceum* Brumpt.]

CORRADETTI, A., VEROLINI, F., ILARDI, A. and BUCCI, A. 1966. Immunoelectrophoretic analysis of water-soluble antigens extracted from para-

falciparum and its host erythrocytes in natural malarial infections in man. WHO Bul. 35(6): 883-885.

TRIGG, P. I. 1967. In vitro growth of *Plasmodium knowlesi* and *P. falciparum*. Nature (London) 213(5080):1019-1020.

VICKERMAN, K. and COX, F. E. G. 1967. Merozoite formation in the erythrocytic stages of the malaria parasite *Plasmodium vinckei*. Roy. Soc. Trop. Med. and Hyg. Trans. 61(3):303-312.

WEATHERSBY, A. B. 1967. The survival time for sporozoites of *Plasmodium gallinaceum* Brumpt in the haemocoels of refractory *Culex pipiens pipiens* L. (Diptera:Culicidae). Georgia Ent. Soc. J. 2(2):31-35.

— and McCALL, J. W. 1967. Survival of sporozoites of *Plasmodium gallinaceum* Brumpt for 767 days in liquid nitrogen (-197°C). J. Parasitol. 53(3):638-640.

Malaria—Simian

COLLINS, W. E., SKINNER, J. C., CONTACOS, P. G. and GUINN, E. G. 1967. Fluorescent-antibody studies on simian malaria. II. Development of antibodies to *Plasmodium cynomolgi*. Amer. J. Trop. Med. and Hyg. 16(3):267-272.

DEANE, L. M. 1967. Monkey malaria in Brazil. A summary of studies performed in 1964-1966. WHO/Mal/67.603, 20 pp.

—, DEANE, M. P. and FERREIRA NETO, J. 1966. Studies on transmission of simian malaria and on a natural infection of man with *Plasmodium simium* in Brazil. WHO Bul. 35(5): 805-808.

HAWKING, F., GAMMAGE, K. and WORMS, M. J. 1967. The relation of the endo-erythrocytic cycle of *Plasmodium knowlesi* and of *P. cynomolgi* to body temperature. Roy. Soc. Trop. Med. and Hyg. Trans. 61(2):199-210.

HELD, J. R., CONTACOS, P. G., JUMPER, J. R. and SMITH, C. S. 1967. Direct hepatic inoculation of sporozoites for the study of exo-erythrocytic stages of simian malarial. J. Parasitol. 53(3):656-657.

Malaria—Therapeutics and Antimalarials

BLACK, R. H. and COWORKERS. 1966. Studies on depot antimalarials. I. The effect of a single injection of the depot antimalarial CI-501 ("Camolar") on relapsing vivax malaria acquired in New Guinea. II. The effect of a single injection of the depot antimalarial CI-564 on relapsing vivax malaria acquired in New Guinea. Med. J. Austral. 53(13):588-592; 53(17):808-811.

BRUCE-CRAWFORD, L. J. 1967. Clinical trials of antimalarial drugs. Roy. Soc. Trop. Med. and Hyg. Trans. 61(3):412-424. [Discussion on pages 425-426.]

CLYDE, D. F. 1966. Suppression of malaria in Tanzania with the use of medicated salt. WHO Bul. 35(6):962-968.

GEORGE, J. N., SEARS, D. A., MCCURDY, P. R. and CONRAD, M. E. 1967. Primaquine sensitivity in Caucasians: hemolytic reactions induced by primaquine in G-6-PD deficient subjects. J. Lab. and Clin. Med. 70(1):80-93.

GIGLIOLI, G., DYRTING, A. E., RUTTEN, F. J. and GENTLE, G. H. K. 1967. Photo-allergic dermatitis during a chloroquinized salt anti-malaria campaign in Guyana. Roy. Soc. Trop. Med. and Hyg. Trans. 61(3):313-330.

KRETSCHMAR, W. 1966. Die Bedeutung der p-Aminobenzoesäure für den Krankheitsverlauf und die Immunität bei der Malaria im Tier (*Plasmodium berghei*) und im Menschen (*Pl. falciparum*). I. Versuche an NMRI-Mäusen. II. Untersuchungen an natürlich ernährten Kleinkindern in Nigeria. III. Untersuchungen an experimental mit Milch ernährten Kindern. Z. f. Tropenmed. u. Parasitol. 17(3):301-320; 17(4): 369-374; 17(4):375-390.

KISLIUK, R. L., FRIEDKIN, M., SCHMIDT, L. H. and ROSSAN, R. N. 1967. Antimalarial activity of tetrahydrohomopteroic acid. Science 156(3782): 1616-1617.

MAROTTA, G. 1966. Diagnosi della malaria terapia e chemioprolassi. Riv. di Malariol. 45(4/6):155-194.

MICHEL, R., PÈNE, P. and COURTNEY, R. O. 1966. Tolérance de *P. falciparum* à la pyriméthamine, au proguanil et au CI 501 dans la région des Niayes au Sénégal. Soc. Méd. Afr. Noire Lang. Fr. Bul. 11(3):463-469.

PETERS, W. 1967. Rational methods in the search for antimalarial drugs. Roy. Soc. Trop. Med. and Hyg. Trans. 61(3):400-410. [Discussion on p. 411.]

RIECKMANN, K. H. 1967. A new repository antimalarial agent, CI-564, used in a field trial in New Guinea. Roy. Soc. Trop. Med. and Hyg. Trans. 61(2):189-198.

TUBOKU-METZGER, A. F. 1967. Malaria in children. Brit. Med. J. 5533:174. [Deaths following intramuscular chloroquine injections.]

VYKYDAL, M., PĚGRÍMOVÁ, E., DEMKOVÁ, V. and KALÁB, M. 1967. Stanovení chlorochinu v organismu. Čas. Lék. Česk. 106(2):44-47. Engl. Sum. [Estimation of chloroquine in the organism.]

Malaria—Antimalarials—Resistance

BARTELLONI, P. J., SHEEHY, T. W. and TIGERTT, W. D. 1967. Combined therapy for chloroquine-resistant *Plasmodium falciparum* infection. Amer. Med. Assoc. J. 199(3):173-177.

Beausoleil, E. G. 1967. Studies on alleged chloroquine resistance of malaria parasites in Axim, Ghana. WHO/Mal/67.601, 16 pp.

JACOBS, R. L. and WARREN, McW. 1967. Sequestration of schizonts in the deep tissues of mice infected with chloroquine-resistant *Plasmodium berghei*. Roy. Soc. Trop. Med. and Hyg. Trans. 61(2):273-275.

MOHR, M. W. 1966. Observations cliniques et thérapeutiques dans le paludisme à *Plasmodium falciparum*, en particulier, le développement d'une résistance contre le "resoquin". Soc. de Path. Exot. Bul. 59(4):666-667.

PHIFER, K. O., YIELDING, K. L. and COHEN, S. N. 1966. Investigations of the possible relation of ferrihemic acid to drug resistance in *Plasmodium berghei*. Expt. Parasitol. 19(1):102-109.

SANDOSHAM, A. A., EYLES, D. E., PULL, J. H. and LING DING SENG. 1966. Chloroquine-resistant falciparum malaria in a semi-immune indigenous population in north Malaya. Med. J. Malaya 21(2):115-124.

Malaria—Vectors

CONSTANTINESCU, P. and NEGULICI, E. 1967. The experimental transmission of *Plasmodium malariae* to *Anopheles labranchiae atroparvus*. Roy. Soc. Trop. Med. and Hyg. Trans. 61(2):182-188.

GOULD, D. J., ESAH, S. and PRANITH, U. 1967. Relation of *Anopheles aconitus* to malaria transmission in the central plain of Thailand. Roy. Soc. Trop. Med. and Hyg. Trans. 61(3):441-442.

VINCKE, I. H. 1967. The potential vectors of *P. chabaudi* and *P. berghei yoelii*. Roy. Soc. Trop. Med. and Hyg. Trans. 61(1):154-155.

YELLOW FEVER

AMERICAN MEDICAL ASSOCIATION. 1966. Fatal virus encephalitis following 17D yellow fever vaccine inoculation. Report of a case in a 3-year-old child. Amer. Med. Assoc. J. 198(6):671-672. [A joint statement.]

CHIPPAUX, A. and CHIPPAUX-HYPPOLITE, C. 1966. Les résultats des campagnes de vaccinations anti-amariles en République Centrafricaine. Soc. de Path. Exot. Bul. 59(1):42-52. Engl. Sum.

DABERKOW, K. and KNÜTTGEN, H. J. 1966. Das periphere Blutbild von Rhesusaffen nach Infektion mit Gelbfieberstämmen unterschiedlicher Pathogenität. Z. f. Tropenmed. u. Parasitol. 17(2):176-194. Engl. Sum.

REACTIONS TO BITES

ALLEN, J. R. and WEST, A. S. 1966. Passive transfer between experimental animals of hypersensitivity to *Aedes aegypti* bites. Expt. Parasitol. 19(1):132-137.

——— and ———. 1966. Some properties of oral secretion from *Aedes aegypti* (L.). Expt. Parasitol. 19(1):124-131. [Skin reactions.]

KILBY, V. A. and SILVERMAN, P. H. 1967. Hypersensitive reactions in man to specific mosquito bites. Amer. J. Trop. Med. and Hyg. 16(3):374-380.

LIGHT AND OTHER TRAP STUDIES

BIDLINGMAYER, W. L. 1967. A comparison of trapping methods for adult mosquitoes: species response and environmental influence. J. Med. Ent. 4(2):200-220.

SOMMERMAN, K. M. 1967. Modified car-top insect trap functional to 45 mph. Ent. Soc. Amer. Ann. 60(4):857.

WRIGHT, R. H. A mosquito trap. J. Econ. Ent. 60(3):876-877.

LITERATURE REFERENCES AND REVIEWS

DUKHANINA, N. N. 1967. Soviet literature on problems of medical parasitology and parasitic diseases in 1966. Med. Parazit. i Parazit. Bolezni 36(2):243-247; 36(3):363-367. [Mosquitoes included.]

KAN, L. B. 1966. Parasitic infections of man and animals; a bibliography of articles in Chinese medical periodicals 1949-1964. 119 pp., New York. Oxford Univ. Press. [Malaria and filariasis included.]

SOLLERS-RIEDEL, H. 1967. Literature references to mosquitoes and mosquito-borne diseases. Mosquito News 27(2):250-262.

SUBJECTS NOT COVERED BY OTHER HEADINGS

AKOV, S. 1967. Effect of folic acid antagonists on larval development and egg production in *Aedes aegypti*. J. Insect Physiol. 13(6):913-923.

CALIFORNIA MOSQUITO CONTROL ASSOCIATION. 1967. Year book. 52 pp., Visalia.

GOMA, L. K. H. 1966. The mosquito. 144 pp., London.

HUNTER, G. W., III, FRYE, W. W. and SWARTZWELDER, J. C. 1966. A manual of tropical medicine. Ed. 4. 931 pp., Philadelphia and London.

ERRATUM

In Mosquito News 26(2):296 in *Malaria—Therapeutics and Antimalarials* change Mendoza, I. G. to read Gomez-Mendoza, I.