

LITERATURE REFERENCES TO MOSQUITOES AND MOSQUITO-BORNE DISEASES

HELEN SOLLERS-RIEDEL¹

Plant Pest Control Division, Agricultural Research Service, United States Department of Agriculture

ADULTICIDES AND LARVICIDES

BARKER, J. S. 1966. Abate—a new mosquito larvicide. Chem. Spec. Manufact. Assoc. Proc. 52:160-162.

BRANSBY-WILLIAMS, W. R. 1967. Bromophos and bromophos ethyl as larvicides against *Culex pipiens fatigans* in clear and polluted water. East Afr. Med. J. 44(5):205-208.

BURGOYNE, W. E., AKESSON, N. B., MULHERN, T. D. and PHILLIPS, K. 1967. The present status of low volume (LV) air sprays for California mosquito control. Mosquito News 27(3):398-407.

CHAPMAN, H. C. 1967. The mosquitoes of Nauru and recommendations for their control. WHO/VBC/67.30, 11 pp.

FLOCH, H. A. 1966. Etude des propriétés larvicides vis-à-vis de *Aedes taeniorhynchus* de quelques composés chimiques molluscicides. Inst. Pasteur Guyane Fran. Arch. 26(511):1-6.

HOLWAY, R. T., MORRILL, A. W. and SANTANA, F. J. 1967. Mosquito control activities of the U. S. Armed Forces in the Republic of Vietnam. Mosquito News 27(3):297-307.

HOOPER, G. H. S. 1967. The effect of larval density on mortality of *Culex pipiens fatigans* due to DDT and dieldrin. WHO Bul. 36(1): 179-180.

KNAPP, F. W. 1967. Ultra-low-volume aerial application of trichlorfon for control of adult mosquitoes, face flies, and horn flies. J. Econ. Ent. 60(4):1193.

KULANIN, V. L. 1967. An experience of using Keam drug (garden carbolineum) in control of mosquito larvae breeding in hollows of trees. Med. Parazit. i Parazit. Bolezni 36(4):494. In Rus., Engl. Sum.

LEWALLEN, L. L. 1967. Field tests of organophosphorus larvicides for control of resistant *Aedes nigromaculatus* (Ludlow). Calif. Vector Views 14 (9):58.

LOFGREN, C. S., MOUNT, G. A. and GLANCEY, B. M. 1967. Update on USDA research for control of adult mosquitoes. Pest Control 35(9):38, 40, 42-43, 44.

MULLA, M. S. 1967. Dursban—promising new mosquito control agent. Down to Earth 23(2): 15-17.

PEST CONTROL. 1967. Gulf Coast districts depending on Dibrom for adultriciding this year. Pest Control 35(10):80, 83-84.

TRAVIS, B. V. 1967. 1967 recommendations to

communities for chemical control of biting flies in New York State. Cornell Ext. Bul. 1188, 7 pp. [Includes mosquitoes.]

—. 1967. 1967 recommendations to homeowners for chemical control of biting flies in New York State. Cornell Ext. Bul. 1187, 4 pp. [Includes mosquitoes.]

VARIOUS TYPES OF CONTROL

FLOCH, H. A. 1966. Les difficultés de la lutte contre *Culex fatigans* à Cayenne. Inst. Pasteur Guyane Fran. Arch. 26(500):1-8.

—. 1966. Sur *Aedes taeniorhynchus* et la lutte contre ce "pest-mosquito." Inst. Pasteur Guyane Fran. Arch. 26(499):1-14.

STERILIZATION METHODS

ABDEL-MALEK, A. A., TANTAWY, A. O. and WAKID, A. M. 1967. Studies on the eradication of *Anopheles pharoensis* Theobald by the sterile-male technique using Cobalt-60. VI. Sperm activity in males irradiated with the sterilizing dose. J. Econ. Ent. 60(5): 1300-1302.

BERRYMAN, A. A. 1967. Mathematical description of the sterile male principle. Canad. Ent. 99(8):858-865.

DAVIDSON, G. and CUELLAR, C. B. 1967. The dynamics of an anopheline breeding place treated with infertile males. Roy. Soc. Trop. Med. and Hyg. Trans. 61(4):453-454.

GEORGE, J. A. and BROWN, A. W. A. 1967. Effect of the chemosterilant hempa on the yellow-fever mosquito and its liability to induce resistance. J. Econ. Ent. 60(4):974-978.

MOSQUITO CONTROL AGENCY PROBLEMS

HARRIS COUNTY MOSQUITO CONTROL DISTRICT. 1967. Annual report 1966. 12 pp., Houston, Texas.

PARASITES, PREDATORS, VIRUSES AND RELATED AGENTS

CHAPMAN, H. C. 1967. A survey of Nauru Island for mosquitoes and their internal pathogens and parasites. WHO/VBC/67.28, 11 pp. [No internal parasites or pathogens observed in mosquitoes.]

CLARK, T. B. and FUKUDA, T. 1967. Predation of *Culicoides cuniculus* Wirth and Jones larvae on *Aedes sierrensis* (Ludlow). Mosquito News 27(3):424-425.

LARSON, L. V. 1967. Association of *Vorticella*

¹ Complete mailing address: P.O. Box 19009, Washington, D.C. 20036, U.S.A.

and *Epistylis* (Protozoa:Ciliata) with mosquito larvae. WHO/VBC/67.20, 21 pp.

LEE, F. C. 1967. Laboratory observations on certain mosquito larval predators. Mosquito News 27(3):332-338.

MACLAREN, J. P. 1967. Manatees as a naturalistic biological mosquito control method. Mosquito News 27(3):387-393.

PRATHER, J. W. and FERGUSON, D. E. 1966. DDT metabolism in tolerant and susceptible populations of mosquito fish, *Gambusia affinis*. Mississippi Acad. Sci. J. 12:317.

SMITH, K. M. 1967. Insect virology. 256 pp., New York and London. [Includes mosquitoes.]

EQUIPMENT

ACHESON, M. A. 1967. Comparison of nozzle discharge rates using water and DDT suspension. WHO/Mal/67.613, WHO/VBC/67.24. 7 pp.

FITZJOHN, R. A. 1967. Field tests of low pressure "even-spray" flat fan spray nozzles. WHO/Mal/67.597, WHO/VBC/67.19. 8 pp.

KIMBALL, J. H. and THOMPSON, A. H. 1967. Thiokol Swamp Spryte equipped with automatic compressed air spraying units for applying granule and liquid insecticides. Mosquito News 27(3):420-422.

RAMSDALE, C. D. 1967. A simple method of manipulating post-exposure conditions in field tests involving mosquitoes and insecticides. WHO/Mal/67.612, WHO/VBC/67.29. 9 pp.

THOMPSON, A. H. 1967. A low cost airboat for use in mosquito control. Mosquito News 27(3): 417-419.

See also BIDLINGMAYER et al. in Techniques Section.

ATTRACTANTS AND REPELLENTS

COLE, M. M. and VANNATTA, D. L. 1967. Further tests with systemic insecticides in rabbits as toxicants for body lice and new tests for yellow-fever mosquitoes. J. Econ. Ent. 60(4): 955-959.

GJULLIN, C. M., WHITFIELD, T. L. and BUCKLEY, J. F. 1967. Male pheromones of *Culex quinquefasciatus*, *C. tarsalis* and *C. pipiens* that attract females of these species. Mosquito News 27(3): 382-387.

GOUCK, H. K., GODWIN, D. R., SCHRECK, C. E. and SMITH, N. 1967. Field tests with repellent-treated netting against black salt-marsh mosquitoes. J. Econ. Ent. 60 (5):1451-1452.

SIMPSON, J. E. and WRIGHT, R. H. 1967. Area treatment to combat mosquitoes. Nature (London) 214(5083):113-114.

SKINNER, W. A., TONG, H. C., PEARSON, T. R. and MAIBACH, H. I. 1967. Repellency of human skin-surface lipid hydrocarbons to the yellow-fever mosquito. J. Econ. Ent. 60(4):927-929.

RESISTANCE AND SUSCEPTIBILITY

CRUZ, I. T. 1966. Sample size requirements in

susceptibility tests. Acta Med. Philippina Ser. 2. 3(1):37-42.

HOOPER, G. H. S. 1967. The status of insecticide resistance in populations of *Culex pipiens fatigans* from Queensland, Australia, WHO/VBC/67.36, 3 pp.

HOSKINS, W. M. 1967. Advances in the understanding of insecticide resistance in insects affecting human health, 1960-66. WHO/VBC/67.26, 169 pp. [Includes mosquitoes.]

INWANG, E. E., KHAN, M. A. Q. and BROWN, A. W. A. 1967. DDT-resistance in West African and Asian strains of *Aedes aegypti* (L.). WHO Bul. 36(3):409-421.

KAMEL, O. M. and GAD, A. M. 1966. Present status of susceptibility of common UAR anopheline species to insecticides. Egypt. Pub. Health Assoc. J. 41(5):263-274.

LALL, B. S. and SINHA, V. P. 1967. Observations on the susceptibility status of *Culex fatigans* (Wied. 1828). Patna J. Med. 41(5): 221-226.

RATHBURN, C. B., JR. and BOIKE, A. H., JR. 1967. Studies of insecticide resistance in Florida mosquitoes. Mosquito News 27(3):377-382.

SERVICE, M. W. 1967. Seasonal variations in the susceptibility of *Culex pipiens pipiens* L. to DDT and dieldrin. Mosquito News 27(3): 338-342.

SINHA, K. P. and SINHA, V. P. 1967. The problem of resistance in mosquitoes and vector control. Patna J. Med. 41(5):227-228.

TADANO, T. and BROWN, A. W. A. 1967. Genetical linkage relationships of DDT-resistance and dieldrin-resistance in *Culex pipiens fatigans* Wiedemann. WHO Bul. 36(1):101-111.

WOOD, R. J. 1967. The use of discriminating concentrations in genetical studies on DDT-resistance in larval *Aedes aegypti* L. WHO Bul. 36(2):349-353.

TOXICOLOGY

BREWERTON, H. V. and MCGRATH, H. J. W. 1967. Insecticides in human fat in New Zealand. New Zeal. J. Sci. 10(2):486-492. [DDT, DDE, BHC, dieldrin.]

SAND, P. F., GENTRY, J. W., BONGBERG, J. and SCHECHTER, M. S. 1967. Pesticides in soil. National soil monitoring program studies high-, low-, and nonuse areas. Pesticides Monitoring J. 1(1):16-19. [Includes chemicals used for mosquito control.]

WALLEY, W. W., FERGUSON, D. E. and CULLEY, D. D. 1966. The toxicity, metabolism and fate of DDT in certain icterid birds. Mississippi Acad. Sci. J. 12:281-300.

WORLD HEALTH ORGANIZATION. 1967. Information circular on the toxicity of pesticides to man. No. 26, 37 pp.

—. 1967. Bibliography on pesticide toxicity and accidental poisoning. WHO/VBC/67.33, 15 pp.

BEHAVIOR, BIOLOGY AND ECOLOGY

BELYAEVA, T. V. 1967. Changes in the popu-

lation numbers of bloodsucking mosquitoes in the lower part of the Volga delta after installation of the Volgograd hydropower station. Med. Parazit. i Parazit. Bolezni 36(4):458-463. In Rus., Engl. Sum.

BOZHKOV, D. K. 1966. Investigations on bloodsucking mosquitoes in the Vitosha Mountains. Bulg. Akad. Nauk. Zool. Inst. Muz. Izv. 21:65-67. In Bul., Ger. Sum. [*Aedes*, *Culex*, *Anopheles* in Bulgaria.]

BREELAND, S. G. and PICKARD, E. 1967. Field observations on twenty-eight broods of floodwater mosquitoes resulting from controlled floodings of a natural habitat in the Tennessee Valley. Mosquito News 27(3):343-358.

BRUST, R. A. 1967. Weight and development time of different stadia of mosquitoes reared at various constant temperatures. Canad. Ent. 99(9): 986-993.

CHIBA, Y. 1966. The diurnal activity of the mosquito, *Culex pipiens pallens*, in relation to light condition. II. Activity under alternative light condition. III. The effect of the rearing light condition on the spontaneous diurnal rhythm. IV. The developmental stage at which the physiological 24-hr rhythm is initiated. Sci. Rpt. Tohoku Univ. Ser. 4 (Biol.) 32(2):97-104; 105-109; 32(3/4):197-200.

DEFOLIART, G. R., RAO, M. R. and MORRIS, C. D. 1967. Seasonal succession of bloodsucking Diptera in Wisconsin during 1965. J. Med. Ent. 4(3):363-373. [Includes mosquitoes.]

DE MEILLON, B. and KHAN, Z. H. 1967. Observations on the flight activities of *Culex pipiens fatigans* in Rangoon, Burma. WHO Bul. 36(1): 15-20.

DE MEILLON, B., PAING, M., SEBASTIAN, A. and KHAN, Z. H. 1967. Outdoor resting of *Culex pipiens fatigans* in Rangoon, Burma. WHO Bul. 36(1):67-73.

DE MEILLON, B. and SEBASTIAN, A. 1967. Qualitative and quantitative characteristics of adult *Culex pipiens fatigans* populations according to time, site and place of capture. WHO Bul. 36(1):75-80.

_____, _____, and _____. 1967. The biting cycle of *Culex pipiens fatigans* on man in Rangoon, Burma, and the microfilarial periodicity. WHO Bul. 36(1):174-176.

_____, _____, and KHAN, Z. H. 1967. Cane-sugar feeding in *Culex pipiens fatigans*. WHO Bul. 36(1):53-65.

_____, _____, and _____. 1967. The duration of egg, larval and pupal stages of *Culex pipiens fatigans* in Rangoon, Burma. WHO Bul. 36(1):7-14.

_____, _____, and _____. 1967. Time of arrival of gravid *Culex pipiens fatigans* at an oviposition site, the oviposition cycle and the relationship between time of feeding and time of oviposition. WHO Bul. 36(1):39-46.

_____, _____, and _____. 1967. Exodus from a breeding place and the time of emergence from the pupa of *Culex pipiens fatigans*. WHO Bul. 36(1):163-167.

DUBITSKY, A. M. 1967. Ecological-faunistic complexes and genesis of the fauna of mosquitoes in Kazakhstan. Med. Parazit. i Parazit. Bolezni 36(4):450-458. In Rus., Engl. Sum.

GILLIES, M. T. 1967. Experiments on host selection in the *Anopheles gambiae* complex. Ann. Trop. Med. and Parasitol. 61(1):68-75.

HAUFE, W. O. 1966. The significance of biometeorology in the ecology of insects. Internat. J. Biometeor. 10(3):241-252. [Mosquitoes included.]

HORSFALL, W. R. and TRPIŠ, M. 1967. Eggs of floodwater mosquitoes. X. Conditioning and hatching of winterized eggs of *Aedes sticticus* (Diptera: Culicidae). Ent. Soc. Amer. Ann. 60(3):1021-1025.

HYLTON, A. R. 1967. *Mansonia uniformis* mosquitoes in Vietnamese tunnels. Mosquito News 27(3):427-428.

_____. 1967. Survival of eggs of *Eretmapodites chrysogaster* Graham (Diptera: Culicidae). J. Med. Ent. 4(3):374-375.

ISHII, T. 1966. On the *Culex pipiens* group in Japan. V. Morphology of hibernating mosquitoes, *Culex pipiens pallens* Coquillett (Diptera, Culicidae), on Miyato Island. VI. Genetic selection for the siphonal hair types of the larvae in the so-called *Culex pipiens pallens* Coquillett (Diptera, Culicidae). Laboratory colonization. VII. Frequencies of the siphonal hair types of the fourth instar larvae of *Culex pipiens pallens* Coquillett (Diptera, Culicidae) by one feeding procedure in the laboratory colony. VIII. Fluctuation of the frequencies of the siphonal hair types in the fourth instar larvae of the so-called *Culex pipiens pallens* Coquillett (Diptera, Culicidae) in a random-mating population. IX. Siphonal hair types from the type 4-4 true bred population of *Culex pipiens pallens* Coquillett (Diptera, Culicidae). Sci. Rpt. Tohoku Univ. Ser. 4 (Biol.) 32(2):89-95; 32(3/4):163-176; 177-184; 185-190; 191-196.

KNIGHT, K. L. and HENDERSON, C. 1967. Flight periodicity of *Aedes vexans* (Meigen) (Diptera: Culicidae). Georgia Ent. Soc. J. 2(3):63-68.

LINDQUIST, A. W. and Coauthors. 1967. Dispersion studies of *Culex pipiens fatigans* tagged with ^{32}P in the Kemendine area of Rangoon, Burma. WHO Bul. 36(1):21-37.

MARKS, E. N. 1967. Mosquitoes in Australia's arid zone. Austral. Nat. Hist. 15(10):331-336.

MUKWAYA, L. G. and MAWEJJE, C. 1967. Population density—percentage of leaf-axil breeding places occupied by larvae. East Afr. Virus Res. Inst. Rpt. 16:35-36. [*Aedes simpsoni*.]

MUKWAYA, L. G. and SSENKUBUGE, Y. 1967. *Toxorhynchites* larvae in plant axils: a hitherto undescribed Uganda larval habitat. East Afr. Virus Res. Inst. Rpt. 16:43.

MUKWAYA, L. G., WEITZ, B. and MAWEJJE, C. 1967. Host selection—observation on the natural hosts. East Afr. Virus Res. Inst. Rpt. 16:34-35. [*Aedes simpsoni*.]

MURPHHEY, F. J., BURBUTIS, P. P. and BRAY, D. F. 1967. Bionomics of *Culex salinarius*

Coquillett. II. Host acceptance and feeding by adult females of *C. salinarius* and other mosquito species. *Mosquito News* 27(3):366-374.

NAYAR, J. K. 1967. Endogenous diurnal rhythm of pupation in a mosquito population. *Nature (London)* 214 (5090):828-829.

—. 1967. The pupation rhythm in *Aedes taeniorhynchus* (Diptera: Culicidae). II. Ontogenetic timing, rate of development, and endogenous diurnal rhythm of pupation. *Ent. Soc. Amer. Ann.* 60(5):946-971.

MCCRae, A. W. R. 1967. Mosquito behaviour. *East Afr. Virus Res. Inst. Rpt.* 16:43-44. [Hodgesia and Mansonia.]

— and SSENKUBUGE, Y. 1967. Zika tower mosquito catch analysis with reference to a fallen tree. *East Afr. Virus Res. Inst. Rpt.* 16:41-43.

PAULOVOVÁ, J. 1967. Poznámky k biometriickému *Aedes vexans* Meig. Hodonínská z. r. 1966. *Biológia (Bratislava)* 22(7):525-528. Ger. Sum.

RUSH, W. A. and TEMPELIS, C. H. 1967. Biology of *Culex tarsalis* during the spring season in Oregon in relation to western encephalitis virus. *Mosquito News* 27(3):307-315.

SHIPITSINA, N. K. and KUPRIYANOVA, E. S. 1967. The status of knowledge of mosquitoes of the complex *Culex pipiens* and tasks of investigations in the Soviet Union. *Med. Parazit. i Parazit. Bolezni* 36(4):445-450. In Rus., Engl. Sum.

TAMARINA, N. A. 1966. On the biology of the imago of *Culex pipiens molestus* Forsk. *Moscow Univ. Vestnik. Ser. 6 Biol. Pochvoved.* 3:65-75. In Rus.

—. 1966. The cycle of development of *Culex pipiens molestus* Forsk. *Moscow Univ. Vestnik Ser. 6, Biol. Pochvoved.* 2:48-56. In Rus.

TEMPELIS, C. H. and WASHINO, R. K. 1967. Host-feeding patterns of *Culex tarsalis* in the Sacramento Valley, California, with notes on other species. *J. Med. Ent.* 4(3):315-318.

THOMPSON, P. H. 1967. Swarming behavior of *Mansonia perturbans* (Walker). *Amer. Midland Natur.* 77(2):533-535.

VINOGRADOVA, E. B. 1967. Experimental study of the ecological regulation of diapause in mosquitoes of the Culicidae family. WHO/VBC/67.37, 2 pp.

WALLS, R. C. and WHITMAN, L. 1967. *Culiseta melanura* (Coquillett) breeding in artificial containers. *J. Med. Ent.* 4(3):273-274.

WASHINO, R. K. and TEMPELIS, C. H. 1967. Host-feeding patterns of *Anopheles freeborni* in the Sacramento Valley, California. *J. Med. Ent.* 4(3):311-314.

WORLD HEALTH ORGANIZATION. 1967. Mosquito ecology. WHO Tech. Rpt. Ser. No. 368, 22 pp.

See also Aspöck in Anatomy, Morphology and Physiology Section, Ramsdale et al in Taxonomy Section and Lake in Distribution Section.

GENETICS

KITZMILLER, J. B. 1966. Chromosomal relation-

ships in North American anopheline mosquitoes. *Symposia Genet. et Biologica Italica* 13:473-484.

LEAHY, M. G. 1967. Non-specificity of the male factor enhancing egg-laying in Diptera. *J. Insect. Physiol.* 13(8):1283-1292. [*Aedes aegypti*, *Culex pipiens* included.]

MCCLELLAND, G. A. H. 1967. Gold, a spontaneous dominant mutant showing recessive lethality in *Culex pipiens* (Diptera: Culicidae). WHO Bul. 36(1):176-178.

PAL, R. 1967. Genetics of insect vectors of disease. *WHO Chron.* 21(8):343-350.

ANATOMY, MORPHOLOGY AND PHYSIOLOGY

ANDERSON, B. M. and LANG, C. A. 1966. Nicotinamide-adenine dinucleotide pyrophosphatase in the growing and aging mosquito. *Biochem. J.* 101(2):392-396.

ASPÖCK, H. 1966. Parasitierung eines im Freiland aufgefundenen Intersexes von *Aedes (Ochlerotatus) communis* De Geer (Insecta, Culicidae) durch einen Pilz der Ordnung Blastocladiales. Z. f. Morphol. u. Ökol. der Tiere 57(3):231-243.

JUDSON, C. L. and GOJRTI, H. A. N. 1967. The effects of various oxygen tensions on embryogeny and larval responses of *Aedes aegypti*. *Ent. Expt. et Applicata* 10(2):181-188.

JUDSON, C. L., HOKAMA, Y. and HAYDOCK, I. 1965. The physiology of hatching of aedine mosquito eggs: some larval responses to the hatching stimulus. *J. Insect. Physiol.* 11(9):1169-1177.

LANG, C. A. and STEPHAN, J. K. 1967. Nicotinamide-adenine dinucleotide phosphate enzymes in the mosquito during growth and aging. *Biochem. J.* 102(1):331-337. [*Aedes aegypti*.]

LEE, V. H. 1967. Gynandromorphism in the sabethine, *Trichoprosopon digitatum* (Rondani). *Mosquito News* 27(3):426-427.

RISLER, H. and SCHMIDT, K. 1967. Der Feinbau der Scopoldien im Jonstonschen Organ von *Aedes aegypti* L. Z. f. Naturforsch. 22b(7):759-762.

ROTH, M., ROTH, L. M. and EISNER, T. E. 1966. The allure of the female mosquito. *Natural Hist.* 75(10):26-31.

SCHAEFER, C. W., VANDERBERG, J. P. and RHODIN, J. 1967. The fine structure of mosquito midgut muscle. *J. Cell Biol.* 34(3):905-911.

SHARMA, V. N. 1966. RNA activity and protein synthesis in the egg-follicles of Diptera. *Naturwissenschaften* 53(15):389.

SHARMA, V. P. and RAI, K. S. 1967. Sperm depletion in chemosterilized and normal males of the yellow fever mosquito, *Aedes aegypti*. *Canad. Ent.* 90(10):1116-1118.

SPIELMAN, A. and SKAFF, V. 1967. Inhibition of metamorphosis and of ecdysis in mosquitoes. *J. Insect. Physiol.* 13(7):1087-1095.

STOBART, R. H. 1967. The effect of some anions and cations upon the fluxes and net uptake of chloride in the larva of *Aedes aegypti* (L.), and the nature of the uptake mechanisms

for sodium and chloride. *J. Expt. Biol.* 47(1): 35-57.

SUTHERLAND, D. J., BEAM, F. D. and GUPTA, A. P. 1967. The effects on mosquitoes of sublethal exposure to insecticides. I. DDT, diclorin, malathion and the basal follicles of *Aedes aegypti* (L.). *Mosquito News* 27(3): 316-323.

TECHNIQUES

BIDLINGMAYER, W. L. and EDMAN, J. D. 1967. Vehicle mounted aspirators. *Mosquito News* 27(3): 407-411.

CARVER, H. D. 1967. A portable aspirator for collecting mosquitoes. *Mosquito News* 27(3): 428-429.

DEFOLIART, G. R. and MORRIS, C. D. 1967. A dry ice-baited trap for the collection and field storage of hematophagous Diptera. *J. Med. Ent.* 4(3): 360-362. [Includes mosquitoes.]

DE MEILLON, B. and KHAN, Z. H. 1967. Examples of the use of simple age-grading in the assessment of *Culex pipiens fatigans* populations. *WHO Bul.* 36(1): 169-174.

DE MEILLON, B. and SEBASTIAN, A. 1967. Examination of the stomach contents of *Culex pipiens fatigans* in Rangoon, Burma, to determine the origin of the blood-meal. *WHO Bul.* 36(1): 168-169.

HAYES, R. O., KITAGUCHI, G. E. and MANN, R. M. 1967. The "CDC Sweeper," a six-volt mechanical aspirator for collecting adult mosquitoes. *Mosquito News* 27(3): 359-363.

JONES, J. C. 1967. A study of possible modifications of the WHO method for testing DDT-resistance in mosquito larvae with special reference to *Anopheles quadrimaculatus* (Say). *WHO Bul.* 36(2): 353-356.

JUPP, P. G. and BROWN, R. G. 1967. The laboratory colonization of *Culex* (*Culex*) *univittatus* Theobald (Diptera:Culicidae) from material collected in the Highveld region of South Africa. *Ent. Soc. South. Afr. J.* 30(1): 34-39.

MC CREA, A. W. R., MUKWAYA, L. G., SAKU, C. and DAMULIRA, L. 1967. Animal colonies. Mosquitoes. *East Afr. Virus Res. Inst. Rpt.* 16: 50-51.

MiURA, T. 1967. Establishment and maintenance of a laboratory colony of *Aedes nigromaculatus* (Ludlow) (Diptera:Culicidae) by induced mating. *Calif. Vector Views* 14(9): 56-57, 58.

RIBEIRO, H. 1967. A solidifiable formic acid-PVA solution for transporting, preserving and mounting mosquito larvae and pupae. *Stain Tech.* 42(3): 158-160.

SCHRECK, C. E., GOUCK, H. K. and SMITH, N. 1967. An improved olfactometer for use in studying mosquito attractants and repellents. *J. Econ. Ent.* 60(4): 1188-1190.

SEBASTIAN, A. and DE MEILLON, B. 1967. Experiments on the mating of *Culex pipiens fatigans* in the laboratory. *WHO Bul.* 36(1): 47-52.

SHENEFELT, R. D. 1967. Protection of insects

being transported in liquid. *Ent. Soc. Wash. Proc.* 69(3): 286.

TAXONOMY

BRAM, R. A. 1967. A revision of the *Culex* section of the preliminary keys to the mosquitoes of Vietnam. 14 pp., Washington, D. C. (Smithsonian Institution).

—. 1967. Contributions to the mosquito fauna of Southeast Asia. II. The genus *Culex* in Thailand (Diptera: Culicidae). *Amer. Ent. Contrib.* 2(1): 1-296. [*Culex barrinus*, *scanoloni*, *spiculothorax*, *thurmanorum* and *neolitoralis* n. spp.]

BRYAN, J. H. and DAVIDSON, G. 1967. The *Anopheles punctulatus* complex. *Roy. Soc. Trop. Med. and Hyg. Trans.* 61(4): 455.

DAVIDSON, G. 1967. A distribution map of the member species of the *Anopheles gambiae* complex. *Roy. Soc. Trop. Med. and Hyg. Trans.* 61(4): 454.

FORATTINI, O. P., LEÓN, P. M. and RABELLO, E. X. 1965. Notas sobre Culicidae (Diptera). 9. A respeito de algumas espécies de *Sabettas*. *Studia Ent.* 8(1/4): 449-467.

MARKS, E. N. 1967. An atlas of common Queensland mosquitoes. 87 pp., Univ. Queensland. Revised edition.

MICKS, D. W. and COWORKERS. 1967. Further chromatographic studies of the systematic relationship within the *Anopheles gambiae* complex. Studies of laboratory strains. *WHO Bul.* 36(2): 309-318.

MYERS, C. M. 1967. Identification and descriptions of *Aedes* eggs from California and Nevada (Diptera: Culicidae). *Canad. Ent.* 99(8): 795-806.

RAMSDALE, C. D. and LEPORT, G. H. 1967. Studies of the *Anopheles gambiae* complex in West Africa. *WHO Bul.* 36(3): 494-500.

STOJANOVICH, C. J. 1967. Clave ilustrada para los mosquitos anofelinos de Sudamerica oriental. 64 pp., U. S. Pub. Health Serv., Atlanta, Ga.

STONE, A. 1967. A synoptic catalog of the mosquitoes of the world, supplement III (Diptera: Culicidae). *Ent. Soc. Wash. Proc.* 69(3): 197-224.

DISTRIBUTION

BARBINA, A. 1966. La diffusione della zanzara "Aedes caspius" nella zona Duino-Monfalcone. Camera di Commercio Indus. e Agr. Ufficio Bol. (n.s.) 20(4): 36-39.

CRANS, W. J. 1967. *Anopheles earlei* Vargas, an addition to the checklist of New Jersey mosquitoes. *Mosquito News* 27(3): 430.

GARCÍA, M. and CASAL, O. H. 1966. *Anopheles* (*Anopheles*) *tibiamaculatus* (Neiva) nuevo para la entomofauna Argentina. (Diptera, Culicidae). *Physis* 26(71): 206.

LAKE, R. W. 1967. Notes on the biology and distribution of some Delaware mosquitoes. *Mosquito News* 27(3): 324-331.

MC CREA, A. W. R. and COWORKERS. 1967. Virus isolations from blood-sucking arthropods.

- Sunset catches at Zika. East Afr. Virus Res. Inst. Rpt. 16:22. [Numerous mosquitoes collected.]
- MCCRAE, A. W. R., SSENKUBUGE, Y., MUKWAYA, L. G. and MAWEJJE, C. 1967. Entomological studies. East Afr. Virus Res. Inst. Rpt. 16:14-18. [Collections of mosquitoes.]
- RIBEIRO, H. 1966. Research on the mosquitoes of Angola (Diptera: Culicidae). I—A culicine survey in Luanda. II—Some new culicine records. Inst. Med. Trop. An. (Lisbon) 23(1/2):157-161; 163-166.
- and MEXIA, J. T. 1966. Research on the mosquitoes of Angola (Diptera: Culicidae). III-A culicine survey in the Lobito-Catumbela region. Inst. Med. Trop. An. (Lisbon) 23(1/2): 167-182.
- RIOUX, J. A., SINÈGRE, G. and CROSET, H. 1965. Un culicide nouveau pour la France *Culex (Neoculex) martinii* Medschid, 1930 (Diptera-Culicidae). Vie et Milieu Ser. C 16(2):1007-1011.
- SYCHEVSKAYA, V. I. and CHINAEV, P. P. 1967. Bloodsucking Diptera of Pamir. Zool. Zhur. 46 (7):1110-1112. In Rus., Engl. Sum. [Includes mosquitoes.]
- VERMYLEN, M. 1967. Répartition des *Anopheles* de la République du Rwanda et de la République du Burundi. Riv. di Malaria. 46(1/3):13-22. Engl. Sum.
- See also Marks in Taxonomy Section.
- ### ARBOVIRUSES
- CHIAPPAX-HYPOLITE, C., PAJOT, F. X. and CHIAPPAX, A. 1966. Essais de transmission par *Aedes (Stegomyia) aegypti* (Linné, 1762) d'une souche virale isolée à Bangui. Inst. Pasteur Tunis Arch. 43(1/2):105-115. Engl. Sum. [*A. aegypti* not a potential vector in these tests.]
- DE SOUZA LOPES, O., FORATTINI, O. P., FONSECA, I. E. M., LACERDA, J. P. G., SACCHETTA, L. A. and RABELLO, E. X. 1966. Boracéia virus. A new virus related to *Anopheles* B virus. Soc. Expt. Biol. and Med. Proc. 123(2):502-504.
- GALINDO, P. and SRINHONGSE, S. 1967. Transmission of arboviruses to hamsters by the bite of naturally infected *Culex (Melanoconion)* mosquitoes. Amer. J. Trop. Med. and Hyg. 16(4): 525-530.
- HAWKES, R. A. and MARSHALL, I. D. 1967. Studies of arboviruses by agar gel diffusion. Amer. J. Epidemiol. 86(1):28-44.
- HIGASHI, N., MATSUMOTO, A., TABATA, K. and NAGATOMO, Y. 1967. Electron microscope study of development of chikungunya virus in green monkey kidney stable (VERO) cells. Virology 33(1):55-69.
- KATZ, E., GOLDBLUM, T., BACHRACH, U. and GOLDBLUM, N. 1967. Antiviral action of oxidized spermine: inactivation of certain animal viruses. Israel J. Med. Sciences 3(4):575-577. [West Nile and Sindbis viruses included.]
- KNOWLES, R. C. 1966. Equine movement and disease threatening the United States. Amer. Assoc. Equine Practitioners Proc. 12:73-75. [African horsesickness reported from Algeria, Morocco, Tunisia and Spain.]
- MURPHY, F. A. and COLEMAN, P. H. 1967. California group of arboviruses: immuno-diffusion studies. J. Immunol. 90(3):276-284.
- MYERS, R. M. and CAREY, D. E. 1967. Concurrent isolation from patient of two arboviruses, chikungunya and dengue type 2. Science 157 (3794):1307-1308.
- NEFF, J. M. and COWORKERS. 1967. Dengue fever in a Puerto Rican community. Amer. J. Epidemiol. 86(1):162-184.
- POND, W. L., EHRENKRANZ, N. J., DANAUSKAS, J. X. and CARTER, M. J. 1967. Heterotypic serologic responses after yellow fever vaccination; detection of persons with past St. Louis encephalitis or dengue. J. Immunol. 98(4):673-682.
- PRICE, W. H., THIND, I. S., O'LEARY, W. and EL DADAH, A. H. 1967. A protective mechanism induced by live group B arboviruses against heterologous group B arboviruses independent of serum neutralizing antibodies or interferon. Amer. J. Epidemiol. 86(1):11-27.
- RUSSELL, P. K. and NISALAK, A. 1967. Dengue virus identification by the plaque reduction neutralization test. J. Immunol. 90(3):291-296.
- , —, SUKHAVACHANA, P. and VIVONA, S. 1967. A plaque reduction test for dengue virus neutralizing antibodies. J. Immunol. 90(3):285-290.
- SATURNO, A. 1967. The use of Tween-80-ether for preparation of haemagglutinins of arboviruses. WHO Bul. 36(2):347-349.
- SRIHONGSE, S., SCHERER, W. F. and GALINDO, P. 1967. Detection of arboviruses by sentinel hamsters during the low period of transmission. Amer. J. Trop. Med. and Hyg. 16(4):519-524.
- SRIHONGSE, S. and JOHNSON, C. M. 1967. The isolation of Ilhéus virus from man in Panama. Amer. J. Trop. Med. and Hyg. 16(4):516-518.
- TAYLOR, R. M. 1967. The arbovirus catalogue. Amer. J. Vet. Res. 28(123):549.
- WILLIAMS, M. C. 1967. East African virus Research Institute, Entebbe. Report 16, 54 pp.
- and COWORKERS. 1967. Virology: identification studies. East Afr. Virus Res. Inst. Rpt. 16:24-26. [MP 5965 and MP 6053 isolated from mosquitoes.]
- and —. 1967. Reovirus 3 in mosquitoes. East Afr. Virus Res. Inst. Rpt. 16:18-19.
- ### ENCEPHALITIS
- ANIMAL HEALTH DIVISION. 1967. Reported incidence of arthropod-borne encephalitides in horses and other Equidae in calendar year 1966. U. S. Dept. Agr. Animal Health Div. 7 pp., Maryland.
- CRAMBLETT, H. G., STEGMILLER, H. and SPENCER, C. 1966. California encephalitis virus infections in children. Clinical and laboratory studies. Amer. Med. Assoc. J. 198(2):108-112.
- GEBHARDT, L. P., STANTON, G. J. and DE ST. JEOR, S. 1966. Transmission of WEE virus to snakes by infected *Culex tarsalis* mosquitoes. Soc. Expt. Biol. and Med. Proc. 123(1):233-235.

HAYES, R. O., LAMOTTE, L. C. and HOLDEN, P. 1967. Ecology of arboviruses in Hale County, Texas, during 1965. Amer. J. Trop. Med. and Hyg. 16(5):675-687.

KAPPUS, K. D. and CORRISTAN, E. C. 1967. Effect of apholate and metepa on *Aedes aegypti* infected with Venezuelan equine encephalomyelitis virus. Amer. J. Trop. Med. and Hyg. 16(4):539-543.

KOKERNOT, R. H., HAYES, J., ROSE, N. J. and WORK, T. H. 1967. St. Louis encephalitis in McLeansboro, Illinois, 1964. J. Med. Ent. 4(3):255-260.

MORGANTE, O. and SHEMANCHUK, J. A. 1967. Virus of the California encephalitis complex: isolation from *Culiseta inornata*. Science 157(3789):692-693.

RAY, C. G., SCIPLE, G. W., HOLDEN, P. and CHIN, T. D. Y. 1967. Acute, febrile CNS illnesses in an endemic area of Texas. U. S. Pub. Health Rpts. 82(9):785-793.

SATHER, G. E. and HAMMON, W. McD. 1967. Antigenic patterns within the California-encephalitis-virus group. Amer. J. Trop. Med. and Hyg. 16(4):548-557.

See also Holway et al. in Adulticides and Larvicides Section.

FILARIASIS

ABULCAIDER, M. H. M. 1967. Present status of *Brugia malayi* in Ceylon. J. Trop. Med. and Hyg. (London) 70(8):199-202.

AHMED, S. S. 1967. Studies on the laboratory transmission of sub-periodic *Brugia malayi* and *B. pahangi*. I.—The resistance of guinea-pigs, rabbits and white mice to infection. Ann. Trop. Med. and Parasitol. 61(1):93-100.

BALASINGAM, E., RAMACHANDRAN, C. P., HEYNEMAN, D. and WONG, M. M. 1967. Pulau Tioman: a combined parasitological survey. II. Filariasis among the island population. Med. J. Malaya 21(3):261-264.

BHATTACHARYA, N. C., ROZEBOOM, L. E. and CHOWDHURY, A. B. 1966. Susceptibility of *Aedes aegypti*, Lagos strain, to infection with *Wuchereria bancrofti*. Calcutta Schl. Trop. Med. Bul. 14(3):78-79.

CABRERA, B. D. 1966. Susceptibility of common household pest mosquitoes to experimental infection with *Brugia malayi* microfilariae, as compared to the principal vector. Acta Med. Philippina Ser. 2. 3(2):107-111.

— and TAMONDONG, C. T. 1966. Bancroftian and malayan filariasis in Palawan. Extent and distribution. Acta Med. Philippina Ser. 2. 3(1):20-36.

— and —. 1966. Filariasis survey in Jolo, Sulu. Acta Med. Philippina Ser. 2. 3(2):86-102.

CAHILL, K. M. 1967. Bancroftian filarial nodule. Report of a case. Amer. J. Trop. Med. and Hyg. 16(5):636-637.

CASACA, V. M. R. 1966. Contribuição para o estudo das filariases existentes em Angola. I—

Onchocerca volvulus. 2—*Loa-loa*. 3—*Dipetalonema perstans*. Inst. Med. Trop. An. (Lisbon) 23(1/2):133-149.

—. 1966. Contribuição para o estudo da filariase *bancrofti* em Angola. I—Possibilidades da sua existência e provável distribuição. 2—Revisão bibliográfica e observações pessoais. Inst. Med. Trop. An. (Lisbon) 23 (1/2):127-132. Engl. Sum.

COWPER, S. G. 1967. A review of helminthiasis in the western region of Nigeria with special reference to the Ibadan area. Part II. West Afr. Med. J. (n.s.) 16(1):3-11. [Includes filariasis.]

CRUZ FERREIRA, F. S., MATTIAS, M. F., CUNHA, C. C. I. and VIEIRA, R. A. 1966. Filariae linfática em Timor Português. II. Resultados preliminares de um projeto-piloto de quimio-profilaxia com diethylcarbamazina. Inst. Med. Trop. An. (Lisbon) 23(1/2):23-31. Engl. Sum.

DASS, N. L. and SINHA, V. P. 1967. Some problems in filaria control—a mosquito-borne disease. Patna J. Med. 41(5):229-230.

DE MEILLON, B., GRAB, B. and SEBASTIAN, A. 1967. Evaluation of *Wuchereria bancrofti* infection in *Culex pipiens fatigans* in Rangoon, Burma. WHO Bul. 36(1):91-100.

DE MEILLON, B., HAYASHI, S. and SEBASTIAN, A. 1967. Infection and reinfection of *Culex pipiens fatigans* with *Wuchereria bancrofti* and the loss of mature larvae in blood-feeding. WHO Bul. 36(1):81-90.

DISSANAIKE, A. S., DISSANAIKE, G. A., NILES, W. J. and SURENDRANATHAN, R. 1966. Follow-up of P^{32} labelled infective larvae of *Wuchereria bancrofti* in the skin of a kitten. J. Helminthol. 40(3/4):297-308.

GHOSH, S. M. and HATI, A. K. 1966. House frequenting mosquitoes of West Bengal and Calcutta: detection of filarial parasites in *Anopheles* and *Culex* spp. Calcutta Schl. Trop. Med. Bul. 14(1):9-10.

KATAMINE, D. 1966. On the clinical and pathological problems of filariasis. In Progress of medical parasitology in Japan. III:441-466. [Meguro Parasitological Museum, Tokyo.]

KEEGAN, H. L. and COWORKERS. 1967. Laboratory and field studies of some entomological aspects of the canine filariasis problem in Japan. Jap. J. Sanit. Zool. 18(1):6-13. In Engl.

KESSEL, J. F. 1967. Diethylcarbamazine in filariasis control. WHO/Fil/67.76, 14 pp.

LAIGRET, J. 1966. Considération sur les crises de lymphangite récurrente survenant au cours de l'évolution de la filariose lymphatique à *Wuchereria bancrofti* subpériodique. Inst. Pasteur Tunis Arch. 43(1/2):389-398.

LAURENCE, B. R. 1967. Elephantiasis in Greece and Rome and the Queen of Punt. Roy. Soc. Trop. Med. and Hyg. Trans. 61(4):612-613.

LAVOPIERRE, M. M. J. and HO, B. C. 1966. Studies on filariasis. I.—The migration of the infective larvae of *Brugia pahangi* in *Aedes togoi* and their loss from the mosquito under experimental conditions. J. Helminthol. 40(3/4):343-362.

- NELSON, G. S. 1966. The pathology of filarial infections. *Helminth. Abstr.* 35(4):311-336.
- ORIHEL, T. C. 1967. Development of *Brugia tupaiæ* in the intermediate and definitive hosts. *J. Parasitol.* 53(2):376-381.
- RAMACHANDRAN, C. P., BALASINGAM, E., HEYNEMAN, D. and YAP LOY FONG. 1967. Pulau Tioman: a combined parasitological survey. I. Present status of human filariasis on the island. *Med. J. Malaya* 21(3):254-260.
- ROZEBOOM, L. E. and CABRERA, B. D. 1966. Filariasis in the Republic of the Philippines: epidemiology and possible origins. *Acta Med. Philippina Ser. 2*, 3(2):112-116.
- SASA, M. 1966. Epidemiology of human filariasis in Japan. In *Progress of medical parasitology in Japan. III*:389-436. [Meguro Parasitological Museum, Tokyo.]
- SATO, H. 1966. On the treatment of filariasis. In *Progress of medical parasitology in Japan. III*:513-527. [Meguro Parasitological Museum, Tokyo.]
- SCHACHER, J. F., GEDDAWI, M. K. and CHURCHILL, C. W. 1967. Nuclear number of microfilariae as a test for intraspecific groupings and evolution in *Wuchereria bancrofti*. *J. Parasitol.* 53(4):892-893.
- SINHA, V. P. 1967. Global studies on *Culex fatigans* (Wied. 1828)—a vector of filariasis. *Patna J. Med.* 41(5):193-217.
- YOSHIDA, C. 1966. Studies on filariasis in the Ryukyu Islands. II. Shift of microfilarial cycle observed on the emigrants from Okinawa to Bolivia. *Endemic Dis. Bul. (Nagasaki Univ.)* 8(3):127-135. In Jap.
- See also DE MEILLON and SEBASTIAN in Behavior, Biology and Ecology Section.
- ### MALARIA
- BRESLOW, L. 1967. Current status of malaria in California. *Calif. Vector Views* 14(7):46-47, 50.
- BRUCE-CHWATT, L. J. 1966. Comments on biology of human malaria. *Military Med.* 131(Suppl. 9):963-966.
- BUSTAMANTE, M. E. 1967. Notas sobre enfermedades post-hispánicas en México: el paludismo. *Bol. Ofic. Sanit. Panamer.* 63(3):204-211. Engl. Sum.
- COLLINS, W. E., SKINNER, J. C. and COIFMAN, R. E. 1967. Fluorescent antibody studies in human malaria. V. Response of sera from Nigerians to five *Plasmodium* antigens. *Amer. J. Trop. Med. and Hyg.* 16(5):568-571.
- COLLOMB, H. and REY, M. 1967. L'accès pernicieux palustre en zone d'endémie. *Med. d'Afr. Noire* 14(5):219-231.
- DASGUPTA, B. 1967. A new malarial parasite of the flying squirrel. *Parasitology* 57(3):467-474. [*Rayella rayi* Tok. and Wu; *Rayella* is new genus.]
- EDINGTON, G. M. 1967. Pathology of malaria in West Africa. *Brit. Med. J.* 5542:715-718.
- FINCH, C. E. 1966. Changes in α -macroglobulin during malaria in the duckling. *Soc. Expt. Biol. and Med. Proc.* 123(2):562-565.
- GARNHAM, P. C. C. 1966. Comments on biology of human malaria. *Military Med.* 131(Suppl. 9):961-962.
- GLASSER, S. P. 1967. The pulse rate in falciparum malaria: a clinical note. *Military Med.* 132(3):186-187.
- GONZÁLEZ GONZÁLEZ, J. 1966. Treinta años fecundos. *Bol. Inform. (Dir. de Malariaol. y San. Amb.)* 6(4/5):293-294.
- GRAY, J. M. 1967. Malaria in children. *Brit. Med. J.* 5542:759.
- HOBSON, J. H. 1967. Malaria in Britain. *Brit. Med. J.* 5541:701.
- KIBUKAMUSOKE, J. W. and HUTT, M. S. R. 1967. Histological features of the nephrotic syndrome associated with quartan malaria. *J. Clin. Path.* 20(2):117-123.
- , —, — and WILKS, N. E. 1967. The nephrotic syndrome in Uganda and its association with quartan malaria. WHO/Mal/67.607, WHO/IMM/67.1. 21 pp.
- MACDONALD, G., CUELLAR, C. B. and FOLL, C. V. 1967. The use of computer models in the analysis of a malaria situation. WHO/Mal/67.623, 11 pp.
- MARTÍN TELLAECHE, A. and ROMERO BARRÓN, G. 1966. Vigilancia antipalúdica en el Territorio de Baja California. *Salud Pública México* 8(6):909-948.
- MCGREGOR, I. A. 1967. L'immunocheimie du paludisme. *Med. d'Afr. Noire* 14(5):213-218.
- MONTILLA, R. 1966. Cuánto de debemos al DDT? *Bol. Inform. (Dir. de Malariaol. y San. Amb.)* 6(4/5):295-296.
- MOTULSKY, A. G., VANDEPITTE, J. and FRASER, G. R. 1966. Population genetic studies in the Congo. I. Glucose-6-phosphate dehydrogenase deficiency, hemoglobin S, and malaria. *Amer. J. Human Genet.* 18(6):514-537.
- ONORI, E. and BENTHEIN, F. 1967. An investigation of the annual cycle of malaria in an area of Uganda. WHO/Mal/67.628, 20 pp.
- PARSONSON, G. S. 1966. Artificial islands in Melanesia: the role of malaria in the settlement of the Southwest Pacific. *N. Zeal. Geographer* 22(1):1-21.
- PENE, P., BAYLET, R. and MICHEL, R. 1967. Le paludisme en zone sahélienne. *Med. d'Afr. Noire* 14(5):187-193.
- PENE, P., CARRIE, J., SERIE, F. and AYE, H. 1967. Contribution à l'étude de l'épidémiologie du paludisme en zone forestière. *Med. d'Afr. Noire* 14(5):195-200.
- PRATT, H. D., LOBEL, H. O. and KAISER, R. L. 1967. Malaria and *Anopheles* are still important. *Mosquito News* 27(3):295-296.
- RAMOS, L. 1966. Treinta años de la malariología. *Bol. Inform. (Dir. de Malariaol. y San. Amb.)* 6(4/5):297-298.
- RANGEL, A. C. 1966. A los 30 años de su creación, malariología es una institución al servicio de la colectividad Venezolana. *Bol. Inform. (Dir. de Malariaol. y San. Amb.)* 6(4/5):286-289.

REID, H. A. 1967. Malaria in children. *Brit. Med. J.* 1553:1-49.

RIGOLI, E. 1967. Considerazioni su di un caso di malaria primitiva mortale. *Riv. di Malaria*. 46(1/3):37-42. Engl. Sum.

SADUN, E. H. 1967. Introduction to the International Panel Workshop on biological research in malaria. *Military Med.* 131 (Suppl. 9):847-852.

SHULTZ, M. G., COHEN, S. N., GREIFINGER, W. and KAISER, R. L. 1967. An outbreak of malaria on shipboard. *Amer. J. Trop. Med. and Hyg.* 16(5):576-579.

SHAKER, Y., ONSI, A. and AZIZ, R. 1966. The frequency of glucose-6-phosphate dehydrogenase deficiency in the newborns and adults in Kuwait. [In connection with malaria.] *Amer. J. Human Genet.* 18(6):609-613.

SRICHAIKUL, T., PANIKBUTR, N. and JEUMTRAKUL, P. 1967. Bone marrow changes in human malaria. *Ann. Trop. Med. and Parasitol.* 61(1):40-51.

TIBURSKAYA, N. A., SERGIEV, P. G. and VRUBLEVSKAYA, O. S. 1967. Dates of onset of relapses and the duration of infection in induced tertian malaria with short- and long-incubation periods. WHO/Mal/67.604, 34 pp.

TIGERETT, W. D. 1967. Present and potential malaria problem. *Military Med.* 131(Suppl. 9):853-856.

TUBOKU-METZGER, A. F. 1967. Malaria in children. *Brit. Med. J.* 5542:759.

VAUCEL, M. 1966. L'effort et le destin des endémies tropicales. *Inst. Pasteur Tunis. Arch.* 43(1/2):471-480. [Includes malaria.]

See also HOLWAY ET AL in Adulenticides and Larvicides Section.

Malaria—Eradication

BOLETÍN INFORMATIVO. 1966. Nuestro XXX aniversario. *Bol. Inform. (Dir. de Malaria. y San. Amb.)* 6(4/5):165-285. [Malaria.]

CAMBOURNAC, F. J. C. 1966. Erradicação da malária. Considerações sobre a organização dos serviços para a sua realização. *Inst. Med. Trop. An. (Lisbon)* 23(1/2):33-51. Engl. Sum.

DYMOWSKA, S. 1967. Studies on mosquitoes and an outline of malaria eradication in Poland. II. Epidemiology of malaria in Poland. WHO/Mal/67.616, WHO/VBC/67.25:13-19.

FOLL, C. V., MACDONALD, G. and CUELLAR, C. B. 1967. The design of an experimental eradication project for Kankiya, Northern Nigeria. (Preliminary communication). WHO/Mal/67.625, 8 pp.

GIGLIOLI, G., RUTTEN, F. J. and RAMJATTAN, S. 1967. Interruption of malaria transmission by chloroquinized salt in Guyana. WHO Bul. 36(2):283-301.

SKIERSKA, B. 1967. Studies on mosquitoes and an outline of malaria eradication in Poland. I. Review of studies on mosquitoes (Culicinae) in Poland. WHO/Mal/67.616, WHO/VBC/67.25:1-12.

YAO CHI YEN CHIU SO. 1965. An outline of the malaria eradication project in Taiwan. Chao Chow, 20 pp. In Chin. and Engl.

Malaria—Immunology

BECKER, E. L. 1966. Comments on immunization. *Military Med.* 131(Suppl. 9):1263-1264. [In connection with workshop on malaria.]

BRIGGS, N. T., WELLDE, B. T. and SADUN, E. H. 1966. Effects of rat antiserum on the course of *Plasmodium berghei* infection in mice. *Military Med.* 131(Suppl. 9):1243-1249.

CHARMOT, G. and ANDRÉ, L. J. 1966. Infection palustre et réactions immunitaires. *Méd. Trop. (Marseille)* 26(Spec. No.):115-130.

GOODMAN, H. C. 1966. Comments on immunization. *Military Med.* 131(Suppl. 9):1265-1268. [In connection with workshop on malaria.]

NUSSENZWEIG, R. S., YOELI, M. and MOST, H. 1966. Studies on the protective effect of *Plasmodium chabaudi* infection in mice upon a subsequent infection with another rodent malaria species, *Plasmodium vinckeii*. *Military Med.* 131(Suppl. 9):1237-1242.

PAYET, M. 1967. L'immunité palustre. *Med. d'Afr. Noire* 14(5):209-211.

SADUN, E. H. and COAUTHORS. 1966. Active and passive immunization of chimpanzees infected with West African and Southeast Asian strains of *Plasmodium falciparum*. *Military Med.* 131(Suppl. 9):1250-1262.

Malaria—Plasmodia

AIKAWA, M. 1967. Ultrastructure of the pellicular complex of *Plasmodium fallax*. *J. Cell Biol.* 35(1):103-113.

BOURKE, A. T. C. and JANKOWSKI, E. A. 1967. Asexual erythrocytic forms of *Plasmodium falciparum* in asymptomatic American and Korean soldiers serving in Vietnam. *Military Med.* 132(3):216-218.

CADIGAN, F. C., JR., SPERTZEL, R. O., CHAIMPAN, V. and PUHOMCHAREON, S. 1966. *Plasmodium falciparum* in non-human primates (macaque monkeys). *Military Med.* 131(Suppl. 9):659-960.

CORRADETTI, A., NERI, I. and SCANGA, M. 1966. Sulla specificità dell'ospite di *Plasmodium rouxi*. *Parassitologia* 8(2):127-132. Engl. Sum.

EL-NAHAL, H. M. S. 1967. Serological cross-reaction between rodent malaria parasites as determined by the indirect immunofluorescent technique. *WHO Bul.* 36(3):423-429.

GARNHAM, P. C. C. 1966. La position systématique de *Plasmodium subpraecox*. *Inst. Pasteur Tunis Arch.* 43(1/2):249-255.

—, BIRD, R. G., BAKER, J. R. and KILICK-KENDRICK, R. 1967. The fine structure of mature exo-erythrocytic schizonts of *Plasmodium berghei yoelii*. *Roy. Soc. Trop. Med. and Hyg. Trans.* 61(4):447.

HAWKING, F., WORMS, M. J. and GAMMAGE, K. 1967. 24-hour cycles of the infectivity of *Plas-*

medium knowlesi and *P. cynomolgi* for mosquitoes and their relation to the asexual cycle in the blood. Roy. Soc. Trop. Med. and Hyg. Trans. 61(4):446.

JERVIS, H. R., JOHNSON, C. R. and EVANS, C. B. 1966. The rate of absorption of intraperitoneally injected erythrocytes in germfree and conventional mice and its possible relationship to experimental malaria. Military Med. 131(Suppl. 9):891-896.

LACAN, A. 1967. Répartition des espèces plasmodiales du paludisme humain en Afrique du sud du Sahara. Med. d'Afr. Noire 14(5):203-207.

LANDAU, I. 1966. Comments on sporozoite-induced infection in rodent hosts. Military Med. 131(Suppl. 9):919-922.

LANGER, B. W., JR., PHISPHUMVIDHI, P. and FRIEDLANDER, Y. 1967. Malarial parasite metabolism: the pentose cycle in *Plasmodium berghei*. Expt. Parasitol. 20(1):68-76.

LOVRICS, V. 1967. Studien über Blutparasiten verschiedener schweizerischer Vogelarten. Acta Tropica 24(1):19-58. Engl. Sum. [Includes *Plasmodium* found in birds.]

LUPASCU, G. and COWORKERS. 1967. Valeur de la réaction d'immuno-fluorescence dans le dépistage des parasitoses asymptomatiques à *Plasmodium malariae*. WHO Bul. 36(3):485-490.

____ and _____. 1967. The late primary exo-erythrocytic stages of *Plasmodium malariae*. Roy. Soc. Trop. Med. and Hyg. Trans. 61(4):482-489.

MACOMBER, P. B., SPRINZ, H. and TOUSIMIS, A. J. 1967. Morphological effects of chloroquine on *Plasmodium berghei* in mice. Nature (London) 214(5091):937-939.

MARTIN, L. K. and COAUTHORS. 1966. *Plasmodium berghei* infections in gnotobiotic mice and rats: parasitologic, immunologic and histopathologic observations. Military Med. 131(Suppl. 9):870-890.

MARTIN, L. K., EINHEBER, A., SADUN, E. H. and WREN, R. E. 1967. Effect of bacterial endotoxin on the course of *Plasmodium berghei* infection. Expt. Parasitol. 20(2):186-199.

McMILLAN, B. and KELLY, A. 1967. Oval malaria in eastern New Guinea. Trop. and Geog. Med. 19(3):172-176.

MOST, H. and COWORKERS. 1966. Susceptibility of genetically standardized (JAX) mouse strains to sporozoite- and blood-induced *Plasmodium berghei* infections. Military Med. 131(Suppl. 9):915-918.

NERI, I. and CAVALLINI, C. 1966. Studi sull'infezione da *Plasmodium pinotti* nei colombi (*Columba livia domestica*) e nei canarini (*Serinus canarius*). Parassitologia 8(2):117-122.

ONORI, E. 1967. Distribution of *Plasmodium ovale* in the eastern, western and northern regions of Uganda. WHO/Mal/67.617, 10 pp.

POLOZOK, E. S. 1967. Clinical picture of oval malaria. Med. Parazit. i Parazit. Bolezni 36(4):418-422. In Rus., Engl. Sum.

PORTER, J. A., JR. and YOUNG, M. D. 1966. Susceptibility of Panamanian primates to *Plas-*

modium vivax. Military Med. 131(Suppl. 9):952-958.

____ and _____. 1967. The transfer of *Plasmodium falciparum* from man to the marmoset, *Saguinus geoffroyi*. J. Parasitol. 53(4):845-846.

RUTLEDGE, L. C. and WARD, R. A. 1967. Effects of ultrasound on *Plasmodium gallinaceum* infected chick blood. Expt. Parasitol. 20(2):167-176.

STABLER, R. M., KITZMILLER, N. J., ELLISON, L. N. and HOLT, P. A. 1967. Hematozoa from the Alaskan spruce grouse, *Canachites canadensis*. J. Parasitol. 53(2):233-234. [Includes *Plasmodium*.]

STABLER, L. A. 1966. Comments on blood-induced infections in conventional and germfree animals. Military Med. 131(Suppl. 9):897-899. [*Plasmodium berghei*.]

TRAGER, W. 1967. Adenosine triphosphate and the pyruvic and phosphoglyceric kinases of the malaria parasite *Plasmodium lophurae*. J. Protozool. 14(1):110-114.

WARD, R. A. 1966. Further studies on the genetic aspects of the infection of *Aedes aegypti* with *Plasmodium gallinaceum*. Military Med. 131(Suppl. 9):923-928.

____ and CADIGAN, F. C., JR. 1966. The development of erythrocytic stages of *Plasmodium falciparum* in the gibbon, *Hylobates lar*. Military Med. 131(Suppl. 9):944-951.

WARHURST, D. C. and HOCKLEY, D. J. 1967. Mode of action of chloroquine on *Plasmodium berghei* and *P. cynomolgi*. Nature (London) 214(5091):935-936.

WELLDE, B. T., BRIGGS, N. T. and SADUN, E. H. 1966. Susceptibility to *Plasmodium berghei*: parasitological biochemical and hematological studies in laboratory and wild mammals. Military Med. 131(Suppl. 9):859-869.

WÉRY, M. and KILICK-KENDRICK, R. 1967. Differences in the numbers of tissue schizonts of *Plasmodium berghei yoelii* in the livers of individual mice, and a comparison of two routes of inoculation of sporozoites. Roy. Soc. Trop. Med. and Hyg. Trans. 61(4):447-448.

WILLIAMSON, J., BROWN, K. N. and BROWN, I. N. 1967. Analysis of *Plasmodium knowlesi* antigens. Roy. Soc. Trop. Med. and Hyg. Trans. 61(4):446-447.

YOELI, M., UPMANIS, R. S., VANDERBERG, J. and MOST, H. 1966. Life cycle and patterns of development of *Plasmodium berghei* in normal and experimental hosts. Military Med. 131(Suppl. 9):900-914.

Malaria—Simian

COLLINS, W. E., CONTACOS, P. G. and GUINN, E. G. 1967. Studies on the transmission of simian malarias II. Transmission of H strain of *Plasmodium knowlesi* by *Anopheles balabacensis balabacensis*. J. Parasitol. 53(4):841-844.

DEANE, L. M., DEANE, M. P. and FERREIRA NETO, J. 1967. Estudios sobre la transmisión de

la malaria símica y sobre una infección natural del hombre por *Plasmodium simium* en el Brasil. Bol. Ofic. Sanit. Panamer. 63(2):100-105. Engl. Sum.

EL-NAHAL, H. M. S. 1967. Fluorescent antibody technique applied to the study of serological cross-reactions of exo-erythrocytic schizonts of avian, rodent and simian malaria. WHO/Mal/67.611, 11 pp.

HELD, J. R., CONTACOS, P. G. and COATNEY, G. R. 1967. Studies of the exoerythrocytic stages of simian malaria. I. *Plasmodium fieldi*. J. Parasitol. 53(2):225-232.

SCHINDLER, R. and VOLLMER, A. 1967. Serological studies on malaria. Part I. (A comparison of complement-fixation and fluorescent antibody methods in a longitudinal study of a simian malaria infection). WHO/Mal/67.605, WHO/IMM/67.2, 14 pp.

VOLLMER, A. and SCHINDLER, R. 1967. Serological studies on malaria. Part II. An evaluation of complement-fixation and immunofluorescent tests with a simian malaria parasite antigen, in a study of malarial antibody levels in a population in a malaria endemic area. WHO/Mal/67.606, WHO/VDT/RES/67.124, 9 pp.

Malaria—Therapeutics and Antimalarials

BENAZET, F. and WERNER, G. H. 1967. Activité du sulfalene (para-aminobenzene sulfamido-2 methoxy-3 pyrazine) sur le paludisme expérimental des animaux de laboratoire. WHO/Mal/67.630, 10 pp. Engl. Sum.

BREWER, G. J. and ZARAFONETIS, C. J. D. 1967. The haemolytic effect of various regimens of primaquine with chloroquine in American negroes with G6PD deficiency and the lack of an effect of various antimalarial suppressive agents on erythrocyte metabolism. WHO Bul. 36(2):303-308.

CASTRO, A. J. 1967. Antimalarial activity of prodigiosin. Nature (London) 213(5079):903-904.

CHIN, W. and COWORKERS. 1967. Evaluation of CI-564, a 1:1 mixture of cycloguanil pamoate (CI-501) and 4, 4'-diacetylaminodiphenylsulfone (CI-556), against multiresistant falciparum malarias. Amer. J. Trop. Med. and Hyg. 16(5):580-584.

DODGE, J. S. 1967. Malaria chemo-prophylaxis in four schools in Kaduna, Northern Nigeria. West Afr. Med. J. (n.s.) 16(1):55-58.

HALL, S. A. and WILKS, N. E. 1967. A trial of chloroquine-medicated salt for malaria suppression in Uganda. Amer. J. Trop. Med. and Hyg. 16(4):429-442.

MACDONALD, G., FOLL, C. V. and CUELLAR, C. B. 1967. The potential value of mass treatment in malaria eradication. WHO/Mal/67.615, 16 pp.

MAROTTA, G. 1967. Note sulla pratica della malarioterapia. Riv. di Malariol. 46(1/3):23-36. Engl. Sum.

MATTERN, P., MICHEL, R., OUDART, J. L. and PILLOT, J. 1967. Chimioprophylaxie antimalaire

et anticorps fluorescents. WHO/Mal/67.609, 8 pp.

MOSK, H., HERMAN, R. and SCHOENFELD, C. 1967. Chemotherapy of sporozoite- and blood-induced *Plasmodium berghei* infections with selected antimalarial agents. Amer. J. Trop. Med. and Hyg. 16(5):572-575.

PETERS, W. 1967. Chemotherapy of *Plasmodium chabaudi* infection in albino mice. Ann. Trop. Med. and Parasitol. 61(1):52-56.

RIECKMANN, K. H., BREWER, G. J. and POWELL, R. D. 1967. Effects of diaphenylsulfone against *Plasmodium vivax* of South-West Pacific origin. WHO/Mal/67.626, 8 pp.

RÍOS-CASTRO, R. 1967. Aspectos educativos de los programas de medicación colectiva antimalárica de Centroamérica. Bol. Ofic. Sanit. Panamer. 64(4):317-322. Engl. Sum.

TARSO SÃO THIAGO, P. de. 1967. Therapeutic response of *Plasmodium falciparum* to several schedules of treatment. (Preliminary note on studies in the "Município de Conceição da Barra, E. S." September 1965-May 1966). WHO/Mal/67.618, 19 pp., plus annex.

VERDRAGER, J., RICHE, A. and CHHOEUN MUN CHHEANG. 1967. Traitement du paludisme à *Plasmodium falciparum* par l'association sulformethoxine-pyriméthamine. WHO/Mal/67.629, 14 pp.

Malaria—Antimalarials—Resistance

BEAUDOIN, R. L., STROME, C. P. A. and HUFF, C. G. 1967. Persistence of pyrimethamine resistance in the exoerythrocytic stages of *Plasmodium gallinaceum*. Expt. Parasitol. 20(2):156-159.

CLYDE, D. F. 1967. Treatment of multi-drug resistant malaria. East Afr. Med. J. 44(6):231-237.

EPPES, R. B. and COWORKERS. 1967. Chloroquine-resistant *Plasmodium falciparum*: protective and nemolytic effects of 4, 4'-diaminodiphenylsulfone (DDS) administered daily together with weekly chloroquine and primaquine. Military Med. 132(3):163-175.

HARINASUTA, T., VIRAVAN, C. and REID, H. A. 1967. Sulphormethoxine in chloroquine-resistant falciparum malaria in Thailand. Lancet 7500: 1117-1119.

HICKMAN, R. L., GOCHENOUR, W. S., JR., MARSHALL, J. D., JR. and GUILLOUD, N. B. 1966. Drug resistant *Plasmodium falciparum* in the chimpanzee. Military Med. 131(Suppl. 9):935-943.

ONORI, E. and BENTHEIN, F. 1967. Investigation of alleged chloroquine resistance of malaria parasites in West-Nile district of Uganda. WHO/Mal/67.614, 14 pp.

PETERS, W. 1967. A review of recent studies on chemotherapy and drug resistances in malaria parasites of birds and animals. WHO/Mal/67.610, 43 pp.

SHEEHY, T. W. and REBA, R. C. 1967. Treatment of chloroquine-resistant *Plasmodium falciparum* infections in Vietnam. Ann. Intern. Med. 66(3):616-622.

Malaria—Vectors

CORRADETTI, A., NERI, I. and CAVALLINI, C. 1966. Segnalazione di *Plasmodium matutinum* in *Turdis merula* e sua trasmissione con *Anopheles stephensi*. *Parassitologia* 8(2):123-125. Engl. Sum.

WEATHERSBY, A. B. 1966. Mosquito transmission of malaria. *Military Med.* 131(Suppl. 9): 929-931.

YOELI, M. and BONÉ, G. 1967. Studies on *Anopheles dureni* Edwards. *Riv. di Malariol.* 46 (1/3):1-11.

YELLOW FEVER

BRES, P. and COWORKERS. 1966. L'épidémie de fièvre jaune de 1965 au Sénégal. *Méd. Trop. (Marseille)* 26(Spec. No.):21-38.

CHAMBON, L. and COWORKERS. 1967. Une épidémie de fièvre jaune Sénégal en 1965; l'épidémie humaine. *WHO Bul.* 36(1):113-150.

DRAPE, C. C. and BAXENDALE, W. 1967. The identification and exclusion of some contaminating avian viruses in yellow fever vaccine. *Roy. Soc. Trop. Med. and Hyg. Trans.* 61(4):452-453.

GALINDO, P. and SRIHONGSE, S. 1967. Evidence of recent jungle yellow-fever activity in eastern Panama. *WHO Bul.* 36(1):151-161.

LIGHT AND OTHER TRAP STUDIES

METSELAAR, D. and WEITZ, B. 1967. Mosquito traps with sentinel mice. *East Afr. Virus Res. Inst. Rpt.* 16:44-45.

SOMMERMAN, K. M. and SIMMET, R. P. 1967. Versatile mosquito trap. *Mosquito News* 27(3): 412-417.

LITERATURE REFERENCES AND REVIEWS

DEPARTMENT OF ZOOLOGY, University of Maryland. 1967. Index catalogue to Russian, Central and Eastern European and Chinese literature in medical entomology. Supplement 1. Diptera. 130 pp., College Park, Md. [Includes mosquitoes.]

DUKHANINA, N. N. 1967. Soviet literature on problems of medical parasitology and parasitic

diseases. *Med. Parazit. i Parazit. Bolezni* 36(4): 497-502. In Rus. [Includes mosquitoes.]

SOLLERS-RIEDEL, H. 1967. Literature references to mosquitoes and mosquito-borne diseases. *Mosquito News* 27(3):435-446.

BIOGRAPHY AND HISTORY

CURTIS, L. C. 1965. Mosquito control in British Columbia. *Ent. Newslet.* (Res. Br. Canada Dept. Agr.) 43 (10):1-2.

FINLAY, C. J. 1965. Obras completas. Vol. I, 465 pp. Vol. II, 265 pp. [Complete works of Carlos Finlay published by Academy of Sciences of Cuba in memory of Finlay.]

SUBJECTS NOT COVERED BY OTHER HEADINGS

MOST, H. (Editor). 1967. Health hints for the tropics. 31 pp. Edition 6. Suppl. to *Trop. Med. and Hyg. News*. [Mosquito-borne diseases included.]

PLANT PEST CONTROL DIVISION. 1967. Insects not known to occur in the United States. A mosquito (*Culex tritaeniorhynchus* Giles). U. S. Dept. Agr. Coop. Econ. Ins. Rpt. 17(42):951-952.

SINHA, A. 1967. Social legislation against mosquitoes. *Patna J. Med.* 41(5):219-220.

TRAVIS, B. V. 1967. Biology and control of biting flies in New York State. *Cornell Ext. Bul.* 1186, 38 pp. [Includes mosquitoes.]

WORLD HEALTH ORGANIZATION. Vector Biology and Control Unit. 1967. Directory of scientific workers active in the fields of invertebrate pathology and/or biological control as applied to public health entomology. WHO/VBC/67.23, 16 pp.

ERRATA

In *Mosquito News* 26(3):453 in Techniques change KASKIN to read KASHIN; 27(2):257 in Arboviruses change SHOPE to read SHOPE and COWORKERS; 27(3):440 in Arboviruses change ALLEN and DOHERTY to read ALLEN, DOHERTY and WHITEHEAD, R. H.