

LITERATURE REFERENCES TO MOSQUITOES AND MOSQUITO-BORNE DISEASES

HELEN SOLLERS-RIEDEL¹

Plant Pest Control Division, Agricultural Research Service, United States Department of Agriculture

ADULTICIDES AND LARVICIDES

BROWN, A. W. A. 1967. The present status of control of *Culex pipiens fatigans*. WHO Bul. 37(2):297-299.

BURTON, G. J. 1967. Observations on the habits and control of *Culex pipiens fatigans* in Guyana. WHO Bul. 37(2):317-322.

CHEMICAL AND ENGINEERING NEWS. 1967. Esso develops mosquito killer that may replace diesel oil. Chem. and Engin. News 45(31):14.

CHNAEV, P. P. 1968. Control of *Anopheles superpictus* Grassi in the foothill zone of the Upper Surkhan. Med. Parazit. i Parazit. Bolezni 37(1):106. In Rus.

COZ, J. and HAMON, J. 1967. Recherches d'insecticides opérationnels en matière de lutte anti-paludique. Méd. d'Afr. Noire 14(6):297-299.

COZ, J., VENARD, P. and EYRAUD, M. 1967. Étude de la rémanence de quelques produits insecticides OMS 227, OMS 712, OMS 971, OMS 1028 et OMS 1029. Méd. Trop. (Marseille) 27(3):303-312.

DAFAUCE, C. 1967. Los mosquitos y la posibilidad de su combate. Servicio de Plagas Forestales Bol. 10(19):19-34. Engl. Sum.

DORER, R. E. 1967. A year's experience with Abate. N. J. Mosquito Extermin. Assoc. Proc. 54:70-72.

FLOCH, H. A. 1966. Sur quelques composés chimiques doués de propriétés molluscicides et larvicides susceptibles d'utilisations pratiques dans la lutte contre certains moustiques. Soc. de Path Exot. Bul. 59(6):997-1002. [Pub. 1967.]

—, KRAMER, R. and CHATENAY, G. 1966. Le malathion est doué de propriétés insecticides rémanentes utilisables dans la lutte contre divers moustiques. Soc. de Path. Exot. Bul. 59(5):874-880.

GAHAN, J. B., WILSON, H. G. and LABRECQUE, G. C. 1967. New insecticides that show residual toxicity to adults of *Anopheles quadrimaculatus*. N. J. Mosquito Extermin. Assoc. Proc. 54:145-152.

HAGSTRUM, D. W. and MULLA, M. S. 1968. Petroleum oils as mosquito larvicides and pupicides. I. Correlation of physiochemical properties with biological activity. J. Econ. Ent. 61(1):220-225.

KEIRANS, J. E., PERRY, A. S. and FAY, R. W. 1968. Preliminary observations on the effect of alcohol and oil films on the oviposition of *Culex*

pipiens quinquefasciatus (Say). Mosquito News 28(1):71-74.

KRISHNAMURTHY, B. S., KALRA, R. L. and SHARMA, S. K. 1967. Field evaluation of 'dichlorovos' for the control of mosquitoes. Indian Soc. Malaria and other Commun. Dis. Bul. 4(1):23-34.

KULANIN, V. L. 1968. Use of carbolineum as a larvicide. Med. Parazit. i Parazit. Bolezni 37(1):107. In Rus. [Anopheles and Aedes.]

LAKE, R. W., MURPHEY, F. J. and STACHECKI, C. J. 1967. Field trials with granular Abate for control of early spring Aedes mosquitoes. N. J. Mosquito Extermin. Assoc. Proc. 54:179-180.

LOY, V. A. 1967. Aerial spray operations in the First U. S. Army Area. N. J. Mosquito Extermin. Assoc. Proc. 54:104-108.

MATHIS, W. and SCHOOF, H. F. 1968. Effectiveness of some new insecticides on various types of surfaces and in clay-lined experimental huts against *Anopheles quadrimaculatus*. Mosquito News 28(1):16-20.

MILLER, W. O., MCNEILL, J. C., MICKS, D. W. and LUDWIG, P. D. 1968. Control of mosquitoes with Dursban® insecticide applied as a thermal fog. Mosquito News 28(1):58-62.

MOUNT, G. A., LOFGREN, C. S., PIERCE, N. W. and HUSMAN, C. N. 1968. Ultra-low volume nonthermal aerosols of malathion and naled for adult mosquito control. Mosquito News 28(1):99-103.

MULLA, M. S. 1967. Larvicides and larvical formulations for the control of *Culex pipiens fatigans*. WHO Bul. 37(2):311-315.

PENNINGTON, N. E. and ARMSTRONG, R. K. 1968. Field evaluation of five insecticidal aerosols against caged *Culex* mosquitoes on Okinawa. J. Med. Ent. 5(1):25-26.

PEST CONTROL. 1968. Public health pesticides. Pest Control 36(3):9-58. (Passim). [Includes mosquitoes.]

SELF, L. S., TUN, M. M. and ABDULCADE, H. M. 1968. Evaluation of Abate, Dursban and fenthion against *Culex pipiens fatigans*. WHO/VBC/68.61, 3 pp.

STEELMAN, C. D. 1967. Controlling mosquitoes in waste disposal lagoons. Louisiana Agr. 10(3):14.

TAYLOR, R. T. 1968. Simulated field evaluation of promising insecticides for use against *Aedes aegypti*. Mosquito News 28(1):11-16.

— and SCHOOF, H. F. 1968. Evaluation of thermal and nonthermal fogs against four species of mosquitoes. Mosquito News 28(1):8-11.

¹ Complete mailing address: P.O. Box 19009, Washington, D.C. 20036, USA.

VARIOUS TYPES OF CONTROL

JOBBINS, D. M. 1967. A multipurpose mosquito control project—Fishing Creek. N. J. Mosquito Extermin. Assoc. Proc. 54:120-123.

LAFFERTY, B. M. 1967. The Cape May Commission builds a controlled water level facility for mosquito control. N. J. Mosquito Extermin. Assoc. Proc. 54:124-127.

LAIRD, M. 1967. Eradication of *Culex pipiens fatigans* through cytoplasmic incompatibility. Nature (London) 216(5122):1358.

MERRILL, L. G., JR. 1967. Mosquito control in the environmental science picture. N. J. Mosquito Extermin. Assoc. Proc. 54:61-64.

MULLA, M. S. and CHAUDHURY, M. F. B. 1968. Ovicidal activity of aliphatic amines and petroleum oil against two species of mosquitoes. J. Econ. Ent. 61(2):510-515.

REES, D. M. 1967. A cooperative water management program conducted on marshes in Utah. N. J. Mosquito Extermin. Assoc. Proc. 54:64-70.

SCHLESINGER, J. L. 1967. Mosquito control means real estate enhancement. N. J. Mosquito Extermin. Assoc. Proc. 54:9-11.

SMITH, H. G., JR. and GOULDING, R. L. 1968. Some effects of orally administered Ruclene on host sheep and two ectoparasites: the yellow-fever mosquito and the Rocky Mountain wood tick. J. Econ. Ent. 61(1):292-297.

STERILIZATION METHODS

DARROW, D. I. 1968. The effect of gamma irradiation on reproduction and life span of the mosquito *Culex tarsalis* Coquillett. Mosquito News 28(1):21-24.

DAVIDSON, G. 1967. The potential use of sterile hybrid males for the eradication of member species of the *Anopheles gambiae* complex. WHO/VBC/67.45, WHO/Mal/67.637. 13 pp.

SANDESCO, I. 1967. Chémoustérisation de l'espèce *Anopheles labranchiae atroparvus*, par traitement au stade larvaire. Arch. Roum. Path. Expt. Microbiol. 26(1):181-188.

SMITTLE, B. J. 1968. Effect of gamma irradiation on female *Culex pipiens quinquefasciatus*. Fla. Ent. 51(1):59-61.

AEDES AEGYPTI ERADICATION

CAMARGO, S. 1968. Organización y administración de programas de control y erradicación del *Aedes aegypti*. Bol. Ofic. Sanit. Panamer. 64(3):197-203. Engl. Sum.

MCCRAY, E. M., JR., WILTON, D. P. and SCHOOF, H. F. 1967. Preliminary observations concerning the absence of *Aedes aegypti* in Savannah, Georgia, and nearby areas. N. J. Mosquito Extermin. Assoc. Proc. 54:153-158.

SOPER, F. L. 1966. The eradication of *Aedes aegypti*: a world problem. Internat. Cong. for

Microbiology 9:599-605. [Moscow July 24-30, 1966. Ivanovski Inst. of Virology. Symposia.]

See also Soper in Yellow Fever Section.

MOSQUITO CONTROL AGENCY PROBLEMS

BLYMAN, J. A. 1967. Cooperative action program in Mercer County, New Jersey. N. J. Mosquito Extermin. Assoc. Proc. 54:76-80.

CALIFORNIA MOSQUITO CONTROL ASSOCIATION. 1968. 1968 yearbook. 56 pp.

CARMICHAEL, G. T. 1968. Annual report 1967 from the Division of Mosquito Control. 26 pp., New Orleans.

EAST VOLUSIA MOSQUITO CONTROL DISTRICT. 1968. Annual report 30, 14 pp. [Florida.]

FERRIGNO, F., JOBBINS, D. M. and SHINKLE, M. P. 1967. Coordinated mosquito control and wildlife management on the Delaware Bay coastal marshes. N. J. Mosquito Extermin. Assoc. Proc. 54:80-94.

FLETCHER, A. H. 1967. Implications in the Joint Drainage Committee report for mosquito control commissions. N. J. Mosquito Extermin. Assoc. Proc. 54:35-44.

FRIED, A. C. 1967. Values in the cooperative relations between the Union County Board of Chosen Freeholders and the Union County Mosquito Extermination Commission. N. J. Mosquito Extermin. Assoc. Proc. 54:32-35.

LESLIE, J. B. 1967. Report of the State Mosquito Control Commission. N. J. Mosquito Extermin. Assoc. Proc. 54:6-9.

MUNCH, N. 1967. The Monmouth County Conservation Council and mosquito control. N. J. Mosquito Extermin. Assoc. Proc. 54:12-15.

PARASITES, PREDATORS, VIRUSES AND RELATED AGENTS

CAIRNS, J., JR. and LOOS, J. J. 1966. Changes in guppy populations resulting from exposure to dieldrin. Progress. Fish-Culturist 28(4):220-226.

CHAN, K. L. 1968. Observations on *Toxorhynchites splendens* (Wiedemann) (Diptera: Culicidae) in Singapore. Mosquito News 28(1):91-95.

CHAPMAN, H. C. and KELLEN, W. R. 1967. *Plistophora caecorum* sp. n., a microsporidian of *Culiseta inornata* (Diptera: Culicidae) from Louisiana. J. Invertebrate Path. 9(4):500-502.

CHAPMAN, H. C., WOODARD, D. B. and PETERSEN, J. J. 1967. Pathogens and parasites in Louisiana Culicidae and Chaoboridae. N. J. Mosquito Extermin. Assoc. Proc. 54:54-60.

COZ, J. 1966. Contribution à l'étude du parasitisme des adultes d'*Anopheles funestus* par *Gastromermis* sp. (Mermithidae). Soc. de Path. Exot. Bul. 59(5):881-889. Engl. Sum.

FILSHIE, B. K., GRACE, T. D. C., POULSON, D. F. and REHACEK, J. 1967. Viruslike particles in insect cells of three types. J. Invertebrate Path. 9(2):271-273. [*Aedes aegypti* included.]

MAW, M. G. 1968. The mudminnow *Umbra*

limi (Kirt.): a possible mosquito control agent in semi-permanent pools. Mosquito News 28(1): 120.

MUNRO, J. L. 1967. The food of a community of East African freshwater fishes. J. Zool. (London) 151(3):389-415. [Mentions mosquitoes.]

EQUIPMENT

JOSEPHSON, K. L. 1968. Special equipment in the Box Elder County Mosquito and Fly Abatement District. Mosquito News 28(1):112-114.

LYNCH, E. E. 1967. Special equipment developed for the Maryland mosquito control program. N. J. Mosquito Extermin. Assoc. Proc. 54:72-76.

MACBAIN, A. G., SUHRBIER, R. and HOLUB, E. 1968. A slow speed speedometer. Mosquito News 28(1):110-111.

ATTRACTANTS AND REPELLENTS

IKESHOJI, T., UMINO, T. and HIRAKOSO, S. 1967. Studies on mosquito attractants and stimulants. Part IV. An agent producing stimulative effects for oviposition of *Culex pipiens fatigans* in field water and the stimulative effects of various chemicals. Jap. J. Expt. Med. 37(1):61-69.

KHAN, A. A., MAIBACH, H. I. and STRAUSS, W. G. 1968. Response of the yellow-fever mosquito to varying areas of human skin. J. Econ. Ent. 61(2):555-557.

MANGUM, C. L. and CALLAHAN, P. S. 1968. Attraction of near-infrared radiation to *Aedes aegypti*. J. Econ. Ent. 61(1):36-37.

MARKARIAN, H., PRATT, J. J., JR., DEMARCO, C. G. and GOUCK, H. K. 1968. The compatibility of arthropod repellents with certain functional finishes of cotton uniform fabric. J. Econ. Ent. 61(2):464-467. [*Aedes aegypti* included.]

NOVÁK, D. 1967. Electroluminescence plates as mosquito attractants. Deut. Ent. Z. 14(5):481-482.

PERVOMAISKY, G. S. and COAUTHORS. 1967. A new insect repellent Hexamethylcubutansulfamide. Med. Parazit. i Parazit. Bolezni 36(6):730-733. In Rus., Engl. Sum. [Mosquitoes included.]

SCHRECK, C. E. and JAMES, J. 1968. Broth cultures of bacteria that attract female mosquitoes. Mosquito News 28(1):33-38.

STRAUSS, W. G., MAIBACH, H. I. and KHAN, A. A. 1968. The role of skin in attracting mosquitoes. J. Med. Ent. 5(1):47-48.

See also Hocking in Filariasis Section.

RESISTANCE AND SUSCEPTIBILITY

AZEEZ, S. A. 1967. A note on the prevalence and susceptibility status of *Aedes (Stegomyia) aegypti* (Linn.) in Jharia, Dhanbad district (Bihar). Indian Soc. Malaria and other Commun. Dis. Bul. 4(1):59-62.

BROWN, A. W. A. 1968. Insecticide resistance comes of age. Ent. Soc. Amer. Bul. 14(1):3-9. [Includes mosquitoes.]

BUSVINE, J. R. 1967. Insecticide-resistance in *Culex pipiens fatigans*. WHO Bul. 37(2):287-292.

GRAS, G. and COAUTHORS. 1966. "Sensibilité de base" d'*Aedes (O.) caspius* (Pallas) et d'*Aedes (O.) detritus* (Halliday) à quelques insecticides organo-phosphorés. Soc. de Path. Exot. Bul. 59 (5):898-903.

HAMON, J. and MOUCHET, J. 1967. La résistance aux insecticides chez *Culex pipiens fatigans* Wiedemann. WHO Bul. 37(2):277-286. Engl. Sum.

HEMMERLEIN, A. H. 1967. DDT-resistance in two strains of *Culex pipiens pipiens* Linnaeus from New Jersey. N. J. Mosquito Extermin. Assoc. Proc. 54:158-163.

INWANG, E. E. 1968. Mathematical formulae for estimating resistance potential and speed of development of DDT resistance in the yellow-fever mosquito. J. Econ. Ent. 61(2):525-529.

KALRA, R. L., PERRY, A. S. and MILES, J. W. 1967. Studies on the mechanism of DDT-resistance in *Culex pipiens fatigans*. WHO Bul. 37 (4):651-656.

MOUCHET, J. and LAIGRET, J. 1967. La résistance aux insecticides chez *Aedes aegypti* à Tahiti. Méd. Trop. (Marseille) 27(6):685-692. Engl. Sum.

PETERSON, D. G. 1966. A survey of the susceptibility of mosquitoes in Canada to DDT, dieldrin, lindane and malathion. Pesticide Progress 4(3):59-68.

RIOUX, J. A., GRAS, G., COLUZZI, M. and CROSET, H. 1967. Action irritante des composés à base d'H.C.H. sur l'imago femelle d'*Aedes (O.) caspius* (Pallas) et de *Culex (C.) pipiens* L. Inst. Pasteur Tunis Arch. 44(1):121-139.

ROSEN, P. 1967. The susceptibility of *Culex pipiens fatigans* larvae to insecticides in Rangoon, Burma. WHO Bul. 37(2):301-310.

SAUTET, J., SAUTET, G., ALDIGHIERI, J. and OLRY, M. 1966. Valeur des méthodes de mesure de la résistance des moustiques aux insecticides rémanents. Arch. Roumaines Path. Expt. et Microbiol. 25(3):549-560. Engl. Sum.

SHALABY, A. M. 1968. Susceptibility studies on *Anopheles culicifacies* with DDT and dieldrin in Gujarat State, India. J. Econ. Ent. 61(2):533-541.

WOOD, R. J. 1967. A comparative genetical study on DDT resistance in adults and larvae of the mosquito *Aedes aegypti* L. Genetical Res. 10(3):219-228.

INSECTICIDES AND CHEMICALS

BRAZZEL, J. R., WATSON, W. W., HURSH, J. S. and ADAIR, M. H. 1968. The relative efficiency of aerial application of ultra-low-volume and emulsifiable concentrate formulations of insecticides. J. Econ. Ent. 61(2):408-413.

HIRAKOSO, S. 1968. Inactivating effects of micro-organisms on insecticidal activity of Dursban. WHO/VBC/68.63, 8 pp.

HOOPER, G. H. S. 1968. Metabolism of insecticides by *Culex pipiens quinquefasciatus*. I. In vivo metabolism of DDT by larvae. J. Econ. Ent. 61(2):490-493.

TOXICOLOGY

BICK, H. 1968. An illustrated guide to ciliated Protozoa used as "biological indicators" in freshwater ecology. WHO/VBC/68.58, 21 pp.

BROWN, E. and NISHIOKA, Y. A. 1967. Pesticides in water. Pesticides in selected western streams—a contribution to the national program. Pesticides Monitor. J. 1(2):38-46.

COLE, H. and COAUTHORS. 1967. Pesticides in hatchery trout—differences between species and residue levels occurring in commercial fish food. Pesticides Monitor. J. 1(2):35-37.

KEINER, R. R. 1967. The pesticide issue and coordination. N. J. Mosquito Extermin. Assoc. Proc. 54:94-96.

LEHNER, P. N., BOSWELL, T. O. and COPELAND, F. 1967. An evaluation of the effects of the *Aedes aegypti* Eradication Program on wildlife in south Florida. Pesticides Monitor. J. 1(2):29-34.

MILLER, C. W., TOMLINSON, W. E. and NORGRAN, R. L. 1967. Persistence and movement of parathion in irrigation waters. Pesticides Monitor. J. 1(2):47-48.

RUBER, E. 1967. Some effects on microcrustaceans of coastal impoundments for *Aedes sollicitans* control. N. J. Mosquito Extermin. Assoc. Proc. 54:139-144.

SAVAGE, E. P. and SIMMONS, S. W. 1968. Pesticide safety—all users are responsible. Pest Control 36(2):18, 20, 22, 24.

WASSERMANN, M., WASSERMANN, D., ZELLERMAYER, L. and GON, M. 1967. Pesticides in people. Storage of DDT in the people of Israel. Pesticides Monitor. J. 2(1):15-20.

quito *Anopheles gambiae*: phase setting by the light régime. J. Expt. Biol. 47(3):503-511.

JUDSON, C. L. 1967. Alteration of feeding behavior and fertility in *Aedes aegypti* by the chemosterilant apholate. Ent. Expt. et Applicata 10 (3/4):387-393.

JUPP, P. G. 1967. Larval habitats of culicine mosquitoes (Diptera: Culicidae) in a sewage effluent disposal area in the South African Highveld. Ent. Soc. Southern Afr. J. 30(2):242-250.

KACHROO, P. 1967. Laboratory studies on growth and developmental behaviour of *Anopheles annularis*, *pallidus* and *philippensis*. Indian Soc. Malaria and other Commun. Dis. Bul. 4(1): 13-22.

KHELEVIN, N. V. 1968. Biology of *Aedes* mosquitoes in the floodlands of the central RSFSR. Med. Parazit. i Parazit. Bolezni 37(1):105-106. In Rus., Engl. Sum.

LOMAX, J. L. 1967. Fall mosquito breeding and hibernation in an area of the Delaware River survey. N. J. Mosquito Extermin. Assoc. Proc. 54:170-178.

LUKASIAK, J. 1967. Mass occurrence of Culicinae in Świnoujście, in August 1965. Wiad. Parazytol. 13(1):113-115.

—. 1967. Results of preliminary studies on pupae of some Culicinae species. Wiad. Parazytol. 13(6):751-758. In Pol., Engl. Sum.

MATSUZAWA, H. 1966. Ecological studies on mosquitoes which invade the stable on summer nights in Shikoku from sanitary point of view. X. Kagawa Univ. Fac. Agr. Tech. Bul. 17(2):85-92. In Jap., Engl. Sum.

NAYAR, J. K. 1968. Biology of *Culex nigripalpus* Theobald (Diptera: Culicidae). Part 1: Effects of rearing conditions on growth and the diurnal rhythm of pupation and emergence. J. Med. Ent. 5(1):39-46.

OMER, S. M. and CLOUDSLEY-THOMPSON, J. L. 1968. Dry season biology of *Anopheles gambiae* Giles in the Sudan. Nature (London) 217 (5131):879-880.

OKTYABRSKAYA, T. A., DEREVITSKAYA, V. V. and SHERINA, L. N. 1968. Biology of *Culex pipiens* in the Moscow countryside. Med. Parazit. i Parazit. Bolezni 37(1):18-22. In Rus., Engl. Sum.

OWEN, W. B. 1967. Behavioral studies of inhibition and integration in the mosquito *Culiseta inornata* (Williston). J. Expt. Zool. 166(3):301-305.

PAGE, W. A. 1967. Observations on manbiting mosquitoes in Jamaica. Roy. Ent. Soc. London Proc. Ser. A 42(10/12):180-186.

SERVICE, M. W. 1968. Pre-gravid phase of ovarian development in *Aedes detritus* Haliday. Nature (London) 217(5129):681-682.

SPIELMAN, A. 1967. Population structure in the *Culex pipiens* complex of mosquitos. WHO Bul. 37(2):271-276.

WRIGHT, R. E. and KNIGHT, K. L. 1968. Evening crepuscular activity of some Iowan mos-

BEHAVIOR, BIOLOGY AND ECOLOGY

ANWAR, M. and MIDDLETON, L. J. 1967. The effect of radioactive phosphorus on the development of *Aedes aegypti* larvae. Haw. Ent. Soc. Proc. 10(3):361-366.

BIDLINGMAYER, W. L. 1968. Larval development of *Mansonia* mosquitoes in central Florida. Mosquito News 28(1):51-57.

BUFFINGTON, J. D. 1968. A circadian pattern in the respiration of larvae of the mosquito *Culex pipiens*. Mosquito News 28(1):95-98.

GIOTRA, S. K., ROZEBOOM, L. E. and BHATTACHARYA, N. C. 1967. Observations on possible competitive displacement between populations of *Aedes aegypti* Linnaeus and *Aedes albopictus* Skuse in Calcutta. WHO Bul. 37(3):437-446.

JONES, J. C. 1968. The sexual life of a mosquito. Scientific Amer. 218(4):108-116.

JONES, M. D. R., HILL, M. and HOPE, A. M. 1967. The circadian flight activity of the mos-

quitoes (Diptera: Culicidae). Kans. Ent. Soc. J. 41(1):45-47.

GENETICS

BHALLA, S. C. 1968. Genetic aspects of pectenidines in mosquitoes. Genetics 58(2):249-258.

COLUZZI, M. and SABATINI, A. 1967. Cytogenetic observations on species A and B of the *Anopheles gambiae* complex. Parassitologia 9(2):73-88.

DOBROTWORSKY, N. V. 1967. Hybridization in the *Culex pipiens* complex. WHO Bul. 37(2): 267-270.

FRIZZI, G. 1967. Cytogenetics of the Anopheline: theoretical and practical aspects. Inst. Marine Med. Gdańsk Bul. 18(3/4):121-129.

LAVEN, H. 1967. A possible model for speciation by cytoplasmic isolation in the *Culex pipiens* complex. WHO Bul. 37(2):263-266.

MASON, G. F. 1967. Genetic studies on mutations in species A and B of the *Anopheles gambiae* complex. Genetical Res. 10(3):205-217.

MCCLELLAND, G. A. H. 1967. Speciation and evolution in *Aedes*. In Genetics of insect vectors of disease. (Edited by Wright, J. W. and Pal, R.). pp. 277-311, Amsterdam-London-New York.

ANATOMY, MORPHOLOGY AND PHYSIOLOGY

ANUFRIEVA, V. N. 1968. Age composition of mass species of bloodsucking mosquitoes in a focus of arbovirus infections in the Zaisan district of the eastern Kazakhstan region. Med. Parazit. i Parazit. Bolensi 37(1):23-28. In Rus., Engl. Sum.

BIANCHI, U. 1968. Homologous alkaline phosphatases and homologous loci in two sibling species of European anopheline mosquitoes. Nature (London) 217 (5126):382-383.

BÜNNING, E. 1967. The physiological clock. Edition 2. 167 pp., New York. [Springer-Verlag New York Inc.]

BURGESS, L. 1967. Pycnosis of the nuclei of ecdysial gland cells in *Aedes aegypti* (L.) (Diptera: Culicidae). Canad. J. Zool. 45 (6 pt. 2): 1294-1295.

DAVIS, C. W. C. 1967. A comparative study of larval embryogenesis in the mosquito *Culex fatigans* Wiedemann (Diptera: Culicidae) and the sheep-fly *Lucilia sericata* Meigen (Diptera: Calliphoridae). I. Description of embryonic development. Austral. J. Zool. 15(3):547-579.

ELDRIDGE, B. F. 1968. The effect of temperature and photoperiod on blood-feeding and ovarian development in mosquitoes of the *Culex pipiens* complex. Amer. J. Trop. Med. and Hyg. 17(1):133-140.

HARLEY, K. L. S. 1967. A note on the influence of a range of plant chemicals on the

growth and survival of *Aedes aegypti* L. larvae. Canad. J. Zool. 45 (6 pt. 2):1297-1300.

HAYASHIYA, K. and HARWOOD, R. F. 1968. Fatty acids of the mosquito *Anopheles freeborni*. Ent. Soc. Amer. Ann. 61(2):278-280.

HINTON, H. E. 1968. Structure and protective devices of the egg of the mosquito *Culex pipiens*. J. Insect Physiol. 14(2):145-161.

HITCHCOCK, J. C., JR. 1968. Egg retention in *Anopheles quadrimaculatus* Say in relation to the physiological age of the mosquito. J. Med. Ent. 5(1):8.

JUDSON, C. L. 1968. Physiology of feeding and oviposition behavior in *Aedes aegypti* (L.). Experimental dissociation of feeding and oogenesis. J. Med. Ent. 5(1):21-23.

KÜLHORN, F. 1967. Untersuchungen über die Beziehungen der Ein länge zur Weibchen- und Gelegegröße bei *Anopheles claviger typicus* Meigen mit Hinweisen auf die Längenentwicklung der Larven. Beitr. Ent. 17(3/4):327-347. Engl. Sum.

LEA, A. O. 1968. Mating without insemination in virgin *Aedes aegypti*. J. Insect Physiol. 14(3):305-308.

MATTERN, P., MASSEYEFF, R., TAUFFLIEB, R. and CORNET, M. 1967. Degradation of human serum proteins in the digestive tract of mosquitoes. Nature (London) 215(5106):1193-1194.

ROSAY, B. 1968. An autogenous gynandromorph of *Culex tarsalis* Coq. Mosquito News 28(1):120.

SELF, L. S. and PANT, C. P. 1968. Parous/nulliparous condition of unfed *Anopheles gambiae* and *Anopheles funestus* captured in exit traps. Mosquito News 28(1):62-64.

SPIELMAN, A., LEAHY, M. G. and SKAFF, V. 1967. Seminal loss in repeatedly mated female *Aedes aegypti*. Biol. Bul. 132(3):401-412.

WHITE, R. H. 1967. The effect of light and light deprivation upon the ultrastructure of the larval mosquito eye. II. The rhabdom. J. Expt. Zool. 166(3):405-425.

— and SUNDEEN, C. D. 1967. The effect of light and light deprivation upon the ultrastructure of the larval mosquito eye. I. Polyribosomes and endoplasmic reticulum. J. Expt. Zool. 164(3):461-478. [*Aedes aegypti*.]

WHITE, S. A. and JONES, J. C. 1968. The effects of various anesthetics on the action of DDT on *Anopheles* larvae. Mosquito News 28(1):29-33.

YANG, Y. J. and DAVIES, D. M. 1968. Amylase activity in black-flies and mosquitoes (Diptera). J. Med. Ent. 5(1):9-13.

TECHNIQUES

ALGER, N. E. 1968. Individually humidified closed plastic cages for rearing anopheline mosquitoes. Mosquito News 28(1):121-122. Illus.

BARTNETT, R. E. and JONES, R. P. 1968. Mo-

- bile field laboratory cabinet for use in encephalitis surveillance. Mosquito News 28(1):118-119. Illus.
- DELL'UOMO, G. 1967. Un aspiratore portatile per cattura di zanzare, azionato a batteria. Riv. di Parassitol. 28(3):221-223. Engl. Sum. [To collect mosquitoes.]
- GREGG, R. E. 1968. The preservation of invertebrates in alcohol. Ent. News 79(1):1-12.
- GUY, Y. and DUPUY, R. 1966. Au sujet des inclusions de matériel parasitologique en résine polymérisée. Soc. de Path. Exot. Bul. 59(5):895-898. [Includes mosquitoes.]
- HAYES, D. E. 1968. The successful induced copulation of *Culiseta melanura* (Coquillett). Mosquito News 28(1):109-110.
- HITCHCOCK, J. C., JR. 1968. Age composition of a natural population of *Anopheles quadrimaculatus* Say (Diptera: Culicidae) in Maryland, U. S. A. J. Med. Ent. 5(1):125-134.
- HUDDLESTON, E. W. and FLUKER, S. S. 1968. An unbreakable, disposable aspirator. J. Econ. Ent. 61(1):338-339.
- LOWRIE, R. C., JR. and GUBLER, D. J. 1968. A timesaving method for the rearing of mosquitoes in the laboratory. Mosquito News 28(1):115-117.
- MEADOWS, K. E. 1968. A simple method of mosquito ovary dissection. Fla. Ent. 51(1):30-35.
- MOUCHET, J. 1967. Quelques remarques sur le transport et l'expédition de *Culex pipiens faticans*. WHO Bul. 37(2):329.
- PETERS, T. M. and CHEVONE, B. I. 1968. Marking *Culex pipiens* Linn. larvae with vital dyes for larval ecological studies. Mosquito News 28(1):24-28.
- QURAISHI, M. S. 1968. Uptake of P³² by yellow-fever mosquito larvae of equal age, and those pupating synchronously: its loss and transfer during development, mating, and oviposition. J. Econ. Ent. 61(2):530-533.
- REIMER, L. 1967. Elektronenmikroskopische untersuchungen und Preparationsmethoden. Edition 2. 598 pp., Berlin.
- SALKELD, E. H. and WILKES, A. 1968. The ultrastructure of insect surfaces by scanning electron microscopy. Canad. Ent. 100(1):1-4.
- SCOTT, K. R. 1968. An environmental cabinet with variable air velocity for insect studies. Canad. Ent. 100(1):89-93. Illus.
- TAKAHASHI, M. 1968. Laboratory rearing of *Culex (Melanoconion) portesi* Senevet and Abonnenc. Mosquito News 28(1):82-84.
- TRAVIS, B. V. 1968. Glyptal—a useful slide ringing compound. J. Med. Ent. 5(1):24.
- ZUCKERMAN, A., SPIRA, D. and HAMBURGER, J. 1967. A procedure for the harvesting of mammalian plasmodia. WHO Bul. 37(3):431-436.
- ### TAXONOMY
- BRAM, R. A. 1968. A redescription of *Culex (Acalleomyia) obscurus* (Leicester) (Diptera: Culicidae). Ent. Soc. Wash. Proc. 70(1):52-57.
- CHENG, F. Y. 1967. Comments on the proposed suppression of *Anopheles errabundus* (Swellengrebel, 1925). Z. N. (S.) 1760. Bul. Zool. Nomencl. 24(2):77.
- CHEONG, W. H. 1967. Comments on the proposed suppression of *Anopheles errabundus* (Swellengrebel, 1925). Z. N. (S.) 1760. Bul. Zool. Nomencl. 24(2):77.
- CORNET, M. 1967. *Aedes (Aedimorphus) chamboni* n. sp., une nouvelle espèce de Culicidae du Sénégal. Soc. de Path. Exot. Bul. 60(4):398-402. [n. sp.]
- COVA GARCIA, P., SUTIL, E. and RAUSSEO, J. A. 1966. Mosquitos (culicinos) de Venezuela. Vol. 1, 410 pp. Vol. 2, 406 pp. Caracas.
- HENDRICKSON, J. A., JR. and SOKAL, R. R. 1968. A numerical taxonomic study of the genus *Psorophora* (Diptera: Culicidae). Ent. Soc. Amer. Ann. 61(2):385-392.
- ISMAIL, I. A. H. and HAMMOUD, E. I. 1968. The use of coeloconic sensillae on the female antenna in differentiating the members of *Anopheles gambiae* Giles complex. WHO/Mal/68.645, WHO/VBC/68.56. 14 pp.
- LAKE, R. W. 1968. Descriptions of first-instar larvae of *Aedes aurifer* (Coquillett) and *Aedes grossbecki* Dyar & Knab (Diptera: Culicidae). Ent. News 79(2):44-48.
- MASLOV, A. V. 1967. Bloodsucking mosquitoes of the subtribe Culisetina (Diptera, Culicidae) of the world fauna. Akad. Nauk SSSR. Zool. Inst. Opredelitelni Faune SSSR 93, 181 pp. In Rus. [Biological notes included.]
- MATTINGLY, P. F. 1967. The systematics of the *Culex pipiens* complex. WHO Bul. 37(2):257-261.
- RICKENBACH, A., FERRARA, L. and EOZAN, J. P. 1967. Deux *Eretmapodites* nouveaux du Cameroun, appartenant au groupe *oedipodius* Graham, 1909 [Dipt. Culicidae]. Soc. Ent. France Bul. 72(9/10):297-300. [*E. caillardii* and *salauni* n. spp.]
- STONE, A. and HAIR, J. A. 1968. A new *Culex (Melanoconion)* from Florida (Diptera, Culicidae). Mosquito News 28(1):39-41. [*C. cedecei* n. sp.]
- WANG, H. H. and FENG, C. Y. 1964. Description of the three new species of *Culex (Lophoceratomyia)*. Acta Zootaxonomica Sinica 1(1):37-41. Engl. Sum. [*C. pilifemoralis*, *szemaonensis* and *harpagophallus* n. spp.]
- ### DISTRIBUTION
- BARR, A. R. 1967. Occurrence and distribution of the *Culex pipiens* complex. WHO Bul. 37(2):293-296.
- HART, J. W. 1968. Occurrence of *Toxorhynchites rutilus septentrionalis* (Dyar & Knab) in Indiana. Mosquito News 28(1):118.
- KRISHNAN, K. S. and HALERNKAR, P. G. 1967. Anopheline fauna of Andaman Islands. Indian

Soc. Malaria and other Commun. Dis. Bul. 4(1): 35-42.

OBRICHT, C. B. 1967. New distribution records of Michigan mosquitoes, 1948-1963. Mich. Ent. 1(5):153-158.

RIOUX, J. A., CROSET, H. and SINÈGRE, G. 1966. Présence de *Mansonia (Coquillettidia) richiardii* (Ficalbi) dans le "midi" méditerranéen (Diptera Culicidae). Cah. Natural. (Paris) n.s. 22(3):94-96.

SMITH, L. W., JR. and ENNS, W. R. 1968. A list of Missouri mosquitoes. Mosquito News 28(1):50-51.

VERMEIL, C. 1966. Contribution à l'étude des culicidés (Diptera, Nematocera) de l'île d'Hoëdic (Morbihan). Cah. Natural. (Paris) n.s. 22(3):93-94.

WILLS, W. and McELHATTAN, V. 1968. Additions to the list of *Aedes* species in Pennsylvania. Mosquito News 28(1):108-109.

See also Cova Garcia et al. in Taxonomy Section.

ARBOVIRUSES

AITKEN, T. H. G. and COAUTHORS. 1968. Arbovirus studies in Bush Bush Forest, Trinidad, W. I., September 1959-December 1964. II. Field program and techniques. Amer. J. Trop. Med. and Hyg. 17(2):237-252.

AITKEN, T. H. G., WORTH, C. B. and TIKA-SINGH, E. S. 1968. Arbovirus studies in Bush Bush Forest, Trinidad, W. I., September 1959-December 1964. III. Entomologic studies. Amer. J. Trop. Med. and Hyg. 17(2):253-268.

BASTARDO, J. W., BERGOLD, G. H. and MUNZ, K. 1968. Structure of Oriboca, Restan, and Manzanilla arboviruses. Amer. J. Trop. Med. and Hyg. 17(1):115-119.

BRES, P. 1967. Les arboviroses africaines. Gaz. Méd. France 74(9):1647-1655.

CLARKE, E. J., JR., SUITOR, E. C., JR. and JENKIN, H. M. 1967. A serologic survey for arbovirus antibodies in inhabitants of a southwest Taiwan village. Trop and Geog. Med. 19(4):326-332.

DANIELOVÁ, V. 1968. Penetration of the Tahyna virus to various organs of the *Aedes vexans* mosquito. Folia Parasitologica (Praha) 15(1):87-91.

DELLER, J. J., JR. and RUSSELL, P. K. 1968. Chikungunya disease. Amer. J. Trop. Med. and Hyg. 17(1):107-111.

DRIZON, J. J. 1967. Philippine hemorrhagic fever—epidemiological aspects. Philippine Med. Assoc. J. 43(5):346-365.

DOWNS, W. G. and COAUTHORS. 1968. Arbovirus studies in Bush Bush Forest, Trinidad, W. I., September 1959-December 1964. I. Description of the study area. Amer. J. Trop. Med. and Hyg. 17(2):224-236.

ELDADAH, A. H. and NATHANSON, N. 1967. Pathogenesis of West Nile virus encephalitis in mice and rats. II. Virus multiplication, evolu-

tion of immunofluorescence, and development of histological lesions in the brain. Amer. J. Epidemiol. 86(3):776-790.

_____, _____, and SARSITIS, R. 1967. Pathogenesis of West Nile virus encephalitis in mice and rats. Influence of age and species on mortality and infection. Amer. J. Epidemiol. 86(3):765-775.

FAULKNER, P. and McGEE-RUSSELL, S. M. 1968. Purification and structure of Semliki Forest virus isolated from mouse brain. Canad. J. Microbiol. 14(2):153-160.

GOLDSMIT, L. 1968. Immunization of horses against African horse-sickness with attenuated neurotropic viral strains propagated in chicken embryos. Amer. J. Vet. Res. 29(1):133-141.

GORGAS MEMORIAL LABORATORY. 1968. Thirty-ninth annual report of the work and operations of the Gorgas Memorial Laboratory, fiscal year 1967. U. S. Congress (2nd session) House Document No. 220, 40 pp. [90th Congress.]

HENDERSON, D. W., PEACOCK, S. and RANDLES, W. J. 1967. On the pathogenesis of Semliki Forest virus (SFV) infection in the hamster. Brit. J. Expt. Path. 48(2):228-234.

IBRAHIM, A. N. and HAMMON, W. McD. 1968. Application of immunodiffusion methods to the antigenic analysis of dengue viruses. I. Precipitin-in-gel double diffusion in two dimensions. II. Immunoelectrophoresis. J. Immunol. 100(1):86-92; 93-98.

IGARASHI, A., FUKAI, K. and TUCHINDA, P. 1967. Studies on chikungunya virus. II. Purification of mouse brain virus. III. Infective ribonucleic acid from partially purified virus: its biological assay and some basic characteristics. Biken J. 10(4):189-194; 195-202.

JOHNSON, R. W. and ORLANDO, M. D. 1968. Growth of Rift Valley fever virus in tissue culture. Amer. J. Vet. Res. 29(2):463-471.

JONKERS, A. H. and COAUTHORS. 1968. Arbovirus studies in Bush Bush Forest, Trinidad, W. I., September 1959-December 1964. V. Virus isolations. Amer. J. Trop. Med. and Hyg. 17(2):276-284.

_____, _____. 1968. Arbovirus studies in Bush Bush Forest, Trinidad, W. I., September 1959-December 1964. VI. Rodent-associated viruses (VEE and agents of groups C and Guamá): isolations and further studies. Amer. J. Trop. Med. and Hyg. 17(2):285-298.

JONKERS, A. H., SPENCE, L. and OLIVIER, O. 1968. Laboratory studies with wild rodents and viruses native to Trinidad. III. Studies with three Guamá-group viruses. Amer. J. Trop. Med. and Hyg. 17(2):299-307.

KEE, R. S. 1967. Medical problems in tropics. Korean Med. Assoc. J. 10(5):350-356. In Kor., Engl. Sum.

KIM, C. S. 1967. Dengue in South Vietnam. Korean Med. Assoc. J. 10(5):366-370. In Kor.

MAYER, V. and COAUTHORS. 1967. Prevalence of Sindbis virus antibodies in an Egyptian rural

- community. *J. Hyg. Epidemiol. Microbiol. Immunol.* 11(1):1-4.
- MIRCHAMSY, H. and TASLIMI, H. 1968. Inactivated African horse sickness virus cell culture vaccine. *Immunology* 14(1):81-88.
- MOHAN, S. and SRINIVASAN, T. R. 1967. Work done in India on viral and rickettsial infections of vertebrates—a bibliography. 339 pp., Delhi. [Indian National Scientific Documentation Centre.]
- OGUNBI, O. 1968. Ukuwa virus proliferation in mosquitoes. *Canad. J. Microbiol.* 14(2):125-129. [*Aedes canadensis*, *A. triseriatus*, *A. aegypti*.]
- PELEG, J. 1968. Growth of arboviruses in primary tissue culture of *Aedes aegypti* embryos. *Amer. J. Trop. Med. and Hyg.* 17(2):219-223.
- PINTO, M. R. 1967. Survey for antibodies to arboviruses in the sera of children in Portuguese Guinea. *WHO Bul.* 37(1):101-108.
- PRÍAS-LANDÍNEZ, A., BERNAL-CUBIDES, C. and MORALES-ALARCON, A. 1968. Isolation of Ilhéus virus from man in Colombia. *Amer. J. Trop. Med. and Hyg.* 17(1):112-114.
- REYES, A. M. and RIVERA, E. S. 1967. Abnormal plasma cells in Philippine hemorrhagic fever. *Philippine Med. Assoc. J.* 43 (5):366-373.
- SALAÜN, J. J. and BROTTES, H. 1967. Les arbovirus au Cameroun. Enquête sérologique. *WHO Bul.* 37(3):343-361. Engl. Sum.
- SCHERER, W. F., Verna, J. E. and RICHTER, G. W. 1968. Nodamura virus, an ether- and chloroform-resistant arbovirus from Japan. Physical and biological properties with ecologic observations. *Amer. J. Trop. Med. and Hyg.* 17(1):120-128.
- SHAH, K. V., BEHIN, R. and ROZEBOOM, L. E. 1967. Lack of multiplication of Simian virus 40 (SV40) in experimentally infected mosquitoes. *Soc. Expt. Biol. and Med. Proc.* 126(1):277-279.
- SIMIZU, B., RHIM, J. S. and WIEBENGA, N. H. 1967. Characterization of the Tacaribe group of arboviruses. I. Propagation and plaque assay of Tacaribe virus in a line of African green monkey kidney cells (Vero). *Soc. Expt. Biol. and Med. Proc.* 125(1):119-123.
- SIMKOVÁ, A. 1967. Symposium on arboviruses of the California complex and the Bunyamwera group. *Acta Virol.* 11(3):273-274.
- SIMPSON, R. W. and HAUSER, R. E. 1968. Basic structure of group A arbovirus strains Middleburg, Sindbis, and Semliki Forest examined by negative staining. *Virology* 34(2):358-361.
- ____ and _____. 1968. Effect of heat on virions of wild-type Sindbis virus and a thermostable mutant. *Virology* 34(2):361-364.
- SMETANA, A. and COAUTHORS. 1967. The isolation of the Čálovovirus from the mosquitoes of the group *Anopheles maculipennis* in southern Moravia. *J. Hyg. Epidemiol. Microbiol. Immunol.* 11(1):55-59.
- SPENCE, L., ANDERSON, C. R.,AITKEN, T. H. G. and DOWNS, W. G. 1967. Bushbush, Ieri and Lukuni viruses, three unrelated new agents isolated from Trinidadian forest mosquitoes. *Soc. Expt. Biol. and Med. Proc.* 125(1):45-50.
- STAMM, D. D. 1968. Arbovirus studies in birds in south Alabama, 1959-1960. *Amer. J. Epidemiol.* 87(1):127-137.
- SUDIA, W. D., CHAMBERLAIN, R. W. and COLEMAN, P. H. 1968. Arbovirus isolations from mosquitoes collected in south Alabama, 1959-1963, and serologic evidence of human infection. *Amer. J. Epidemiol.* 87(1):112-126.
- SUDIA, W. D., FIELDS, B. N. and CALISHER, C. H. 1967. The isolation of vesicular stomatitis virus (Indiana strain) and other viruses from mosquitoes in New Mexico, 1965. *Amer. J. Epidemiol.* 86(3):598-602.
- TAYLOR, D. J., MEADOWS, K. E., LEWIS, A. L. and BOND, J. O. 1968. Arbovirus vector surveillance following the 1962 St. Louis encephalitis epidemic in the Tampa Bay area. *Mosquito News* 28(1):42-45.
- TOY, S. T. and GIFFORD, G. E. 1967. Interferon production with different multiplicities of Semliki Forest virus. *Soc. Expt. Biol. and Med. Proc.* 126(3):787-791.
- VAN TONGEREN, H. A. E. 1967. Occurrence of arboviruses belonging to the C-, Bunyamwera and Guama groups, and of Oropouche, Junin, Tacaiuma and Kwatta viruses in man in the Province of Brokopondo, Surinam. A serological survey. *Trop. and Geog. Med.* 19(4):309-325.
- VU-QUI-DAI and NGUYEN-THI KIM-THOA. 1967. La fièvre hémorragique au Viet-Nam en 1964-1965. Étude sérologique avec bref aperçu clinique et épidémiologique. *Soc. de Path. Exot. Bul.* 60 (1):21-33. Engl. Sum. [*Aedes aegypti*.]
- WORTH, C. B., DOWNS, W. G., AITKEN, T. H. G. and TIKASINGH, E. S. 1968. Arbovirus studies in Bush Bush Forest, Trinidad, W. I., September 1959-December 1964. IV. Vertebrate populations. *Amer. J. Trop. Med. and Hyg.* 17 (2):269-275.
- ### ENCEPHALITIS
- CHERNESKY, M. A. 1968. Transmission of California encephalitis virus by mosquitoes. *Canad. J. Microbiol.* 14(1):19-23.
- GOLDFIELD, M. and COAUTHORS. 1968. The persistence of eastern encephalitis serologic reactivity following overt and inapparent human infection—an eight year followup. *Amer. J. Epidemiol.* 87(1):50-57.
- GOLDFIELD, M. and SUSSMAN, O. 1968. The 1959 outbreak of eastern encephalitis in New Jersey. I. Introduction and description of outbreak. *Amer. J. Epidemiol.* 87(1):1-10.
- GOLDFIELD, M., TAYLOR, B. F. and WELSH, J. N. 1968. The 1959 outbreak of eastern encephalitis in New Jersey. 6. The frequency of prior infection. *Amer. J. Epidemiol.* 87(1):39-49.
- _____, _____ and _____. 1968. The 1959 outbreak of eastern encephalitis in New Jersey.

3. Serologic studies of clinical cases. Amer. J. Epidemiol. 87(1):18-22.

GOLDFIELD, M., WELSH, J. N. and TAYLOR, B. F. 1968. The 1959 outbreak of eastern encephalitis in New Jersey. 4. CF reactivity following overt and inapparent infection. Amer. J. Epidemiol. 87(1):23-31.

_____, _____, and _____. 1968. The 1959 outbreak of eastern encephalitis in New Jersey. 5. The inapparent infection: disease ratio. Amer. J. Epidemiol. 87(1):32-38.

HANSON, R. P., VADLAMUDI, S., TRAINER, D. O. and ANSLOW, R. 1968. Comparison of the resistance of different-aged pheasants to eastern encephalitis virus from different sources. Amer. J. Vet. Res. 29(3):723-727.

HESS, A. D. and HAYES, R. O. 1967. Seasonal dynamics of western encephalitis virus. Amer. J. Med. Sciences 253(3):333-348.

HWANG, J. 1967. Research note: Comparative titration of eastern encephalitis virus in cell suspension and in cultures of duck embryo fibroblasts. Avian Dis. 11(4):593-594.

JENNINGS, W. L., KATHEIN, R. A., LEWIS, A. L. and BOND, J. O. 1967. Encephalitis in horses in Hillsborough County, Florida, 1964. Amer. J. Vet. Res. 28(125):965-970.

KANDLE, R. P. and COAUTHORS. 1967. Arbovirus studies in New Jersey. A progress report. N. J. Mosquito Extermin. Assoc. Proc. 54:15-19.

KODAMA, K., SASAKI, N. and INOUE, Y. K. 1968. Studies of live attenuated Japanese encephalitis vaccine in swine. J. Immunol. 100(1):194-200.

KONNO, J., ENDO, K. and ISHIDA, N. 1967. The nature of antibody in swine naturally infected with Japanese encephalitis virus. Soc. Expt. Biol. and Med. Proc. 124(1):73-75.

LUBY, J. P. and COAUTHORS. 1967. The epidemiology of St. Louis encephalitis in Houston, Texas, 1964. Amer. J. Epidemiol. 86(3):584-597.

MCLINTOCK, J., BURTON, A. N. and REMPEL, J. G. 1967. Interepidemic hosts of western encephalitis virus in Saskatchewan. N. J. Mosquito Extermin. Assoc. Proc. 54:97-104.

NAKAMURA, M. and EGUCHI, K. 1968. A comparison of the inactivation of Japanese encephalitis virus by deoxycholate and ether. J. General Virol. 2(1):1-8.

PEAVY, J. E., DEWLETT, H. J., METZGER, W. R. and BAGBY, J. 1967. Epidemiology and aerial spray control of arthropod-borne viral encephalitis in Texas. Amer. J. Pub. Health 57(12):2111-2116.

ROWAN, D. F. and COAUTHORS. 1968. The 1959 outbreak of eastern encephalitis in New Jersey. 2. Isolation and identification of viruses. Amer. J. Epidemiol. 87(1):11-17.

ROZDILSKY, B., ROBERTSON, H. E. and CHORNEY, J. 1968. Western encephalitis: report of eight fatal cases: Saskatchewan epidemic, 1965. Canad. Med. Assoc. J. 98(2):79-86.

SCIPLE, G. W. and COAUTHORS. 1968. En-

cephalitis in the high plains of Texas. Amer. J. Epidemiol. 87(1):87-98.

SHEMANCHUK, J. A. and MORGANTE, O. 1968. Isolation of western encephalitis virus from mosquitoes in Alberta. Canad. J. Microbiol. 14(1):1-5.

SIDWELL, R. W., GEBHARDT, L. P. and THORPE, B. D. 1967. Epidemiological aspects of Venezuelan equine encephalitis virus infections. Bacteriol. Reviews 31(1):65-81.

FILARIASIS

ABDULCADER, M. H. M. 1967. The significance of the *Culex pipiens fatigans* Wiedemann problem in Ceylon. WHO Bul. 37(2):245-249.

BEAM, F. D. 1967. Effects of temperature on the development of the dog heartworm, *Dirofilaria immitis*, in *Aedes sollicitans*. N. J. Mosquito Extermin. Assoc. Proc. 54:128-138.

BOSIE, A. 1968. Microfilariae of *Dirofilaria immitis* in the bone marrow of a dog in Bucarest. Roy. Soc. Trop. Med. and Hyg. Trans. 62(1):10.

CALLOT, J., RATIGNIER, A. and KREMER, M. 1967. Infection de *Culex pipiens autogenous* Roubaud de France par une souche Américaine de *Wuchereria bancrofti*. Soc. de Path. Exot. Bul. 60(2):184-187. Engl. Sum.

CHARI, M. V. and HIREMATH, R. S. 1967. A new composite sulphonamide in the treatment of acute filariasis. Indian Med. Assoc. J. 48(11):543-547.

COZ, J. and BRENGUES, J. 1967. Le complexe *Anopheles gambiae* et l'épidémiologie du paludisme et de la filariose de Bancroft en Afrique de l'Ouest. Méd. d'Afr. Noire 14(6):301-303.

DISSANAIKE, A. S. and NILES, W. J. 1967. On two infective filarial larvae in *Mansonia crassipes* with a note on other infective larvae in wild-caught mosquitoes in Ceylon. J. Helminthol. 41(4):291-298.

DOBROTKOWSKY, N. V. 1967. The problem of the *Culex pipiens* complex in the South Pacific (including Australia). WHO Bul. 37(2):251-255.

GOZODOVA, G. E., NOVOSILTSEV, G. I. and YUSIPPOVA, A. B. 1968. A simple method of staining a thick film of the blood for detection of blood parasites and microfilaria with reference to differential diagnosis of the latter. Med. Parazit. i Parazit. Boleznii 37(1):79-83. In Rus., Engl. Sum.

HAMON, J. and COAUTHORS. 1967. *Culex pipiens fatigans* Wiedemann, *Wuchereria bancrofti* Cobbold, et le développement économique de l'Afrique tropicale. WHO Bul. 37(2):217-237. Engl. Sum.

HAWKING, F. and JOÃO MARQUES, R. 1967. Control of filariasis by cooking salt medicated with diethylcarbamazine. WHO Bul. 37(3):405-414. Also in WHO/FIL/67.81, 16 pp.

HOCKING, B. 1967. Use of repellents and attractants in filariasis control. WHO Bul. 37(2):323-327.

- LAURENCE, B. R. and SIMPSON, M. 1968. Structure in the microfilaria of *Brugia*. Roy. Soc. Trop. Med. and Hyg. Trans. 62(1):9.
- NEWTON, W. L. 1968. Longevity of an experimental infection with *Dirofilaria immitis* in a dog. J. Parasitol. 54(1):187-188.
- PACHECO, G. and SCHOFIELD, H. L., JR. 1968. *Dirofilaria tenuis* containing microfilariae in man. Amer. J. Trop. Med. and Hyg. 17(2):180-182.
- SAMARAWICKREMA, W. A. 1967. A study of the age-composition of natural populations of *Culex pipiens fatigans* Wiedemann in relation to the transmission of filariasis due to *Wuchereria bancrofti* (Cobbold) in Ceylon. WHO Bul. 37 (1):117-137.
- SAPICO, F. L. and BALTAZAR, R. F. 1967. Filariasis presenting as a case of gross hematuria. Acta Med. Philippina 3(4):273-275.
- SASA, M. 1967. Microfilaria survey methods and analysis of survey data in filariasis control programmes. WHO Bul. 37(4):629-650. Also in WHO/FIL/67.80, 40 pp.
- SENEVIRATNA, P., JAYASINGHE, J. B. and JAINUDEEN, M. R. 1967. Filariasis of elephants in Ceylon. Vet. Record 81(27):716-717.
- SINGH, B., BASU, P. C. and RAGHAVAN, N. G. S. 1967. Filariasis in India—Facts and figures. Part I—Andhra Pradesh. Indian Soc. Malaria and other Commun. Dis. Bul. 4(1):65-68.
- SINGH, D. 1967. The *Culex pipiens fatigans* problem in South-East Asia: with special reference to urbanization. WHO Bul. 37(2):239-243.
- SUBRA, R. and MOUCHET, J. 1967. *Culex pipiens fatigans* Wiedemann in West Africa and its possible role in the transmission of bancroft's filariasis. WHO/FIL/67.73, WHO/VBC/67.5. 10 pp.
- TADA, I. and OTSUJI, Y. 1967. Skin test as a method of epidemiological survey on filarial infection. Jap. J. Parasitol. 16(3):219-226. In Jap., Engl. Sum.
- MALARIA
- ADNER, M. M., ALSTATT, L. B. and CONRAD, M. E. 1968. Coombs-positive hemolytic disease in malaria. Ann. Internal Med. 68(1):33-38.
- ASHWORTH, T. G. and MACPHERSON, F. 1968. A tribal analysis of the sickle cell trait and blood group distribution in Zambia. Roy. Soc. Trop. Med. and Hyg. Trans. 62(1):76-83. [In connection with malaria.]
- BA, H. and MAFFRE, E. 1967. Le paludisme dans la région du Cap-Vert au cours de l'hivernage 1966. Index d'infestation palustre dans les populations de consultants. Méd. d'Afr. Noire 14(6):315-318.
- BARRETT, O., JR. 1968. The problem of vivax malaria in Vietnam returnees. Military Med. 133 (3):211-214.
- BENNETT, J. M. and DESFORGES, J. E. 1967. Quinine-induced haemolysis: mechanism of action. Brit. J. Haematol. 13(5):706-712.
- BERGER, M., BIRCH, L. M. and CONTE, N. F. 1967. The nephrotic syndrome secondary to acute glomerulonephritis during falciparum malaria. Ann. Internal Med. 67(6):1163-1171.
- BERTRAND, E. and COAUTHORS. 1967. Quelques aspects particuliers du paludisme aigu en milieu hospitalier. Méd. d'Afr. Noire 14(6):249-251.
- BLACK, R. H. 1967. Malaria in medical practice in Australia. Med. J. Austral. 54(1):36-37.
- CONRAD, M. E. and DENNIS, L. H. 1968. Splenic function in experimental malaria. Amer. J. Trop. Med. and Hyg. 17(2):170-172.
- DELLER, J. J., JR., CIFARELLI, P. S., BERQUE, S. and BUCHANAN, R. 1967. Malaria hepatitis. Military Med. 132(8):614-620.
- DUKDINA, M. S. and TVERSKAYA, R. M. 1968. Analysis of population numbers of *Anopheles* mosquitoes in Lvov and its vicinity during 1947-1965. Med. Parazit. i Parazit. Bolezni 37(1):28-31. In Rus., Engl. Sum.
- GARNHAM, P. C. C., LANDAU, I., KILICK-KENDRICK, R. and ADAM, J. P. 1967. Répartition et caractères différentiels des plasmodiums de muridés. Soc. de Path. Exot. Bul. 60(2):118-127. Engl. Sum.
- GILLES, H. M. 1968. Summary of recent abstracts. III. Malaria. Trop. Dis. Bul. 65(3):213-218.
- HAWKING, F., WORMS, M. J. and GAMMAGE, K. 1968. Host temperature and control of 24-hour and 48-hour cycles in malaria parasites. Lancet 7541:506-509.
- HEXTER, A. 1968. Selective advantage of the sickle-cell trait. Science 160(3826):436. [In connection with malaria.]
- KIBUKAMUSOKE, J. W., HUTT, M. S. R. and WILKS, N. E. 1967. The nephrotic syndrome in Uganda and its association with quartan malaria. Quart. J. Med. 36(143):393-408.
- KWON, E. H. 1967. Epidemiological aspects of tropical diseases. Korean Med. Assoc. J. 10 (5):361-365. In Kor. [Includes malaria.]
- LAGRAULET, J., ROBET, C. and BARD, J. 1967. Les complications oculaires due au paludisme. Soc. de Path. Exot. Bul. 60(3):217-221. Engl. Sum.
- LYSENKO, A. YA., SEMASHKO, I. N. and FONAREVA, K. S. 1967. Malaria situation in the world in connection with malaria importation in the USSR. II. Africa, Med. Parazit. i Parazit. Bolezni 36(6):737-744. In Rus., Engl. Sum.
- MAEGRAITH, B. G. and SMITH, D. 1968. Malaria in Britain. Brit. Med. J. 5585:179.
- MANWELL, R. D. and STONE, W. B. 1967. Water balance in *pinottii* malaria of pigeons. J. Protozool. 14(3):473-476.
- MILLER, L. H. and COAUTHORS. 1967. Hypoponatraemia in malaria. Ann. Trop. Med. and Parasitol. 61(3):265-279.
- MOSHKOVSKY, SH. D. and COAUTHORS. 1967. The development of the main aspects of malariology in the USSR. Med. Parazit. i Parazit. Bolezni 36(6):643-663. In Rus.
- PENE, P. and COAUTHORS. 1967. Etude de l'évolution du paludisme rural African en fonction

- des glucose 6 phosphate déshydrogénases. Méd. d'Afr. Noire 14(6):257-259.
- PRIOR, D. C. 1968. Malaria in Britain. Brit. Med. J. 5587:310.
- RAPER, A. B. 1968. A commentary on the anti-sickling effect of the phenothiazine drugs. Roy. Soc. Trop. Med. and Hyg. Trans. 62(1): 84-91. [In connection with malaria.]
- _____. 1968. ABO blood groups and malaria. Roy. Soc. Trop. Med. and Hyg. Trans. 62(1): 158-159.
- REES, P. 1968. Malaria in Britain. Brit. Med. J. 5587:310.
- REY, M. and COAUTHORS. 1967. Erythrocytopathies héréditaires et paludisme. Méd. d'Afr. Noire 14(6):253-255.
- ROSEN, S., HANO, J. E. and BARRY, K. G. 1968. Malarial nephropathy in the rhesus monkey. Arch. Pathology 85(1):36-44.
- RUTLEDGE, L. C., GOULD, D. J., CADIGAN, F. C. and CHAICUMPA, V. 1968. Human malaria in non-human primates: experimental mosquito transmission and infection. Mosquito News 28(1):46-49.
- SANKALE, M., DIOP, B. and GUEYE, I. 1967. Enquête d'opinion sur le paludisme en milieu rural au Sénégal. Méd. d'Afr. Noire 14(6):271-280.
- SANKALE, M., KOATE, P. and WADE, F. 1967. Étude du rythme cardiaque au cours du paludisme aigu. Méd. d'Afr. Noire 14(6):281-283. Also in Soc. de Path. Exot. Bul. 60(2):110-114. Engl. Sum.
- SANKALE, M., KOATE, P. and TONDUT, A. 1967. Un cas de forme pseudo-septique mortelle de paludisme aigu intercurrent à *Plasmodium falciparum* greffé sur une endomyocardite rhumatismale. Méd. d'Afr. Noire 14(6):285-286. Also in Soc. de Path. Exot. Bul. 60(2):104-109. Engl. Sum.
- SANKALE, M., WADE, F. and KOATE, P. 1967. Le paludisme de l'adulte sénégalais en milieu hospitalier. Méd. d'Afr. Noire 14(6):261-265.
- SEO, B. S. 1967. Control of malaria. Korean Med. Assoc. J. 10(5):357-360. In Kor.
- SHUTE, P. G. 1968. Malaria in Britain. Brit. Med. J. 5591:578-579.
- SMITH, A. and PRINGLE, G. 1967. Malaria in the Taveta area of Kenya and Tanzania. East Afr. Med. J. 44(11):469-474.
- SPUDIS, V. K. and VOSTOKOVA, K. K. 1967. Quartan malaria in the RSFSR territory in 1959-1966. Med. Parazit. i Parazit. Bolezni 36(6): 733-736. In Rus., Engl. Sum.
- TIBURSKAYA, N. A. and VRUBLEVSKAYA, O. S. 1967. Features of the course of induced quartan malaria. WHO/Mal/67.640, 10 pp.
- TODOROVIC, R., RISTIC, M. and FERRIS, D. 1968. A tube latex agglutination test for the diagnosis of malaria. Roy. Soc. Trop. Med. and Hyg. Trans. 62(1):58-68.
- TRENSZ, F. and COAUTHORS. 1967. La réaction sérique à la mélanine choroidienne. Réaction de Henry. Technique de Trensz. Sa signification biochimique et clinique étudiée sur un groupe d'impaludés thérapeutiques. Ses résultats comparés à ceux de la réaction d'immunofluorescence. Soc. de Path. Exot. Bul. 60(2):128-141. Engl. Sum.
- VARTAN, A. E. 1967. Transfusion malaria in a man with Christmas disease. Brit. Med. J. 5577:466.
- WHO EXPERT COMMITTEE ON MALARIA. 1968. Fourteenth report. WHO Tech. Rpt. Ser. No. 382, 50 pp.
- WRIGHT, F. J. 1967. Tropical diseases in Scotland. Scott. Med. J. 12(8):279-283. [Includes malaria.]
- ZUIDEMA, P. J. 1967. Malaria ovale. Ned. Tijdschr. v. Geneesk. 111(40):1745-1748. Engl. Sum.
- Malaria—Eradication**
- BORCAR, P. A., SRIVASTAVA, H. M. L., ROY, R. G. and MUKHERJI, N. L. 1967. Malaria eradication programme in Goa. Indian Soc. Malaria and other Commun. Dis. Bul. 4(1):45-54.
- COTTA, E. 1967. Estado actual del proyecto Cuba-2300. Eradicación del *Aedes aegypti*, Diciembre, 1966. Bol. Hig. Epidemiol. (Havana) 5(1):101-122.
- GABALDON, A. 1968. Duration of attack measures in a malaria-eradication program. Amer. J. Trop. Med. and Hyg. 17(1):1-12.
- OFICINA SANITARIA PANAMERICANA. 1968. Erradicación de la malaria en las Américas. Bol. Ofic. Sanit. Panamer. 64(3):228-246.
- OSSI, G. T. 1967. Malaria eradication in Iraq in 1962. Bul. Endemic Dis. (Baghdad) 8(1/4): 73-91.
- QUENUM, A. 1967. Les vicissitudes des programmes d'éradication du paludisme en Afrique. Méd. d'Afr. Noire 14(6):287-290.
- ROMERO-ORTIZ, J. 1968. Estimación del costo de un programa de erradicación del paludismo. Bol. Ofic. Sanit. Panamer. 64(2):110-115. Engl. Sum.
- SEHGAL, J. R. 1967. A note on malaria campaign in Simlipal Forest of Orissa State, India. Indian Soc. Malaria and other Commun. Dis. Bul. 4(1):56-58.
- Malaria—Immunology**
- BROWN, I. N., BROWN, K. N. and HILLS, L. A. 1968. Immunity to malaria: the antibody response to antigenic variation by *Plasmodium knowlesi*. Immunology 14(1):127-138.
- COX, H. W. and MILAR, R. 1968. Cross-protection immunization by *Plasmodium* and *Babesia* infections of rats and mice. Amer. J. Trop. Med. and Hyg. 17(2):173-179.
- Malaria—Plasmodia**
- AIKAWA, M., HUFF, C. G. and SPRINZ, H. 1967. Fine structure of the asexual stages of *Plasmodium elongatum*. J. Cell Biol. 34(1):229-249.

- _____, ____ and _____. 1968. Exoerythrocytic stages of *Plasmodium gallinaceum* in chick-embryo liver as observed electron microscopically. Amer. J. Trop. Med. and Hyg. 17(2): 156-169.
- ALDIGHIERI, J., DUPOUX, R., QUILICI, M. and SAUTET, J. 1966. Le sexe de souris joue-t-il un rôle dans l'influence de la température sur les infections à *Plasmodium berghei* traitées par la naftagine? Soc. de Path. Exot. Bul. 59(5):804-806.
- BENNETT, T. P. and TRAGER, W. 1967. Panthenic acid metabolism during avian malaria infection: panthenate kinase activity in duck erythrocytes and in *Plasmodium lophurae*. J. Protozool. 14(2):214-216.
- COX, H. W., MILAR, R. and PATTERSON, S. 1968. Serologic cross-reactions of serum antigens associated with acute *Plasmodium* and *Babesia* infections. Amer. J. Trop. Med. and Hyg. 17(1): 13-18.
- DEANE, L. M. and DE ALMEIDA, F. B. 1967. Natural infection of red howler-monkeys, *Alouata seniculus straminea*, with *Plasmodium brasilianum* in the State of Amazonas, Brazil. Inst. Med. Trop. S. Paulo Rev. 9(5):359-360.
- DESSER, S. S. 1968. Unusual erythrocytic schizonts of *Plasmodium berghei yoelii*. Roy. Soc. Trop. Med. and Hyg. Trans. 62(1):2.
- EL-NAHAL, H. M. S. 1967. Study of serological cross-reactions of exo-erythrocytic schizonts of avian, rodent and primate malaria parasites by the fluorescent antibody technique. WHO Bul. 37 (1):154-158.
- GAIL, K., KRETSCHMAR, W., LEHNER, W. and PURBA, S. 1967. Serumweissveränderungen und schützende Immunität bei Malaria (*Plasmodium berghei*) der Maus. Z. f. Tropenmed. u. Parasitol. 18(2):202-223.
- GEIMAN, Q. M. and MEAGHER, M. J. 1967. Susceptibility of a New World monkey to *Plasmodium falciparum* from man. Nature (London) 215(5099):437-439.
- JEFFREY, H. C. 1968. Morphological changes in *Plasmodium vivax* in patients under treatment with chloroquine. Roy. Soc. Trop. Med. and Hyg. Trans. 62(1):47-50.
- KILLICK-KENDRICK, R., SHUTE, G. T., LAMBO, A. and GUY, M. W. 1968. Rodent plasmodia of Nigeria. Roy. Soc. Trop. Med. and Hyg. Trans. 62(1):2.
- LONGENECKER, B. M., BREITENBACH, R. P. and FARMER, J. N. 1967. Plasma changes in normal, thymectomized, and bursectomized chickens during a *Plasmodium lophurae* infection. Expt. Parasitol. 21(3):292-309.
- MCMANUS, M. A. and ROTH, L. E. 1967. Microtubular structure in myxomycete plasmodia. J. Ultrastruct. Res. 20(3/4):260-266.
- MERCADO, T. I. and VON BRAND, T. 1967. Histochimical localization of glycogen-synthesizing enzymes during parasitic infections. Expt. Parasitol. 21(3):325-335. [*Plasmodium berghei* included.]
- ONORI, E. 1967. Differences in *Plasmodium malariae* prevalence in Uganda. WHO Bul. 37 (2):330.
- _____. 1967. Distribution of *Plasmodium ovale* in the eastern, western and northern regions of Uganda. WHO Bul. 37(4):665-668.
- POLET, H. and CONRAD, M. E. 1968. Malaria: extracellular amino acid requirements for *in vitro* growth of *Plasmodium knowlesi*. Soc. Expt. Biol. and Med. Proc. 127(1):251-253.
- TERZAKIS, J. A., SPRINZ, H. and WARD, R. A. 1967. The transformation of the *Plasmodium gallinaceum* oocyst in *Aedes aegypti* mosquitoes. J. Cell Biol. 34(1):311-326.
- TODOROVIC, R., FERRIS, D. and RISTIC, M. 1967. Roles of the spleen in acute plasmodial and babesial infections in rats. Expt. Parasitol. 21(3):354-372.
- _____, ____ and _____. 1968. Soluble antigens of *Plasmodium gallinaceum*. Roy. Soc. Trop. Med. and Hyg. Trans. 62(1):51-57.
- TRIGG, P. I. 1968. Some factors affecting the cultivation *in vitro* of *Plasmodium knowlesi*. Roy. Soc. Trop. Med. and Hyg. Trans. 62(1):3.
- VINCKE, I. H. and BAFORT, J. 1968. Resultats de deux ans d'observation sur la transmission cyclique de *Plasmodium berghei*. WHO/Mal/68.647, 13 pp.
- WARHURST, D. C. and WILLIAMSON, J. 1968. Electrophoretic fractionation of ribonucleic acid from *Plasmodium knowlesi*. Roy. Soc. Trop. Med. and Hyg. Trans. 62(1):3-4.
- WEISS, M. L. 1968. Resistance of the thirteen-striped ground squirrel (*Citellus tridecemlineatus*) to infection with *Plasmodium berghei*. J. Parasitol. 54(1):168-169.
- WELLDE, B. T. and SADUN, E. H. 1967. Resistance produced in rats and mice by exposure to irradiated *Plasmodium berghei*. Expt. Parasitol. 21(3):310-324.
- WERY, M., KILICK-KENDRICK, R. and BRAY, R. S. 1968. Sporozoite-induced infections of *Plasmodium berghei yoelii* in rabbits and a guinea-pig. Roy. Soc. Trop. Med. and Hyg. Trans. 62 (1):1-2.
- YOELI, M., UPMANIS, R. S., KRONMAN, B. and SCHOPENFELD, C. 1967. Growth of the pre-erythrocytic tissue stages of *Plasmodium berghei* in isolated perfused tree rat liver. Nature (London) 216(5119):1016-1017.
- Malaria—Simian*
- COATNEY, G. R. 1968. Simian malarias in man: facts, implications, and predictions. Amer. J. Trop. Med. and Hyg. 17(2):147-155.
- SCHINDLER, R. and VOLLMER, A. 1967. A comparison of complement-fixation and fluorescent antibody methods in a longitudinal study of simian malaria infection. WHO Bul. 37(4):669-674.
- SHERMAN, I. W. and TING, I. P. 1968. Carbon dioxide fixation in malaria-II. *Plasmodium knowlesi* (monkey malaria). Compar. Biochem. and Physiol. 24(2):639-642.

VOLLER, A. and SCHINDLER, R. 1967. An evaluation of complement-fixation and immunofluorescent tests with a simian malaria parasite antigen, in a study of malarial antibody levels in a population in a malaria endemic area. WHO Bul. 37(4):675-678.

WARD, P. and CONRAN, P. B. 1968. Application of fluorescent antibody to exoerythrocytic stages of simian malaria. J. Parasitol. 54(1):171-172.

Malaria—Therapeutics and Antimalarials

ALDIGHIERI, J., BALANSARD, J., CHARMOT, G. and SAUTET, J. 1967. Action d'un antipaludique retard, (12-278 R. P.) aminoquinoléine associé ou non à une saponine, sur le *Plasmodium berghei* chez la souris. Soc. de Path. Exot. Bul. 60(2): 114-117. Engl. Sum.

BENAZET, F. 1967. Activité d'un nouvel antimarial, le 16.126 R. P. sur le paludisme expérimental des animaux de laboratoire. Soc. de Path. Exot. Bul. 60(3):221-228. Engl. Sum.

CARSON, J. W., JR., BARRINGER, M. L. and JONES, R. E., JR. 1967. Fatal chloroquine ingestion: an increasing hazard. Pediatrics 40(3 pt. 1): 449-450.

CHERNOFF, D. 1967. Dapsone-induced hemolysis in G6PD deficiency. Amer. Med. Assoc. J. 201(7):554-556.

CIFARELLI, P. S. 1967. Sulphormethoxine in malaria. Lancet 7519:774.

DONADIO, J. V., JR., WHELTOM, A. and KAZYAK, L. 1968. Quinine therapy and peritoneal dialysis in acute renal failure complicating malarial haemoglobinuria. Lancet 7539:375-379.

HERRERO, J. 1967. The use of long acting sulfonamides, alone or with pyrimethamine, in malaria (with special reference to sulformetoxine). Soc. Brasil. Med. Trop. Rev. 1(3):103-136.

JERUSALEM, C. and KRETSCHMAR, W. 1967. Untersuchungen zur Nukleinsäuresynthese der malaria-erreger an milchernährten Mäusen (*Plasmodium berghei*). Z. f. Parasitenk. 28(3):193-210.

LAING, A. B. G. 1968. Antimalarial effects of sulphormethoxine diaphenylsulphone and separate combinations of these with pyrimethamine: a review of preliminary investigations carried out in Tanzania. J. Trop. Med. and Hyg. (London). 71(2):27-35.

LEWIS, C. 1968. Antiplasmodial activity of 7-halogenated lincomycins. J. Parasitol. 54(1):169-170.

LUCAS, A. O., HENDRICKSE, R. G., NEAL, R. A. and RICHARDS, W. H. G. 1968. Suppression of malaria with combinations of pyrimethamine and sulphormethoxine or dapsone, a study undertaken at Ilora, Western Nigeria. Roy. Soc. Trop. Med. and Hyg. Trans. 62(1):1.

MARTIN, D. C. and ARNOLD, J. D. 1968. Treatment of acute falciparum malaria with sulfalene and trimethoprim. Amer. Med. Assoc. J. 203(7): 476-480.

WONE, I. and MICHEL, R. 1967. Bilan de la chimioprophylaxie systématique par chloroquine au Sénégal 1963-1966. Méd. d'Afr. Noire 14(6): 267-269.

Malaria—Antimalarials—Resistance and Susceptibility

BARR, J. and BENGTSSORN, E. 1967. Klorokin-resistant malign malaria. Nordisk Med. 78(49): 1619-1622. Engl. Sum.

BLOUNT, R. E. 1967. Management of chloroquine-resistant falciparum malaria. Arch. Internal Med. 119(6):557-560.

BOUVRY, M. 1967. Sur deux souches de *Plasmodium berghei* résistantes à la chloroquine. Méd. d'Afr. Noire 14(6):295.

MICHEL, R., PENE, P. and COURTNEY, K. O. 1966. Tolérance du *Plasmodium falciparum* à pyriméthamine, au proguanil et au CI.501 dans la région des Niayes (Sénégal). Soc. de Path. Exot. Bul. 59(5):797-803. Engl. Sum.

MOTALA, I. 1967. Possible chloroquine-resistant malaria in Zambia. Med. J. Zambia 1(3):93.

RICOSSE, J. H., COZ, J. and BARBIE, Y. 1967. La résistance des hématozoaires aux antipaludiques. Méd. d'Afr. Noire 14(6):305-310.

SHEEHY, T. W. and COAUTHORS. 1967. Supplemental sulfone (dapsone) therapy. Use in treatment of chloroquine-resistant *falciparum* malaria. Arch. Internal Med. 119(6):561-566.

YELLOW FEVER

BOIRON, H. and CASTETS, M. 1966. A propos de la récente épidémie Sénégalaise de fièvre jaune. Soc. de Path. Exot. Bul. 59(5):806-808. Engl. Sum.

SOPER, F. L. 1968. El *Aedes aegypti* y la fiebre amarilla. Bol. Ofic. Sanit. Panamer. 64(3): 187-196. Engl. Sum.

REACTIONS TO BITES

GOLD, D., LENGY, J., LASS, N. and TAGER, A. 1967. Studies on *Culex pipiens molestus* in Israel. 2. Skin response in man to extracts from the mosquito. Int. Arch. Allergy and Appl. Immunol. 31(3):274-282.

LIGHT AND OTHER TRAP STUDIES

BARTNETT, R. E. and STEPHENSON, R. G., JR. 1968. Effect of mechanical barrier mesh size on light trap collections in Harris County, Texas. Mosquito News 28(1):108.

FAY, R. W. 1968. A trap based on visual responses of adult mosquitoes. Mosquito News 28(1):1-7.

LEWIS, L. A. and TELLER, L. W. 1967. The use of fluorescent tubes in a modified New Jersey light trap. N. J. Mosquito Extermin. Assoc. Proc. 54:163-170.

LOY, V. A., BARNHART, C. S. and THERRIEN, A. A. 1968. A collapsible, portable vehicle-mounted insect trap. *Mosquito News* 28(1):84-87.

PILLAI, J. S. and MACNAMARA, F. N. 1968. A portable mosquito trap for use with a Bantam fowl. *Mosquito News* 28(1):87-90.

STEELMAN, C. D., RICHARDSON, C. G., SCHAEFER, R. E. and WILSON, B. H. 1968. A collapsible truck-boat trap for collecting blood-fed mosquitoes and tabanids. *Mosquito News* 28(1):64-67.

TURNER, E. C., JR. and EARP, U. F. 1968. A timing device for direct current New Jersey light traps. *Mosquito News* 28(1):75-76.

LITERATURE REFERENCES AND REVIEWS

DUKHANINA, N. N. 1968. Soviet literature on problems of medical parasitology and parasitic diseases for 1967. *Med. Parazit. i Parazit. Bolezni* 37(1):113-120. In Rus. [Includes malaria and mosquito references.]

SOLLERS-RIEDEL, H. 1968. Literature references to mosquitoes and mosquito-borne diseases. *Mosquito News* 28(1):128-140.

BIOGRAPHY AND HISTORY

FITZGERALD, W. J. 1968. Evolution of use of quinine in treatment of malaria. *N. Y. State J. Med.* 68(6):800-802.

LANGFORD, G. S. 1967. A decade of mosquito control in Maryland. *N. J. Mosquito Extermin. Assoc. Proc.* 54:45-49.

RICHTER, E. D. 1967. Henry R. Carter—an overlooked skeptical epidemiologist. *New Engl. J. Med.* 277(14):734-738.

SUBJECTS NOT COVERED BY OTHER HEADINGS

GALLIARD, H. 1967. *Les maladies parasitaires.* 127 pp., Paris. [Press. Univ. France.]

NAUCK, E. G. (Editor) 1967. *Lehrbuch der Tropenkrankheiten.* Edition 3. 471 pp., Stuttgart.

PRATT, H. D. 1967. Future plans of the American Mosquito Control Association. *N. J. Mosquito Extermin. Assoc. Proc.* 54:19-24.

_____. 1967. The National Communicable Disease Center. *N. J. Mosquito Extermin. Assoc. Proc.* 54:24-32.