

LITERATURE REFERENCES TO MOSQUITOES AND MOSQUITO-BORNE DISEASES

HELEN SOLLERS-RIEDEL¹

Plant Pest Control Division, Agricultural Research Service, United States Department of Agriculture

ADULTICIDES AND LARVICIDES

AREVAD, K. 1968. The use of insecticides for control of mosquito larvae in Denmark. Opuscula Ent. 33(1/2):37.

BARRAGAT, P. 1967. Emprêgo de derivados da hulha no combate a insetos. Rev. Brasil. de Malaria. 19(3):427-433. Engl. Sum.

CHENG, F. Y. 1968. Responses of *Anopheles balabacensis* to various patterns of DDT-spraying of shelters in Sabah, East Malaysia. WHO Bul. 38(3):469-477.

CHINAEV, P. P. 1968. Control of *Anopheles pulcherrimus* Theo. in the floodlands of the Syr-Darya in the Hunger Steppe. Med. Parazit. i Parazit. Bolezni 37(2):226-229. In Rus., Engl. Sum.

DAVIS, T. 1965. Progress in mosquito control in Utah County. Utah Mosquito Abat. Assoc. Proc. 18:15-16. [Pub. in 1968.]

GLANCEY, B. M., MOUSSA, M. A., SCANLON, J. E. and LOFGREN, C. S. 1968. Abate® and Dursban® against *Aedes aegypti* (L.) breeding in concrete water jars in Bangkok, Thailand. Mosquito News 28(2):205-206.

GJULLIN, C. M. and EDDY, G. W. 1965. Low volume airplane sprays for the control of mosquitoes. Utah Mosquito Abat. Assoc. Proc. 18:7-9. [Pub. in 1968.]

HARDEN, F. W. and ETHRIDGE, B. J. 1968. Unique problems in insect and pest control of NASA's Mississippi test facility. Mosquito News 28(2):141-143.

KANTACK, B. H. and BERNDT, W. L. 1968. South Dakota insecticide recommendations 1968. 90 pp. [Includes mosquitoes.]

KOLTA, S. 1968. Geographical reconnaissance for mosquito larvicing operations in the barrier zone at Aswan Dam, United Arab Republic. WHO/Mal/68.644, WHO/VBC/68.54. 4 pp.

LEWIS, L. F. and CHRISTENSON, D. M. 1968. Abate, Dursban studied in Northwest project. Pest Control 36(7):38-40.

LORENZEN, G. A. and MEINKE, W. W. 1968. A feasibility study on the utilization of monomolecular films for mosquito abatement. Mosquito News 28(2):230-232.

MATSUBARA, H. 1968. Studies on the bio-

logical activity of surface-active agents. Part II. On the effect of nonionic surface-active agents upon the lethal toxicity and knockdown speed of *p, p'*-DDT emulsion against larvae of the common house mosquito, *Culex pipiens pallens* Coquillett. Agr. Chem. Soc. Japan J. 42(5):267-272. In Jap., Engl. Sum.

— and Ito, H. 1967. Studies on the biological activity of surface-active agents. Part I. On the toxicities of various surface-active agents against larvae of the common house mosquito, *Culex pipiens pallens* Coquillett. Agr. Chem. Soc. Japan J. 41(11):599-606. In Jap., Engl. Sum.

MCNEILL, J. C., IV, MILLER, W. O. and WLECZYK, C. M. 1968. Evaluation of Dursban as a larvicide in septic ditches. Mosquito News 28(2):160-161.

MICKS, D. W., CHAMBERS, G. V., JENNINGS, J. and BARNES, K. 1968. Mosquito control agents derived from petroleum hydrocarbons. II. Laboratory evaluation of a new petroleum derivative, FLIT® MLO. J. Econ. Ent. 61(3):647-650.

MURRAY, W. D. 1968. Oil larvicides applied by aircraft in an area characterized by resistance to organophosphorous larvicides. Mosquito News 28(2):233.

RIOUX, J. A. and COAUTHORS. 1967. Les bases phytosécologiques de la lutte anticulicidienne. Cartographie des biotopes larvaires. Ses applications opérationnelles dans le "Midi" méditerranéen. Ann. de Parasitol. Humaine et Comparée. 42(6):665-680.

SAMIMI, B., MOTABAR, M. and ROUHANI, F. 1968. Report on the evaluation of Baygon, 50% w/w (Bayer 39007, OMS-33, Arprocarb) Shabankareh area, southern Iran, 1966. WHO/VBC/68.64, WHO/Mal/68.646. 16 pp.

SHAWARRY, A. A. and COAUTHORS. 1967. Further trials for entomological and parasitological evaluation of some insecticides against *A. pharoenensis* in U. A. R. 1965. Egypt. Pub. Health Assoc. J. 42(3):102-113.

SINHA, V. P. and LAL, B. S. 1968. Observations of the efficacy of newer insecticides as adulticide and larvicide against *Culex fatigans*. Patna J. Med. 42(5):191-197.

SJOGREN, R. D. and MULLA, M. S. 1968. Drip application of three organophosphorus insecticides for mosquito control. Mosquito News 28(2):172-177.

¹ Complete mailing address: P.O. Box 19009, Washington, D.C. 20036, USA.

SUTHERLAND, D. J. and ROSEN, J. D. 1968. Photoaldrin and its toxicity to mosquito larvae. *Mosquito News* 28(2):155-159.

WHITLAW, J. T., JR. and EVANS, E. S., JR. 1968. Selected plastic formulations for use as mosquito larvicides. *J. Econ. Ent.* 61(4):889-892.

VARIOUS TYPES OF CONTROL

ANDERSON, D. M. and REES, D. M. 1965. Conclusions to date from cooperative multi-purpose water management studies conducted in Utah. *Utah Mosquito Abat. Assoc. Proc.* 18:9-11. [Pub. in 1968.]

BRUMBAUGH, L. R. 1968. Mosquito Control—San Joaquin style men, machines and organization. *Pest Control* 36(4):10-12, 14, 16, 18, 49, 50, 52.

CHAMBERLAIN, N. V. and HINSHAW, R. N. 1966. Some aspects of pollutional effects on the aquatic environment. *Utah Mosquito Abat. Assoc. Proc.* 19:36-43. [Pub. in 1968.]

GRAHAM, J. E. 1966. An example of mosquito source reduction through water management and land improvement. *Utah Mosquito Abat. Assoc. Proc.* 19:30. [Pub. in 1968.]

LOW, J. B. 1966. Waterfowl interests in relation to vector control programs. *Utah Mosquito Abat. Assoc. Proc.* 19:25-30. [Pub. in 1968.]

McFARLAND, G. C. 1966. Urban mosquito control in Los Angeles County. *Utah Mosquito Abat. Assoc. Proc.* 19:35-36. [Pub. in 1968.]

NAGEL, J. E. 1966. Coordination and responsibility in wildlife management and mosquito control. *Utah Mosquito Abat. Assoc. Proc.* 19:34. [Pub. in 1968.]

REES, D. M. 1966. Cooperative water management for mosquito control and wildlife production. *Utah Mosquito Abat. Assoc. Proc.* 19:30-33. [Pub. in 1968.]

SMITH, D. A. 1965. Willard Bay Waterfowl Management Area—a feature of the Weber Basin Water Development Project. *Utah Mosquito Abat. Assoc. Proc.* 18:5-6. [Pub. in 1968.]

WALLACE, G. K. 1965. Role of the Willard Dam and Reservoir in the Weber Basin Project. *Utah Mosquito Abat. Assoc. Proc.* 18:6-7. [Pub. in 1968.]

WHITESELL, K. G., 1965. Large scale granular parathion pre-treatment of a duck club area in the Colusa Mosquito Abatement District. *Utah Mosquito Abat. Assoc. Proc.* 18:14-15. [Pub. in 1968.]

WILLIS, J. D. 1965. Some aspects of mosquito control in California. *Utah Mosquito Abat. Assoc. Proc.* 18:12-14. [Pub. in 1968.]

STERILIZATION METHODS

GROVER, K. K., PILLAI, M. K. K. and DASS, C. M. S. 1967. Effect of certain alkylating and non-alkylating chemosterilants on *Culex fatigans* Wied. *Cur. Sci. (Bangalore)* 36(23):625-627. [In title spelling was Wied.]

LABRECQUE, G. C. and SMITH, C. N. (Editors). 1968. *Principles of insect chemosterilization*. 354 pp., New York.

PILLAI, M. K. K. and GROVER, K. K. 1968. Sterilizing effect of a phosphoramide on *Culex fatigans* Wied. *Cur. Sci. (Bangalore)* 37(9):257-258.

SMITTLE, B. J., MOUNT, G. A., DAS, M. and RAJAPAKSA, N. 1968. Apholate and gamma irradiation compared as sterilants for *Culex pipiens quinquefasciatus* Say (Diptera:Culicidae). *Mosquito News* 28(2):201-204.

AEDES AEGYPTI ERADICATION

PAN AMERICAN SANITARY BUREAU. 1968. Informe de Enero 1968 sobre la campaña de erradicación del *Aedes aegypti* en las Américas. *Bol. Ofic. Sanit. Panamer.* 64(6):553.

MOSQUITO CONTROL AGENCY PROBLEMS

DESPLAINES VALLEY MOSQUITO ABATEMENT DISTRICT (Lyons, Illinois). 1968. Fortieth anniversary issue 1927-1967. Annual report. 20 pp.

SALT LAKE CITY MOSQUITO ABATEMENT DISTRICT. 1968. Summary of the thirty-eighth annual report 1967. 30 pp., Salt Lake City.

TOLEDO AREA SANITARY DISTRICT. 1968. Twenty-first annual report 1967. 9 pp., Ohio.

PARASITES, PREDATORS, VIRUSES AND RELATED AGENTS

CHAPMAN, H. C., CLARK, T. B., PETERSEN, J. J. and WOODARD, D. B. 1968. Louisiana lab takes intensive look at parasites for mosquito control. *Pest Control* 36(5):64-73. [Passim.]

CLARK, T. B., KELLEN, W. R., FUKUDA, T. and LINDEGREN, J. E. 1968. Field and laboratory studies on the pathogenicity of the fungus *Beauveria bassiana* to three genera of mosquitoes. *J. Invertebrate Path.* 11(1):1-7. [*Culex*, *Aedes*, *Anopheles*.]

DABROWSKA-PROT, E., LUCZAK, J. and TARWID, K. 1968. The predation of spiders on forest mosquitoes in field experiments. *J. Med. Ent.* 5(2):252-256.

FAUST, R. M., DOUGHERTY, E. M. and ADAMS, J. R. 1968. Nucleic acid in the blue-green and orange mosquito iridescent viruses (MIV) isolated from larvae of *Aedes taeniorhynchus*. *J. Invertebrate Path.* 10(1):160,

- Novák, D. 1967. Beobachtungen zur Verbreitung von Mykosen bei Stechmücken. Z. f. Tropenmed. u. Parasitol. 18(4):488-491. Engl. Sum.
- SHAH, V. K., MATSUMURA, F. and KNIGHT, S. G. 1968. Fungal toxins against larvae of the yellow-fever mosquito, *Aedes aegypti*. J. Invertebrate Path. 11(1):146-148.
- STEINHAUS, E. A. 1967. Insect microbiology. 763 pp., New York and London. [Includes mosquitoes.]
- WEISER, J. 1968. Guide to field determination of major groups of pathogens and parasites affecting arthropods of public health importance. WHO/VBC/68.59, 11 pp. Illus. [Includes those affecting mosquitoes.]

EQUIPMENT

JOHNS, B. E. 1968. The South Cook County Mosquito Abatement District right hand drive in service. Mosquito News 28(2):237-238.

SMITH, D. B. and BURT, E. C. 1968. Use of manufacturer's insecticide container as a reservoir in applying ultra-low-volume sprays with ground equipment. J. Econ. Ent. 61(4):1126-1128.

ATTRACTANTS AND REPELLENTS

KELLOGG, F. E., BURTON, D. J. and WRIGHT, R. H. 1968. Measuring mosquito repellency. Canad. Ent. 100(7):763-768.

QADRI, S. H., KRISHNA RAO, J. J. and MAJUMDER, S. K. 1967. Evaluation of some repellent cream formulations against housefly and mosquito. Internat. Pest Control 9(2):25-26, 29.

SCHAUSS, W. G., MABACH, H. I. and KHAN, A. A. 1968. Drugs and disease as mosquito repellents in man. Amer. J. Trop. Med. and Hyg. 17(3):461-464.

WOOD, P. W. and WRIGHT, R. H. 1968. Some responses of flying *Aedes aegypti* to visual stimuli. Canad. Ent. 100(5):504-513.

RESISTANCE AND SUSCEPTIBILITY

BROWN, A. W. A. 1967. Insecticide resistance—genetic implications and applications. World Rev. Pest Control 6(4):104-114. [Mostly mosquitoes.]

GILLIES, P. A. and WOMELDORF, D. J. 1968. Methodology employed in the California mosquito larvicide resistance surveillance program. Calif. Vector Views 15(5):45-50.

HOOPER, G. H. S. 1967. The susceptibility to insecticides of populations of *Aedes aegypti* from Queensland, Australia. Ann. Trop. Med. and Parasitol. 61(4):451-456.

_____. 1968. Gas-liquid chromatography analysis of DDT metabolism of *Aedes aegypti*. J. Econ. Ent. 61(3):858-859.

INWANG, E. E. 1968. Effect of insecticide-free rearing on the reproductive potential of organophosphorus-resistant African strains of *Aedes aegypti* (L.). Canad. J. Zool. 46(1):15-19.

KALRA, R. L. 1967. Resistance to DDT isomers in *Culex pipiens fatigans*. Indian J. Expt. Biol. 5(3):187-188.

MADHUKAR, B. V. R. and PILLAI, M. K. K. 1968. Insecticide susceptibility studies in Indian strains of *Aedes aegypti* L. Mosquito News 28(2):222-225.

_____. and _____. 1968. Insecticide susceptibility of the larvae of *Aedes aegypti* in India. WHO/VBC/68.68, 5 pp.

MOHAN, B. N. and SINGH, N. N. 1965. Studies on selection and inheritance of insecticide resistance in *Anopheles stephensi*—Part I. Selection of DDT resistant strain in the laboratory. Indian J. Genet. and Plant Breeding 25(3):266-278.

PENNINGTON, N. E. 1968. Resistance of *Culex tritaeniorhynchus* Giles and *Culex quinquefasciatus* Say to malathion on Okinawa with notes on susceptibility to other insecticides. Mosquito News 28(2):193-198.

PLAPP, F. W., JR. and HOYER, R. F. 1968. Possible pleiotropism of a gene conferring resistance to DDT, DDT analogs, and pyrethrins in the house fly and *Culex tarsalis*. J. Econ. Ent. 61(3):761-765.

SINGH, N. N. and MOHAN, B. N. 1965. Studies on selection and inheritance of insecticide resistance in *Anopheles stephensi*—Part II. Inheritance of resistance to DDT. Indian J. Genet. and Plant Breeding 25(3):279-290.

TOMLIN, A. D. 1968. Trans-aldrin glycol as a metabolite of dieldrin in larvae of the southern house mosquito. J. Econ. Ent. 61(3):855-857.

ZAGHLoul, T. M. A. and BROWN, A. W. A. 1968. Effects of sublethal doses of DDT on the reproduction and susceptibility of *Culex pipiens* L. WHO Bul. 38(3):459-467.

INSECTICIDES AND CHEMICALS

MATSUBARA, H. 1967. On the effect of synthetic synergists upon the knockdown speed of pyrethroids against larvae of the common house mosquito, *Culex pipiens pallens* Coquillett. Agr. Biol. Chem. 31(10):1130-1134.

PARK, K. S. and BRUCE, W. N. 1968. The determination of the water solubility of aldrin, dieldrin, heptachlor, and heptachlor epoxide. J. Econ. Ent. 61(3):770-774.

PEST CONTROL. 1968. 1968 directory of pesticides. Pest Control 36(4):20-49. [Passim.]

SHAFIK, M. T. and ABU ELAMAYEM, M. 1967. Formulation analysis: the effect of different storage treatments on the susceptibility agglomeration and deterioration of surfactants of DDT water-dispersible powders. WHO Bul. 37(4): 687-695.

TOXICOLOGY

ARGAUER, R. J. and COAUTHORS. 1968. Drift of water-diluted and undiluted formulations of malathion and azinphosmethyl applied by airplane. J. Econ. Ent. 61(4):1015-1020.

BOYD, E. M. and DE CASTRO, E. S. 1968. Protein-deficient diet and DDT toxicity. WHO Bul. 38(1):141-150.

CAIRNS, J., JR. 1968. The effects of dieldrin on diatoms. Mosquito News 28(2):177-179.

CANNON, M. S. and HOLCOMB, L. C. 1968. The effect of DDT on reproduction in mice. Ohio J. Sci. 68(1):19-24.

CULLEY, D. D. and APPLEGATE, H. G. 1967. Residues in fish, wildlife, and estuaries. Insecticide concentrations in wildlife at Presidio, Texas. Pesticides Monitor. J. 1(2):21-28.

LAWES, E. R., JR. and COAUTHORS. 1968. Field study of the safety of Abate for treating potable water and observations on the effectiveness of a control programme involving both Abate and malathion. WHO Bul. 38(3):439-445.

MYERS, C. M., LEWALLEN, L. L. and NOBE, B. 1968. Residue studies of fenthion (Baytex®) and Dursban® in central California pastures. Calif. Vector Views 15(5):51-53.

ROBERTS, R. S. and KNOWLTON, G. F. 1965. Current insecticide problems. Utah Mosquito Abat. Assoc. Proc. 18:11-12. [Pub. in 1968.]

BEHAVIOR, BIOLOGY AND ECOLOGY

BAERG, D. C. 1968. Overwintering habits of *Orthopodomyia californica* Bohart (Diptera:Culicidae). Mosquito News 28(2):234-235.

BARKAI, A. and YOFE, J. 1967. Notes on breeding and endofily of mosquitos in the "Shomron" district, Israel. Riv. di Parassitol. 28(4): 291-294.

BRYAN, J. H. 1968. Results of consecutive matings of female *Anopheles gambiae* species B with fertile and sterile males. Nature (London) 218(5140):489.

CHINAEV, P. P., MUMINOV, M. S. and ZAINIEV, S. A. 1968. Breeding places of bloodsucking mosquitoes Culicidae and recommendations for prevention of their appearance in lands of new irrigation in the Hunger Steppe. Med. Parazit. i Parazit. Bolezni 37(3):336-339. In Rus., Engl. Sum.

CRANS, W. J. 1968. *Aedes atlanticus* Dyar and Knab, feeding on turtles. Mosquito News 28(2): 239.

HARTBERG, W. K. and CRAIG, G. B., JR. 1968. Reproductive isolation in *Stegomyia* mosquitoes. I. Sexual isolation between *Aedes aegypti* and *A. mascarensis*. Ent. Soc. Amer. Ann. 61(4): 865-870.

HINTON, H. E. 1968. Observations on the biology and taxonomy of the eggs of *Anopheles* mosquitoes. Bul. Ent. Res. 57(4):495-508.

KLASSEN, W. 1968. Dispersal of mosquitoes. Quaestiones Ent. 4(2):39-55.

LUM, P. T. M., NAYAR, J. K. and PROVOST, M. W. 1968. The pupation rhythm in *Aedes taeniorhynchus*. III. Factors in developmental synchrony. Ent. Soc. Amer. Ann. 61(4):889-899.

MCGAUGHEY, W. H. 1968. Role of salts in oviposition site selection by the black salt-marsh mosquito, *Aedes taeniorhynchus* (Wiedemann). Mosquito News 28(2):207-217.

MULLA, M. S. and CHAUDHURY, M. F. B. 1968. Effects of surface tension on pupae of *Culex pipiens quinquefasciatus* Say and *Aedes aegypti* (L.). Mosquito News 28(2):187-191.

— and —. 1968. Influence of some environmental factors on the viability and hatching of *Aedes aegypti* (L.) eggs. Mosquito News 28(2):217-221.

NAYAR, J. K. 1968. The biology of *Culex nigripalpus* Theobald (Diptera: Culicidae). Part 2. Adult characteristics at emergence and adult survival without nourishment. J. Med. Ent. 5(2): 203-210.

PETERSEN, J. J. 1965. Comparison of the oviposition preference in the mosquitoes *Aedes dorsalis* and *Aedes nigromaculatus* to sodium chloride concentrations. Utah Mosquito Abat. Assoc. Proc. 18:16. [Pub. in 1968.]

PILLAI, M. K. K. 1968. A preliminary report on the breeding sites and incidence of *Aedes* in Delhi. WHO/VBC/68.67, 3 pp.

— and MADHUKAR, B. V. R. and GROVER, K. K. 1968. A preliminary report on the breeding sites and incidence of *Aedes* in Delhi. Cur. Sci. (Bangalore) 37(1):4-5.

SASA, M., SHIRASAKA, A. and WADA, Y. 1967. Comparative studies on breeding habits of a laboratory adapted variant and wild colonies of *Culex tritaeniorhynchus summorosus*, the principal vector of Japanese encephalitis. Jap. J. Expt. Med. 37(3):257-264.

SIVERLY, R. E. and DEFOLIART, G. R. 1968. Mosquito studies in northern Wisconsin. I. Larval studies. Mosquito News 28(2):149-154.

SJOGREN, R. D. 1968. Notes on *Culex tarsalis* Coquillett breeding in sewage. Calif. Vector Views 15(4):42-43.

SOKOLOVA, E. I. 1968. Main places of blood-sucking mosquitoes (Culicidae) in conditions of the northern taiga. Zool. Zhur. 47(4):640-643. In Rus., Engl. Sum.

SPENCER, M. 1967. Anopheline attack on mother and infant pairs, Fergusson Island, Papua New Guinea Med. J. 10(3):75.

TRUMAN, J. W. and CRAIG, G. B., JR. 1968. Hybridization between *Aedes hendersoni* and *Aedes triseriatus*. Ent. Soc. Amer. Ann. 61(4):1020-1025.

WALLIS, R. C. and WHITMAN, L. 1968. Oviposition of *Culiseta morsitans* (Theobald) and comments on the life cycle of the American form. Mosquito News 28(2):198-200.

WILTON, D. P. 1968. Oviposition site selection by the tree-hole mosquito, *Aedes triseriatus* (Say). J. Med. Ent. 5(2):189-194.

WOODARD, D. B., CHAPMAN, H. C. and PETERSEN, J. J. 1968. Laboratory studies on the seasonal hatchability of egg batches of *Aedes sollicitans*, *A. taeniorhynchus*, and *Psorophora confinnis*. Mosquito News 28(2):143-146.

GENETICS

DUNN, M. A. and CRAIG, G. B., JR. 1968. Small-antenna, a sex-linked mutant of *Aedes aegypti*. J. Heredity 59(2):131-140.

KNIPLING, E. F. and Coauthors. 1968. Genetic control of insects of public health importance. WHO Bul. 38(3):421-438.

LAIRD, M. 1967. Eradication of *Culex pipiens fatigans* through cytoplasmic incompatibility. Nature (London) 216(5122):1358.

LAVEN, H. 1967. Speciation and evolution in *Culex pipiens*. In Genetics of insect vectors of disease (edited by J. W. Wright and R. Pal), pp. 251-275.

—. 1967. Eradication of *Culex pipiens fatigans* through cytoplasmic incompatibility. Nature (London) 216(5113):383-384.

—. 1967. Formal genetics of *Culex pipiens*. In Genetics of insect vectors of disease (edited by J. W. Wright and R. Pal), pp. 17-65.

—. 1968. Genetische Methoden zur Schädlingsbekämpfung. Anz. f. Schädlingskunde 41(1):1-7.

WRIGHT, J. W. and PAL, R. (Editors). 1967. Genetics of insect vectors of disease. 794 pp., Amsterdam [Includes mosquitoes.]

See also Coluzzi et al in Taxonomy Section.

ANATOMY, MORPHOLOGY AND PHYSIOLOGY

ALGER, N. E. 1968. *In vitro* development of

Plasmodium berghei ookinetes. Nature (London) 218(5143):774.

BUFFINGTON, J. D. and ZAR, J. H. 1968. Changes in fatty acid composition of *Culex pipiens pipiens* during hibernation. Ent. Soc. Amer. Ann. 61(3):774-775.

CRANS, W. J. and GANDEK, L. J. 1968. Notes on the occurrence of abnormal scale pattern in adult female *Aedes vexans* (Meigen). Mosquito News 28(2):235-236.

DOWNES, J. A. 1968. Notes on the organs and processes of sperm-transfer in the lower Diptera. Canad. Ent. 100(6):608-617. [Includes mosquitoes.]

GUBLER, D. J. 1968. A method for the *in vitro* cultivation of ovarian and midgut cells from the adult mosquito. Amer. J. Epidemiol. 87(2):502-508.

LE BERRE, R. 1967. Les membranes péritoniques chez les arthropodes. Leur rôle dans la digestion et leur intervention dans l'évolution d'organismes parasites. Entomologie Médicale Cah. 5(3):147-204. Engl. Sum. [Includes mosquitoes.]

MICKS, D. W., JENNINGS, J. and BARNES, K. 1968. Identification of pteridines in *Aedes aegypti* (L.). Mosquito News 28(2):191-192.

NOVÁK, D. 1967. Laboratoriumsversuche über den Schall des Flügelschlages von *Culex pipiens* Linnaeus während der Diapause (Diptera: Culicidae). Beitr. Ent. 17(5/8):637-638. Engl. Sum.

OWEN, W. B. and REINHOLDZ, S. 1968. Intake of nucleotides by the mosquito *Culiseta inornata* in comparison with water, sucrose and blood. Expt. Parasitol. 22(1):43-49.

TAWFIK, M. S. 1968. Feeding mechanisms and the forces involved in some bloodsucking insects. Quaestiones Ent. 4(3):92-111. [Mosquitoes included.]

VINOGRADOVA, E. B. and FOMENKO, R. B. 1968. Morphological and biological peculiarities of *Culex pipiens* L. (Diptera, Culicidae) in Uzbekistan. Ent. Obozr. 47(1):3-9. In Rus., Engl. Sum.

TECHNIQUES

AMIRKHANIAN, J. D. 1968. A combined HCl-acetic-alcohol fixation and hydrolysis followed by cresyl violet staining for mosquito chromosome spreads. Stain Technol. 43(3):167-170.

BRUST, R. A. and GIARDINO, J. 1968. Illumination and photography of mosquito eggs. Ent. Soc. Amer. Ann. 61(4):1039-1041.

DADD, R. H. 1968. A method for comparing feeding rates in mosquito larvae. Mosquito News 28(2):226-230.

DHAR, D. N., BASU, P. C. and PATTANAYAK, S. 1967. *In vitro* cultivation of *Dirofilaria repens*

microfilariae to the sausage stage. Indian J. Med. Res. 55(9):915-919.

DOANE, J. F. and ALLAN, R. K. 1968. A chamber for studying the effect of relative humidity and soil moisture on insect eggs. Canad. Ent. 100(4):358-362. Illus.

EDMAN, J. D., EVANS, F. D. S. and WILLIAMS, J. A. 1968. Development of a diurnal resting box to collect *Culiseta melanura* (Coq.). Amer. J. Trop. Med. and Hyg. 17(3):451-456.

LINLEY, J. R. and EVANS, F. D. S. 1968. A simple device to aid time-lapse studies with insects. Ent. Soc. Amer. Ann. 61(3):775-777. Illus.

MACCUAIG, R. D. and WATTS, W. S. 1968. A simple technique for applying small measured quantities of insecticides to insects. Bul. Ent. Res. 57(4):549-552.

PATTON, R. L., EDWARDS, L. J. and GILMORE, S. K. 1968. Delivering safe levels of CO₂ for insect anesthesia. Ent. Soc. Amer. Ann. 61(4):1046-1047.

REHÁČEK, J. 1968. The growth of arboviruses in mosquito cells in vitro. Acta Virol. 12(3):241-246.

RICKER, D. W. and GOEDEN, R. D. 1968. A fume ventilator for dissecting microscopes. Ent. Soc. Amer. Ann. 61(4):1043-1044.

ROBERTS, D. W. and GRANADOS, R. R. 1968. An inexpensive device for pulling glass micro-needles for injection of small arthropods. Ent. Soc. Amer. Ann. 61(4):1042-1043.

RUDYAKOV, YU. A. 1968. A method of making permanent preparations of small arthropods. Zool. Zhur. 47(3):453-454. In Rus., Engl. Sum.

SCHNEIDER, I. 1968. Cultivation in vitro of *Plasmodium gallinaceum* oocysts. Expt. Parasitol. 22(2):178-186.

SINGH, K. R. P. and PAUL, S. D. 1968. Multiplication of arboviruses in cell lines from *Aedes albopictus* and *Aedes aegypti*. Cur. Sci. 37(3):65-67.

TRIGG, P. I. 1968. A new continuous perfusion technique for the cultivation of malaria parasites in vitro. Roy. Soc. Trop. Med. and Hyg. Trans. 62(3):371-378.

TRUMAN, J. W. 1968. Acetone treatment for preservation of adult and larval mosquitoes. Ent. Soc. Amer. Ann. 61(3):779-780.

WASHINO, R. K. and HOKAMA, Y. 1968. Quantitative sampling of aquatic insects in a shallow-water habitat. Ent. Soc. Amer. Ann. 61(3):785-786. [Includes mosquitoes.]

WIRTH, W. W. and MARSTON, N. 1968. A method for mounting small insects on microscope slides in Canada balsam. Ent. Soc. Amer. Ann. 61(3):783-784.

See also Kellogg et al. in Attractants and Repellents Section.

TAXONOMY

CASAL, O. H. and GARCÍA, M. 1968. *Culex (Allimanta)* nuevo subgenero para *Culex (Culex) tramaazayguesi* Duret, 1954 (Diptera, Culicidae). Physis 27(75):329-335. [n. subg.]

— and —. 1968. *Culex (Culex) eduardoi*, una nueva especie de la Republica Argentina (Diptera, Culicidae). Soc. Ent. Argentina Rev. 30 (1/4):105-111. [n. sp.]

— and —. 1968. *Culex (Melanoconion) martinezii*, una nueva especie de la Republica Argentina (Diptera, Culicidae). Physis 27(75):455-459. [n. sp.]

COLUZZI, M. and SABATINI, A. 1968. Divergenze morfologiche e barriere di sterilità nel complesso *Aedes mariae* (Diptera, Culicidae). Riv. di Parasitol. 29(1):49-70. Engl. Sum.

DELFINADO, M. D. 1968. Contributions to the mosquito fauna of Southeast Asia. III. The genus *Aedes*, subgenus *Neomacleaya* Theobald in Southeast Asia. Amer. Ent. Inst. Contrib. 2(4):1-74. [*Aedes pahangi*, *philippensis*, *rarus*, *siamensis* n. spp.]

DURET, J. P. 1967. Cinco especies nuevas de *Culex (Melanoconion)* (Diptera, Culicidae). Soc. Ent. Argentina Rev. 30(1/4):69-81. Engl. Sum. [*C. isabelae*, *ernanii*, *faurani*, *ferreri*, *silvai* n. spp.]

—. 1967. *Culex (Culex) chitae* una nueva especie de Colombia (Diptera, Culicidae). Neotropica 13(42):113-116. [n. sp.]

—. 1968. *Culex (Melanoconion) kerri* y *C. (M.) cristovaoi* dos nuevas especies del Brasil (Diptera, Culicidae). Neotropica 14(43):11-16. Engl. Sum. [n. spp.]

—. 1968. Dos especies nuevas de *Culex (Culex)* de la Argentina (Diptera, Culicidae). Physis 27(75):323-328. [*C. cuyanus* and *C. rojanus* n. spp.]

ELBEL, R. E. 1968. Sight identification key for mosquitoes of the Great Salt Lake Basin. Mosquito News 28(2):167-171.

GJULLIN, C. M., LEWIS, L. F. and CHRISTENSON, D. M. 1968. Notes on the taxonomic characters and distribution of *Aedes aloponotum* Dyar and *Aedes communis* (De Geer) (Diptera:Culicidae). Ent. Soc. Wash. Proc. 70(2):133-136.

HUANG, Y. M. 1968. A new subgenus of *Aedes* (Diptera, Culicidae) with illustrated key to the subgenera of the Papuan Subregion (Diptera: Culicidae). J. Med. Ent. 5(2):169-188. [*Huaedes* n. subg.; *Aedes wauensis* n. sp.]

ISHII, T. 1966. On the *Culex pipiens* group in

Japan. IV. Revision of the larval, pupal, and adult characters of *Culex pipiens pallens* Coquillett and *Culex vagans* Wiedemann (Diptera, Culicidae). Sci. Rpt. Tohoku Univ. Ser. 4 (Biol.) 32(1):11-30.

KNIGHT, K. L. 1968. Contributions to the mosquito fauna of Southeast Asia. IV. Species of the subgroup *Chrysolineatus* of group D, genus *Aedes*, subgenus *Finlaya* Theobald. Amer. Ent. Inst. Contrib. 2(5):1-45.

LIEN, J. C. 1967. New species of mosquitoes from Taiwan (Diptera: Culicidae). Part I. Two new species of *Aedes* (*Finlaya*). Trop. Med. (Nagasaki) 9(4):177-185. [*A. crossi* and *hurlbuti* n. spp.]

—. 1968. New species of mosquitoes from Taiwan (Diptera: Culicidae). Part II. New species of *Tripteroides*, *Orthopodomyia*, *Culiseta* and *Uranotaenia*. Trop. Med. (Nagasaki) 10(1):1-20. [*T. cheni*, *O. lanyuensis*, *C. lishanensis*, *U. lui*, *U. nii* n. spp.]

SOBITI, S. K. 1968. A new species of the *Anopheles funestus* complex (Diptera: Culicidae) from Zanzibar, United Republic of Tanzania. WHO Bul. 38(3):481-483. [*Anopheles aruni* n. sp.]

STEFFAN, W. A. 1968. *Armigeres* of the Papuan Subregion (Diptera: Culicidae). J. Med. Ent. 5(2):135-159.

XAVIER, S. H. 1967. Descrição da larva e da pupa de *Aedes (Ochlerotatus) oligopistus* Dyar, 1918 (Diptera, Culicidae). Rev. Brasil. de Malariaol. 19(2):227-230. Engl. Sum.

See also Hinton in Behavior, Biology and Ecology Section.

DISTRIBUTION

CARPENTER, S. J. 1968. Observations on the distribution and ecology of mountain *Aedes* mosquitoes in California. XI. *Aedes pullatus* (Coquillett). Calif. Vector Views 15(2):7-14.

— and WOMELDORF, D. J. 1968. Distribution and ecology of *Aedes bicristatus* Thurman and Winkler. Calif. Vector Views 15(4):37-41.

COLUZZI, M. and COLUZZI, A. 1967. Su alcune specie di *Aedes* (Diptera, Culicidae) degli Appennini e del Gargano. Riv. di Parassitol. 28(1):47-61. Engl. Sum.

FREYVOGEL, T. A. and KIHUALE, P. M. 1968. Report on a limited anopheline survey at Ifakara, south-eastern Tanzania. Acta Tropica 25(1):17-28.

HARMSTON, F. C. and LAWSON, F. A. 1967. Mosquitoes of Colorado. 140 pp., Atlanta. [Natl. Commun. Dis. Center.]

LACHMAJER, J. and SKIERSKA, B. 1968. Biting

mosquitoes (Diptera, Culicinae) found in the Baltic coastal area between the Vistula and Odra mouths, in the years 1963-1965. Inst. Marine Med. Gdansk Bul. 19(1/2):7-20.

MOLOTOVA, L. A. 1966. Bloodsucking Diptera from the health resorts of Turkmenia. Akad. Nauk Turkmen. SSR Izv. Ser. Biol. Nauk 5:65-71. In Rus. [Includes mosquitoes.]

RIGBY, P. T. 1968. Occurrence of *Aedes infirmatus* D. & K. in Arizona. Mosquito News 28(2):239.

SINÈGRE, G., GABINAUD, A., QUERMEL, J. M. and VIGO, G. 1967. Présence d'*Aedes (Ochlerotatus) rusticus* Rossi 1870 dans le sud de la France. Ann. de Parasitol. Humaine et Compar. 42(6):659-663.

SOMMERMAN, K. M. 1968. Notes on Alaskan mosquito records. Mosquito News 28(2):233-234.

WALLIS, R. C. and WHITMAN, L. 1968. Mosquitoes of the genus *Culiseta* in Connecticut (Diptera: Culicidae). Ent. Soc. Wash. Proc. 70(2):187-188.

WILLS, H. J. 1968. Diptera from Monks Wood National Nature Reserve. Ent. Rec. 80(4):115-119. [*Aedes annulipes*, *A. cantans*, *Culiseta annulata*.]

See also Gjullin et al.; Huang; and Steffan in Taxonomy Section.

ARBOVIRUSES

BARNETT, H. C. 1967. Taxonomic complexes of arbovirus vectors. Jap. J. Med. Sci. and Biol. 20(Suppl.):19-21.

BASACA-SEVILLA, V. 1967. Recent incidence of hemorrhagic fever in the Philippines. Jap. J. Med. Sci. and Biol. 20(Suppl.):75-79.

BAHAMARAPIRAVATI, N., TUCHINDA, P. and BOONYAPAKNAVIK, V. 1967. Pathology of Thailand haemorrhagic fever: a study of 100 autopsy cases. Ann. Trop. Med. and Parasitol. 61(4):500-510.

BHATT, P. N. and RODRIGUES, F. M. 1967. Chandipura: a new arbovirus isolated in India from patients with febrile illness. Indian J. Med. Res. 55(12):1295-1305. [Suspected to be mosquito-borne.]

BOORMAN, J. P. T. and DRAPER, C. C. 1968. Isolations of arboviruses in the Lagos area of Nigeria, and a survey of antibodies to them in man and animals. Roy. Soc. Trop. Med. and Hyg. Trans. 62(2):269-277.

CHAN, Y. C., LIM, K. A. and HO, B. C. 1967. Recent epidemics of haemorrhagic fever in Singapore. Jap. J. Med. Sci. and Biol. 20(Suppl.):81-88.

COHEN, S. N. 1967. Pathophysiology and therapy of mosquito-borne hemorrhagic fever in

- Thailand. Jap. J. Med. Sci. and Biol. 20(Suppl.): 90-95.
- DANIELOVÁ, V., MINÁR, J. and ROSICKÝ, B. 1968. Experimental survival of the virus Tahyňa in hibernating mosquitoes *Theobaldia annulata* (Schrk.). Folia Parasitologica (Praha) 15(2):183-187. [Culiseta.]
- DAVIS, T., JR. 1966. Vector control programs in Colorado. Utah Mosquito Abat. Assoc. Proc. 19:33-34. [Pub. in 1968. Includes arboviruses.]
- DIANZANI, F., QUERCIOLI, A., DEL GRANDE QUERCIOLI, L. and GAGNONI, S. 1968. Influence of DEAE-dextran on plaque production by Semliki Forest virus. Acta Virol. 12(3):275-276.
- DOHERTY, R. L. 1967. A survey of arthropod-borne viruses isolated in the Pacific area. Jap. J. Med. Sci. and Biol. 20(Suppl.):10-19.
- , WHITEHEAD, R. H., WETTERS, E. J. and GORMAN, B. M. 1968. Studies of the epidemiology of arthropod-borne virus infections at Mitchell River Mission, Cape York Peninsula, North Queensland. II. Arbovirus infections of mosquitoes, man and domestic fowls, 1963-1966. Roy. Soc. Trop. Med. and Hyg. Trans. 62(3): 430-438.
- DOWNS, W. G. 1967. Vector control of mosquito-borne viruses in the new world. Jap. J. Med. Sci. and Biol. 20(Suppl.):56-59.
- FARID, M. A. 1967. Control of haemorrhagic dengue fever. Acta Med. Philippina 3(3):201-203.
- FRIEDMAN, R. M. 1968. Protein synthesis directed by an arbovirus. J. Virol. 2(1):26-32.
- GBEBHARDT, L. P. and STANTON, G. J. 1967. The role of poikilothermic hosts as virus reservoirs. Jap. J. Med. Sci. and Biol. 20(Suppl.):30-34.
- GOULD, D. J. and COAUTHORS. 1968. An insular outbreak of dengue hemorrhagic fever. III. Identification of vectors and observations on vector ecology. Amer. J. Trop. Med. and Hyg. 17(4): 609-618.
- GRIFFITHS, B. B., GRANT, L. S., MINOTT, O. D. and BELLE, E. A. 1968. An epidemic of dengue-like illness in Jamaica-1963. Amer. J. Trop. Med. and Hyg. 17(4):584-589.
- GUILLON, J. C., OUDAR, J., JOUBERT, L. and HANNOUN, C. 1968. Lésions histologiques du système nerveux dans l'infection à virus West Nile chez le cheval. Inst. Pasteur Ann. 114(4): 539-550. Engl. Sum.
- HALSTEAD, S. B., NIMMANNITYA, S., YAMARAT, C. and RUSSELL, P. K. 1967. Hemorrhagic fever in Thailand newer knowledge regarding etiology. Jap. J. Med. Sci. and Biol. 20(Suppl.):96-103.
- HAMMON, W. McD. 1967. Vaccine control of the mosquito-borne arboviruses excluding dengue and chikungunya viruses. Jap. J. Med. Sci. and Biol. 20(Suppl.):34-41.
- HESS, A. D. and HARMSTON, F. C. 1965. A summary of some recent activities of the Disease Ecology Section CDC, USPHS, Greeley, Colorado. Utah Mosquito Abat. Assoc. Proc. 18:7. [Pub. in 1968.]
- HOFFMANN, L. and COAUTHORS. 1968. Épidémiologie du virus West Nile: étude d'un foyer en Camargue. II. Esquisse du milieu physique, biologique et humain. Inst. Pasteur Ann. 114(4): 521-538. Engl. Sum.
- HOTTA, S. 1967. Newer knowledge of dengue viruses-laboratory aspects. Jap. J. Med. Sci. and Biol. 20(Suppl.):62-67.
- JOHNSON, K. M., HALSTEAD, S. B. and COHEN, S. N. 1967. Hemorrhagic fevers of Southeast Asia and South America: a comparative appraisal. Prog. Med. Virol. 9:105-158.
- KITAOKA, M. 1967. Japanese encephalitis vaccine; including a preliminary report on dengue fever and chikungunya vaccines. Jap. J. Med. Sci. and Biol. 20(Suppl.):41-56.
- LAIGRET, J., ROSEN, L. and SCHOLAMMER, G. 1967. Sur une épidémie de dengue survenue à Tahiti en 1964. Relations avec les "fièvres hémorragiques" du Sud-Est Asiatique. Soc. de Path. Exot. Bul. 60(4):339-353. Engl. Sum.
- LAM, K. S. K. and MARSHALL, I. D. 1968. Dual infections of *Aedes aegypti* with arboviruses. I. Arboviruses that have no apparent cytopathic effect in the mosquito. II. Salivary-gland damage by Semliki Forest virus in relation to dual infections. Amer. J. Trop. Med. and Hyg. 17(4):625-636; 637-644.
- LECATSAS, G. and ERASMUS, B. J. 1967. Electron microscopic study of the formation of African horse-sickness virus. Arch. f. die Gesamte Virusforsch. 22(3/4):442-450.
- LIM, L. E. and TAN, E. C. 1967. Philippine haemorrhagic fever in children. Acta Med. Philippina 3(3):204-208.
- LUCAS, J. K. 1967. Recent epidemics of haemorrhagic fever in Malaysia. Jap. J. Med. Sci. and Biol. 20(Suppl.):79-81.
- MCCCLURE, H. E. 1967. Current concepts of the role of migratory birds in the dispersion of zoonoses. Jap. J. Med. Sci. and Biol. 20(Suppl.): 24-26.
- MILES, J. A. R. 1967. Summary of symposium on mosquito-borne viruses. Jap. J. Med. Sci. and Biol. 20(Suppl.):60-61.
- NAGATA, I. and COAUTHORS. 1967. Plaque variants of Sindbis virus. Arch. f. die Gesamte Virusforsch. 22(1/2):79-86.
- NIR, Y., GOLDWASSER, R., LASOWSKI, Y. and MARGALIT, J. 1968. Isolation of West Nile virus strains from mosquitoes in Israel. Amer. J. Epidemiol. 87(2):469-501.
- OYA, A. 1967. The role of mammals as pri-

mary and supplementary hosts. Jap. J. Med. Sci. and Biol. 20(Suppl.):26-30. [Arbovirus symposium.]

OZAWA, Y. 1968. Studies on the properties of African horse-sickness virus. Jap. J. Med. Sci. and Biol. 20(1):27-39.

PANTHIER, R. 1968. Épidémiologie du virus West Nile: étude d'un foyer en Camargue. I. Introduction. Inst. Pasteur Ann. 114(4):518-520.

PETRISCHEVA, P. A. 1968. Natural nidality of transmissible diseases of man. Ent. Obozr. 47(2): 317-321. In Rus., Engl. Sum. [Includes arboviruses.]

RAMACHANDRA RAO, T. 1967. Vector control in Asia. Jap. J. Med. Sci. and Biol. 20(Suppl.): 59-60. [Arbovirus symposium.]

—, SINGH, K. R. P., DHANDA, V. and BHATT, P. N. 1967. Experimental transmission of Chandipura virus by mosquitoes. Indian J. Med. Res. 55(12):1306-1310. [Successful mouse to mouse transmission by *Aedes aegypti*, *A. albopictus*, *Anopheles stephensi* and *Culex tritaeniorhynchus*.]

REEVES, W. C. 1967. Introduction to symposia on arbovirus diseases, animal vectors and reservoirs. Jap. J. Med. Sci. and Biol. 20(Suppl.): 6.

ROSEN, L. 1967. A recent outbreak of dengue in French Polynesia. Jap. J. Med. Sci. and Biol. 20(Suppl.):67-69.

RUDNICK, A., MARCHETTE, N. J. and GARCIA, R. 1967. Possible jungle dengue—recent studies and hypotheses. Jap. J. Med. Sci. and Biol. 20(Suppl.):69-74.

RUSSELL, P. K. and COAUTHORS. 1968. An insular outbreak of dengue hemorrhagic fever. II. Virologic and serologic studies. Amer. J. Trop. Med. and Hyg. 17(4):600-608.

RUSSELL, P. K., UDOMSAKDI, S. and HALSTEAD, S. B. 1967. Antibody response in dengue and dengue hemorrhagic fever. Jap. J. Med. Sci. and Biol. 20(Suppl.):103-108.

SAHA, S. M. and THOMAS, A. K. 1967. Antibodies against arboviruses in the human population of Punjab. Indian J. Med. Res. 55(9):935-939.

SARKAR, J. K. 1967. Calcutta's experience and findings in haemorrhagic fever and chikungunya fever epidemic. Jap. J. Med. Sci. and Biol. 20(Suppl.):88-90.

SCANLON, J. E. 1967. Control of *Aedes aegypti* (Linn.) in Southeast Asia. Jap. J. Med. Sci. and Biol. 20(Suppl.):108-112. [Arbovirus symposium.]

SCHERER, W. F. 1967. Epidemics of mosquito-borne virus diseases in the Pacific area exclusive of dengue and chikungunya viruses, with

emphasis on the past five years. Jap. J. Med. Sci. and Biol. 20(Suppl.):7-10.

SEMENOV, B. F. and LAPIN, B. A. 1967. Arbovirus infections of monkeys captured in jungles of Northern Nigeria. Voprosy Virusologii No. 6:755-757. In Rus., Engl. Sum.

SMITH, C. E. G. 1967. Differentiation of primary from secondary vectors. Jap. J. Med. Sci. and Biol. 20(Suppl.):21-23. [Arbovirus symposium.]

—. 1968. Large-scale human interference with virus zoonoses. East Afr. Med. J. 45(5): 281-283.

STANDFAST, H. A. and BARROW, G. J. 1968. Studies of the epidemiology of arthropod-borne virus infections at Mitchell River Mission, Cape York Peninsula, North Queensland. I. Mosquito collections, 1963-1966. Roy. Soc. Trop. Med. and Hyg. Trans. 62(3):418-429.

SUÁREZ, O. M. 1967. Multiplicación y transmisión del virus estomatitis vesicular por *Aedes aegypti* (L.). Acta Cient. Venezolana Suppl. 3:387-394.

TANIGUCHI, S., TAKEUCHI, H. and YOSHINO, K. 1968. Unusually large-plaque mutant of Sindbis virus. Soc. Expt. Biol. and Med. Proc. 128(1): 56-60.

VU-QUI-DAI, NGUYEN-THI KIM-THOA and LY-QUOC-BANG. 1967. Enquête sur les anti-corps anti-chikungunya chez des enfants Vietnamiens de Saigon. Soc. de Path. Exot. Bul. 60(4):353-359. Engl. Sum.

WAITE, M. R. F. and PFEFFERKORN, E. R. 1968. Effect of altered osmotic pressure on the growth of Sindbis virus. J. Virology 2(7):759-760.

WHITEHEAD, R. H. and COAUTHORS. 1968. Studies of the epidemiology of arthropod-borne virus infections at Mitchell River Mission, Cape York Peninsula, North Queensland. III. Virus studies of wild birds, 1964-1967. Roy. Soc. Trop. Med. and Hyg. Trans. 62(3):439-445.

WHITMAN, L., WALLIS, R. C. and LEVENTHAL, E. A. 1968. Isolation of California-group arbovirus from *Aedes abserratus* (Felt and Young) in Simsbury, Connecticut. Amer. J. Trop. Med. and Hyg. 17(3):449-450.

WHITNEY, E., JAMNBACK, H., MEANS, R. G. and WATTHEWS, T. H. 1968. Arthropod-borne-virus survey in St. Lawrence County, New York. Arbovirus reactivity in serum from amphibians, reptiles, birds, and mammals. Amer. J. Trop. Med. and Hyg. 17(4):645-650.

WINTER, P. E. and COAUTHORS. 1968. An insular outbreak of dengue hemorrhagic fever. I. Epidemiologic observations. Amer. J. Trop. Med. and Hyg. 17(4):590-599.

YIN, F. H. and LOCKHART, R. Z., JR. 1968. Maturation defects in temperature-sensitive mu-

tants of Sindbis virus. *J. Virology* 2(7):728-737.
 YUILL, T. M., SUKHAVACHANA, P., NISALAK, A. and RUSSELL, P. K. 1968. Dengue-virus recovery by direct and delayed plaques in LLC-MK₂ cells. *Amer. J. Trop. Med. and Hyg.* 17(3):441-448.

ENCEPHALITIS

ALTMAN, R. and GOLDFIELD, M. 1968. The 1964 outbreak of St. Louis encephalitis in the Delaware Valley. I. Description of outbreak. *Amer. J. Epidemiol.* 87(2):457-469.

BELLAMY, R. E., REEVES, W. C. and SCRIVANI, R. P. 1968. Experimental cyclic transmission of St. Louis encephalitis virus in chickens and *Culex* mosquitoes through a year. *Amer. J. Epidemiol.* 87(2):484-495.

BRICEÑO ROSSI, A. L. 1967. Rural epidemic encephalitis in Venezuela by a Group A arbovirus (VEE). *Prog. Med. Virol.* 9:176-203.

COLEMAN, P. H., LEWIS, A. L., SCHNEIDER, N. J. and WORK, T. H. 1968. Isolations of St. Louis encephalitis virus from post-mortem tissues of human cases in the 1962 Florida epidemic. *Amer. J. Epidemiol.* 87(3):530-538.

DANDUROV, YU. V. 1967. Japanese encephalitis of Primorsky Krai in 1965. *Voprosy Virusologii* No. 6:739-742. In Rus., Engl. Sum.

DOI, R., CHINZEI, H., OYA, A. and KOBAYASHI, M. 1967. Hemagglutination inhibition antibody titers against Japanese encephalitis virus from human and pig sera of Amami-Oshima Island. *Jap. J. Expt. Med.* 37(3):239-243.

DOI, R., SHIRASAKA, A. and SASA, M. 1967. The mode of development of Japanese encephalitis virus in the mosquito *Culex tritaeniorhynchus summorus* as observed by the fluorescent antibody technique. *Jap. J. Expt. Med.* 37(3):227-238.

EDMAN, J. D. and TAYLOR, D. J. 1968. *Culex nigripalpus*: seasonal shift in the bird-mammal feeding ratio in a mosquito vector of human encephalitis. *Science* 161(3836):67-68.

FILSHIE, B. K. and REHACEK, J. 1968. Studies of the morphology of Murray Valley encephalitis and Japanese encephalitis viruses growing in cultured mosquito cells. *Virology* 34(3):435-443.

GOLDFIELD, M. and COAUTHORS. 1968. The 1964 outbreak of St. Louis encephalitis in the Delaware Valley. II. Laboratory studies of cases and serologic diagnostic procedures. *Amer. J. Epidemiol.* 87(2):470-483.

GRAYSON, M. A. and GALINDO, P. 1968. Epidemiologic studies of Venezuelan equine encephalitis virus in Almirante, Panama. *Amer. J. Epidemiol.* 88(1):80-96.

HOMMA, R., NOZIMA, T. and YASUI, K. 1968. Inhibitory activity against Japanese encephalitis

viral haemagglutination and infectivity of D-mannose-containing polysaccharides. *Acta Virol.* 12(2):186.

JOHNSON, K. M. and COAUTHORS. 1968. Recovery of Venezuelan equine encephalomyelitis virus in Panama. A fatal case in man. *Amer. J. Trop. Med. and Hyg.* 17(3):432-440.

KHENG, C. S. and COAUTHORS. 1968. Japanese B encephalitis in a horse. *Austral. Vet. J.* 44(1): 23-25.

KITSAK, V. YA. and FOMINA, A. N. 1967. Comparative study of some genetic properties of eastern equine encephalomyelitis virus and its mutants induced by nitric acid. *Voprosy Virusologii* No. 6:683-687. In Rus., Engl. Sum.

MIDDLEBROOKS, B. L., ALLEN, R. and SULKIN, S. E. 1968. The effects of 6-thio-guanine and endotoxin on experimental St. Louis and Japanese B encephalitis virus in Chiroptera. *Soc. Expt. Biol. and Med. Proc.* 127(3):886-890.

NISHIMURA, C., NOMURA, M. and KITAOKO, M. 1968. Comparative studies on the structure and properties of two selected strains of Japanese encephalitis virus. *Jap. J. Med. Sci. and Biol.* 21(1): 1-10.

PALMER, D. G., BUCCA, M. A., BIRD, B. R. and WINN, J. F. 1968. Western equine encephalitis and eastern equine encephalitis virus antigens derived from sucrose-acetone-treated chicken embryos. *Soc. Expt. Biol. and Med. Proc.* 127(2): 514-517.

PHILLIPS, C. A. and MELNICK, J. L. 1967. Urban epidemic encephalitis in Houston caused by a Group B arbovirus (SLE). *Prog. Med. Virol.* 9:159-175.

SORRENTINO, J. V., BERMAN, S., LOWENTHAL, J. P. and CUTCHINS, E. 1968. The immunologic response of the guinea pig to eastern equine encephalomyelitis vaccines. *Amer. J. Trop. Med. and Hyg.* 17(4):619-624.

YOSHINO, K., TANIGUCHI, S. and TAKEUCHI, H. 1967. Serum neutralization test with western equine encephalitis (WEE) and Japanese encephalitis (JE) viruses using the agar cover slip (ACS) inoculation technique. (Brief report). *Arch. f. die Gesamte Virusforsch.* 22(3/4):462-466.

FILARIASIS

AHMED, S. S. 1967. Some observations on pathological changes in animals due to *Brugia* species. *J. Trop. Med. and Hyg. (London)* 70 (12):300-302.

—. 1967. Studies on the laboratory transmission of sub-periodic *Brugia malayi* and *B. pahangi*. II. Transmission to intact and splenectomized rats and cotton rats. *Ann. Trop. Med. and Parasitol.* 61(4):432-436.

ANDERSON, R. C., MORSE, P. G. and SCHOLTEN,

- T. 1968. *Dirofilaria (Nochtiella)* infestation in a human in Ontario. *Canad. Med Assoc. J.* 98(16):788.
- BADALYAN, A. L. 1968. First instance of detection of human dirofilariasis in the Armenian SSR. *Med. Parazit. i Parazit. Bolezni* 37(3):368-369. In Rus., Engl. Sum. [*Dirofilaria repens*.]
- ERUMBACK, G. F., MORRISON, H. M. and WEATHERLY, N. F. 1968. Orbital infection with *Dirofilaria*. *South. Med. J.* 61(2):188, 192.
- DEWITT, W. B. 1968. Contributions of the U. S. Public Health Service in tropical medicine: Part I. *N. Y. Acad. Med. Bul.* 44(6):728-736. [Includes filariasis.]
- HAIRSTON, N. G. and JACHOWSKI, L. A. 1968. Analysis of the *Wuchereria bancrofti* population in the people of American Samoa. *WHO Bul.* 38(1):29-59.
- HAWKING, F. 1967. The 24-hour periodicity of microfilariae: biological mechanisms responsible for its production and control. *Roy. Soc. (London) Proc. Ser. B. Biol. Sci.* 169(1014):59-76.
- and GAMMAGE, K. 1968. The action of serotonin (5-hydroxytryptamine) *in vivo* upon the microfilariae of *Dirofilaria*, *Loa* and five other species. *Parasitology* 58(2):393-402.
- HINZ, E. 1968. Mikrofiliariämie bei Filarien-Infektionen und Geschlechterverhältnis der Filarien in Beziehung zur Infektionsdauer und Befallsstärke. *Z. f. Tropenmed. u. Parasitol.* 19(2):245-253. Engl. Sum.
- JOSEPH, G. and PRASAD, B. G. 1967. An epidemiological study of filariasis in the coastal belt of Kerala State. *Indian J. Med. Res.* 55(11):1250-1272.
- KANDA, T., SASA, M., KATO, K. and KAWAI, J. 1967. Pilot experiments on the mass treatment of bancroftian filariasis with medicated food or drink. *Jap. J. Expt. Med.* 37(2):141-147.
- KISSELBACH, K. 1967. Ein Fall von Dirofilariose in Deutschland. *Deut. Med. Wochenschr.* 92(51):2353-2356.
- KRAVIS, E. M. 1968. Dirofilaria in dogs. *New England J. Med.* 278(23):1292.
- KURDINA, A. A. 1968. Some data on filariasis registered in Leningrad among African students. *Med. Parazit. i Parazit. Bolezni* 37(3):351-354. In Rus., Engl. Sum.
- McMILLIAN, B. 1967. Is filariasis endemic in the Northern Territory of Australia? *Med. J. Austral.* 54(6):243-244. [No evidence to prove this.]
- PASHKOVA, T. P. and TOKIN, A. N. 1968. A case of human dirofilariasis. *Med. Parazit. i Parazit. Bolezni* 37(2):244. In Rus. [*Dirofilaria repens*.]
- PAWAR, R. G. and MITTAL, M. C. 1968. Filariasis in Jamnagar. *Indian J. Med. Res.* 56(3):370-376.
- RAGHAVAN, N. G. S., BASU, P. C. and PUTATUNDA, J. N. 1968. Preliminary report of a pilot study on the use of diethylcarbamazine incorporated in common salt in a village endemic for *W. bancrofti* filariasis (Parbatpur, District Varanasi, Uttar Pradesh, India). Part I. *Patna J. Med.* 42(5):235-241.
- ROZEBOOM, L. E., BHATTACHARYA, N. C. and GILOTRA, S. K. 1968. Observations on the transmission of filariasis in urban Calcutta. *Amer. J. Epidemiol.* 87(3):616-632.
- SCAFF, L. M. and GUEIROS, Z. M. 1967. Prevalência e controle da filariose no Pará: estado atual. *Rev. Brasil. de Malariol.* 19(2):245-252. Engl. Sum.
- SHERLOCK, I. A. and SERAFIN, E. M. 1967. Condições atuais da filariose bancroftiana no Estado da Bahia, Brasil. *Rev. Brasil. de Malariol.* 19(3):373-395. Engl. Sum.
- SINHA, A. 1968. Filariasis control—a social problem. *Patna J. Med.* 42(5):205-206.
- SINHA, B. N. 1968. Observations of filaria control programme and anti-mosquito scheme, Patna, Bihar. *Patna J. Med.* 42(5):198-204.
- SINHA, K. P. and SINHA, V. P. 1968. Filaria control programme Bihar, in retrospect. *Patna J. Med.* 42(5):181-190.
- SINHA, V. P. 1968. Global studies on filariasis. *Patna J. Med.* 42(5):207-232.
- SPEAR, H. C. and COAUTHORS. 1968. Brief recording: solitary pulmonary lesion due to *Dirofilaria*. *New England J. Med.* 278(15):832-833. [*D. immitis*.]
- SUBRA, R. and MOUCHET, J. 1968. *Culex pipiens fatigans* Wiedemann en Afrique de l'Ouest, son rôle éventuel dans la transmission de la filariose de Bancroft et sa sensibilité aux insecticides. *WHO Bul.* 38(3):484-488.
- WILLIAMS, R. W. 1968. Filariasis research at Rangoon. *WHO Chron.* 22(6):219-224.
- See Dhar et al. in Techniques Section.

MALARIA

ARENDS, T. 1967. High concentrations of haemoglobin A₂ in malaria patients. *Nature (London)* 215(5109):1517-1518.

BAGNATO, C. and SEPULCR, P. 1967. Malaria importati. *Ann. Sanità Pub.* 28(4):855-869.

BENNETT, F. J., JELLIFFE, D. B., JELLIFFE, E. F. P. and MOFFAT, M. 1968. The nutrition and disease pattern of children in a refugee settlement. *East Afr. Med. J.* 45(5):229-246. [Includes malaria.]

BLANC, F., NOSNY, Y., FARISSE, P. and BLANC, B. 1967. Un cas de paludisme viscéral évolutif mortel avec accouchement prématuré. *Soc. de Path. Exot. Bul.* 60(6):518-522. Engl. Sum.

—, —, — and —. 1967. Paludisme et grossesse. *Soc. de Path. Exot. Bul.* 60(6):522-533.

BOGOYAVLENSKY, N. A. 1968. Some materials from the history of Kazakh malaria stations in

Azerbaidzhan. Med. Parazit. i Parazit. Bolezni 37(2):240-241. In Rus., Engl. Sum.

BÜNGENER, W. and NIELSEN, G. 1968. Nukleinsäurenstoffwechsel bei experimenteller Malaria. Einbau von Adenosin und Hypoxanthin in die Nukleinsäuren von malariaparasiten (*Plasmodium berghei* und *Plasmodium vinckeii*). Z. f. Tropenmed. u. Parasitol. 19(2):185-197. Engl. Sum.

CHOPRA, S. A. 1968. Malaria, sickling incidence and bilharziasis in relation to agricultural changes and population structure and its movement in Zanzibar. East Afr. Med. J. 45(5):309-310.

COLLINS, W. E., SKINNER, J. C. and JEFFERY, G. M. 1968. Studies on the persistence of malarial antibody response. Amer. J. Epidemiol. 87(3):592-598.

CONTACOS, P. G. and COLLINS, W. E. 1968. Falciparum malaria transmissible from monkey to man by mosquito bite. Science 161(3836):56.

COUTINHO, S. G., LOPES, P. F. A., ARGENTO, C. A. and DA SILVA, R. 1967. Esplenoportografia em pacientes com hepatosplenomegalia acompanhada de infecção malária. Soc. Brasil. Med. Trop. Rev. 1(4):175-186.

CZAPEK, E. E., BARRY, D. W. and GRYBOSKI, J. D. 1968. Malaria in an infant transmitted by transfusion. Amer. Med. Assoc. J. 204(6):549-550.

EAST AFRICAN COMMON SERVICES ORGANIZATION. 1967. Annual report of the East African Institute of Malaria and Vector-Borne Diseases, Amani, Tanzania, 1st January 1966-31st December 1966. 41 pp. [Lelijveld, J. L. M. Director.]

EINHEBER, A., WREN, R. E., ROSEN, H. and MARTIN, L. K. 1967. Ornithine carbamolytransferase activity in plasma of mice with malaria as an index of liver damage. Nature (London) 215(5109):1489-1491.

FIELD, J. W. 1968. Summary of recent abstracts. III. Malaria. Trop. Dis. Bul. 65(4):353-372.

FRANCIA ALEJO, J. 1967. Aspectos clínicos sanitarios del paludismo en los niños de la Guinea Ecuatorial. Med. Trop. (Madrid) 43(1): 21-115.

GELPI, A. P. 1967. Glucose-6-phosphate dehydrogenase deficiency in Saudi Arabia. WHO Bul. 37(4):539-546. [In connection with malaria.]

GREEN, M. F. 1968. Malaria in Britain. Brit. Med. J. 5588:382.

HEISER, V. G. 1968. Reminiscences on early tropical medicine. N. Y. Acad. Med. Bul. 44(6): 654-660. [Includes malaria.]

JAMES, B. 1968. Control of malaria cycle. Lancet 7545:758.

JEFFERY, G. M. 1968. Contributions of the U. S. Public Health Service in tropical medicine: Part II. N. Y. Acad. Med. Bul. 44(6):737-746. [Includes malaria.]

JELLIFFE, E. F. P. 1968. Low birth-weight and malarial infection of the placenta. WHO Bul. 38(1):69-78.

KIELMANN, A. and WEISS, N. 1968. Fluorescent antibody technique in malaria. Roy. Soc. Trop. Med. and Hyg. Trans. 62(3):458.

KISLIUK, R. L. and COAUTHORS. 1968. The toxicity of tetrahydrohomofolic acid in normal and malaria-infected monkeys. J. Pharmacol. and Expt. Therapeutics 159(2):416-421.

LAZZARA, A., MORANTE, V. and PRIOLLO, A. 1967. Microfocolaio residuo di infezione malarica in provincia di Palermo. Ann. Sanità Pub. 28(3): 725-741. Engl. Sum.

LOWENTHAL, M. N. and HUTT, M. S. R. 1968. Serial liver biopsies in big spleen disease. East Afr. Med. J. 45(3):100-109.

MAEGRAITH, B. G. (Chairman). 1967. The comparative pathophysiology of malarias. Ann. Trop. Med. and Parasitol. 61(4):515-518. [Report of a symposium held at Bangkok, Aug. 9, 1967.]

MIDDLETON, W. S. 1968. Military medicine: its role in world health. Military Med. 133(4):257-264.

MORLEY, D., BICKNELL, J. and WOODLAND, M. 1968. Factors influencing the growth and nutritional status of infants and young children in a Nigerian village. Roy. Soc. Trop. Med. and Hyg. Trans. 62(2):164-199. [Includes malaria.]

MOST, H. 1968. Manhattan: "A tropic isle?" Amer. J. Trop. Med. and Hyg. 17(3):333-354. [Includes malaria.]

NEVA, F. A. 1967. Malaria—recent progress and problems. New England J. Med. 277(23):1241-1252.

PRESSE MEDICALE. 1967. Vers l'immunisation contre le paludisme? Presse Med. 75(55):2850.

RÁSKA, K. 1968. Concept of epidemiological surveillance of communicable diseases. Israel J. Med. Sciences 4(3):402-414. [Includes malaria.]

REYES, H. and COAUTHORS. 1967. Dos nuevos casos de malaría no autóctona. Bol. Chileno de Parasitol. 22(3):127-128. [Two cases of *P. vivax* in foreigners in Chile.]

RUSSELL, P. F. 1968. The United States and malaria: debits and credits. N. Y. Acad. Med. Bul. 44(6):623-653.

SMITHHURST, B. A. 1967. Malaria in Queensland, 1964 to 1966. Med. J. Austral. 54(17): 772-774.

THOMPSON, T. O. 1968. Malaria originating in Britain. Brit. Med. J. 5595:840-841.

TIBURSKAYA, N. A., SERGIEV, P. G. and VRUBLEVSKAYA, O. S. 1968. Dates of onset of relapses and the duration of infection in induced tertian malaria with short and long incubation periods. WHO Bul. 38(3):447-457.

TOPLEY, E. 1968. Anaemia associated with splenomegaly among women villagers in an area where malaria is endemic. East Afr. Med. J. 45(4):190-202.

VAUCEL, M. and FERON, Y. 1968. L'introduction dans la langue Française du mot paludisme. WHO/Mal/68.651, 10 pp. Engl. Sum.

WATERHOUSE, B. E. and RIGGENBACH, R. D. 1967. Malaria. Potential importance to civilian

physicians. Amer. Med. Assoc. J. 202(8):683-685.
WINTER, P. E., CADIGAN, F. C., JR., THIEMANUN, W. and CAVANAUGH, D. C. 1967. Malaria discipline as prophylaxis. Military Med. 132(11): 917-919.

WOLTHUIS, F. H. 1968. Nephropathy in malaria. Trop. and Geog. Med. 20(1):21-27.

See also Freyvogel in Distribution Section.

Malaria—Eradication

BRUCE-CHWATT, L. J. 1968. Malaria zoonosis in relation to malaria eradication. Trop. and Geog. Med. 21(1):50-87.

GRAB, B. 1968. Practical applications of standards for response of malaria to early attack measures and considerations on the requirements to ensure statistical confidence in them. WHO/Mal/68.653, 7 pp. [Annexes I-IV.]

VELIMIROVIC, B. 1968. Operational considerations in surveillance in malaria eradication programmes in Amazonia (with special reference to Peru). WHO/Mal/68.648, 11 pp.

WORLD HEALTH ORGANIZATION. 1967. Development of the malaria eradication programme. WHO Off. Rec. No. 160:45-64.

Malaria—Immunology

JAHIEL, R. I., VILCEK, J., NUSSENZWEIG, R. and VANDERBERG, J. 1968. Interferon inducers protect mice against *Plasmodium berghei* malaria. Science 161(3843):802-803.

JERUSALEM, C. 1968. Active immunization against malaria (*Plasmodium berghei*). Z. f. Tropenmed. u. Parasitol. 19(2):171-181.

NUSSENZWEIG, R. S., VANDERBERG, J., MOST, H. and ORTON, C. 1967. Protective immunity produced by the injection of X-irradiated sporozoites of *Plasmodium berghei*. Nature (London) 216(5111):160-162.

SHAPER, A. G. 1968. Immunological studies in a tropical environment. East Afr. Med. J. 45(5): 219-228. [Includes malaria.]

_____, KAPLAN, M. H., MOODY, N. and McINTYRE, P. 1968. Malarial antibodies and autoantibodies to heart and other tissues in the immigrant and indigenous peoples of Uganda. Lancet 7556: 1342-1346.

Malaria—Plasmodia

ALVES, W., SCHINAZI, L. A. and ANICETO, F. 1968. *Plasmodium ovale* infections in the Philippines. WHO/Mal/68.649, 4 pp.

BAFORT, J. 1967. La transmission cyclique du *Plasmodium vinckeii*. Soc. Belg. Méd. Trop. Ann. 47(3):271-276.

_____. 1968. Primary exo-erythrocytic forms of *Plasmodium vinckeii*. Nature (London) 217(5135):1264-1265.

BEHIN, R. 1968. The influence of chicken serum proteins on the infection of *Aedes aegypti*

with *Plasmodium gallinaceum*. Amer. J. Trop. Med. and Hyg. 17(3):457-460.

BÜNGENER, W. 1968. Altersstruktur und Entwicklungsstadien von *Plasmodium vinckeii*-Populationen. Z. f. Tropenmed. u. Parasitol. 19(2): 181-184. Engl. Sum.

CADIGAN, F. C., JR., WARD, R. A. and PUHOM-CHAROEN, S. 1968. Transient infection of the gibbon with *Plasmodium vivax* malaria. Roy. Soc. Trop. Med. and Hyg. Trans. 62(2):295.

CHIN, W. and COAUTHORS. 1968. Experimental mosquito-transmission of *Plasmodium knowlesi* to man and monkey. Amer. J. Trop. Med. and Hyg. 17(3):355-358.

DZBĘŃSKI, T. H. 1968. Preliminary studies of the antigenic structure of *Plasmodium berghei* with the aid of diffusion in gel. Inst. Marine Med. Gdańsk Bul. 19(1/2):25-29.

FINERTY, J. F. and DIMOUPOULLOS, G. T. 1968. Disk electrophoretic separation of soluble preparations of *Plasmodium lophurae* and *Anaplasma marginale*. J. Parasitol. 54(3):585-587.

GALLI, L. and BRAMBILLA, E. 1967. Progressivo aumento della virulenza di un ceppo di *Plasmodium berghei*. Riv. di Parassitol. 28(3): 173-176. Engl. Sum.

_____, _____ and CAPROTTI, M. 1967. Recettività al *Plasmodium gallinaceum* di pulcini panirradiata. Riv. di Parassitol. 28(3):165-172. Engl. Sum.

GARNHAM, P. C. C., LUPASCU, G., BALIFF-NEGULICI, E. and CONSTANTINESCU, P. 1968. The prepatent and incubation period of the VS strain of *Plasmodium malariae*. Folia Parasitol. (Praha) 15(2):161-162.

LUPASCU, G. and COAUTHORS. 1968. Evolution serologique de l'infection à *Plasmodium malariae*. Variations du titre des anticorps fluorescents après traitement radical. WHO/Mal/68.652, 12 pp. Engl. Sum.

NAGARAJAN, K. 1968. Metabolism of *Plasmodium berghei*. I. Krebs cycle. II. $^{32}P_1$ incorporation into high energy phosphates. III. Carbon dioxide fixation and role of pyruvate and dicarboxylic acids. Expt. Parasitol. 22(1):19-26; 27-32; 33-42.

OELERICH, S. 1967. Vergleichende Untersuchungen über das Auftreten von Malaria-Sporoziten in den Speicheldrüsen und in den übrigen Organen der Mücke. Z. f. Tropenmed. u. Parasitol. 18(3):285-303. [*Plasmodium cathemerium* and *Culex pipiens molestus*.]

RIETZ, P. J., SKELTON, F. S. and FOLKERS, K. 1967. Occurrence of ubiquinones-8 and -9 in *Plasmodium lophurae*. Int. Z. f. Vitamforschung 37(4):405-411.

WÉRY, M. 1966. Étude du cycle de *Plasmodium berghei yoeltii* en vue de la production massive de sporozoïtes viables et des formes exo-érythrocytaires. Soc. Belg. Méd. Trop. Ann. 46(6):755-787.

YOELI, M. and UPMANIS, R. S. 1968. *Plasmodium berghei* ookinete formation in vitro. Expt. Parasitol. 22(1):122-128.

See also Schneider in Techniques Section.

Malaria—Simian

DESOWITZ, R. S. and COAUTHORS. 1967. Comparative studies on the pathology and host physiology of malarias. I. *Plasmodium coatneyi*. Ann. Trop. Med. and Parasitol. 61(4):365-374.

HELD, J. R., CONTACOS, P. G., JUMPER, J. R. and SMITH, C. S. 1968. Studies of the exoerythrocytic stages of simian malaria. III. *Plasmodium inui*. J. Parasitol. 54(2):249-254.

LANGER, B. W., JR., DESOWITZ, R. S., MILLER, L. H. and VACHARAPHORN, D. 1967. Comparative studies on the pathology and host physiology of malarias. III. Plasma free fatty acids in normal and malarious gibbons (*Hylobates lar*). Ann. Trop. Med. and Parasitol. 61(4):384-385.

MILLER, L. H. and COAUTHORS. 1967. Comparative studies on the pathology and host physiology of malarias. II. Gibbon malaria. Ann. Trop. Med. and Parasitol. 61(4):375-383.

Malaria—Therapeutics and Antimalarials

BEAUDOIN, R. L. and AIKAWA, M. 1968. Primaquine-induced changes in morphology of exoerythrocytic stages of malaria. Science 160(3833): 1233-1234.

DENNIS, L. H. and CONRAD, M. E. 1968. Anticoagulant and antimalarial action of Heparin in simian malaria. Lancet 7546:769-771.

GLAZKO, A. J., DILL, W. A., MONTALBO, R. G. and HOLMES, E. L. 1968. A new analytical procedure for dapsone. Application to blood-level and urinary-excretion studies in normal men. Amer. J. Trop. Med. and Hyg. 17(3):465-473.

ISHII, A. and COAUTHORS. 1967. Preliminary studies on the anti-malarial activity of SDDS (2-sulfamoyl-4' 4'-diaminodiphenylsulfone) against *Plasmodium berghei* and *Plasmodium gallinaceum*. Jap. J. Expt. Med. 37(4):301-321.

KISHIMOTO, T., OSKOU, M. and AVIADO, D. M. 1968. Pathologic physiology and chemotherapy of *Plasmodium berghei*. III. Renal function in rats infected with *Plasmodium berghei*. Expt. Parasitol. 22(2):160-177.

MARTIN, D. C. and ARNOLD, J. D. 1968. The effect of parasite populations on the curative action of pyrimethamine. Roy. Soc. Trop. Med. and Hyg. Trans. 62(3):379-384.

SKRYPEK, G. and BARRETT, O., JR. 1968. The problem of vivax malaria in Vietnam returnees. Part II. Malaria chemoprophylaxis survey. Military Med. 133(6):449-452.

VERDRAGER, J., RICHE, A. and CHHEANG, C. M. 1967. Traitement du paludisme à *P. falciparum* par les sulfamides-retard. Presse Med. 75(55): 2839-2840.

Malaria—Antimalarials—Resistance

BEAUSOLEIL, E. G. 1968. Studies on alleged

chloroquine-resistance of malaria parasites in Axim and Obuasi, Ghana. WHO Bul. 38(3):488-491.

HUNTER, G. W., III, BATEY, R. L., MELENY, H. E. and SANDERS, E. 1968. Apparent chloroquine-resistant falciparum malaria from coastal Brazil. Amer. J. Trop. Med. and Hyg. 17(3): 364-368.

McNAMARA, J. V. and COAUTHORS. 1967. Acquired decrease in sensitivity to quinine observed during studies with a strain of chloroquine-resistant *Plasmodium falciparum*. Ann. Trop. Med. and Parasitol. 61(4):386-395.

NEVES, J. and COAUTHORS. 1968. Resistência do *Plasmodium falciparum* à cloroquina na região do Paracatú, no Estado de Minas Gerais. Inst. Med. Trop. S. Paulo Rev. 10(1):28-35.

POWELL, R. D., DEGOWIN, R. L. and McNAMARA, J. V. 1967. Clinical experience with sulphadiazine and pyrimethamine in the treatment of persons experimentally infected with chloroquine-resistant *Plasmodium falciparum*. Ann. Trop. Med. and Parasitol. 61(4):396-408.

RIECKMANN, H. and COAUTHORS. 1967. Gametocytocidal and sporontocidal effects of primaquine and of sulfadiazine/pyrimethamine in a chloroquine-resistant strain of *Plasmodium falciparum*. WHO/Mal/67.641, 13 pp.

THOMPSON, P. E. and BAYLES, A. 1968. Reciprocal cross resistance between cycloguanil hydrochloride and pyrimethamine in *Plasmodium berghei* infections in mice. J. Parasitol. 54 (3): 588-593.

Malaria—Vectors

COLLINS, W. E., CONTACOS, P. G., GUINN, E. G. and HELD, J. R. 1968. Transmission of *Plasmodium fieldi* by *Anopheles maculatus*, *A. stephensi*, and *A. balabacensis balabacensis*. J. Parasitol. 54(2):376.

LUPASCU, G. and COAUTHORS. 1968. Parasitological and clinical investigations on infections with the VS Romanian strain of *Plasmodium malariae* transmitted by *Anopheles labranchiae atroparvus*. WHO Bul. 38(1):61-67.

OMAR, M. S. 1968. Die Empfänglichkeit verschiedener *Anopheles*-Arten für den Erreger der Erreger der Affenmalaria *Plasmodium cynomolgi bastianellii*. Z. f. Tropenmed. u. Parasitol. 19(2): 152-170. Engl. Sum.

YELLOW FEVER

BLAKE, J. B. 1968. Yellow fever in eighteenth century America. N. Y. Acad. Med. Bul. 44(6): 673-686.

BRUCE-CHWATT, L. J. 1968. Movements of populations in relation to communicable disease in Africa. East Afr. Med. J. 45(5):266-275. [Includes yellow fever.]

DOWNS, W. G. 1968. The story of yellow fever since Walter Reed. N. Y. Acad. Med. Bul. 44(6): 721-727.

DRAPER, C. C. 1967. A yellow fever vaccine free from avian leucosis viruses. *J. Hygiene (London)* 65(4):505-513.

DUFFY, J. 1968. Yellow fever in the continental United States during the nineteenth century. *N. Y. Acad. Med. Bul.* 44(6):687-701.

FRANCO, O. 1967. A febre amarela no Brasil. *Rev. Brasil. de Malariol.* 19(2):219-225. Engl. Sum.

MAYHEW, C. J., ZIMMERMAN, W. D. and HAHN, N. 1968. Assessment of aerosol stability of yellow fever virus by fluorescent-cell counting. *Appl. Microbiol.* 16(2):263-266.

MOSTOFI, F. K. 1968. Contributions to the military to tropical medicine. *N. Y. Acad. Med. Bul.* 44(6):702-720. [Includes yellow fever.]

TAURASO, N. M., SPECTOR, S. L., JAHNES, W. G. and SHELOKOV, A. 1968. Yellow fever vaccine. I. Development of a c vaccine seed free from contaminating avian leukosis viruses. *Soc. Expt. Biol. and Med. Proc.* 127(4):1116-1120.

LIGHT AND OTHER TRAP STUDIES

SIVERLY, R. E. and DEFOLIART, G. R. 1968. Mosquito studies in northern Wisconsin. II. Light trapping studies. *Mosquito News* 28(2): 162-167.

ZHOGOLEV, D. T. and YUSUPOV, K. Yu. 1968. Using light traps for collection of malarial mosquitoes. *Zool. Zhur.* 47(4):628-629. In Rus., Engl. Sum.

LITERATURE REFERENCES AND REVIEWS

DUKHANINA, N. N. 1968. Soviet literature on problems of medical parasitology and parasitic diseases for 1967. *Med. Parazit. i Parazit. Bolezni* 37(2):245-251; 37(3):371-377. In Rus. [Includes mosquitoes.]

NIELSEN, L. T. and LINAM, J. H. 1966. Utah mosquitoes—their published history: Supplement II. *Utah Mosquito Abat. Assoc. Proc.* 19:21-23. [Pub. in 1968.]

SOLLERS-RIEDEL, H. 1968. Literature references to mosquitoes and mosquito-borne diseases. *Mosquito News* 28(2):290-303.

BIOGRAPHY AND HISTORY

BALASHOV, YU. C., GUTSEVICH, A. V., DERBENEVA-UKHOVA, V. P. and SHIPITSINA, N. K. 1968. Medical and veterinary entomology in the USSR. *Ent. Obozr.* 47(2):298-316. In Rus., Engl. Sum. [Includes mosquitoes.]

GARNHAM, P. C. C. 1968. Professor George Macdonald, C.M.G., M.D., F.R.C.P., D.P.H., D.T.M. 1903-1967. *Roy. Soc. Trop. Med. and Hyg. Trans.* 62(1):160.

GUERRA, F. 1968. Aleixo de Abreu (1568-1630), author of the earliest book on tropical medicine describing amoebiasis, malaria, typhoid fever, scurvy, yellow fever, dracontiasis, trichuriasis and tungiasis in 1623. *J. Trop. Med. and Hyg. (London)* 71(3):55-69.

JARCHO, S. 1968. Malaria and murder. (Joseph Jones, 1878). *N. Y. Acad. Med. Bul.* 44(6): 759-760.

SUBJECTS NOT COVERED BY OTHER HEADINGS

ASAHIWA, S. 1967. Medical entomology of post-war Japan. *Kontyû* 35(3):267-277. In Jap. [Includes mosquitoes.]

Fox, I. and BAYONA, I. G. 1968. Cross-reaction between first and fourth instar mosquito larvae in agar-gel tests. *J. Parasitol.* 54(1):191.

GENTRY, J. W. and GERBERG, E. J. 1968. Dipterous eggs as food for adult Coccinellidae (Coleoptera: Coccinellidae). *Ent. Soc. Wash. Proc.* 70(2):142. [*Aedes aegypti* included.]

QUARTERMAN, K. D. 1966. Review of progress in coordinated control. *Utah Mosquito Abat. Assoc. Proc.* 19:23-25.

SANDERS, D. P. 1968. Cattle-mosquito study begins in south Texas. *Pest Control* 36(6):32, 34, 46, 48.

WADLEY, F. M. 1967. Experimental statistics in entomology. 133 pp., Washington, D.C. [Graduate School Press, U. S. Dept. Agr.]

ZHDANOV, V. M. 1968. Tropical diseases. *Israel J. Med. Sciences* 4(3):390-401. [Includes malaria, yellow fever and other mosquito-borne diseases.]