

LITERATURE REFERENCES TO MOSQUITOES AND MOSQUITO-BORNE DISEASES

HELEN SOLLERS-RIEDEL¹

Plant Pest Control Division, Agricultural Research Service, United States Department of Agriculture

FUMIGANTS

SAMIMI, B., MOTABAR, M., ROUHANI, R. and MOTTAGHI, M. 1969. A field trial using dichlorvos in Mamasani area, Kazeroun, southern Iran. 1965-1966. WHO/Mal/69.677, WHO/VBC/69.112. 14 pp. and WHO/Mal/69.677. Corr. 1, 1 p. WHO/VBC/69.112, Corr. 1, 1 p.

ADULTICIDES AND LARVICIDES

BANG, Y. H. and TONN, R. J. 1969. Effectiveness of one per cent Abate (OMS-786) sand granules in dry containers. WHO/VBC/69.126, 7 pp.

_____ and _____. 1969. Effectiveness of different insecticides and/or formulations against *Aedes aegypti* larvae in ant traps in Bangkok, Thailand. WHO/VBC/69.118, 11 pp.

_____ and _____. 1969. Evaluation of 1% Abate (OMS-786) sand granules for the control of *Aedes aegypti* larvae in potable water. WHO/VBC/69.121, 10 pp.

CARMICHAEL, A. G. and COAUTHORS. 1968. Entomological evaluation of OMS-33 (O-isopropoxyphenyl methylcarbamate) in a stage VI operational field trial in Iran. WHO/VBC/68.105, 29 pp. [For mosquitoes.]

DUPONT, M., SANDEUSCO, M., CRISTESCO, A. and SANDESCO, I. 1967. Observations concernant l'action de l'insecticide DDT sur les *Anopheles* dans les pulvérisations expérimentales effectuées dans des habitations de type rural. Arch. Roumaines Path. Expt. et Microbiol. 26(4):807-820. Engl. Sum.

FOSTER, J. R. and JOSEPH, S. 1968. Some mist spray formulations evaluated for adult mosquito control. N. J. Mosquito Extermin. Assoc. Proc. 55:213-217.

GEORGE, L. F., BERRY, R. A. and MALLACK, J. 1968. Ultra low volume applications with ground equipment for adult mosquito control. N. J. Mosquito Extermin. Assoc. Proc. 55:206-212.

GLANCEY, B. M., BALDWIN, K. F. and LOFGREN, C. S. 1969. Laboratory tests of promising mosquito larvicides. Mosquito News 29(1):41-43.

_____, _____ and _____. 1969. Promising chemicals for control of adult mosquitoes. Mosquito News 29(1):36-38.

HARDEN, F. W. and ETHRIDGE, B. J. 1968. Unique problems in insect and pest control of NASA's Mississippi test facility. Fla. Anti-Mosquito Assoc. Rpt. 39:50-52.

JOBBINS, D. M. 1968. The current use of aircraft in New Jersey mosquito control. N. J. Mosquito Extermin. Assoc. Proc. 55:162-165.

MICKS, D. W., CHAMBERS, G. V., MONTALBANO, S. and DAUD, C. 1969. Mosquito control agents derived from petroleum hydrocarbons. III. The effect of FLIT® MLO on first and second larval instars. J. Econ. Ent. 62(2):455-458.

MOUNT, G. A., McWILLIAMS, J. G. and ADAMS, C. T. 1969. Control of adult mosquitoes in Alaska with malathion. Mosquito News 29(1):84-86.

MOUNT, G. A., PIERCE, N. W. and LOFGREN, C. S. 1969. New insecticides evaluated as non-thermal aerosols against *Aedes taeniorhynchus* (Wiedemann). Mosquito News 29(1)53-54.

MULHERN, T. D. 1968. A preliminary report on low-volume spraying for mosquito control in California in 1967. N. J. Mosquito Extermin. Assoc. Proc. 55:47-51.

MULLA, M. S., DARWAZEH, H. A., GEIB, A. F. and WESTLAKE, W. E. 1969. Control of pasture *Aedes* mosquitoes by dripping larvicides into flowing water, with notes on residues in a pasture habitat. J. Econ. Ent. 62(2):365-370.

NOVÁK, D. and BOUDA, J. 1968. Laboratory tests of heavy metal salts as mosquito larvicides. Angew. Parasitol. 9(3):175-176. In Engl.

PANT, C. P. and COAUTHORS. 1969. *Anopheles* Control Research Unit N. 1 of the World Health Organization. Report for 1968. WHO/VBC/69.128, 23 pp.

_____ and _____. 1969. A village-scale field trial of OMS-214 (dicaphton) for the control of *Anopheles gambiae* and *Anopheles funestus* in Northern Nigeria. WHO/VBC/69.130, 8 pp.

_____ and _____. 1969. A village scale field trial of OMS-708 (Mobam) for the control of *Anopheles gambiae* and *Anopheles funestus* in Northern Nigeria. WHO/VBC/69.131, 8 pp.

_____ and _____. 1969. Annual report of the World Health Organization/*Anopheles* Control Research Unit I for 1967. WHO/VBC/69.113, 20 pp.

_____ and _____. 1969. Field trials of seven candidate insecticides in village huts in Kaduna, Nigeria. WHO/VBC/69.129, 10 pp.

PEST CONTROL. 1969. Public health pesticides. Pest Control 37(3):15-51. (Passim.) [Mosquitoes included.]

RATHBURN, C. B., JR. 1969. A laboratory

¹ Complete mailing address: P.O. Box 19009, Washington, D.C. 20036, USA.

thermal aerosol generator for the testing of insecticidal aerosols. *Mosquito News* 29(1):1-6.

——, BOIKE, A. H., JR. and ROGERS, A. J. 1968. Progress report of low volume aerial spray tests against adults of *Aedes taeniorhynchus* (Wied.) and *Culex nigripalpus* Theob. Fla. Anti-Mosquito Assoc. Rpt. 39:26-32. [Weid. in original.]

ROBERTS, D. R., STOETZEL, M. B. and LOY, V. A. 1969. Laboratory evaluation of two organophosphorus larvicides against pupae of *Culex restuans* Theobald and influence on adult longevity. *Mosquito News* 29(1):62-65.

SCHULTZ, H. A. and WEBB, A. B. 1969. Laboratory bioassay of pesticide-impregnated rubber as a mosquito larvicide. *Mosquito News* 29(1):38-41.

SHINKLE, M. P. 1968. The complexities of chemical evaluations for larval mosquito control on diked salt hay marshes. N. J. Mosquito Extermin. Assoc. Proc. 55:180-203.

SMITH, A. and HUDSON, J. E. 1968. A review of insecticides tested in experimental huts at the Tropical Pesticides Research Institute for the World Health Organization. 1960-1967. WHO/VBC/68.93, 5 pp. and WHO/VBC/68.93, CORR. 1, 1 p.

STATENS SKADEDYRLABORATORIUM. 1968. Annual report, 1967. 89 pp., Lyngby, Denmark. [Mosquito control included.]

TAYLOR, R. T. and SCHOOF, H. F. 1969. Field effectiveness of five organophosphorus compounds as thermal fogs. *Mosquito News* 29(1):7-8.

TRAVIS, B. V., DEWEY, J. E. and PENDLETON, R. F. 1968. Comparative toxicity data on pesticides used for mosquito control. N. J. Mosquito Extermin. Assoc. Proc. 55:122-129.

VARIOUS TYPES OF CONTROL

BODOLA, A. 1968. Which method of water control? N. J. Mosquito Extermin. Assoc. Proc. 55:58-64.

CARPENTER, J. S., JR. 1968. Water control for mosquito reduction in Salem County. N. J. Mosquito Extermin. Assoc. Proc. 55:145-147.

DRESSLER, F. W. 1968. Proposed Tocks Island regional-interstate vector control demonstration project. N. J. Mosquito Extermin. Assoc. Proc. 55:41-44.

FERRIGNO, F. and JOBBINS, D. M. 1968. Open marsh water management. N. J. Mosquito Extermin. Assoc. Proc. 55:104-115.

LESLIE, J. B. 1968. A report from the State Mosquito Control Commission. N. J. Mosquito Extermin. Assoc. Proc. 55:10-14.

MERRILL, L. G., JR. 1968. Marine resources. N. J. Mosquito Extermin. Assoc. Proc. 55:6-10.

MULRENNAN, J. A. 1968. Where do we go from here. Fla. Anti-Mosquito Assoc. Rpt. 39:20-25.

O'CARROLL, G. 1968. The mosquito commission and municipal government in cooperative water management interests. N. J. Mosquito Extermin. Assoc. Proc. 55:166-170.

OKULOV, V. P. 1968. The destruction of *Anopheles maculipennis* Mg. in its concentration in premises. *Med. Parazit. i Parazit. Bolezni* 37(6):736-739. In Rus.

ROSS, T. E. 1968. Somerset County mosquito control program with emphasis on the responsibility of the individual county commissioner. N. J. Mosquito Extermin. Assoc. Proc. 55:36-40.

SALMELA, J. 1968. Our plan. Fla. Anti-Mosquito Assoc. Rpt. 39:16-19.

SHINKLE, M. 1969. Michigan's priority war on mosquitoes. *Pest Control* 37(4):15-17.

SHUMKOV, M. A. 1969. Effect of burning vegetation upon death of *Aedes* mosquito eggs in the Don Delta. *Med. Parazit. i Parazit. Bolezni* 38(1):102-105. In Rus., Engl. Sum.

SMITH, R. S. 1968. Address of the president. N. J. Mosquito Extermin. Assoc. Proc. 55:5-6. [Includes control measures.]

STERILIZATION METHODS

ABDEL-MALEK, A. A., TANTAWY, A. O. and WAKIL, A. M. 1969. Studies on the eradication of *Anopheles pharoensis* by the sterile-male technique using Cobalt-60. VII. Population dynamics of mosquitoes in Fayoum area, UAR. *J. Econ. Ent.* 62(2):348-351.

HAFEZ, M., ABOUL-NASR, A. E. and SALAMA, H. S. 1969. Studies on the control of mosquitoes in Egypt by means of chemosterilants. I. Chemosterilization of *Anopheles pharoensis*. *J. Econ. Ent.* 62(1):233-234.

PATTERSON, R. S. and LOFGREN, C. S. 1968. The potential use of sterile males to control *Culex pipiens quinquefasciatus* Say. N. J. Mosquito Extermin. Assoc. Proc. 55:170-175.

SANDESCO, I. 1967. Chémostérilisation des *Anopheles* du groupe "*maculipennis*"—colonie de laboratoire et de terrain—par traitement du stade adulte. *Arch. Roumaines Path. Expt. et Microbiol.* 26(4):821-828.

SHARMA, V. P. and RAI, K. S. 1969. Histopathological and developmental effects of the chemosterilant, apholatc, on the mosquito *Aedes aegypti*. *Mosquito News* 29(1):9-14.

Aedes aegypti ERADICATION

JAKOB, W. L. and BEVIER, G. A. 1969. Application of ovitraps in the U. S. *Aedes aegypti* Eradication Program. *Mosquito News* 29(1):55-62.

PAN AMERICAN SANITARY BUREAU. 1969. Informe de Octubre 1968 sobre la campaña de erradicación del *Aedes aegypti* en las Américas. *Bol. Ofic. Sanit. Panamer.* 66(2):176.

MOSQUITO CONTROL AGENCY PROBLEMS

DESFLAINES VALLEY MOSQUITO ABATEMENT DISTRICT. 1969. Forty-first annual report, 1968. 16 pp., Lyons, Illinois.

FLORIDA ANTI-MOSQUITO ASSOCIATION. 1968.

Annual reports from districts and counties. Fla. Anti-Mosquito Assoc. Rpt. 39:65-184. [District or county, authors and pp. as follows:

Bay Co.	Messer, A. L.	65-67
Brevard Dist.	Salmela, J.	69-74
Broward Co.	Souder, C. D., Jr.	75-79
Charlotte Co.	Andrews, S. W.	80-84
Citrus Co.	Faircloth, H. L.	84-86
Collier Co. (Naples Dist.)	Watson, B. G.	87-91
Columbia Co.	Bishop, J. D.	92
Dade Co.	Heidt, J. H.	93-95
Duval Co. (N.E.)	Patterson, P.	95-99
Escambia Co.	Peagler, A.	99-102
East Flagler Dist.	Gage, L. L.	102-104
Franklin Co.	Lastinger, B. G.	105-106
Gadsden Co.	McKeown, G.	107-112
Hernando Co.	Bolesta, H. E.	113-114
Indiana River Dist.	Beidler, E. J.	115-117
Levy Co.	May, B. E., Jr.	118-120
Madison Co.	Eads, D.	120
Manatee Co.	Rhodes, L. M.	121-124
Marion Co.	Hook, H. J.	125-127
Martin Co.	Witham, M. A.	128-129
Monroe Co.	Lee, R. M.	129-136
Nassau Co. (Amelia Island Dist.)	Beard, J. A.	137-138
Okaloosa Co.	Williams, B. E.	138-140
Orange Co.	Whittaker, W. B.	141-142
Palm Beach Co.	Thuss, J. W. and Scherer, L. E.	143-145
Pinellas Co.	Shinholser, J. F.	146-148
Putnam Co.	Hickey, G. B.	149-150
St. John's Co. (Anastasia Dist.)	Waterhouse, R. C.	151-153
St. Lucie Co.	Lemire, E. H.	153-160
Santa Rosa Co.	Howe, E. G.	161
Sarasota Co.	Williams, J. M.	161-162
Seminole Co.	Robbins, V. J.	163-165
Suwanee Co.	Bronson, A. L.	165-166
Taylor Co.	Taylor, D. W.	167
Volusia Co. (East Volusia Dist.)	Hunt, P. J.	168-180
Walton Co.	Boswell, F. J.	181
Walton Co. (South)	Gilbert, A., Jr.	182-183
Washington Co.	Gilmore, K. P.	184.]

EAST VOLUSIA MOSQUITO CONTROL DISTRICT. 1969. The thirty-first annual report. 11 pp., Florida.

ORLEANS PARISH MOSQUITO CONTROL. 1968. Mosquito Control. Annual report. 9 pp., plus many illus. [Louisiana.]

PETERS, R. F. and KRAMER, M. C. 1969. Dis-

aster aid for mosquito control agencies. Calif. Vector Views 16(2):15-16.

PARASITES, PREDATORS, VIRUSES AND RELATED AGENTS

BURKE, W. D. and FERGUSON, D. E. 1969. Toxicities of four insecticides to resistant and susceptible mosquitofish in static and flowing solutions. Mosquito News 29(1):96-101.

GOLDBERG, A. M. 1969. Detection of entomophagous fungi on mosquitoes (Family Culicidae) and midges (Family Ceratopogonidae). Med. Parazit. i Parazit. Bolezni 38(1):21-23. In Rus., Engl. Sum.

HAZARD, E. I. and WEISER, J. 1968. Spores of *Thelohania* in adult female *Anopheles*: development and zoonarial transmission, and redescrptions of *T. legeri* Hesse and *T. obesa* Kudo. J. Protozool. 15(4):817-823.

PEST CONTROL. 1969. Gambusia for Colorado. Pest Control 37(4):28-38. [Passim.]

PETERSEN, J. J., CHAPMAN, H. C. and WILLIS, O. R. 1969. Predation of *Anopheles barberi* Coquillett on first instar mosquito larvae. Mosquito News 29(1):134-135.

PETERSEN, J. J. and WILLIS, O. R. 1969. Incidence of *Agamomermis culicis* (Nematoda: Mermithidae) in *Aedes sollicitans* in Louisiana in 1967. Mosquito News 29(1):87-92.

PHURIVETHAYAY, Y., HARINASUTA, C., HIRAKOSO, S. and PROWNEBON, S. 1968. Investigations on feeding activity of guppy exposed to larvicides and the selective toxicities between mosquito larvae and guppy. Med. J. Malaya 22(3):246.

RONGSIYAM, Y., PROWNEBON, S. and HIRAKOSO, S. 1968. Effects of insecticides on the feeding activity of the guppy, a mosquito-eating fish, in Thailand. WHO Bul. 39(6):977-980.

TSAI, Y. H. and GRUNDMANN, A. W. 1969. *Reesimeris nielsenii* gen. et sp. n. (Nematoda: Mermithidae) parasitizing mosquitoes in Wyoming. Helminthol. Soc. Wash. Proc. 36(1):61-67.

— and REES, D. M. 1969. Parasites of mosquitoes in southwestern Wyoming and northern Utah. Mosquito News 29(1):102-110.

EQUIPMENT

BURGOYNL, W. E. and AKESSON, N. B. 1969. A low volume spray system for twin-engine aircraft used in mosquito control. Calif. Vector Views 16(2):17-18.

HARRELL, E. A. and HARE, W. W. 1969. Tifton ultra-low-volume nozzle tip. J. Econ. Ent. 62(2):526-527.

MACHADO, W. C., BLAKE, A. J., BORDES, E. S., JR. and CARMICHAEL, G. T. 1969. Evaluation of a multi-engine aircraft in the ULV application of dibrom. Mosquito News 29(1):47-52.

STJOGREN, R. D., MULHERN, T. D. and COPLEN, R. R. 1969. A device for the drip application of insecticide concentrates. Mosquito News 29(1):22-25.

ATTRACTANTS AND REPELLENTS

ALTMAN, R. M. 1969. Repellent tests against *Anopheles albimanus* Wiedemann in the Panama Canal Zone. Mosquito News 29(1):110-112.

BABAYANTS, G. A. and KARAPETYAN, A. B. 1968. Experience of use of repellents and special dresses for protection against mosquitoes in the zone of Karakum Canal, Turkmen SSR. Med. Parazit. i Parazit. Bolezni 37(6):715-720. In Rus., Engl. Sum.

HIRST, J. M. and COAUTHORS. 1968. Prevention of mosquito-borne diseases in military personnel space repellents. N. J. Mosquito Extermin. Assoc. Proc. 55:29-35.

KHAN, A. A., MAIBACH, H. I. and STRAUSS, W. G. 1969. Gross variations in the response to man among yellow-fever mosquito populations in the laboratory. J. Econ. Ent. 62(1):96-98.

MAYER, M. S. and JAMES, J. D. 1969. Attraction of *Aedes aegypti* (L.): responses to human arms, carbon dioxide, and air currents in a new type of olfactometer. Bul. Ent. Res. 58(3):629-642.

PERVOMAYSKY, G. S. and SHUSTROV, A. K. 1969. Repellent effect of DETA upon mosquitoes and flies. Med. Parazit. i Parazit. Bolezni 38(1):52-55. In Rus., Engl. Sum.

SKINNER, W. A. and COAUTHORS. 1968. Human sweat components—attraction and repellency to mosquitoes. Experientia 24(7):679-680. [*Aedes aegypti*.]

RESISTANCE AND SUSCEPTIBILITY

BANG, Y. H., TONN, R. J. and PUNURAL, P. 1969. Insecticide susceptibility and resistance found in 14 strains of *Aedes aegypti* collected from Bangkok-Thonburi, Thailand. WHO/VBC/69.117, 9 pp.

BOIKE, A. H., JR. and RATHBURN, C. B., JR. 1968. Tests of the susceptibility of Florida mosquitoes to insecticides. Fla. Anti-mosquito Assoc. Rpt. 39:53-57.

BROWN, A. W. A. 1969. Insecticide resistance and the future control of insects. Canad. Med. Assoc. J. 100(4):218-221.

GEORGHIOU, G. P., CALMAN, J. R. and MULLA, M. S. 1969. Aliphatic amines against insecticide-susceptible and resistant strains of *Culex pipiens quinquefasciatus* and *Anopheles albimanus*. J. Econ. Ent. 62(1):171-173.

GEORGHIOU, G. P., METCALF, R. L. and MILLHOLLIN, R. 1969. Comparative toxicity of Dursban® and its dimethyl analog (OMS 1155) to insecticide-susceptible and resistant *Culex* and *Anopheles* mosquitoes. Mosquito News 29(1):92-95.

HAMON, J. and PAL, R. 1968. Practical implications of insecticide resistance in arthropods of medical and veterinary importance. WHO/VBC/68.106, 11 pp.

LEWIS, L. F. and CHRISTENSON, D. M. 1969. Change in resistance to DDT in larvae of *Culex*

tarsalis Coquillett at Oakridge, Oregon in ten years. Mosquito News 29(1):26-28.

ODINETS, A. A. 1969. Sensitivity of adult mosquitoes of the genus *Aedes* to carbophos and chlorophos. Med. Parazit. i Parazit. Bolezni 38(1):55-57. In Rus., Engl. Sum.

RAMKE, D. J., GILLIES, P. A. and SCHAEFER, C. H. 1969. *Aedes nigromaculis* control crisis in the southern San Joaquin Valley. Calif. Vector Views 16(2):19-20.

ROCKEL, E. G. and HAGMANN, L. E. 1968. Monitoring DDT susceptibility in New Jersey mosquitoes. N. J. Mosquito Extermin. Assoc. Proc. 55:115-118.

TOPPOZADA, A., MADI, S. M. and ELDEFRAWI, M. E. 1969. Resistance to chlorinated hydrocarbons in *Culex pipiens quinquefasciatus* in Egypt. J. Econ. Ent. 62(2):440-442.

WOOD, R. J. 1968. Heterogeneity in the Trinidad DDT-resistant strain and the QS susceptible strain of *Aedes aegypti* L. The isolation of highly susceptible substrains. WHO Bul. 39(4):639-645.

INSECTICIDES AND CHEMICALS

BANG, Y. H. and TONN, R. J. 1969. Residual life of Abate (OMS-786) sand granules in water containers under water usage practice. WHO/VBC/69.125, 10 pp.

EL-AZIZ, S. A., METCALF, R. L. and FUKUTO, T. R. 1969. Physiological factors influencing the toxicity of carbamate insecticides to insects. J. Econ. Ent. 62(2):318-324. [Includes mosquitoes.]

HIRAKOSO, S., KITAGO, I. and HARINASUTA, C. 1968. Inactivation of insecticides by bacteria isolated from polluted waters where mosquito larva bred in large number. Med. J. Malaya 22(3):249.

HIRAKOSO, S., RONGSIYAM, Y. and PROWNEBON, S. 1969. The inactivation of Abate (OMS-786), OMS-1210 and OMS-1211 in media used to cultivate bacteria. WHO/VBC/69.122, 9 pp.

KHAN, M. A. Q., ROSEN, J. D. and SUTHERLAND, D. J. 1969. Insect metabolism of photoaldrin and photodieldrin. Science 164(3877):318-319. [Mosquitoes included.]

PEST CONTROL. 1969 directory of pesticides. Pest Control 37(3):68-85. [Passim.]

RAMASAMY, M. and RENAUD, P. G. 1969. The chemical analyses of six new insecticides and their water-dispersible formulations. WHO/VBC/69.116, 6 pp.

WASSERBURGER, H. J. 1968. Zur Warmblüter-Giftigkeit des Pyrethrums. Angew. Parasitol. 9(3):177-178. Engl. Sum.

WORLD HEALTH ORGANIZATION. 1968. Evaluation of insecticides for vector control. A collaborative programme conducted by the World Health Organization. Part I. Compounds evaluated in 1960-67. WHO/VBC/68.66, Add. 2, 1 p. and WHO/VBC/68.66, Corr. 2, 1 p.

———. 1968. Evaluation of insecticides for vector control Index to part I. WHO/VBC/68.66, Add. 1, 40 pp.

TOXICOLOGY

ANDERSON, J. M. and PETERSON, M. R. 1969. DDT: sublethal effects on brook trout nervous system. *Science* 164(3878):440-441.

BICK, H. 1968. An illustrated guide to ciliated Protozoa used as "biological indicators" in freshwater ecology. Sixth fascicle. WHO/VBC/68.110, 21 pp.

———. 1969. An illustrated guide to ciliated Protozoa used as "biological indicators" in freshwater ecology. Seventh fascicle. WHO/VBC/69.136, 35 pp.

DIMOND, J. B. and SHERBURNE, J. A. 1969. Persistence of DDT in wild populations of small mammals. *Nature (London)* 221(5179):486-487.

DUBOIS, K. P. 1969. Combined effects of pesticides. *Canad. Med. Assoc. J.* 100(4):173-179.

DYKSTRA, W. W. 1968. Some recent findings in pesticide-wildlife relationships. *N. J. Mosquito Extermin. Assoc. Proc.* 55:24-28.

EDMUNDSON, W. F., DAVIES, J. E., NACHMAN, G. A. and ROETH, R. L. 1969. p,p'-DDT and p,p'-DDE in blood samples of occupationally exposed workers. *U. S. Pub. Health Rpts.* 84(1):53-58.

GIES, R. W. and MCGAUGHEY, W. 1968. Effect of mosquito control on wildlife on the Tinicum marshes near Philadelphia. *N. J. Mosquito Extermin. Assoc. Proc.* 55:227-228.

GOULDING, R. 1969. Pesticide residues as a health hazard: United Kingdom viewpoint. *Canad. Med. Assoc. J.* 100(4):197-204.

KEANE, W. T. and ZAVON, M. D. 1969. The total body burden of dieldrin. *Bul. Environmtl. Contam. and Toxicol.* 4(1):1-16.

KRAYBILL, H. F. 1969. Significance of pesticide residues in foods in relation to total environmental stress. *Canad. Med. Assoc. J.* 100(4):204-215.

MALLACK, J. 1968. Cholinesterase determinations on mosquito control personnel. *N. J. Mosquito Extermin. Assoc. Proc.* 55:217-218. [Cholinesterase was found to be negative.]

MCGILL, A. E. G., ROBINSON, J. and STEIN, M. 1969. Residues of dieldrin (HEOD) in complete prepared meals in Great Britain during 1967. *Nature (London)* 221(5182):761-762.

RAPPOLT, R. T., SR. and HALE, W. E. 1968. p,p'-DDE and p,p'-DDT residues in human placentas, cords, and adipose tissue. *Clinical Toxicol.* 1(1):57-61.

ROBINSON, F. A. 1968. Mosquito control and/or honey bees. *Fla. Anti-Mosquito Assoc. Rpt.* 39:58-60.

ROBINSON, J. 1969. The burden of chlorinated hydrocarbon pesticides in man. *Canad. Med. Assoc. J.* 100(4):180-191.

RUBER, E. and BASKAR, J. 1968. Sensitivities of selected Microcrustacea to eight mosquito toxicants. *N. J. Mosquito Extermin. Assoc. Proc.* 55:99-103.

SELBY, L. A. and COAUTHORS. 1969. Estimating pesticide exposure in man as related to

measurable intake; environmental versus chemical index. *Amer. J. Epidemiol.* 89(3):241-253.

WILLIAMSON, C. T. 1968. Report of the law suit brought against the Suffolk County Mosquito Control Commission to prevent the use of DDT. *N. J. Mosquito Extermin. Assoc. Proc.* 55:52-57.

WORLD HEALTH ORGANIZATION. 1968. Information circular on the toxicity of pesticides to man. *VBC/TOX/68.2*, 27 pp.

BEHAVIOR, BIOLOGY AND ECOLOGY

AKSENOVA, A. S. and ANUFRIEVA, V. N. 1969. Fauna and some aspects of biology of gnats in the area of diamond fields in the Yakut ASSR. *Med. Parazit. i Parazit. Bolezni* 38(1):8-16. In Rus., Engl. Sum. [Mosquitoes included.]

ANDERSON, J. F. 1968. Influence of photoperiod and temperature on the induction of diapause in *Aedes atropalpus* (Diptera:Culicidae). *Ent. Expt. et Applicata* 11(3):321-330.

ARAGÃO, M. B. 1968. O ciclo anual dos *Anopheles* do subgênero *Kerteszia* no sul do Brasil. *Inst. Oswaldo Cruz Mem.* 66(1):85-106. Engl. Sum.

BABYANTS, G. A. 1969. Mosquito breeding places and species composition of larvae in water reservoirs of different types in the zone of the Kara-Kum Canal. *Med. Parazit. i Parazit. Bolezni* 38(1):23-30. In Rus., Engl. Sum.

BECK, S. D. 1968. Insect photoperiodism. 288 pp., New York and London. [Includes mosquitoes.]

BOND, H. A. and FAY, R. W. 1969. Factors influencing *Aedes aegypti* occurrence in containers. *Mosquito News* 29(1):113-116.

BUEI, K. and COAUTHORS. 1968. Ecological studies on *Culex tritaeniorhynchus* and their natural infection with Japanese encephalitis virus in Osaka Prefecture. *Jap. J. Sanit. Zool.* 19(4):237-248. In Jap., Engl. Sum.

CHEONG, W. H. and MAHADEVAN, S. 1968. Larvae of some non-anophelines found associated with *Anopheles hackeri*. *Med. J. Malaya* 22(3):241.

CHEONG, W. H., OMAR, A. H. and MAHADEVAN, S. 1968. The 24-hour activity of *A. balabacensis balabacensis* in nature. *Med. J. Malaya* 22(3):243.

CHEONG, W. H. and STA MARIA, F. L. 1968. The fertilisation rate and copulation time of four species of *Anopheles*. *Med. J. Malaya* 22(3):244-245. [*A. maculatus*, *A. kochi*, *A. b. balabacensis*, *A. sundaicus*.]

EKIS, G. and HAGMANN, L. E. 1968. Host acceptance studies of *Culex pipiens pipiens* L. from five New Jersey counties. *N. J. Mosquito Extermin. Assoc. Proc.* 55:85-88.

FORATTINI, O. P., LOPES, O. DE S. and RABELLO, E. X. 1968. Investigações sobre o comportamento de formas adultas de mosquitos silvestres no Estado de São Paulo, Brasil. *Rev. de Saúde Pública (S. Paulo)* 2(2):111-173. Engl. Sum.

- HARADA, F., MORIYA, K. and YABE, T. 1968. Observations on the habits of feeding and oviposition of *Culex tritaeniorhynchus summorosus* (II). Jap. J. Sanit. Zool. 19(4):230-236. In Jap., Engl. Sum.
- HARRIS, P., RIORDAN, D. F. and COOKE, D. 1969. Mosquitoes feeding on insect larvae. Science 164(3876):184-185. [*Aedes aegypti* and *Culex tarsalis* under laboratory conditions.]
- HEMMERLEIN, A. H. and CRANS, W. J. 1968. A review of the biology of *Toxorhynchites rutilus septentrionalis* (Dyar and Knab), and some observations on the species in New Jersey. N. J. Mosquito Extermin. Assoc. Proc. 55:219-226.
- HILL, M. N. and BROADFOOT, J. 1968. Ecological studies on British mosquitoes. Arthropod-Borne Virus Epidemiology Unit. Ann. Rpt. Sept. 1967-August 1968. pp. 31-34. Salisbury, Wiltshire.
- and SURTEES, G. 1968. Field and laboratory studies on the survival and development of a tropical mosquito in Britain. Arthropod-Borne Virus Epidemiology Unit. Ann. Rpt. Sept. 1967-August 1968. pp. 37-40. Salisbury, Wiltshire.
- HUSAIN, A. 1968. Mating of *Aedes togoi* in cages. Ent. Expt. et Applicata 11(1):114.
- KEFRANS, J. E. 1969. Larval development of *Aedes aegypti* (L.) in used auto tires. Mosquito News 29(1):43-46.
- LOMAX, J. L. 1968. A study of mosquito mortality relative to temperature and relative humidity in an overwintering site. N. J. Mosquito Extermin. Assoc. Proc. 55:81-85.
- MAKIYA, K. 1968. Population dynamics of mosquito larvae overwintering in southern Japan. Jap. J. Sanit. Zool. 19(4):223-229. In Jap., Engl. Sum.
- MCIVER, S. B. 1969. Note on the biology of *Culex territans* Walker. Mosquito News 29(1):135-136.
- PETERSEN, J. J. and CHAPMAN, H. C. 1969. Chemical factors of water in tree holes and related breeding of mosquitoes. Mosquito News 29(1):29-36.
- PILLAI, M. K. K. and MADHUKAR, B. V. R. 1969. The effect of pH on the ovipositional responses of the yellow fever mosquito, *Aedes aegypti* L. Current Sci. (Bangalore) 38(5):114-116.
- SELF, L. S., ABDULCADER, M. H. M. and TUN, M. M. 1969. Areas of the body of adult Burmese males bitten by *Culex pipiens fatigans*. WHO/VBC/69.114, WHO/FIL/69.83. 5 pp.
- SELF, L. S. and SEBASTIAN, A. 1969. A high incidence of green colouration in newly emerged adult populations of *Culex pipiens fatigans* in Rangoon, Burma. WHO/VBC/69.124, 4 pp.
- SERVICE, M. W. 1968. Observations on feeding and oviposition in some British mosquitoes. Ent. Expt. et Applicata 11(3):277-285.
- SOMMERMAN, K. M. 1969. Blood meals and egg production of *Culiseta alaskaensis* (Ludlow) in captivity (Diptera:Culicidae). Mosquito News 29(1):65-69.
- SHINKLE, M. P. and JOBBINS, D. M. 1968. Selected items of interest from the New Jersey mosquito surveillance program. N. J. Mosquito Extermin. Assoc. Proc. 55:64-79.
- TONN, R. J., SHEPPARD, P. M., MACDONALD, W. W. and BANG, Y. H. 1969. Replicate surveys of larval habitats of *Aedes aegypti* in relation to dengue haemorrhagic fever in Bangkok, Thailand. WHO/VBC/69.127, 13 pp.
- TRPIŠ, M. and SHEMAŇCHUK, J. A. 1969. The effect of temperature on pre-adult development of *Aedes flavescens* (Diptera:Culicidae). Canad. Ent. 101(2):128-132.
- VENARD, C. E., WRIGHT, J. E. and KAPPUS, K. D. 1968. Diapause in mosquitoes with special reference to *Aedes triseriatus* (Say). N. J. Mosquito Extermin. Assoc. Proc. 55:177-179.
- WALDBAUER, G. P. 1968. The consumption and utilization of food by insects. Advances in Insect Physiol. 5:229-288. [*Aedes aegypti* included.]
- See also Mohrig in Taxonomy Section.

GENETICS

ASLAMKHAH, M. and BAKER, R. H. 1969. Karyotypes of some *Anopheles*, *Ficallbia* and *Culex* mosquitoes of Asia. Pakistan J. Zool. 1(1):1-7.

BAKFR, R. H. 1968. The genetics of "golden", a new sex-linked colour mutant of the mosquito *Culex tritaeniorhynchus* Giles. Ann. Trop. Med. and Parasitol. 62(2):193-199.

——— and ASLAMKHAH, M. 1969. Karyotypes of some Asian mosquitoes of the subfamily Culicinae (Diptera:Culicidae). J. Med. Ent. 6(1):44-52.

COLUZZI, M. and SABATINI, A. 1968. Cytogenetic observations on species *C. A. merus* and *A. melas* of the *Anopheles gambiae* complex. WHO/Mal/68.674, WHO/VBC/68.111. 3 pp.

LAVEN, H. 1969. Incompatibility tests in the *Culex pipiens* complex. Part I. African strains. Part II. Egyptian strains. Mosquito News 29(1):70-74; 74-83.

O'MEARA, G. F. and CRAIG, G. B., JR. 1969. Monofactorial inheritance of autogeny in *Aedes atropalpus*. Mosquito News 29(1):14-22.

RUKAVISHNIKOV, B. I. 1968. Genetical methods of insect pest control. Genetika 4(6):128-143. In Rus., Engl. Sum. [Includes mosquitoes.]

SHARMA, G. P., PARSHAD, R., NARANG, S. L. and KITZMILLER, J. B. 1969. The salivary chromosomes of *Anopheles stephensi stephensi*. J. Med. Ent. 6(1):68-71.

ANATOMY, MORPHOLOGY AND PHYSIOLOGY

ASLAMKHAH, M. and BAKER, R. H. 1969. Gynandromorphism in *Culex tritaeniorhynchus*. Mosquito News 29(1):127-132.

- BHAT, U. K. M. and SINGH, K. R. P. 1969. Structure and development of vesicles in larval tissue culture of *Aedes aegypti* (L.). J. Med. Ent. 6(1):71-74.
- BRAMMER, J. D. and WHITE, R. H. 1969. Vitamin A deficiency: effect on mosquito eye ultrastructure. Science 163(3869):821-823.
- CHEONG, W. H. 1968. A note on the interesting eggs of *Aedes aurantius*. Med. J. Malaya 22(3):242.
- FREYVOGEL, T. A., HUNTER, R. L. and SMITH, E. M. 1968. Nonspecific esterases in mosquitos. J. Histochem. and Cytochem. 16(12):765-790.
- MINSON, K. L. 1969. An *Aedes vexans* gynandromorph. Mosquito News 29(1):135.
- MITCHELL, C. J. and HUGHES, T. B., JR. 1969. A bipolar differentiated gynandromorph of *Culex tarsalis* Coquillett, from Texas. J. Med. Ent. 6(1):78.
- RAMACHANDRAN, M., RAM, K. and SUBRAHMANYAM, D. 1968. Transamination in *Culex pipiens fatigans*. Indian J. Biochem. 5(4):189-190.
- RAO, R. H. and SUBRAHMANYAM, D. 1969. Studies on the phospholipase A in larvae of *Culex pipiens fatigans*. J. Insect Physiol. 15(1):149-159.
- ROMOSER, W. S. and VENARD, C. E. 1969. The myoblastic masses and neural tissue, associated with the proventriculus of larvae of *Aedes triseriatus*, *A. aegypti*, and *Anopheles quadrimaculatus*. Ent. Soc. Amer. Ann. 62(2):345-348.
- SCHAEFER, C. H. and WASHINO, R. K. 1969. Changes in the composition of lipids and fatty acids in adult *Culex tarsalis* and *Anopheles freeborni* during the overwintering period. J. Insect Physiol. 15(3):395-402.
- TONGU, Y. and COAUTHORS. 1968. The ultrastructure of mosquitoes. 1. Spermatozoa in *Culex pipiens pallens*. Jap. J. Sanit. Zool. 19(4):215-222. In Jap., Engl. Sum.
- TREBATOŠKI, A. M. and HAYNES, J. F. 1969. Comparison of enzymes of twelve species of mosquitoes. Ent. Soc. Amer. Ann. 62(2):327-335.
- WHITE, R. H. 1968. The effect of light and light deprivation upon the ultrastructure of the larval mosquito eye. III. Multivesicular bodies and protein uptake. J. Expt. Zool. 169(3):261-278.
- WILSON, D. M. 1968. The nervous control of insect flight and related behavior. Advances in Insect Physiol. 5:289-338. [Mosquitoes mentioned.]
- Rpt. Sept. 1967-August 1968. pp. 35-36. Salisbury, Wiltshire.
- BRUCE-CHAWTT, L. J. 1969. George Macdonald memorial lecture. Quantitative epidemiology of tropical diseases. Roy. Soc. Trop. Med. and Hyg. Trans. 63(1):131-143.
- DAUM, R. J. and MCKIBBEN, G. H. 1969. A vacuum probe for manipulating insects. J. Econ. Ent. 62(1):267-269.
- FAY, R. W. and CRAIG, G. B., JR. 1969. Genetically marked *Aedes aegypti* in studies of field populations. Mosquito News 29(1):121-127.
- JACKSON, D. 1969. A technique for removing appendages from small, dry-mounted insects for microscopic examination. Ent. Soc. Wash. Proc. 71(1):93.
- KASHIN, P. and ARNESON, B. E. 1969. An automated repellency assay system. II. A new electronic "bitometer-timer." J. Econ. Ent. 62(1):200-205.
- KASHIN, P. and KARDATZKE, M. L. 1969. An automated repellency assay system. I. Statistical methods. J. Econ. Ent. 62(1):110-113.
- LEE, C. W. 1968. A simple method for the field evaluation of droplet size of sprays. WHO/VBC/68.107, WHO/Mal/68.673. 4 p.
- . 1968. A simple method for the field evaluation of droplet size of sprays. WHO/VBC/68.107 Corr. 1, WHO/Mal/68.673 Corr. 1. 1 p.
- MACDONALD, W. W., SEBASTIAN, A. and TUN, M. M. 1968. A mark-release-recapture experiment with *Culex pipiens fatigans* in the village of Okpo, Burma. Ann. Trop. Med. and Parasitol. 62(2):200-209.
- MINAR, J. 1968. A device for quantitative sampling of immature stages of mosquitoes and other aquatic arthropods. Folia Parasitol. 15(4):377-380. Illus.
- NASH, R. F. and FOX, R. C. 1969. The Coulter Counter as a tool for estimating nematode numbers. J. Invertebrate Path. 13(1):153-154.
- RAMASAMY, M. 1969. The identification and estimation by thin-layer chromatography of organo-phosphorus and carbamate insecticides. WHO/VBC/69.115, 10 pp.
- RYCKMAN, R. E. 1969. Vapona for the control of museum pests. J. Med. Ent. 6(1):98.
- SHRESTHA, S. L., RAO, A. M. and WHITWORTH, B. T. 1969. A device for protecting experimental huts from molestation. Mosquito News 29(1):133-134. [To keep monkeys out of window traps in mosquito studies.]
- SURTEES, G. 1968. A handling cabinet for infected mosquitoes. Arthropod-Borne Virus Epidemiology Unit. Ann. Rpt. Sept. 1967-August 1968. p. 30. Salisbury, Wiltshire.
- . 1968. Standardised breeding technique for mosquitoes. Arthropod-Borne Virus Epidemiology Unit. Ann. Rpt. Sept. 1967-August 1968. pp. 27-29. Salisbury, Wiltshire.
- WAX, H. J. and IRELAND, J. 1968. Tissue culture studies on viruses isolated from Sarawak mosquitoes 1966. Arthropod-Borne Virus Epidemiology Unit. Ann. Rpt. Sept. 1967-August 1968. pp. 10-11. Salisbury, Wiltshire.

TECHNIQUES

- ADLER, V. E. 1969. Modified container for study of photoperiodism. J. Econ. Ent. 62(1):269-270.
- ANDERSON, C. R., MELANSON, H. G. and KLASSEN, W. 1969. A portable temperature alarm for insect-rearing rooms. J. Econ. Ent. 62(1):274.
- BROADFOOT, J. and SURTEES, G. 1968. A rapid technique for marking adult mosquitoes. Arthropod-Borne Virus Epidemiology Unit. Ann.

See also Self and Sebastian in Behavior, Biology and Ecology Section.

TAXONOMY

BERLIN, O. G. W. 1969. Mosquito studies (Diptera, Culicidae). XII. A revision of the neotropical subgenus *Howardina* of *Aedes*. Amer. Ent. Inst. Contrib. 4(2):1-190. [15 new species of *Aedes*.]

BHATTACHARYA, N. C. and BISWAS, T. C. 1967. Morphologic variation in the larva of *Aedes aegypti*, Trinidad strain. Calcutta Schl. Trop. Med. Bul. 15(1):13.

BIANCHI, U. 1968. Sulla tassonomia di *Anopheles labranchiae* ed *Anopheles atroparvus*. Riv. di Parassitol. 29(3):221-226. Engl. Sum.

DUBITSKY, A. M. 1968. A new mosquito *Aedes montchadskiyi* sp. n. from the Ili River Basin. Parazitologiya 2(3):218-224. In Rus., Engl. Sum. [n. sp.]

FERRARA, L. 1968. Description d'une larve du troisième stade d'*Orthopodomyia nekogissonensis* Rickenbach et Hamon, 1965. Entomologie Medicale Cah. 6(2):161-165. Engl. Sum.

LIFEN, J. C. 1968. New species of mosquitoes from Taiwan (Diptera:Culicidae). Part IV. *Mattinglyia catsi*, n. gen., n. sp. and four new species of genus *Heizmannia* Ludlow. Trop. Med. (Nagasaki) 10(3):127-153. [*H. cheni*, *chengi*, *nivivostriis* and *taiwanensis* n. spp.]

MÖHRIG, W. 1969. Die Culiciden Deutschlands. Untersuchungen zur Taxonomie, Biologie und Ökologie der einheimischen Stechmücken. Parasitol. Schriftenr. 18:1-260.

REUBEN, R. 1969. A redescription of *Culex vishnui* Theo., with notes on *C. pseudovishnui* Colless and *C. tritaeniorhynchus* Giles, from southern India. Bul. Ent. Res. 58(3):643-652.

SMIRNOV, E. 1968. Taxonomische Analyse als Mittel zum Aufbau eines natürlichen Systems. Beitr. Ent. 18(3/4):347-376. Engl. Sum. [Numerical taxonomy.]

DISTRIBUTION

BAILLY-CHOUMARA, H. 1968. Contribution à l'étude des moustiques du Maroc (Diptera, Culicidae). Six espèces nouvelles pour le pays. Entomologie Médicale Cah. 6(2):139-144. Engl. Sum.

CASAL, O. H. and GARCÍA, M. 1968. El subgénero *Culex* (*Carrollia*) Lutz, 1905, nuevo para la entomofauna Argentina (Diptera, Culicidae). Soc. Ent. Argentina Rev. 30(1/4):97-98.

CHAPMAN, H. C. and BECHTEL, R. C. 1969. Occurrence of *Culex pipiens quinquefasciatus* Say in Nevada. Mosquito News 29(1):137.

CHAUVET, G. and RASOLONIAINA, L. de G. 1968. *Culex pipiens* ssp. *fatigans* Wied. en milieu urbain à Madagascar. Entomologie Médicale Cah. 6(2):145-159. Engl. Sum.

GARCÍA, M. and CASAL, O. H. 1968. *Sabethes*

(*Sabethinus*) *mclanonymphe*; *Wyeomyia* (*W.*) *sabetha* y *W.* (*Dendromyia*) *apronoma*, nuevas para la entomofauna Argentina (Diptera, Culicidae). Soc. Ent. Argentina Rev. 30(1/4):61-63. Engl. Sum.

LAKE, R. W., MURPHEY, F. J. and STACHECKI, C. J., JR. 1968. Distribution and abundance of *Psorophora* species in Delaware, 1967. N. J. Mosquito Extermin. Assoc. Proc. 55:139-142.

MEKURIA, Y. 1968. A catalogue of the culicine mosquito fauna of Ethiopia and their distribution in the country. Ethiop. Med. J. 6(2):73-80.

STANDEFAST, H. A. and BARROW, G. J. 1969. Mosquito collections in a high rainfall area of North Queensland, 1963-1964. J. Med. Ent. 6(1):37-43.

ARBOVIRUSES

CAMPILLO SÁINZ, C. 1969. Incidencia de infecciones por arbovirus encefalíticos en México. Bol. Ofic. Sanit. Panamer. 66(2):106-111. Engl. Sum.

CAREY, D. E., MYERS, R. M., WILSON, E. and MANOHARAN, A. 1968. Transplacentally-acquired group-B HI antibody and dengue infection among infants in Vellore, South India. Indian J. Med. Res. 56(10):1468-1477.

CARTER, G. B. 1969. The rapid titration of Semliki Forest virus in cell monolayers by immunofluorescence. J. General Virol. 4(1):139-143.

CHAMBERLAIN, R. W. and COAUTHORS. 1969. Arbovirus isolations from mosquitoes collected in Waycross, Georgia, 1963, during an outbreak of equine encephalitis. Amer. J. Epidemiol. 89(1):82-88.

CHUNIKHIM, S. P. 1969. Ecology and geographic distribution of mosquito-borne arboviruses. Med. Parazit. i Parazit. Bolezni 38(1):94-99. In Rus.

COLE, G. A. and WISSEMAN, C. L., JR. 1969. The effect of hyperthermia on dengue virus infection of mice. Soc. Expt. Biol. and Med. Proc. 130(2):359-363.

COLEMAN, P. H., RYDER, S. and WORK, T. H. 1969. Mahogany Hammock virus, a new Guama group arbovirus from the Florida Everglades. Amer. J. Epidemiol. 89(2):217-221. [Isolated from *Culex* (*Melanoconion*) spp.]

DOBOS, P. and FAULKNER, P. 1969. Characterization of a cytoplasmic fraction from Sindbis virus-infected cultures. Canad. J. Microbiol. 15(2):215-222.

DOHERTY, R. L. and COAUTHORS. 1968. Virus isolation and serological studies of arthropod-borne virus infections in a high rainfall area of North Queensland. Roy. Soc. Trop. Med. and Hyg. Trans. 62(6):862-867.

FIELDS, B. N., HENDERSON, B. E., COLEMAN, P. H. and WORK, T. H. 1969. Pahayokce and Shark River, two new arboviruses related to Patois and Zegla from the Florida Everglades. Amer. J. Epidemiol. 89(2):222-226. [Isolated from *Culex* (*Melanoconion*) spp.]

FRESH, J. W., REYES, V., CLARKE, E. J. and UYLANGCO, C. V. 1969. Philippine hemorrhagic fever: a clinical, laboratory, and necropsy study. *J. Lab. and Clin. Med.* 75(3):451-458.

GORGAS MEMORIAL LABORATORY. 1969. Fortieth annual report of the work and operations of the Gorgas Memorial Laboratory, fiscal year 1968. U. S. Congress (1st session) House Document No. 91-10, 36 pp.

GREENBERG, J. H. 1969. Public health problems relating to the Vietnam returnee. *Amer. Med. Assoc. J.* 207(4):697-702. [Arboviruses and malaria.]

HALL, R. R., McKIEL, J. A. and BROWN, H. J. 1968. Isolation of Turlock virus and a member of the Bunyamwera group, probably Cache Valley virus, from Alberta mosquitoes. *Canad. J. Pub. Health* 59(4):159-160.

HAMMON, W. McD. 1969. Observations on dengue fever, benign protector and killer: a Dr. Jekyll and Mr. Hyde. *Amer. J. Trop. Med. and Hyg.* 18(2):159-165.

HENDERSON, B. E. and COAUTHORS. 1969. Gumbo Limbo, a new group C arbovirus from the Florida Everglades. *Amer. J. Epidemiol.* 89(2):227-231. [Isolated from *Culex (Melanoconion)* spp.]

JOHNSON, R. W., ORLANDO, M. D. and PATRICK, W. C. III. 1969. Growth of Rift Valley fever virus in human diploid (WI-38) cells. *Amer. J. Vet. Res.* 30(3):365-367.

KALTER, S. S., RATNER, J. J. and HEBERLING, R. L. 1969. Antibodies in primates to the Marburg virus. *Soc. Expt. Biol. and Med. Proc.* 130(1):10-12. [Possibility of being mosquito-borne.]

McRAE, A. W. R. and COAUTHORS. 1968. Trans-stadial maintenance of reovirus type 3 in the mosquito *Culex (C.) pipiens fatigans* Weidemann and its implications. *East Afr. Med. J.* 45(10):677-682. [Wiedemann.]

METSelaar, D., WILLIAMS, M. C., SIMPSON, D. I. H., WEST, R. and MUTERE, F. A. 1969. Mount Elgon bat virus: a hitherto undescribed virus from *Rhinolophus hildebrandtii eloquens* K. Anderson. *Arch. f. die Gesamte Virusforsch.* 26(1/2):183-193. [Possibly mosquito-borne.]

PENNY, R. E. and TAYLOR, D. J. 1969. Penetration of Keystone virus in artificially infected female *Aedes infirmatus* (Dyar and Knab). *J. Med. Ent.* 6(1):81-82.

RUSSELL, P. K., INTAVIVAT, A. and KANCHANAPILANT, S. 1969. Anti-dengue immunoglobulins and serum β_2 c/a globulin levels in dengue shock syndrome. *J. Immunol.* 102(2):412-420.

SARKAR, J. K., CHATTERJEE, S. N. and CHAKRAVARTY, S. K. 1967. Follow up studies on the haemorrhagic fever in Calcutta during 1964 and 1965. *Calcutta Schl. Trop. Med. Bul.* 15(1):13-14.

SCHERER, W. F., ZARATE, M. L. and DICKERMAN, R. W. 1969. Discovery and identification of group C, Nepuyo arbovirus in Mexico. *Bol.*

Ofic. Sanit. Panamer. 66(4):325-338. In Engl. SIMPSON, D. I. H., BOWEN, E. T. W. and BRIGHT, W. F. 1968. Studies on the causative agent of vervet monkey disease. *Arthropod-Borne Virus Epidemiology Unit. Ann. Rpt. Sept. 1967-August 1968.* pp. 1-9. Salisbury, Wiltshire. [Possibly carried by mosquitoes.]

SRIHONGSE, S. and JOHNSON, K. M. 1969. Hemagglutinin production and infectivity patterns in adult hamsters inoculated with group C and other New World arboviruses. *Amer. J. Trop. Med. and Hyg.* 18(2):273-279.

SURTEES, G. 1968. The World Health Organization East African *Aedes* Research Unit—summary report. pp. 41-45. *Arthropod-Borne Virus Epidemiology Unit. Ann. Rpt. Sept. 1967-August 1968.* pp. 41-45. Salisbury, Wiltshire.

— and SNAPE, T. 1968. Laboratory studies on the behaviour of dengue and chikungunya virus in different geographical strains of *Aedes aegypti*. *Arthropod-Borne Virus Epidemiology Unit. Ann. Rpt. Sept. 1967-August 1968.* pp. 21-26. Salisbury, Wiltshire.

TANGUCHI, S., YOSHINO, K. and TAKEUCHI, H. 1969. Maintenance of the u mutant of Sindbis virus by 40° passage. *Soc. Expt. Biol. and Med. Proc.* 130(2):474-479.

TAYLOR, D. J., MEADOWS, K. E., STOREY, L. L. and VICKERY, C. A., JR. 1968. California group viruses in Florida freshwater *Aedes*. *Fla. Anti-Mosquito Assoc. Rpt.* 39:63.

THIIND, I. S. and PRICE, W. H. 1969. Cross-protection with group B arboviruses in mice treated with cyclophosphamide: role of serum antibody, viremia, and virus multiplication in the brain. *Amer. J. Epidemiol.* 89(1):89-97. [Mosquito-borne viruses included.]

VERLINDE, J. D. 1968. Susceptibility of cynomolgus monkeys to experimental infection with arboviruses of group A (Mayaro and Mucambo) group C (Oriboca and Restan) and an unidentified arbovirus (Kwatta) originating from Surinam. *Trop. and Geog. Med.* 20(4):385-390.

VIRUS RESEARCH CENTRE (Poona). 1968. Annual report 1967, 173 pp.

WHITEHEAD, R. H. 1969. Experimental infection of vertebrates with Ross River and Sindbis viruses, two group A arboviruses isolated in Australia. *Austral. J. Expt. Biol. and Med. Sci.* 47(1):11-15.

See also Voller and Bidwell in Malaria Section.

ENCEPHALITIS

CHAMBERLAIN, R. W. and COAUTHORS. 1969. Arbovirus studies in south Florida, with emphasis on Venezuelan equine encephalomyelitis virus. *Amer. J. Epidemiol.* 89(2):197-210.

EMMONS, R. W. and LENNETTE, E. H. 1969. Isolation of western equine encephalomyelitis virus from an opossum. *Science* 163(3870):945-946.

GOLDFIELD, M. and COAUTHORS. 1968. Arbo-

- virus activity in New Jersey during 1967. N. J. Mosquito Extermin. Assoc. Proc. 55:114-19.
- and ———. 1968. Arbovirus infection of animals in New Jersey. Amer. Vet. Med. Assoc. J. 153(12):1780-1787. [EEE.]
- HAHON, N. 1969. The kinetics of neutralization of Venezuelan equine encephalomyelitis virus by antiserum and the reversibility of the reaction. J. General Virol. 4(1):77-88.
- KIMOTO, T. and COAUTHORS. 1968. Laboratory diagnosis of Japanese encephalitis. Comparison of the fluorescent antibody technique with virus isolation and serologic tests. Biken J. 11(3):157-168.
- LEONARD, L. L., ALLEN, R. and SULKIN, S. E. 1968. Bat immunoglobulins formed in response to experimental Japanese B encephalitis (JBE) virus infection. J. Immunol. 101(6):1168-1175.
- LUNDGRFN, D. L. and SMART, K. L. 1969. Experimental infection of coyote pups with Venezuelan equine encephalomyelitis virus. Amer. J. Trop. Med. and Hyg. 18(2):268-272.
- MURPHY, F. A. and COAUTHORS. 1968. St. Louis encephalitis virus infection of mice. Electron microscopic studies of central nervous system. Lab. Invest. 19(6):652-662.
- NATHANSON, N., STOLLEY, P. D. and BOOLUKOS, P. J. 1969. Eastern equine encephalitis: distribution of central nervous system lesions in man and rhesus monkey. J. Compar. Path. 79(1):109-115.
- YOUNG, N. A. and JOHNSON, K. M. 1969. Antigenic variants of Venezuelan equine encephalitis virus: their geographic distribution and epidemiologic significance. Amer. J. Epidemiol. 89(3):286-307.
- and ———. 1969. Viruses of the Venezuelan equine encephalomyelitis complex. Infection and cross-challenge of rodents with VEE, Mucambo, and Pixuna viruses. Amer. J. Trop. Med. and Hyg. 18(2):280-289.
- and GAULD, L. W. 1969. Viruses of the Venezuelan equine encephalomyelitis complex. Experimental infection of Panamanian rodents. Amer. J. Trop. Med. and Hyg. 18(2):290-296.
- See also Buci et al. in Behavior, Biology and Ecology Section.
- FILARIASIS**
- BHATTACHARYA, N. C. and CHOWDHURY, A. B. 1967. Observations on the development in vitro of the microfilaria of *Wuchereria bancrofti* after prolonged hypothermia. Calcutta Schl. Trop. Med. Bul. 15(1):11-13.
- CHELLAPPAH, W. T. 1968. Observations on the survival rate of *Armigeres subalbus* after being fed on hosts with different levels of microfilariae of *Brugia pahangi*. Med. J. Malaya 22(3):240.
- CHEONG, W. H., OMAR, A. H. and CHEE, S. L. 1968. A note on the search for potential vectors of rural *Wuchereria bancrofti* and periodic *Brugia malayi* in Malaysia barat. Med. J. Malaya 22(3):244.
- COUDERT, J., AMBROISE-THOMAS, P., KIEN TROUNG, T. and TERRENO, S. 1968. Diagnostic sérologique des filarioses par immuno-fluorescence sur coupes de *Dirofilaria immitis* et de *Dipetalonema vitea*. Résultats préliminaires portant sur 200 examens. Soc. de Path. Exot. Bul. 61(3):435-441. Engl. Sum.
- CRANS, W. J. and JOBBINS, D. M. 1969. Does your dog have heartworm? (a mosquito-borne disease). N. J. Agr. Expt. Sta. Cir. 607, 8 pp.
- GUEST, M. F. and COAUTHORS. 1968. Preliminary report of comparison of direct and indirect fluorescent antibody techniques utilizing a filarial antigen-antibody system. Med. J. Malaya 22(3):248-249.
- HARINASUTA, C., SUCHARIT, S. and GUPTAVANIT, P. 1968. Experimental studies on potential vectors of *Wuchereria bancrofti* rural strain in Thailand. Med. J. Malaya 22(3):239.
- HENRIKSON, D. M. and ANDERSON, R. A. 1969. *Dirofilaria immitis* microfilariae in amniotic fluid. J. Parasitol. 55(1):195.
- JACKSON, R. F. 1969. Complications during and following chemotherapy of heartworm disease. Amer. Vet. Med. Assoc. J. 154(4):393-395.
- . 1969. Diagnosis of heartworm disease by examination of the blood. Amer. Vet. Med. Assoc. J. 154(4):374-376.
- . 1969. The venae cavae or liver failure syndrome of heartworm disease. Amer. Vet. Med. Assoc. J. 154(4):384-385.
- . 1969. Thiactarsamide for preventive treatment of *Dirofilaria immitis*. Amer. Vet. Med. Assoc. J. 154(4):395-396.
- . 1969. Treatment of heartworm-infected dogs with chemical agents. Amer. Vet. Med. Assoc. J. 154(4):390-393.
- JACKSON, W. F. 1969. Surgical treatment of heartworm disease. Amer. Vet. Med. Assoc. J. 154(4):383-384.
- . 1969. Radiographic examination of heartworm-infected patient. Amer. Vet. Med. Assoc. J. 154(4):380-382.
- . 1969. Preventative therapy with diethylcarbamazine. Amer. Vet. Med. Assoc. J. 154(4):396 [In connection with dog heartworm.]
- . 1969. Physical examination of the heartworm-infected patient. Amer. Vet. Med. Assoc. J. 154(4):377-378.
- JOURNAL OF THE AMERICAN VETERINARY MEDICAL ASSOCIATION. 1969. Recommendations of the symposium panel: treatment and prevention of heartworm disease in dogs. Amer. Vet. Med. Assoc. J. 154(4):397.
- LIU, S. K., YARNS, S. A. and TASHJIAN, R. J. 1969. Postmortem pulmonary arteriography in canine dirofilariasis. Amer. J. Vet. Res. 30(3):319-329.
- MASTRANDREA, G. and SANGUIGNI, S. 1968. Mazzotti's test with diethylcarbamazine in some cases of filariasis. Arch. Ital. Sci. Med. Trop. Parasitol. 49(7/8):195-202. In Ital.

- MORGAN, H. C. 1969. Electrocardiogram of the patient with heartworm disease. *Amer. Vet. Med. Assoc. J.* 154(4):373-374.
- . 1969. Laboratory evaluation of the heartworm-infected patient. *Amer. Vet. Med. Assoc. J.* 154(4):378-380.
- ORIHIEL, E. C. 1969. *Dirofilaria corynodes* (von Linstow, 1899): morphology and life history. *J. Parasitol.* 55(1):94-103. [Developed to third stage larvae in *Aedes aegypti* in laboratory.]
- OTTO, G. F. 1969. Chemotherapeutic agents. *Amer. Vet. Med. Assoc. J.* 154(4):387-390. [For dog heartworm disease.]
- . 1969. Geographical distribution vectors, and life cycle of *Dirofilaria immitis*. *Amer. Vet. Med. Assoc. J.* 154(4):370-373.
- . 1969. The immune phenomenon. *Amer. Vet. Med. Assoc. J.* 154(4):386-387. [Dog heartworm disease.]
- and JACKSON, R. F. 1969. Pathology of heartworm disease. *Amer. Vet. Med. Assoc. J.* 154(4):382.
- PENNINGTON, N. E. and PHELPS, C. A. 1969. Canine filariasis on Okinawa, Ryukyu Islands. *J. Med. Ent.* 6(1):59-67.
- RAMALINGAM, S. 1968. The epidemiology of filarial transmission in Samoa and Tonga. *Ann. Trop. Med. and Parasitol.* 62(3):305-324.
- SANDOSHAM, A. A. and SIVANANDAM, S. 1968. Adult *Wuchereria bancrofti* (Cobbold, 1877) in subcutaneous cyst of man. *Med. J. Malaya* 22(3):236.
- SIVANANDAM, S. and FREDERICKS, H. J. 1968. Abnormally long microfilariae found in *Brugia pahangi* and sub-periodic *B. malayi* infections. *Med. J. Malaya* 22(3):237-238.
- SIVANANDAM, S. and SANDOSHAM, A. A. 1968. The casting of sheaths by microfilariae. *Med. J. Malaya* 22(3):238. [*Brugia malayi*.]
- WARNE, R. J., TIPTON, V. J. and FURUSHO, Y. 1969. Canine heartworm disease in Japan: screening of selected drugs against *Dirofilaria immitis* in vivo. *Amer. J. Vet. Res.* 30(1):27-32.
- WILSON, T. 1968. Summary of recent abstracts. IX. Helminthiasis. *Trop. Dis. Bul.* 65(11):1313-1338. [Includes filariasis.]
- WOLFE, M. S. and ASLAMKHAN, M. 1969. Filariasis survey in Karachi. *Roy. Soc. Trop. Med. and Hyg. Trans.* 63(1):147-148.
- COLLINS, W. E., WARREN, McW., SKINNER, J. C. and FREDERICKS, H. J. 1968. Studies on the relationship between fluorescent antibody response and ecology of malaria in Malaysia. *WHO Bul.* 39(3):451-463.
- CONRAD, M. E. 1969. Pathophysiology of malaria. Hematologic observations in human and animal studies. *Ann. Internal Med.* 70(1):134-141.
- DESOWITZ, R. S., MILLER, L. H., BUCHANAN, R. D. and PERMPANICH, B. 1968. Comparative studies on the pathology and host physiology of malarials. VI. *Plasmodium inui*. *Ann. Trop. Med. and Parasitol.* 62(2):233-237.
- DESOWITZ, R. S., PAVANAND, K. and VACHARAP-HORN, D. 1968. Comparative studies on the pathology and host physiology of malarials. IV. Serum protein alterations in *Plasmodium coatneyi* malaria: a comparison of cellulose acetate and polyacrylamide disc electrophoretic patterns. *Ann. Trop. Med. and Parasitol.* 62(2):210-217.
- DREW, R. 1969. Malaria—the British point of view. *Ann. Internal Med.* 70(1):147-149.
- EICHLER, W. 1968. Outline of Syrian parasitology. *Angew. Parasitol.* 9(4):216-225. In Engl. [Includes malaria.]
- GARNHAM, P. C. C. 1968. The changing pattern of disease in East Africa. *East Afr. Med. J.* 45(10):641-650.
- GARRETT-JONES, C. 1968. Epidemiological entomology and its application to malaria. *WHO/Mal/68.672*, 17 pp.
- GILLES, H. M. 1969. Summary of recent abstracts. III. Malaria. *Trop. Dis. Bul.* 66(3):169-176.
- and COAUTHORS. 1969. Malaria and pregnancy. *Roy. Soc. Trop. Med. and Hyg. Trans.* 63(1):1.
- HARVEY, B., REMINGTON, J. S. and SULZER, A. J. 1969. IgM malaria antibodies in a case of congenital malaria in the United States. *Lancet* 7590:333-335.
- KRUATRUCHUE, M., BHABULAYA, M., KLING-KAMNAUNKARN, K. and HARINASUTA, C. 1968. Haemoglobinopathies and malaria in Thailand. *WHO/Mal/68.675*, 9 pp.
- McMILLAN, B. 1968. Further observations on ovale malaria in New Guinea. *Trop. and Geog. Med.* 20(4):342-346.
- MILLER, L. H., CHONGSUPHAIJASIDDHI, T. and KANAKAKORN, K. 1968. Comparative studies on the pathology and host physiology of malarials. V. Hypovolaemia in *Plasmodium coatneyi* malaria. *Ann. Trop. Med. and Parasitol.* 62(2):218-232.
- ONABANJO, A. O. and MAEGRAITH, B. G. 1969. Active polypeptides in malaria responsible for increase in capillary permeability. *Roy. Soc. Trop. Med. and Hyg. Trans.* 63(1):2-3.
- PRISYAGINA, L. A. 1968. The efficacy of different methods of detecting malaria patients. *Med. Parazit. i Parazit. Bolezni* 37(6):736-737. In Rus.
- SULZER, A. J., WILSON, M. and HALL, E. C. 1969. Indirect fluorescent-antibody tests for

MALARIA

- BERBERIAN, D. A. 1969. Recent advances in malariology. *Amer. J. Med.* 46(1):96-117.
- BLOUNT, R. E. 1969. Malaria—a persistent threat. *Ann. Internal Med.* 70(1):127-129.
- BRADLEY, G. H. 1969. Examen de las medidas clásicas de control de la malaria. *Bol. Ofic. Sanit. Panamer.* 66(3):187-199. Engl. Sum.
- BRAY, R. S. 1967. The origin of relapses in human and simian malaria infections. *J. Fac. Med. (Baghdad)* 9(1):1-6.

parasitic diseases. V. An evaluation of a thick-smear antigen in the IFA test for malaria antibodies. *Amer. J. Trop. Med. and Hyg.* 18(2): 199-205.

TANOWITZ, H. 1969. Transfusion malaria. *New England J. Med.* 280(5):275.

TIGERTT, W. D. 1969. The army malaria research program. *Ann. Internal Med.* 70(1): 150-153.

VOLLER, A. and BIDWELL, D. E. 1968. The effect of *Eperythrozoon coccoides* infection in mice on superimposed *Plasmodium chabaudi* and Semliki Forest virus infections. *Ann. Trop. Med. and Parasitol.* 62(3):342-348.

VOLLER, A. and BRUCE-CHWATT, L. J. 1968. Serological malaria surveys in Nigeria. *WHO Bul.* 39(6):883-897.

WELLS, J. V. 1968. Serum immunoglobulin levels in tropical splenomegaly syndrome in New Guinea. *Clin. and Expt. Immunol.* 3(9):943-951. [In connection with malaria.]

See also Greenberg and Gorgas Memorial Laboratory in Arbovirus Section.

Malaria—Cerebral

HUTTON, P. W. 1969. Cerebral malaria. *Brit. Med. J.* 5643:578.

PEAKE, H. L. 1969. Cerebral malaria. *Brit. Med. J.* 5638:256-257.

WOODRUFF, A. W. and DICKINSON, C. J. 1968. Use of dexamethasone in cerebral malaria. *Brit. Med. J.* 5609:31-32.

Malaria—Eradication

NOTANANDA, V. 1968. Malaria situation in Thailand during 1961-1964. *Revue Int. Serv. Santé Armées* 41(6):507-509.

Malaria—Immunology

COX, F. E. G. 1968. The effect of betamethasone on acquired immunity to *Plasmodium vinckei* in mice. *Ann. Trop. Med. and Parasitol.* 62(3):295-300.

DIGGS, C. L. and OSLER, A. G. 1969. Humoral immunity in rodent malaria. I. Estimation of parasitemia by electronic particle counting. II. Inhibition of parasitemia by serum antibody. *J. Immunol.* 102(2):292-297; 298-305.

DRANGA, A., MARINOV, R. and MIHAI, M. 1968. Contribution à l'étude de l'immunité résiduelle au paludisme en Roumanie. *WHO/Mal/68.671*, 11 pp. Engl. Sum.

FABIANI, G. 1969. Le paludisme et ses particularités immunologiques. *Inst. Pasteur Bul.* 67(1):5-29.

JERUSALEM, C. 1969. Active immunization against malaria (*Plasmodium berghei*). III. Enhanced immunity caused by blockade of the RES-macrophages during controlled low parasite-

mia. *Z. f. Tropen. med. u. Parasitol.* 20(1):81-88. In Engl.

VOLLER, A. and RICHARDS, W. H. G. 1969. Vaccination against *P. falciparum* in owl monkeys. *Roy. Soc. Trop. Med. and Hyg. Trans.* 63(1):2.

WILLIAMS, A. I. O. and MCFARLANE, H. 1968. Malarial antigen from human brain. *Clin. and Expt. Immunol.* 3(9):953-962.

Malaria—Plasmodia

ALSTATT, L. B. 1969. A clinical view of the biology of Plasmodia. *Ann. Internal. Med.* 70(1): 130-134.

ALVES, W., SCHINAZI, L. A. and ANICETO, F. 1968. *Plasmodium ovale* infections in the Philippines. *WHO Bul.* 39(3):494-495.

AVIADO, D. M., BRUGLER, B. and BELLET, J. 1968. Pathologic physiology and chemotherapy of *Plasmodium berghei*. V. Suppression of parasitemia, diuresis, and cardiac depression by pteridines. *Expt. Parasitol.* 23(3):294-302.

BAFORT, J. 1968. The effects of low temperature preservation on the viability of the sporozoites of *Plasmodium berghei*. *Ann. Trop. Med. and Parasitol.* 62(3):301-304.

BRAMBILLA, E. and GALLI, L. 1968. Forme degenerative di *Plasmodium berghei* in topi mantenuti a temperatura elevata. *Riv. di Parasitol.* 29(2):97-100. Engl. Sum.

BÜNGENER, W. 1969. Beobachtungen über den Verlauf der *Plasmodium berghei*-infektion in der Maus. *Z. f. Tropenmed. u. Parasitol.* 20(1): 99-117. Engl. Sum.

CANNING, E. U. and ANWAR, M. 1969. Meiotic division in oöcysts of malaria parasites of mammals. *Roy. Soc. Trop. Med. and Hyg. Trans.* 63(1):4-5.

COOMBS, G. L. and COAUTHORS. 1968. The exoerythrocytic schizonts of *Plasmodium feldi*. *Med. J. Malaya* 22(3):225-227.

CORRADETTI, A., NERI, I., SCANGA, M. and CAVALLINI, C. 1967. The precyrtrocytic cycle of *Plasmodium (Huffia) elongatum* Huff, 1930. A preliminary note. *Parassitologia* 9(2):107-108.

DEANE, L. M., NETO, J. F. and SIFRÔNIO, J. G. 1968. Nôvo hospedeiro natural do *Plasmodium simium* e do *Plasmodium brasiliannum*: o mono, *Brachyteles arachnoides*. *Inst. Med. Trop. S. Paulo Rev.* 10(5):287-288. Engl. Sum.

FINK, E. 1968. Experimental infection of canaries with *Plasmodium cathemerium*, Hartman, 1927, by bites of infected mosquitoes (*Culex pipiens* L.) and by inoculation of isolated sporozoites. *Z. f. Parasitenkunde* 31(3):232-253. In Ger., Engl. Sum.

GILBERTSON, M., FLETCHER, K. A. and MAEGRAITH, B. G. 1969. Host-diet-parasite relationships in *P. berghei* malaria in mice. *Roy. Soc. Trop. Med. and Hyg. Trans.* 63(1):7.

HAWKING, F., WORMS, M. J. and GAMMAGE, K. 1968. 24- and 48-hour cycles of malaria parasites in the blood; their purpose, production and control. *Roy. Soc. Trop. Med. and Hyg. Trans.* 62(6):731-760. [Discussion pp. 761-765.]

HOWELLS, R. E., THEAKSTON, R. D. G., FLETCHER, K. A. and PETERS, W. 1969. Cytochemical observations on *Plasmodium berghei* and *P. gallinaceum*. Roy. Soc. Trop. Med. and Hyg. Trans. 63(1):6.

ILAN, J. and ILAN, J. 1969. Aminoacyl transfer ribonucleic acid synthetases from cell-free extract of *Plasmodium berghei*. Science 164 (3879):560-561.

LANDAU, I., ADAM, J. P. and BOULARD, Y. 1969. A malaria parasite of the brush-tailed porcupine in *Calomys* and white mice. Roy. Soc. Trop. Med. and Hyg. Trans. 63(1):8-9.

MACGREGOR, R. R., SHEAGREN, J. N. and WOLFF, S. M. 1969. Entotoxin-induced modification of *Plasmodium berghei* infection in mice. J. Immunol. 102(1):131-139.

MANWELL, R. D. 1968. *Plasmodium octamerium* n. sp., an avian malaria parasite from the pintail whydah bird *Vidua macroura*. J. Protozool. 15(4):680-685.

MIGASENA, P. and MAEGRAITH, B. G. 1968. Factor affecting the movement of protein across the blood: brain: C.S.F. barriers in *Plasmodium knowlesi* infected *Macaca mulatta*. Med. J. Malaya 22(3):251.

— and —. 1968. The movement of fluorescent isothiocyanate (F.I.T.C.) labelled human albumin from blood into brain tissue examined by fluorescent technique in normal and *Plasmodium knowlesi* infected *Macaca mulatta*. Med. J. Malaya 22(3):251.

— and —. 1968. The movement of radioactive albumin (^{131}I R.H.S.A.) from blood into C.S.F. and vice versa by dilution method in normal and *Plasmodium knowlesi* infected *Macaca mulatta*. Med. J. Malaya 22(3):250.

— and —. 1968. The movement of dye (Disulphine Blue) from blood into brain tissue examined by a dye method in normal and *Plasmodium berghei* infected mice. Med. J. Malaya 22(3):252.

OSBROW, A. I. 1969. Some growth characteristics of *Plasmodium berghei* strains. Roy. Soc. Trop. Med. and Hyg. Trans. 63(1):6.

PHISPHUMVIDHI, P. and LANGER, B. W., JR. 1969. Malarial parasite metabolism: the lactic acid dehydrogenase of *Plasmodium berghei*. Expt. Parasitol. 24(1):37-41.

POLET, H. and CONRAD, M. E. 1969. The influence of three analogs of isoleucine on *in vitro* growth and protein synthesis of erythrocytic forms of *Plasmodium knowlesi*. Soc. Expt. Biol. and Med. Proc. 130(2):581-586.

RICHARDS, W. H. G. and VOLLER, A. 1969. The normal course of infection of *Plasmodium falciparum* in owl monkeys. Roy. Soc. Trop. Med. and Hyg. Trans. 63(1):2.

RIDLEY, D. S., VOLLER, A. and RICHARDS, W. H. G. 1969. The pathology of *Plasmodium falciparum* in owl monkeys. Roy. Soc. Trop. Med. and Hyg. Trans. 63(1):2.

SANDOSHAM, A. A. and FONG, Y. L. 1968. An allied *Plasmodium* to *Plasmodium booliati*

from the Taiwan flying squirrel. Med. J. Malaya 22(3):225.

SERGIEV, P. G. and TIBOURSUKAYA, N. A. 1967. A propos de l'évolution du *Plasmodium vivax*. Arch. Roumaines Path. Expt. et Microbiol. 26(3): 473-484. Engl. Sum. [Spelled Serguiev in original.]

SUNTHARASAMAI, P. and MARSDEN, P. D. 1969. Studies of splenomegaly in rodent malaria. I. The course of splenomegaly in mice infected with *Eperythrozoon coccoides*, *Plasmodium berghei yoelii* and the two infections combined. Roy. Soc. Trop. Med. and Hyg. Trans. 63(1):64-70.

THEAKSTON, R. D. G., FLETCHER, K. A. and MAEGRAITH, B. G. 1969. Further electron autoradiographic and cytochemical studies on malaria parasites. Roy. Soc. Trop. Med. and Hyg. Trans. 63(1):5.

WALSH, C. J. and SHERMAN, I. W. 1968. Purine and pyrimidine synthesis by the avian malaria parasite *Plasmodium lophurae*. J. Protozool. 15(4):763-770.

WARHURST, D. C. and FOLWELL, R. O. 1968. Measurement of the growth rate of the erythrocytic stages of *Plasmodium berghei* and comparisons of the potency of inocula after various treatments. Ann. Trop. Med. and Parasitol. 62(3):349-360.

WEISS, M. L. and ZUCKERMAN, A. 1968. Precipitins in mice immunized with attenuate strains of malaria parasites. Israel J. Med. Sciences 4(6):1265-1267.

WOLFE, H. L. 1968. *Plasmodium ovale* in Zambia. WHO Bul. 39(6):947-948.

Malaria—Simian

VOLLER, A. and ROSSAN, R. N. 1969. Immunological studies with simian malarial. II. Heterologous immunity in the "cynomolgi" group. Roy. Soc. Trop. Med. and Hyg. Trans. 63(1):57-63.

— and —. 1969. Immunological studies with simian malarial. I. Antigenic variants of *Plasmodium cynomolgi bastianellii*. Roy. Soc. Trop. Med. and Hyg. Trans. 63(1): 46-56.

ZAMAN, V. and VISUVALINGAM, N. 1968. Malaria in *Hylobates (Symphalangus) klossi*. Med. J. Malaya 22(3):228 [Symphalangus usually refers to the siamang whereas *H. klossi* is considered to be a true gibbon confined to Mentawai Islands.]

Malaria—Therapeutics and Antimalarials

AIKAWA, M. and BEAUDOIN, R. L. 1969. Effects of chloroquine on the morphology of the erythrocytic stages of *Plasmodium gallinaceum*. Amer. J. Trop. Med. and Hyg. 18(2):166-181.

ALI, S. N., FLETCHER, K. A. and MAEGRAITH, B. G. 1969. Effect of antimalarials on the carbohydrate metabolism of malaria parasites. Roy. Soc. Trop. Med. and Hyg. Trans. 63(1):3-4.

- AVIADO, D. M. and IGE, A. 1968. Pharmacology of metachloridide with special reference to its antimalarial activity. *Chemotherapy* 13(5): 280-302.
- AVIADO, D. M., MARCO, V. and WEED, D. 1968. Pharmacology of new antimalarial drugs: RC 12, sodium antimony salt of astiban and Kethoxal bis-thiosemicarbazone. *Chemotherapy* 13(6):339-355.
- AVIADO, D. M. and WILL, D. H. 1969. Pharmacology of naphthoquinones. With special reference to the antimalarial activity of Lapinone (WR 26,041). *Amer. J. Trop. Med. and Hyg.* 18(2):188-198.
- BEASLEY, F. A. and COAUTHORS. 1968. Effects of the antimalarial drugs proguanil and chloroquine on heat tolerance. *Med. J. Austral.* 55(26): 1169-1172. [No significant effect on heat tolerance of humans noted.]
- BEESLEY, W. N. and PETERS, W. 1968. The chemotherapy of rodent malaria, VI. The action of some sulphonamides alone or with folic reductase inhibitors against malaria vectors and parasites, part I: introduction and anti-vector studies. *Ann. Trop. Med. and Parasitol.* 62(3): 288-294.
- BERMAN, S. J. 1969. Chloroquine-pyrimethamine-sulfisoxazole therapy of *Plasmodium falciparum* malaria as alternative to quinine. *Amer. Med. Assoc. J.* 207(1):128-130.
- BLOUNT, R. E., JR. 1969. Acute falciparum malaria: field experiences with quinine/pyrimethamine combined therapy. *Ann. Internal Med.* 70(1):142-147.
- DIGGINS, S. M. and GREGORY, K. 1969. Comparative response of various rodent malarials to chemotherapy. *Roy. Soc. Trop. Med. and Hyg. Trans.* 63(1):7.
- DONNO, L., SANGUINETI, V., RICCIARDI, M. L. and SOLDATI, M. 1969. Antimalarial activity of Kelfizina-Trimethoprim and Kelfizina-pyrimethamine versus chloroquine in field trials in Nigeria. *Amer. J. Trop. Med. and Hyg.* 18(2): 182-187.
- HOWELLS, R. E., PETERS, W. and THOMAS, E. A. 1968. The chemotherapy of rodent malaria, III. Host-parasite relationships, part 3: the relationship between haemozoin formation and the age of the host cell. *Ann. Trop. Med. and Parasitol.* 62(3):267-270.
- MARTIN, D. C. and ARNOLD, J. D. 1968. The drug response of a normal and a multi-resistant strain of *P. falciparum* to sulphalene. *Roy. Soc. Trop. Med. and Hyg. Trans.* 62(6):810-815.
- NOGUEIRA, R. A. M., DE JESÚS, S. P. and LEITÃO, J. M. 1968. Resultados iniciais com o Ro 6-4793/1 em malária Hospital (Rio de Janeiro) 74(3):979-985. *Engl. Sum.*
- PAYET, M. and COAUTHORS. 1968. Étude sur l'activité antimalarique du pamoate de dihydrotriazine C. I. Camolar. *Soc. de Path. Exot. Bul.* 61(3):392-413. *Engl. Sum.*
- PÈNE, P., MICHEL, R., BERNOU, J. C. and GUYE, I. 1968. Étude sur l'activité antimalarique du pamoate de dihydrotriazine (Camolar) en association à Camoquin. *Soc. de Path. Exot. Bul.* 61(3):413-424.
- PETERS, W. 1968. The chemotherapy of rodent malaria, II. Host-parasite relationships, part 2: the relationships between chloroquine sensitivity and the age of the host cell. *Ann. Trop. Med. and Parasitol.* 62(2):246-251.
- PIRAME, Y., PATAÇO-CROUTZET, J., DUJEU, G. and SAWADOGO, R. 1968. Résultats observés après une injection unique de sulphorméthoxine dans le traitement de l'accès palustre à *Plasmodium falciparum* à l'Hôpital de Ouzagadougou (Haute-Volta). *Soc. de Path. Exot. Bul.* 61(3): 389-392. *Engl. Sum.*
- RAMKARAN, A. E. 1969. The sensitivity of *P. b. berghei* in *A. stephensi* to chemotherapy. *Roy. Soc. Trop. Med. and Hyg. Trans.* 63(1):8.
- REFF, W. P., FEINSTEIN, M. and STEIGER, B. W. 1968. Early experiences in the treatment of falciparum malaria from Southeast Asia. *Amer. Med. Assoc. J.* 205(3):131-133.
- WARHURST, D. C. 1969. Some aspects of the antimalarial action of chloroquine. *Roy. Soc. Trop. Med. and Hyg. Trans.* 63(1):4.

Malaria—Antimalarials—Resistance

COMER, R. D. and COAUTHORS. 1969. Chloroquine resistance in *Plasmodium falciparum* malaria on the Pacific coast of Colombia. WHO/Mal/60.679, 8 pp.

DENNIS, L. H., EICHELBERGER, J. W., INMAN, M. M. and CONRAD, M. E. 1967. Depletion of coagulation factors in drug-resistant *Plasmodium falciparum* malaria. *Blood* 29(5):713-721.

HOWELLS, R. E., PETERS, W. and THOMAS, E. A. 1968. The chemotherapy of rodent malaria, IV. Host-parasite relationships, part 4: the relationships between haemozoin formation and host-cell age in chloroquine- and primaquine-resistant strains of *Plasmodium berghei*. *Ann. Trop. Med. and Parasitol.* 62(3):271-276.

PETERS, W. 1968. The chemotherapy of rodent malaria, I. Host-parasite relationships, part 1: the virulence of infection in relation to drug resistance and time elapsed since isolation of the "wild" strain. *Ann. Trop. Med. and Parasitol.* 62(2):238-245.

———. 1968. The chemotherapy of rodent malaria, V. Dynamics of drug resistance, part I: methods for studying the acquisition and loss of resistance to chloroquine by *Plasmodium berghei*. *Ann. Trop. Med. and Parasitol.* 62(3):277-287.

———. 1969. Drug resistance in malaria—a perspective. *Roy. Soc. Trop. Med. and Hyg. Trans.* 63(1):25-40. [Discussion pp. 41-45.]

———. ROBINSON, B. L., RAMKARAN, A. E. and PORTUS, J. H. 1969. A virulent chloroquine-resistant strain of *Plasmodium berghei berghei* transmitted through *Anopheles stephensi*. *Roy. Soc. Trop. Med. and Hyg. Trans.* 63(1):8.

SHEEHY, T. W., REBA, R. C. and PARKS, G. R. 1969. Combined pyrimethamine-quinine therapy for chloroquine-resistant *P. falciparum* infections. *South. Med. J.* 62(2):152-156.

WOLFE, H. L. and HUDLESTON, J. A. 1969. Investigations of suspected resistance of *Plasmodium falciparum* to chloroquine in Zambia. WHO/Mal/69.678, 5 pp.

Malaria—Vectors

CHEONG, W. H., FREDERICKS, H. J., OMAR, A. H. and STA MARIA, F. L. 1968. The incrimination of *Anopheles maculatus* as the vector of human malaria at the Kelantan-Thai border. Med. J. Malaya 22(3):245.

YELLOW FEVER

CORNET, M. and COAUTHORS. 1968. Une épidémie de fièvre jaune au Sénégal en 1965. Recherches épidémiologiques. WHO Bul. 39(6): 845-858.

REACTIONS TO BITES

GOLD, D. and LENGY, J. 1968. Studies on *Culex pipiens molestus* in Israel. 3. Immune reactions in laboratory animals to extracts from the mosquito. Internat. Arch. Allergy and Appl. Immunol. 34(6):571-579.

LIGHT AND OTHER TRAP STUDIES

TANNER, G. D. 1969. Oviposition traps and and population sampling for the distribution of *Aedes aegypti* (L.). Mosquito News 29(1):116-121.

TATEM, C. E. and DORER, R. E. 1968. A review of mosquito collections in Virginia. N. J. Mosquito Extermin. Assoc. Proc. 55:143-144.

LITERATURE REFERENCES AND REVIEWS

DUKHANINA, N. N. 1968. Soviet literature on problems of medical parasitology and parasitic diseases for 1968. Med. Parazit. i Parazit.

Bolezni 37(6):756-763. In Rus. [Mosquitoes included.]

———. 1969. Soviet literature on problems of medical parasitology and parasitic diseases in 1968. Med. Parazit. i Parazit. Bolezni 38(1): 109-118. In Rus., [Mosquitoes included.]

SCHWEITZER, M. D. 1969. Current bibliography of epidemiology; a new publication. Amer. J. Epidemiol. 89(1):2-3.

SOLLERS-RIEDEL, H. 1969. Literature references to mosquitoes and mosquito-borne diseases. Mosquito News 29(1):148-159.

WORLD HEALTH ORGANIZATION. 1969. List of WHO/Mal/documents issued in 1968. WHO/Mal/69.676, 5 pp.

BIOGRAPHY AND HISTORY

BAYNE-JONES, S. 1968. The evolution of preventive medicine in the United States Army, 1607-1939. 255 pp., Washington, D. C. [Malaria and yellow fever discussed.]

MULHERN, T. D. 1968. Greetings from the American Mosquito Control Association. N. J. Mosquito Extermin. Assoc. Proc. 55:45-47. [History of AMCA.]

SUBJECTS NOT COVERED BY OTHER HEADINGS

ACKERLY, R. L. 1969. Pesticide legislation—1969. Agr. Chem. 24(4):16-17.

JAKOB, W. L. 1968. Current status of mosquito research at the National Communicable Disease Center laboratories, Savannah, Georgia. N. J. Mosquito Extermin. Assoc. Proc. 55:19-23.

PARRISH, D. W. 1968. The occurrence and known human disease relationships of mosquitoes on USAF installations in Thailand. U. S. Air Force 5EF-TR-68, 18 pp.

WEST, A. S. 1968. The climate for research on biting flies in Canada. N. J. Mosquito Extermin. Assoc. Proc. 55:135-138. [Includes mosquitoes.]