LITERATURE REFERENCES TO MOSQUITOES AND MOSQUITO-BORNE DISEASES

1972 — PART III

HELEN SOLLERS-RIEDEL[1]

P. O. Box 19009, Washington, D. C. 20036, USA

FUMIGANTS

Pyrethrum Post. 1971. Franklin Sham on mosquito coils. Pyrethrum Post 11(2):50–54.

Winney, R. 1971. The biological activity of mosquito coils with a high pyrethrin I content. Pyrethrum Post 11(2):55–57.

ADULTICIDES AND LARVICIDES

Bang, Y. H. and Pant, C. P. 1972. A field trial of Abate larvicide for the control of *Aedes aegypti* in Bangkok, Thailand. WHO Bul. 46(3):416–425.

Bang, Y. H., Tonn, R. J. and Jatanasen, S. 1972. Pilot studies of Abate as a larvicide for control of *Aedes aegypti* in Bangkok, Thailand. Southeast Asian J. Trop. Med. and Pub. Health 3(1):106–115.

Hayashi, A. and Takama, Y. 1972. Effet larvicidal de plusieurs produits pyrethroides sur larve de mouche et de moustiqus. Botyu-Kagaku. 37(1):1–3. In Jap., Fr. Sum.

Hennessy, D. J. and DeMarco, J. G. 1971. Structure—lethality relationships of DDT analogs. Internatl. Cong. Ent. (Moscow) Proc. 13(2): 234. [Mosquitoes included.]

Novák, D. 1971. Laboratory tests with toxicity of several volatile oils to mosquito larvae. Internatl. Cong. Ent. (Moscow) Proc. 13(2):260–261.

Pant, C. P., Mount, G. A., Jatanasen, S. and Mathis, H. L. 1971. Ultra-low-volume ground aerosols of technical malathion for the control of *Aedes aegypti* L. WHO Bul. 45(6):805–817.

Rathburn, C. B., Jr. and Boike, A. H., Jr. 1972. Laboratory thermal aerosol tests of new insecticides for the control of adult mosquitoes. Mosquito News 32(2):179–183.

——— and ———. 1972. Ultra low volume tests of malathion applied by ground equipment for the control of adult mosquitoes. Mosquito News 32(2):183–187.

Shelton, W. 1971. Winning the battle of the bug. Humble Way 10(4):26–31. [Use of Flit MLO.]

Vashkov, V. I. and Coauthors. 1968. Insecticidal properties of barthrin and dimethrin. Zhur. Mikrobiol., Epidemiol. Immunol. 45(9):9–13. In Rus., Engl. Sum. [*Aedes* and *Culex* included.]

COST ANALYSIS

Grab, B. and Cvjetanović, B. 1971. Simple method for rough determination of the cost-benefit balance point of immunization programmes. WHO Bul. 45(4):536–541.

Rafatjah, H. A. 1972. Operational and financial implications of replacing DDT in the malaria eradication programme. WHO/MAL/72.768, 12 pp.

Reeves, W. C. 1972. Can the war to contain infectious diseases be lost? Amer. J. Trop. Med. and Hyg. 21(3):251–259. [Includes cost analysis.]

STERILIZATION METHODS

Borghi, C., Rego, A. de M., Oliveira, M. L. de and Azevedo, Z. M. de. 1971. Organizing a program for eradication of *Culex pipiens fatigans* in Recife, Brazil. *In* Sympos. Sterility Principle for Insect Control or Eradication Proc. 1970:373–378.

Ducoff, H. S. 1972. Causes of death in irradiated adult insects. Biol. Reviews 47(2):211–240. [*Aedes aegypti* noted.]

LaBrecque, G. C., Bowman, M. C., Patterson, R. S. and Seawright, J. A., 1972. Persistence of thiotepa and tepa in pupae and adults of *Culex fatigans* Wied. WHO/VBC/72.358, 3 pp.

Laven, H., Jost, E., Meyer, H. and Selinger, R. 1971. Semisterility for Insect Control or Eradication Proc. 1970:415–423. [Mosquitoes.]

Patterson, R. S., Boston, M. D. and Lofgren, C. S. 1972. Mating competitiveness of chemosterilized male southern house mosquitoes treated with tepa. Mosquito News 32(2):230–233.

---

[1] This work was supported (in part) by grants LM 00087 and LM 00755 from the National Library of Medicine, National Institutes of Health, U. S. DHEW.

Rai, K. S. and McDonald, P. T. 1971. Chromosomal translocations and genetic control of *Aedes aegypti*. *In* Sympos. Sterility Principle for Insect Control or Eradication Proc. 1970: 437–451.

Rajagopalan, P. K., Yasuno, M. and LaBrecque, G. C. 1972. Dispersal and survival in the field of chemosterilized, irradiated and cytoplasmic incompatible males of *Culex fatigans*. WHO/VBC/72.353, 10 pp.

Sharma, V. P., Patterson, R. S., Seetharam, P. L. and LaBrecque, G. C. 1972. Radio-sterilization of the tropical house mosquito *Culex fatigans* Wied: Laboratory and field cage studies. WHO/VBC/72.345, 7 pp. [Weid. in original citation.]

Weidhaas, D. E., LaBrecque, G. C., Lofgren, C. S. and Schmidt, C. H. 1972 Insect sterility in population dynamics research. WHO/VBC/72.349, 12 pp. [Includes mosquitoes.]

Whitten, M. J. 1971. Use of chromosome rearrangements for mosquito control. *In* Sympos. Sterility Principle for Insect Control or Eradication Proc. 1970:399–410.

AEDES AEGYPTI ERADICATION

Soper, F. L. 1972. International health–2000 A. D. Bol. Ofic. Sanit. Panamer. 72(5):397–408. [Includes *Aedes aegypti* and malaria.]

PARASITES, PREDATORS, VIRUSES AND RELATED AGENTS

Bay, E. C. and Self, L. S. 1972. Observations of the guppy, *Poecilia reticulata* Peters in *Culex pipiens fatigans* breeding sites in Bangkok, Rangoon, and Taipei. WHO Bul. 46(3):407–416.

Beirne, B. P. 1971. The future of biological controls. Internatl. Cong. Ent. (Moscow) Proc. 13(2):127–129.

Bird, R. G., Draper, C. C. and Ellis, D. S. 1972. A cytoplasmic polyhedrosis virus in midgut cells of *Anopheles stephensi* and in the sporogonic stages of *Plasmodium berghei yoelii*. WHO Bul. 46(3):337–343.

Brooker, B. E. 1970. Desmosomes and hemidesmosomes in flagellate *Crithidia fasciculata*. Z. f. Zellforsch. u. Mikros. Anat. 105(2):155–166. [*Anopheles quadrimaculatus*.]

Burges, H. D. 1971. Possibilities of pest resistance to microbial control agents. *In* Microbial Control of Insects and Mites by H. D. Burges and N. W. Hussey (Editors). pp. 445–457. London, New York. Academic Press. [Includes mosquitoes.]

Dubitsky, A. M. 1971. Some results of investigations of natural enemies of mosquitoes (Diptera, Culicidae) in south-eastern Kazakhstan. Internatl. Cong. Ent. (Moscow) Proc. 13(2): 144–145. In Rus.

Gabriel, B. P. 1968. Entomogenous microorganisms in the Philippines: new and past records. Philippine Ent. 1(2):97–130. [Mosquitoes included.]

Hazard, E. I. 1971. Microsporidian diseases in mosquito colonies: *Nosema* in two *Anopheles* colonies. Internatl. Colloq. on Insect Path. Proc. 4:267–271.

Hoy, J. B., Kauffman, E. E. and O'Berg, A. G. 1972. A large-scale field test of *Gambusia affinis* and chlorpyrifos for mosquito control. Mosquito News 32(2):161–171.

Laigo, F. M. 1968. The distributional pattern of insect pathogenic *Nosema* species in the Sclater-Wallace zoogeographical regions. Philippine Ent. 1(1):33–39.

Laird, M. 1971. Microbial control of arthropods of medical importance. *In* Microbial Control of Insects and Mites by H. D. Burges and N. W. Hussey (Editors). pp. 387–406. London, New York. Academic Press.

Lowe, R. E., Hall, D. W. and Matta, J. F. 1971. Comparison of the mosquito iridescent viruses (MIV) with other iridescent viruses. Internatl. Colloq. on Insect Path. Proc. 4:163–170.

Morrill, A. W., Jr. 1971. Since "Silent Spring". Hawaii. Ent. Soc. Proc. 21(1):97–103.

Petersen, J. J. 1972. Factor affecting sex ratios of a mermithid parasite of mosquitoes. J. Nematology 4(2):83–87. [*Reesimermis nielseni*.]

Savage, K. E. and Lowe, R. E. 1971. Studies of *Anopheles quadrimaculatus* infected with a *Nosema* sp. Internatl. Colloq. Insect Path. Proc. 4:272–278.

———, ———, Hazard, E. I. and Lofgren, C. S. 1971. Studies of the transmission of *Plasmodium gallinaceum* by *Anopheles quadrimaculatus* infected with a *Nosema* sp. WHO Bul. 45(6):845–847.

Undeen, A. H. and Alger, N. E. 1971. A density gradient method for fractionating microsporidan spores. J. Invert. Path. 18(3):419–420. [Includes mosquitoes.]

Weiser, J. 1971. Host specificity in Protozoa affecting insects. Internatl. Cong. Ent. (Moscow) Proc. 13(2):107–110. [Includes mosquitoes.]

Williams, M. C. and Lichtwardt, R. W. 1972. Infection of *Aedes aegypti* larvae by axenic cultures of the fungal genus *Smittium* (Trichomycetes). Amer. J. Botany 59(2):189–193.

EQUIPMENT

Higgins, A. E. H. 1972. The Overseas Spraying Machinery Centre. Pest Articles and News Sum. 18(1):97–98.

Pest Control. 1972. Pest Control's 1972 equipment directory. Pest Control 40(5):44–71. Passim.

ATTRACTANTS AND REPELLENTS

Dremova, V. P. 1971. Methods of using repellents in petroleum regions of western Siberia.

Internatl. Cong. Ent. (Moscow) Proc. 13(2): 223. In Rus. [Mosquitoes included.]

Grothaus, R. H. and Adams, J. F. 1972. An innovation in mosquito-borne disease protection. Military Med. 137(5):181–184.

Grothaus, R. H., Hirst, J. M., Gouck, H. K. and Weidhaas, D. E. 1972. Field tests with repellent-treated wide-mesh netting against mixed mosquito populations. J. Med. Ent. 9(2):149–152.

Ivanova, L. V. 1971. Reaction of some blood-sucking Diptera to repellents. Internatl. Cong. Ent. (Moscow) Proc. 13(2):240. In Rus. [Mosquitoes included.]

Muminov, M. S. 1971. Experiments using repellents against mosquitoes and gnats in Uzbek SSR. Internatl. Cong. Ent. (Moscow) Proc. 13 (2):256–257. In Rus.

Novák, D. 1971. Further natural attractants to *Culex* larvae. Arch. Roumaines Path. Expt. et Microbiol. 30(2):297–298. In Engl. [*C. pipiens.*]

Potapov, A. A. and Vladimirova, V. V. 1971. Susceptibility of mosquitoes and horse flies to repellents under various ecological conditions. Internatl. Cong. Ent. (Moscow) Proc. 13(2): 266. In Rus.

Smith, C. N., Gouck, H. K., Hirst, J. M. and McWilliams, J. G. 1971. Studies with repellents for the treatment of wide-meshed netting. Internatl. Cong. Ent. (Moscow) Proc. 13(2) 280. [Mosquitoes included.]

Wensler, R. J. D. 1972. The effect of odors on the behavior of adult *Aedes aegypti* and some factors limiting responsiveness. Canad. J. Zool. 50(4):415–420.

RESISTANCE AND SUSCEPTIBILITY

Busvine, J. R. 1971. International standard methods for detecting and measuring insecticide resistance. Internatl. Cong. Ent. (Moscow) Proc. 13(2):215–216.

Fleming, G. A. and O'Connor, C. T., Jr. 1972. Some factors affecting the results of susceptibility tests carried out on adults of *Anopheles aquasalis* (Curry) with DDT. WHO/MAL/72.766, WHO/VBC/72.343. 13 pp. and 3 figs.

Fox, I. and Bayona, I. G. 1972. Malathion resistant strains of *Aedes aegypti* in Puerto Rico in 1969. Mosquito News 32(2):157–160.

Hristova, T. T. and Avramova, S. G. 1971. Biological and biochemical research on susceptible malaria mosquitoes. Internatl. Cong. Ent. (Moscow) Proc. 13(2):238–239. In Rus.

Romain, J. L. 1972. Etat actuel de la sensibilité aux insecticides des larves de *Culex pipiens* L. à Tunis. WHO/VBC/72.336, Corr. 1, 1 page.

Roman, E. and Pichot, J. 1972. Variations. pendant un quart de siècle, de la sensibilité au DDT des larves de *Culex pipiens* autogène à Lyon et dans ses environs. Compt. Rend. Ser. D Sci. Nat. 274(8):1187–1189.

Wilson, H. G., LaBrecque, G. C., Weidhaas, D. E. and Gahan, J. E. 1972. Comparison of susceptible and DDT-resistant mosquito colonies to insecticides. Mosquito News 32(2):215–218.

World Health Organization. 1972. Information circular on insecticide resistance insect behaviour and vector genetics. VBC/IRG/72.18, 25 pp.

PESTICIDES AND CHEMICALS

Anderson, J. P. E. and Lichtenstein, E. P. 1972. Effects of various soil fungi and insecticides on the capacity of *Mucor alternans* to degrade DDT. Canad. J. Microbiol. 18(5):553–560.

Brown, N. C. 1971. A review of the toxicology of piperonly butoxide. Pyrethrum Post 11(2): 66–68.

Buei, K., Ogami, H., Hayashi, A. and Asada, S. 1971. Comparative effectiveness of new synthetic pyrethroids, resmethrin and prothrin, against adults of the house fly and house mosquito. Studies on the biological assay of pyrethroids. V. Botyu-Kagaku 36(4):184–188. In Jap., Engl. Sum.

Dési, I., Sós, J. and Farkas, I. 1971. Neurotoxicological examinations of insecticides. Internatl. Cong. Ent. (Moscow) Proc. 13(2):219–220. [DDT included.]

Hassall, K. A. 1971. Reductive dechlorination of DDT: the effect of some physical and chemical agents on DDD production by pigeon liver preparations. Pesticide Biochem. and Physiol. 1(3/4):259–266.

——— and Forrest, T. J. 1972. Reductive dechlorination of DDT by heated liver. Nature New Biol. 236(68):214–216.

Jukes, T. H. 1971. DDT, human health and the environment. Environmtl. Affairs (Brighton, Mass.) 1(3):534–564.

Lawson, M. A. 1971. Laboratory evaluation of residue levels in water treated with an encapsulated malathion formulation. USAEHA, Edgewood Arsenal, Md., Spec. Stud. No. 31–004–72 Jul–Sept 71:4 pp.

Lurie, J. B. 1972. The stability of DDT. South Afr. Med. J. 46(13):370–371.

Nelson, L. L. 1971. Laboratory release rates of encapsulated malathion slow release formulations. USAEHA, Edgewood Arsenal, Md., Spec. Stud. No. 31–017–71/72. Final Rpt. Apr–Jun 71:5 pp.

——— and Whitlaw, J. T., Jr. 1972. Laboratory release rate studies of diazinon and Supracide ® from polyvinyl chloride formulations. USAEHA, Edgewood Arsenal, Md., Spec. Stud. No. 31–019–71/72. Final Rpt. Jan–Mar 71:8 pp.

Pyrethrum Bureau. 1971. Formulating pyrethrum. 40 pp., Nakuru, Kenya.

Rainier-Pope, C. R. 1972. The stability of DDT. South Afr. Med. J. 46(20):632.

Rogers, A. J. 1972. Eagles, affluence, and pesticides. Mosquito News 32(2):151–157. [This helps to set the record straight.]
Sakai, S. 1971. A quantitative approach on relation between the joint action of insecticides and insecticide resistance. Internatl. Cong. Ent. (Moscow) Proc. 13(2):273–274.
Schaefer, C. H. and Dupras, E. F., Jr. 1972. Factors affecting the stability of the carbamate insecticide, RE11776. Mosquito News 32(2):201–204.
Seutin, E. and Detroux, L. 1971. Sur l'evolution de l'emploi des insecticides à usage ménager et sur l'adaptation des méthodes utulisées pour le controle de leur efficacité biologique. Internatl. Cong. Ent. (Moscow) Proc. 13(2):278–279.
Sherman, W. V., Evans, R., Nesyto, E. and Radlowski, C. 1971. Dechlorination of DDT in solution by ionizing radiation. Nature (London) 232(5306):118–119.
Zimdahl, R. L. 1972. Pesticides—a value question. Ent. Soc. Amer. Bul. 18(2):109–110.

TOXICOLOGY

Abbott, D. C., Collins, G. B. and Goulding, R. 1972. Organochlorine pesticide residues in human fat in the United Kingdom 1969–1971. Brit. Med. J. 5813:553–556.
Bhatia, S. C., Sharma, S. C. and Venkitasubramanian, T. A. 1972. Acute dieldrin toxicity: biochemical changes in the blood. Arch. Environmtl. Health 24(5):369–372.
Bwibo, N. O. 1971. Accidental poisoning with diazinone—an organophosphorus insecticide. Case report. East Afr. Med. J. 48(10):601–605.
Cooke, A. S. 1972. The effects of DDT, dieldrin and 2,4-D on amphibian spawn and tadpoles. Environmtl. Pollut. 3(1):51–68.
Cranmer, M. F. 1972. Absence of conversion of o,p'-DDT to p,p'-DDT in the rat. Bul. Environmtl. Contam. and Toxicol. 7(2/3):121–124.
Durham, W. F., Wolfe, H. R. and Elliott, J. E. 1972. Absorption and excretion of parathion by spraymen. Arch. Environmtl. Health 24(6): 381–387.
Nassif, F. M. 1971. Persistence of parathion in soil and its translocation into tomato plants. Ent. Soc. Egypt. Bul. Econ. Ser. No. 5:73–78.
Prati, L., Pavanello, R. and Ghezzo, F. 1972. Storage of chlorinated pesticides in human organs and tissues in Ferrara Province, Italy. WHO Bul. 46(3):363–369.
Södergren, A., Svensson, B. J. and Ulfstrand, S. 1972. DDT and PCB in south Swedish streams. Environmtl. Pollut. 3(1):25–36.
World Health Organization. 1972. Information circular on the toxicity of pesticides to man. VBC/TOX/72.8., 65 pp.
Zitko, V. and Choi, P. M. K. 1972. PCB and p,p'-DDE in eggs of cormorants, gulls, and ducks from the Bay of Fundy, Canada. Bul. Environmtl. Contam. and Toxicol. 7(1):63–64.

BEHAVIOR, BIOLOGY AND ECOLOGY

Buffington, J. D. 1972. Hibernaculum choice in *Culex pipiens*. J. Med. Ent. 9(2):128–132.
Chan, K. L. 1971. Life table studies of *Aedes albopictus* (Skuse). *In* Sympos. Sterility Principle for Insect Control or Eradication Proc. 1970:131–143.
De Alwis, R. E. and Munasinghe, C. H. 1971. Hydrogen-ion concentration in breeding habitats of *Culex pipiens fatigans* (Wied.) and associated mosquitoes. WHO Bul. 45(6):853–854.
Duport, M., Cristescu, A., Tâcu, V. and Durbaca, S. 1971. Biological investigation concerning the environmental factors related to *Anopheles hyrcanus pseudopictus* in the delta of the Danube and to *Phlebotomus* species in southern Dobrudja. Arch. Roumaines Path. Expt. et Microbiol. 30(Suppl.):115.
Edman, J. D. and Coauthors. 1972. Sexual behavior of mosquitoes. 4. Field observations on mating and insemination of marked broods of *Aedes taeniorhynchus* Ent. Soc. Amer. Ann. 65(4):848–852.
Ekis, G. 1971. Host acceptance of *Culex pipiens* L. (Diptera: Culicidae). N. Y. Ent. Soc. J. 79(4):190–194.
Gubler, D. J. and Bhattacharya, N. C. 1972. Swarming and mating of *Aedes* (*S.*) *albopictus* in nature. Mosquito News 32(2):219–223.
Haridi, A. M. 1972. Partial exophily of *Anopheles gambiae* species B in the Khashm Elgirba area in eastern Sudan. WHO Bul. 46(1):39–46.
Hartberg, W. K. 1971. Observations on the mating behaviour of *Aedes aegypti* in nature. WHO Bul. 45(6):847–850.
Horsfall, W. R. 1972. Longevity of embryos of *Aedes stimulans*. J. Econ. Ent. 65(3):891–892.
Kühlhorn, F. 1972. Studies on the reproduction of *Anopheles messeae messeae* Fall. (Diptera: Culicidae). Z. Angew. Ent. 70(2):187–203. In Ger.
Machado-Allison, C. E. and Craig, G. B., Jr. 1972. Geographic variation in resistance to desiccation in *Aedes aegypti* and *A. atropalpus* (Diptera: Culicidae). Ent. Soc. Amer. Ann. 65(3):542–547.
McIntosh, B. M., Jupp, P. G. and De Sousa, J. 1972. Mosquitoes feeding at two horizontal levels in gallery forest in Natal, South Africa, with reference to possible vectors and of chikungunya virus. Ent. Soc. Southern Afr. J. 35(1):81–90.
McCrae, A. W. R. and Coauthors. 1971. Other entomological field studies. East Afr. Virus Res. Inst. Rpt. No. 20:69–70. [Includes mosquito biting activity, *Aedes aegypti* breeding, *Anopheles gambiae* complex.]
Moore, C. G. and Whitacre, D. M. 1972. Competition in mosquitoes. 2. Production of *Aedes aegypti* larval growth retardant at various densities and nutrition levels. Ent. Soc. Amer. Ann. 65(4):915–918.
Mukwaya, L. G., Kitama, A., Mawejje, C. and

Ssaku, C. 1971. The feeding habits of *Aedes simpsoni* in Uganda. East Afr. Virus Res. Inst. Rpt. No. 20:49–52.

Mukwaya, L. G., Ssenkubuge, Y. and Bulega, G. W. 1971. Studies on some aspects of the behaviour of *Aedes* (*Stegomyia*) *vittatus*. East Afr. Virus Res. Inst. Rpt. No. 20:52–60.

Parker, J. D., Smith, A. and Obudho, W. O. 1972. Observations on the man-biting habits of *Aedes simpsoni* (Theo.) in the Taveta area of Kenya. WHO/VBC/72.348, 5 pp.

Paterson, C. G. 1971. Overwintering ecology of the aquatic fauna associated with the pitcher plant *Sarracenia purpurea* L. J. Zool. 49(11): 1455–1459. [Includes *Wyeomyia smithii*.]

Pinger, R. R., Jr. and Rowley, W. A. 1972. Occurrence and seasonal distribution of Iowa mosquitoes. Mosquito News 32(2):234–241.

Renapurkar, D. M., Bhat, V. M., Menon, T. U. K. and Sant, M. V. 1972. Some observations on duration of different stages of life-history of *Culex pipiens fatigans*, Wied. Current Sci. (Bangalore 41(11):417–419.

Sempala, S. D. K. 1971. Studies on the predatory habits of *Toxorhynchites brevipalpis conradti*. East Afr. Virus Res. Inst. Rpt. No. 20:67–68.

———. 1971. Studies on tree-hole breeding mosquitoes. East Afr. Virus Res. Inst. Rpt. No. 20:60–67.

Service, M. W. 1972. An inland freshwater population of the salt marsh mosquito, *Aedes detritus* (Haliday). J. Ent. Ser. A. 46(2):117–121.

Southwood, T. R. E. and Coauthors. 1972. Studies on the life budget of *Aedes aegypti* in Wat Samphaya, Bangkok, Thailand. WHO Bul. 46(2):211–226.

Van Peenen, P. F. D., Atmosoedjono, S., Lien, J. C. and Saroso, J. S. 1972. Seasonal abundance of adult *Aedes aegypti* in Djakarta, Indonesia. Mosquito News 32(2):176–179.

See also Carpenter; Gorham; Grothaus et al.; Pitelina; and Macdonald in Distribution Section.

GENETICS

Aslamkhan, M., Aaqil, M. and Hafeez, M. 1972. Genetical and morphological variations in a natural population of the malaria mosquito, *Anopheles stephensi*, from Karachi, Pakistan. WHO/VBC/72.337, WHO/MAL/72.762. 13 pp.

Bianchi, N. O., Sweet, B. H. and Ayres, J. P. 1972. Chromosome characterization of three cell lines derived from *Aedes albopictus* (Skuse) and *Aedes aegypti* (L.) Soc. Expt. Biol. and Med. Proc. 140(1):130–134.

Coluzzi, M. 1972. Inversion polymorphism and adult emergence in *Anopheles stephensi*. Science 176(4030):59–60.

Dennhöfer, L. 1972. The correlation of linkage-groups with chromosomes in the mosquito, *Culex pipiens* L. Chromosoma 37(1):43–52. In Ger., Engl. Sum.

Hartberg, W. K. 1972. Hybridization between *Aedes simpsoni* and *Aedes woodi* with observations on the genetic basis of morphological differences. WHO Bul. 46(3):345–352.

Inwang, E. E. 1971. Genetic control of enzyme structure in hyperuricemia. Compar. Biochem. and Physiol. 39(3B):569–577. [*Aedes aegypti*.]

Jost, E. and Mameli, M. 1972. DNA content of nine species of Nematocera with special reference to the sibling species of the *Anopheles maculipennis* group and the *Culex pipiens* group. Chromosoma 37(2):201–208.

Kabanova, V. M. and Kartashova, N. N. 1972. Karyotypes of some species of bloodsucking mosquitoes of *Aedes* genus (Culicidae, Diptera). Genetika 8(3):47–51. In Rus., Engl. Sum.

Laudani, U. 1970. Isolamento ed identificazione degli ommocromi di *Anopheles atroparvus* (Diptera; Nematocera) e di un mutante "or". Bol. di Zool. 37(1):63–68. Engl. Sum.

Lawson, A. L. and Boggs, S. S. 1972. A microtechnique for chromosome analysis of small numbers of cells. J. Lab. and Clin. Med. 79(5):845–847.

Lorimer, N., Hallinan, E. and Rai, K. S. 1972. Translocation homozygotes in the yellow fever mosquito, *Aedes aegypti*. WHO/VBC/72.355, 18 pp.

Narang, S. and Kitzmiller, J. B. 1972. Dehydrogenase polymorphism in *Anopheles punctipennis* (Diptera: Culicidae). Genetics of xanthine and octanol dehydrogenases. Ent. Soc. Amer. Ann. 65(4):798–804.

——— and ———. 1971. Esterase polymorphism in a natural population of *Anopheles punctipennis* II. Analysis of the Est-C system. Canad. J. Genet. and Cytol. 13(4):771–776.

Narang, N., Narang, S. and Kitzmiller, J. B. 1972. Lack of gene flow among three species of anopheline mosquitoes. Systemat. Zool. 21(1):1–6.

Nichols, W. W., Bradt, C., Dwight, S. and Bowne, W. 1972. Somatic pairing in dipteran cells in culture. Cytogenetics 11(1):46–52. [*Aedes aegypti* included.]

O'Meara, G. F. 1972. Polygenic regulation of fecundity in autogenous *Aedes atropalpus*. Ent. Expt. et Applicata 15(1):81–89.

Selinger, R. 1972. Inherited semisterility for control of harmful insects. V. Translocations in *Culex tritaeniorhynchus*. Experientia 28(4): 481–482.

Tiepolo, L. and Laudani, U. 1972. DNA synthesis in polytenic chromosomes of *Anopheles atroparvus*. Chromosoma 36(3):305–312.

Townson, H. 1972. Esterase polymorphism in *Aedes aegypti*: the genetics and K_m values of electrophoretically heterogeneous forms. Ann. Trop. Med. and Parasitol. 66(2):255–266.

ANATOMY, MORPHOLOGY AND PHYSIOLOGY

Beckett, E. B. 1972. The distribution pattern of indirect flight muscle fibres in *Mansonia uniformis* (Theobald) (Diptera: Culicidae). J. Ent. Ser. A 46(2):145–147.

Blevins, R. D. 1972. Utilization of cellular DNA and quantitative changes in total organismal DNA to determine cell numbers during development of *Aedes aegypti* (Diptera: Culicidae). Ent. Soc. Amer. Ann. 65(4):829–834.

Brown, P. K. and White, R. H. 1972. Rhodopsin of the larval mosquito. J. General Physiol. 59(4):401–414.

Clay, M. E. and Venard, C. E. 1972. The fine structure of the oesophageal diverticula in the mosquito *Aedes triseriatus*. Ent. Soc. Amer. Ann. 65(4):964–975.

Furneaux, P. J. S. and Mackay, A. L. 1972. Crystalline protein in the chorion of insect egg shells. J. Ultrastruct. Res. 38(3/4):343–359. [Includes *Aedes aegypti*.]

Heyberg, R. 1971. Beitrag zur Frage der Bedeutung der Pigmentbildung bei Culicidienlarven (*Aedes aegypti* L. and *Culex pipiens* L., Diptera) unter Berücksichtigung der Wirking einiger Brenzcatechinäther. Z. Angew. Zool. 58(2):169–172.

Ivanov, V. P. 1971. The fine structure of the insect mechanoreceptor organs. Internatl. Cong. Ent. (Moscow) Proc. 13(2):18. [Includes *Culex pipiens*.]

Makiya, K., Kimada, N., Shogaki, Y. and Ohya, S. 1971. Population dynamics of overwintering mosquitoes in Aichi Prefecture, with special reference to wing length distribution of *Culex pipiens pallens*. Jap. J. Sanit. Zool. 22(3):186–199. In Jap., Engl. Sum.

McIver, S. B. and Hutchinson, S. A. 1972. Coeloconic sensilla on the antennae of the yellow fever mosquito, *Aedes aegypti* (L). Experientia 28(3):323.

Mogi, M., Wada, Y. and Omori, N. 1972. The follicular development of *Culex tritaeniorhynchus summorosus* females after taking various amounts of blood in reference to feeding and oviposition activity. Trop. Med. (Nagasaki) 14(1):55–63. In Engl., Jap. Sum.

Moussatché, H., Lent, H., Kitagawa, M. and Gilbert, B. 1970. Insect juvenile hormone-like activity in a dipterine. Rev. Brasil. de Biol. 30(1):55–60. [*Culex pipiens* included.]

Nayar, J. K. 1972. Effects of constant and fluctuating temperatures on life span of *Aedes taeniorhynchus* adults. J. Insect Physiol. 18(7): 1303–1313.

Odintsov, V. S. and Alexeenko, I. P. 1971. The ultrastructure of synapse and the localization of acetylcholinesterase activity in the central nervous system of phylogenetically different insect families of the order Diptera. Tsitologiya 13(2):170–174. In Rus. [*Culex pipiens* included.]

Schaefer, C. H. and Takeshi, M. 1972. Sources of energy utilized by natural populations of the mosquito, *Culex tarsalis*, for overwintering. J. Insect Physiol. 18(4):797–805.

Seldin, E. B., White, R. H. and Brown, P. K. 1972. Spectral sensitivity of larval mosquito ocelli. J. General Physiol. 59(4):415–420.

Sinitsyna, E. E. 1971. Functional differences in taste sensilla of representative Diptera. Internatl. Cong. Ent. (Moscow) Proc. 13(2):37. In Rus. [Mosquitoes included.]

Subrahmanyam, D., Moturu, L. B. and Rao, R. H. 1971. On the phospholipids of *Culex pipiens fatigans*. Lipids 6(12):867–872.

Thayer, D. W. 1972. Effect of dietary amino acid in the amino acid pool of *Aedes aegypti*. J. Insect Physiol. 18(3):521–526.

Yang, Y. J. and Davies, D. M. 1972. The effect of cations on chymotrypsin from *Aedes aegypti* larvae. J. Insect Physiol. 18(4):747–755.

See also Townsend et al. in Techniques—Tissue Culture Section.

TECHNIQUES

Abdel Gawaad, A. A., Ali, N. M. and Shazli, A. Y. 1971. Leaching of some soil insecticides in three Egyptian soils. Ent. Soc. Egypt. Bul. Econ. Ser. No. 5:23–26. [*Culex pipiens* larvae used for bioassay technique.]

Adames, A. J. and Galindo, P. 1972. Colonization of *Culex (Melanoconion) aikenii* (Aiken and Rowland, 1906) in Panama. Mosquito News 32(2):196–200.

Boreham, P. F. L. 1972. Serological identification of arthropod bloodmeals and its application. Pest Articles and News Sum. 18(2): 205–209. [Mosquitoes included.]

Chant, G. D. and Baldwin, W. F. 1972. Dispersal and longevity of mosquitoes tagged with ^{32}P. Canad. Ent. 104(6):941–944.

Dalgliesh, R. J. 1972. Theoretical and practical aspects of freezing parasitic Protozoa. Austral. Vet. J. 48(5):233–239. [*Plasmodium* mentioned.]

Fife, E. H., Jr. 1972. Current state of serological tests used to detect blood parasite infections. Expt. Parasitol. 31(1):136–152. [Includes *Plasmodium*.]

Galun, R. 1971. Recent developments in the biochemistry and feeding behaviour of haematophagous arthropods as applied to their mass-rearing. *In* Sympos. Sterility Principle for Insect Control or Eradication Proc. 1970:273–281. [Includes *Aedes*.]

Gheorghiu, T., Ungureanu, E. M. and Garrett-Jones, C. 1972. An apparatus for the study of the behaviour patterns of mosquitoes under the influence of insecticides. WHO Bul. 46(1): 122–126.

Gunther, F. A. 1971. Modern analytical instrumental methods in evaluating natures, magnitudes, and metabolic fates of pesticide and other residues in plant and animal tissues. Internatl. Cong. Ent. (Moscow) Proc. 13(2): 232–233.

Hacker, C. S. 1972. Measuring reproductive potential in populations. Mosquito News 32 (2):193–196.

Hartberg, W. K. and Gerberg, E. J. 1971. Laboratory colonization of *Aedes simpsoni* (Theobald) and *Eretmapodites quinquevittatus* Theobald. WHO Bul. 45(6):850–852.

Macaulay, E. D. M. 1972. A simple insect flight recorder. Ent. Expt. et Applicata 15(2):252–254.

McDonald, J. L. 1972. A handy, inexpensive device for dispensing insecticide dust and granules in small quantities. Mosquito News 32 (2):242.

Mukwaya, L. G., McCrae, A. W. R. and Ssaku, C. 1971. Mosquitoes. East Afr. Virus Res. Inst. Rpt. No. 20:86. [Colonies of *Aedes, Culex* and *Anopheles.*]

Parker, B. L. and Stone, E. H. 1972. An inexpensive, portable, air-sampling tower. Environmtl. Ent. 1(2):186–189.

Petersen, J. J. and Willis, O. R. 1972. Procedures for the mass rearing of a mermithid parasite of mosquitoes. Mosquito News 32 (2):226–230.

Powell, T. J. 1972. Portable instruments with batteries that never fail. Health Physics 22 (4):409–410.

Reuben, R., Yasuno, M., Panicker, K. N. and LaBrecque, G. C. 1972. The estimation of adult populations of *Aedes aegypti* at two localities in Delhi, India. WHO/VBC/72.350, 9 pp.

Smith, W. W. and Jones, D. W., Jr. 1972. Use of artificial pools for determining presence, abundance, and oviposition preferences of *Culex nigripalpus* Theobald in the field. Mosquito News 32(2):244–245.

Yasuno, M., Rajagopalan, P. K., Russell, S. and LaBrecque, G. C. 1972. Dispersal of *Culex fatigans* in Delhi villages. WHO/VBC/72. 352, 13 pp.

Zaman, V. and Yap, E. H. 1972. A concentration method for plasmodia and trypanosomes. Roy. Soc. Trop. Med. and Hyg. Trans. 66(2): 370–371.

See also Lawson in Genetics Section.

Techniques—Tissue Culture

Dalgarno, L., Hosking, D. M. and Shen, C. H. 1971. Steps in the biosynthesis of ribosomal RNA in cultured *Aedes aegypti* cells. Austral. Biochem. Soc. Proc. 4:107.

Dolfini, S. 1971. Cell culture of Diptera. *In* Invertebrate Tissue Culture. Volume I by C. Vago, Editor. pp. 247–265. New York. Academic Press. [Mosquitoes included.]

Ghosh, S. N. and Bhat, U. K. M. 1971. Haemagglutinating activity in normal culture fluid of *Aedes albopictus* cell lines. Current Sci. (Bangalore) 40(13):354–355.

Hayashi, Y. and Sohi, S. S. 1970. Metabolism of *Aedes aegypti* cells grown in vitro. I. Incorporation of ^{3}H-uridine and ^{14}C-leucine. In Vitro 6(2):148–152.

Kelly, M. M. and Dalgarno, L. 1971. The growth of arboviruses in continuously cultured mosquito cells. Austral. Biochem. Soc. Proc. 4:76.

Libíková, H. and Buckley, S. M. 1971. Studies with Kemerovo virus in Singh's *Aedes* cell lines. Acta Virol-gica 15(5):393–403.

Peleg, J. 1972. Studies on the behavior of arboviruses in an *Aedes aegypti* mosquito cell line (Peleg). Arch. Gesamte Virusforsch. 37(1): 54–61.

——— and Shahar, A. 1972. Morphology and behaviour of cultured *Aedes aegypti* mosquito cells. Tissue and Cell 4(1):55–61.

Rosales-Ronquillo, M. C., Simons, R. W. and Silverman, P. H. 1972. Long-term primary culture of cells of the mosquito *Anopheles stephensi.* Ent. Soc. Amer. Ann. 65(3):721–729.

Sohi, S. S. and Hayashi, Y. 1971. Metabolism of *Aedes aegypti* cells grown in vitro. II. Determination of cell viability. In Vitro 7(3): 146–151.

Townsend, D., Jenkin, H. M. and Yang, T. 1972. Lipid analysis of *Aedes aegypti* cells cultivated *in vitro.* Biochimica et Biophysica Acta 260(1):20–25.

See also Bianchi et al. in Genetics Section; Virus Research Centre and Buckley in Arboviruses and Other Vertebrate Viruses Section.

TAXONOMY

Arnell, J. H. and Nielsen, L. T. 1972. Mosquito studies (Diptera, Culicidae). XXVII. The *varipalpus* group of *Aedes (Ochlerotatus).* Amer. Ent. Inst. Contrib. 8(2):1–48. [*Aedes laguna* n. sp.]

Baltazar, C. R. 1970. The status of insect taxonomy in the Philippines. Philippine Ent. 1(6): 411–419. [Includes Culicidae.]

Berlin, O. G. W. 1972. A proposal for a systematic study of the culicine mosquitoes of India. Mosquito Systematics 4(2):41–44.

Brunhes, J. 1971. Culicidés de Madagascar. V. Quelques *Aedes* (sous-genre *Finlaya*) de Madagascar. Ent. Méd. Parasitol. Cah. 9(4): 335–349. Engl. Sum. [*A. brygooi* n. sp.]

Diaz Najera, A. 1971. Estructuras genitales de *Haemagogus (longipalpifer)* con variaciones morfologicas y nuevos datos sobre su ecologia *equinus* Theobald, 1903 (Diptera: Culicidae).

Rev. Invest. Salud Pub. 31(2):82–90. Engl. Sum.

Duret, J. P. 1971. Una nueva especie de *Haemagogus* de Nicaragua (Diptera-Culicidae). Neotropica 17(53):83–88. [*Haemagogus (Stegoconops) dominguezi* n. sp.]

Huang, Y. M. 1972. Lectotype designation for *Aedes (Stegomyia) galloisi* Yamada with a note on its assignment to the *scutellaris* group of species (Diptera: Culicidae). Ent. Soc. Wash. Proc. 74(2):253–256.

Matsuo, K. and Ramalingam, S. 1972. Morphological characters of *Culex pseudovishnui* larvae from Malaysia, Japan and Formosa. Southeast Asian J. Trop. Med. and Pub. Health 3(1): 55–61.

Mattingly, P. F. 1972. Mosquito eggs XVIII. Genus *Mansonia* (subgenera *Rhynchotaenia* Brethes and *Mansonia* Blanchard) with a further note on genus *Ficalbia* Theobald. Mosquito Systematics 4(2):45–49.

———. 1972. Mosquito eggs XIX. Genus *Mansonia* (subgenus *Mansonioides* Theobald). Mosquito Systematics 4(2):50–59.

Peyton, E. L. 1972. A subgeneric classification of the genus *Uranotaenia* Lynch Arribalzaga, with a historical review and note on other categories. Mosquito Systematics 4(2):16–40.

Reinert, J. F. 1972. Description of the egg of *Aedes (Aedimorphus) domesticus* (Theobald) (Diptera: Culicidae). Mosquito Systematics 4(2):60–62.

Zavortink, T. J. 1972. Mosquito studies (Diptera, Culicidae). XXVIII. The New World species formerly placed in *Aedes (Finlaya)*. Amer. Ent. Inst. Contrib. 8(3):1–206. [*A. brelandi, burgeri, schicki, chionotum, niveoscutum, sandrae* n. spp.]

See also Service in Behavior, Biology and Ecology Section.

DISTRIBUTION

Belkin, J. N. and Heinemann, S. J. 1972. A tentative annotated list of the Culicidae of the Island of Hispaniola. Mosquito Systematics 4(2):63–72.

Carpenter, S. J. 1971. Observations on the distribution and ecology of mountain *Aedes* mosquitoes in California. XVII. Mosquito problems in the Carson Pass recreational area in the Sierra Nevada. Calif. Vector Views 18(11): 69–74.

———. 1972. Observations on the distribution and ecology of mountain *Aedes* mosquitoes in California. XVIII. Mosquito problems in the Ebbetts Pass recreational area in the Sierra Nevada. Calif. Vector Views 19(3):15–19.

Gorham, J. R. 1972. Studies of the biology and control of arthropods of health significance in Alaska. 4. Ecological studies of biting flies on the north slope of Alaska. 62 pp., Fairbanks. Arctic Health Res. Center. [Includes mosquitoes.]

Grothaus, R. H., Stasiak, R. S. and Miner, W. F. 1971. A partial list of the mosquitoes of I Corps, Republic of Vietnam, with notes on bionomics. US Naval Med. Field Res. Lab., Camp Lejeune, N. C. 21(16):31 pp.

Guille, G. 1972. Existence de l'autogenèse chez le moustique *Mansonia (Coquilletidia) richiardii* du littoral Languedoc-Méditerranéen. Compt. Rend. Ser. D Sci. Nat. (Acad. Sci. Paris) 274(9):1335–1336.

Macdonald, W. W. and Rajapaksa, N. 1972. A survey of the distribution and relative prevalence of *Aedes aegypti* in Sabah, Brunei, and Sarawak. WHO Bul. 46(2):203–209.

Parsons, M. A., Berry, R. L., Jalil, M. and Masterson, R. A. 1972. A revised list of the mosquitoes of Ohio with some new distribution and species records. Mosquito News 32(2): 223–226.

Pitelina, L. A. 1972. On the fauna and ecology of mosquitoes (Diptera, Culicidae) from the upper course of the Jana River. Parasitologiya 6(2):118–122. In Rus. Engl. Sum.

Polyakova, P. E. 1970. Data on the fauna of bloodsucking mosquitoes (Diptera, Culicinae) of northern Siberia. Fauna Sibiri (Akad. Nauk SSSR) pp. 132–137. Edited by A. I. Cherepanov. In Rus.

——— and Kukharchuk, L. P. 1970. New species in the mosquito fauna of the USSR—*Aedes* (?) *rempeli* Vock. (Diptera Culicinae) in western Siberia. Fauna Sibiri (Akad. Nauk SSSR) pp. 130–131. Edited by A. I. Cherepanov. In Rus.

Tipton, V. J. and Saunders, R. C. 1971. A list of arthropods of medical importance which occur in Utah with a review of arthropod-borne diseases endemic in the State. Brigham Young Univ., Sci. Bul., Biol. Ser., Provo 15(2):31 pp. [Includes mosquitoes.]

See also Pinger et al. in Behavior, Biology and Ecology Section.

ARBOVIRUSES AND OTHER VERTEBRATE VIRUSES

Aspöck, H. and Kunz, C. 1971. Serological investigations on the role of cattle as hosts of mosquito-borne arboviruses in Central Europe. Zentbl. Bakteriol. Parasit. Infektionskr. u. Hyg. I. Abt. Orig. Reihe A 218(1):18–23. In Ger., Engl. Sum.

Buckley, S. M. 1972. Propagation of 3 relatively solvent-resistant arboviruses in Singh's *Aedes albopictus* and *A. aegypti* cell lines. J. Med. Ent. 9(2):168–170.

Chambon, L. and Coauthors. 1969. The role of arbovirus in the etiology of exanthematous fevers in central Africa. Méd. d'Afr. Noire

16(2):185–188. In Fr., Engl. Sum. [Includes mosquito-borne.]
Cory, J. and Yunker, C. E. 1972. Arbovirus plaques in mosquito cell monolayers. Acta Virologica 16(1):90.
Danielová, V., Hájková, J., Minár, J, and Ryba, J. 1972. Virological investigation of mosquitoes in different seasons of the year at the natural focus of the Ťahyňa virus in southern Moravia. Folia Parasitol. 19(1):25–31.
David-West, T. S. 1971. The use of mouse embryo cell cultures in primary isolation of chikungunya virus. WHO Bul. 45(4):487–489.
Davies, F. G., Clausen, B. and Lund, L. J. 1972. The pathogenicity of Rift Valley fever virus for the baboon. Roy. Soc. Trop. Med. and Hyg. Trans. 66(2):363–365.
Doherty, R. L. 1972. Arboviruses of Australia. Austral. Vet. J. 48(4):172–180. [Mosquito-borne included.]
Draganescu, N., Gheorghiu, V. and Dinca, A. 1971. Serologic investigations on arbovirus infections in Romania. Rev. Roumaine Inframicrobiol. 8(2):57–61. [Includes West Nile virus.]
Dunsmore, J. D., Williams, R. T. and Price, W. J. 1971. A winter epizootic of myxomatosis in subalpine south-eastern Australia. Austral. J. Zool. 19(3):275–286.
Familusi, J. B., Moore, D. L., Fomufod, A. K. and Causey, O. R. 1972. Virus isolates from children with febrile convulsions in Nigeria. A correlation study of clinical and laboratory observations. Clin. Pediat. 11(5):272–276. [Includes dengue.]
Feild, J. and Kalter, S. S. 1972. Volume production of reference seed virus and immune ascitic fluids for six arboviruses. Appl. Microbiol. 23(2):382–388.
Fenner, F. 1972. Genetic aspects of viral diseases of animals. Progress in Med. Genet. 8:1–60. [Includes myxomatosis.]
———. 1972. The nomenclature and classification of viruses. Acta Virologica 16(1):94–95.
Gutsevich, A. V. 1972. Natural focality of viral infections transmitted by mosquitoes. Folia Parasitol. 19(1):19–23.
Guyer, B. 1972. Serological survey for arboviruses in Igbo-Ora, western Nigeria. Ann. Trop. Med. and Parasitol. 66(2):243–250.
Hawkes, R. A., Vale, T. G., Marshall, I. D. and Maclennan, R. 1972. Contrasting seroepidemiology of Australia antigen and arbovirus antibodies in New Guinea. Amer. J. Epidemiol. 95(3):228–237.
Hayes, C. G. and Corristan, E. C. 1972. A comparison of suckling mouse and mosquito susceptibility to infection by the Bunyamwera group arboviruses. Mosquito News 32(2):172–176.
Igarashi, A., Fukuoka, T. and Fukai, K. 1971. Passive immunization of mice with rabbit antisera against chikungunya virus and its components. Biken J. 14(3):353–355.
Johnson, R. T., McFarland, H. F. and Levy, S. E. 1972. Age-dependent resistance to viral encephalitis: studies of infections due to Sindbis virus in mice. J. Infect. Dis. 125(3):257–262.
Kafuko, G. W. 1971. East African Virus Research Institute, Entebbe. Report No. 20, 1970. 88 pp.
Keefer, G. V., Zebarth, G. L. and Allen, W. P., 1972. Susceptibility of dogs and cats to Rift Valley fever by inhalation or ingestion of virus. J. Infect. Dis. 125(3):307–309.
Kirya, B. G. and Coauthors. 1971. Arbovirus identification studies. East Afr. Virus Res. Inst. Rpt. No. 20:26–32.
Kirya, B. G., Hewitt, L. E., Lule, M. and Mujomba, A. 1971. Arbovirus serology. East Afr. Virus Res. Inst. Rpt. No. 20:32–36.
Kirya, B. G. and Lule, M. 1971. Arbovirus isolation studies. Zika virus isolates. East Afr. Virus Res. Inst. Rpt. No. 20:19–20.
Kitaoka, M., Shimizu, A., Tuchinda, P. and Kim-Anake, C. 1971. Electron microscopic observations on dengue type 2 virus. Biken J. 14(3):361–364.
Levin, J. G. and Friedman, R. M. 1971. Analysis of arbovirus ribonucleic acid forms by polyacrylamide gel electrophoresis. J. Virology 7(4):504–514. [Semliki Forest virus.]
MacVean, D. W. 1968. The role of birds in arbovirus infection with special reference to Malaysia. Kajian Vet. 1(3):125–132. [Includes mosquito-borne. This journal published by Assoc. of Vet. Surgeons, Malaysia-Singapore.]
Málková, D. 1972. Yaba 1 virus in Czechoslovakia. I. Some physical and chemical properties of Yaba 1 (Lednice 110) virus. Acta Virologica 16(3):264–266. [*Culex modestus.*]
——— and Coauthors. 1972. Isolation of Yaba 1 arbovirus in Czechoslovakia. Acta Virologica 16(1):93. [*Culex modestus.*]
Málková, D. and Macháčková, I. 1972. Simplified plaque assay of Ťahyňa virus on GMK cells. Acta Virologica 16(1):92.
McCrae, A. W. R. and Coauthors. 1971. Mosquitoes from the Zika Forest processed for virus isolation. Routine sunset catches on the Zika tower. East Afr. Virus Res. Inst. Rpt. No. 20:21–22.
——— and Coauthors. 1971. Mosquitoes from the Zika Forest processed for virus isolation. 24-hour catches at and near the forest edge. East Afr. Virus Res. Inst. Rpt. No. 20:22–23.
——— and ———. 1971. Mosquitoes from the Zika Forest processed for virus isolation. Mosquito catches from cattle. East Afr. Virus Res. Inst. Rpt. No. 20:23.
McCrae, A. W. R., Kirya, B. G. and Tukei, P. M. 1971. Arbovirus isolation studies. Summary of an apparent epizootic of Zika virus: pattern of incidence from *Aedes africanus* collected from the Zika Forest, 1969–1970. East Afr. Virus Res. Inst. Rpt. No. 20:20–21.
McCrae, A. W. R., Ssenkubuge, Y. and Manuma, P. 1971. Mosquitoes from the Zika Forest

processed for virus isolation. Miscellaneous catches. East Afr. Virus Res. Inst. Rpt. No. 20:24.

———, ———, ——— and Mawejje, C. 1971. Mosquitoes from the Zika Forest processed for virus isolation. Catches of resting mosquitoes. East Afr. Virus Res. Inst. Rpt. No. 20:24.

McCrae, A. W. R., Ssenkubuge, Y. and Mawejje, C. 1971. Mosquitoes from places other than the Zika Forest area processed for virus isolation. East Afr. Virus Res. Inst. Rpt. No. 20:25–26.

McIntosh, B. M., Jupp, P. G. and de Sousa, J. 1972. Further isolations of arboviruses from mosquitoes collected in Tongaland, South Africa, 1960–1968. J. Med. Ent. 9(2):155–159.

Mutanda, L. N. and Munube, G. M. R. 1972. Agglutination of African rodent and primate erythrocytes by arboviruses and the susceptibility of some of these animals to yellow fever and Kadam viruses. Acta Virologica 16(3): 258–263.

Okia, N. O. and Coauthors. 1971. Arbovirus survey in wild birds in Uganda. East Afr. Med. J. 48(12):725–731.

Okia, N. O., Kirya, B. G. and Sekyalo, E. 1971. Virus and antibody studies in small mammals in Zika and Lunyo. East Afr. Virus Res. Inst. Rpt. No. 20:74.

Osterrieth, P. M. 1971. Structure and function in group A arboviruses. Significance of this study for medicine. Soc. de Path. Exot. Bul. 64(5):694–700. In Fr., Engl. Sum.

Oudar, J., Joubert, L., Hannoun, C. and Corniou, B. 1971. Reproduction expérimentale de la méningo-encéphalomyélite du cheval par l'arbovirus West Nile. I. Etude virologique et sérologique. Acad. Vet. France Bul. 44(2):107–122.

Ranki, M. 1972. Nucleocapsid and envelope protein of Semliki Forest virus as affected by canavanine. J. General Virol. 15(1):59–67.

Rodrigues, F. M. and Coauthors. 1972. Etiology of the 1965 epidemic of febrile illness in Nagpur City, Maharashtra State, India. WHO Bul. 46(2):173–179.

Ronda-Lain, C. and Gil-Fernández, C. 1972. Enhanced plaque formation by Sindbis and vaccinia viruses under methyl-cellulose overlay in the absence of carbon dioxide. Acta Virologica 16(2):171–174.

Ross, J. 1972. Myxomatosis and the rabbit. Brit. Vet. J. 128(4):172–176.

Schlesinger, S., Schlesinger, M., and Burge, B. W. 1972. Defective virus particles from Sindbis virus. Virology 48(2):615–617.

Semenov, B. F. and Vargin, V. V. 1972. Change in the properties of antibodies in primary immune response of rabbits to inoculation with West Nile virus. I: Characteristics of virus-neutralizing antibodies correlation between specific and nonspecific factors of immunity. Voprosy Virusologii 17(2):138–143. In Rus., Engl. Sum.

Söderlund, H., Kääriäinen, L., Von Bonsdorff, C. H. and Weckström, P. 1972. Properties of Semliki Forest virus nucleocapsid. II. An irreversible contraction by acid pH. Virology 47 (3):753–760.

Spradbrow, P. B. 1972. Arbovirus infections of domestic animals in Australia. Austral. Vet. J. 48(4):181–185. [Mosquito-borne included.]

Standfast, H. A. and Dyce, A. L. 1972. Potential vector of arboviruses of cattle and buffalo in Australia. Austral. Vet. J. 48(5):224–227. [Includes mosquito-borne.]

Stevenson, A. E. and Holmes, I. H. 1972. Electron microscopy of Koongol group arboviruses. Austral. J. Biol. Sci. 25(1):53–60.

Stollar, V., Shenk, T. E. and Stollar, B. D. 1972. Double-stranded RNA in hamster, chick, and mosquito cells infected with Sindbis virus. Virology 47(1):122–132. [*Aedes albopictus.*]

Taufflieb, R., Cornet, M. and Camicas, J. L. 1969. Les vecteurs d'arbovirus au Sénégal. Méd. d'Afr. Noire 16(2):189–191. [Mosquitoes included.]

Tessler, J. 1972. Detection of African horse-sickness viral antigens in tissues by immunofluorescence. Canad. J. Compar. Med. 36(2): 167–169.

Topciu, V. and Coauthors. 1971. Existence des arbovirus de groupe B (Casals) décelée par sondages sérologiques chez quelques espèces animales de la Province du Banat (Roumainie). Arch. Roumaines Path. Expt. et Microbiol. 30 (2):231–236. Engl. Sum.

Virus Research Centre (Poona). 1971. Annual report 1970. 127 pp. [Arboviruses and techniques of mosquito tissue culture included.]

Watts, D. M. and Coauthors. 1972. Transmission of Lacrosse virus (California encephalitis group) by the mosquito (*Aedes triseriatus*). J. Med. Ent. 9(2):125–127.

Webb, T., Gould, E. A. and Smith, H. 1972. The behaviour of antigenically unrelated and related arboviruses on disulphide-linked immunosorbents. Immunochemistry 9(3):363–366.

White, A., Berman, S. and Lowenthal, J. P. 1972. Comparative immunogenicities of chikungunya vaccines propagated in monkey kidney monolayers and chick embryo suspension cultures. Appl. Microbiol. 23(5):951–952.

Woods, W. A., Turner, W. and Chirigos, M. A. 1972. Co-infection of mouse spleen cells with murine sarcoma virus and Guaroa virus. Appl. Microbiol. 23(2):372–376.

Zhdanov, V. M., Gaidamovich, S. Ya., Melnikova, E. E. and Krasnobayeva, Z. N. 1972. Biophysical characteristics of Sindbis virion components. Acta Virologica 16(2):97–102.

Zlotnik, I., Grant, D. P. and Batter-Hatton, D. 1972. Encephalopathy in mice following inapparent Semliki Forest virus (SFV) infection. Brit. J. Expt. Path. 53(2):125–129.

See also Libikova et al. and Peleg in Techniques—Tissue Culture Section

ENCEPHALITIS

Buckler, J. A. and Geiser, D. R. 1971. Venezuelan equine encephalomyelitis. Ill. Vet. 14 (12):10–12.

Chunikhin, S. P. and Takahashi, M. 1971. An attempt to establish the chronic infection of pigeons with Japanese encephalitis virus. Jap. J. Sanit. Zool. 22(3):155–160. In Engl.

Derkach, Yu. S., Uryvaev, L. V. and Zhdanov, V. M. 1972. Study of protein components of Venezuelan equine encephalomyelitis virus by means of electrophoresis and isoelectric focusing. Voprosy Virusologii 17(2):211–214. In Rus., Engl. Sum.

Eddy, G. A., Martin, D. H., Reeves, W. C. and Johnson, K. M. 1972. Field studies of an attenuated Venezuelan equine encephalomyelitis vaccine (strain TC-83). Infect. and Immunity 5(2):160–163.

Ehrlich, R. and Miller, S. 1972. Effect of NO_2 on airborne Venezuelan equine encephalomyelitis virus. Appl. Microbiol. 23(3):481–484.

Eldridge, B. F. 1971. Venezuelan equine encephalitis surveillance team. US Army WRAIR, WRAMC, Dept. Entomol. Final Rpt. 45 pp.

Gerasimova, S. S. and Novokhatsky, A. S. 1972. Effect of fusidin on reproduction of viruses of horse Venezuelan encephalomyelitis in tissue culture. Antibiotiki 17(5):457–461.

Grimes, J. E. 1972. Serological response of horses vaccinated with the TC-83 live attenuated Venezuelan equine encephalomyelitis virus. Southwest. Vet. 25(2):125–129.

Gruber, J. 1971. Immunogenicity of purified Venezuelan equine encephalitis virus inactivated by ionizing radiation. Infect. and Immunity 3(4):574–579.

Gushchin, B. V., Tsilinsky, Ya. Ya., Klimenko, S. M. and Lvov, D. K. 1971. Size of virions as a genetic marker of Venezuelan equine encephalomyelitis virus. Voprosy Virusologii 16 (2):159–163. In Rus., Engl. Sum.

Hayles, L. B., McLintock, J. and Saunders, J. R. 1972. Laboratory studies on the transportation of western equine encephalitis virus by Saskatchewan mosquitoes. I. *Culex tarsalis*. Canad. J. Compar. Med. 36(2):83–88.

Hayles, L. B., Saunders, J. R. and McLintock, J. 1972. Some aspects of diagnosis of western equine encephalitis in chicks and mice by immunofluorescence. Canad. J. Compar. Med. 36(2):180–182.

Hruškova, J., Rychterová, V. and Kliment, V. 1972. The influence of infection with Venezuelan equine encephalomyelitis virus on antibody response against sheep erythrocytes. I. Experiments on mice. II. Experiments on guinea pigs. Acta Virologica 16(2):115–124; 125–130.

Ilyenko, V. I. and Coauthors. 1972. Biologic and immunogenic properties of the m-pk/L attenuated strain of Japanese B encephalitis virus. Amer. J. Epidemiol. 95(2):148–156.

Karpova, E. F., Loginova, N. V. and Lvov, D. K. 1972. Sensitivity to urea of Japanese encephalitis virus variants. Voprosy Virusologii 17(2): 207–210. In Rus., Engl. Sum.

Kettyls, G. D. and Coauthors. 1972. Arbovirus infections in man in British Columbia. Canad. Med. Assoc. J. 106(11):1175–1179.

Lee, H. W., Min, B. W. and Lim, Y. W. 1972. Isolation and serologic studies of Japanese encephalitis virus from snakes in Korea. Korean Med. Assoc. J. 15(1):69–74. In Engl.

Maruyama, K. 1971. Seasonal prevalence and Japanese encephalitis virus infection of vector mosquitoes in Tsu areas, Mie Prefecture. Jap. J. Sanit. Zool. 22(3):213–217. In Jap., Engl. Sum.

McLean, D. M. and Coauthors. 1972. California encephalitis virus isolations from Yukon mosquitoes, 1971. Amer. J. Epidemiol. 95(4):347–355.

McManus, A. T. and Robinson, D. M. 1972. Stability of live attenuated Venezuelan equine encephalitis vaccine. Appl. Microbiol. 23(3): 654–655.

Nishimura, C. and Tsukeda, H. 1971. Replication and synthesis of Japanese encephalitis virus ribonucleic acids in Vero cells. Jap. J. Microbiol. 15(4):309–316. In Engl.

Novokhatsky, A. S. and Ershov, F. I. 1971. Thermoinactivation of viruses. Communication IV. Factors determining the dynamics and rate of inactivation of Venezuelan equine encephalomyelitis virus (VEE). Voprosy Virusologii 16(2):143–150. In Rus., Engl. Sum.

Ognianov, D. and Fernández, A. 1972. Estudio sobre la patogenesis en ratones inoculados con virus de la encefalomielitis equina del este E.E.E.) Zentbl. Veterinärmed. Reihe B 19 (2):89–93. Engl. Sum.

——— and ———. 1972. Obtención y propiedades del interferón de fibroblastos de pollo y cerebro de ratones infectados con el virus del encefalomielitis equina del este (E.E.E.). Zentbl. Veterinärmed. Reihe B 19(2):94–98. Engl. Sum.

Ota, Z. 1971. Detection of Japanese B encephalitis virus particles by electron microscopy. Saishin Igaku 26(4):724–727. In Jap.

Pedersen, C. E., Jr., Robinson, D. M. and Cole, F., Jr. 1972. Isolation of the vaccine strain of Venezuelan equine encephalomyelitis virus from mosquitoes in Louisiana. Amer. J. Epidemiol. 95(5):490–496.

Phelps, G. 1971. VEE in Texas: an on the scene report (July 28, 1971). Vet. Med. and Small Animal Clinician 66(9):911–913, 916.

Qureshi, A. A. and Trent, D. W. 1972. Saint Louis encephalitis viral ribonucleic acid replication complex. J. Virology 9(4):565–573.

Rollins, J. B., Schultz, T. D. and Fiser, R. H. 1972. Serial measurements of serum protein, glycoprotein, and lipoprotein fractions in normal and Venezuelan equine encephalomyelitis-

vaccinated ponies and burros. Amer. J. Vet. Res. 33(2):323–327.

Sasa, M. 1971. The factors that determine the incidence of Japanese encephalitis cases. Jap. J. Sanit. Zool. 22(3):181–186. In Jap., Engl. Sum.

Scherer, W. F. and Coauthors. 1972. Observations of equines, humans and domestic and wild vertebrates during the 1969 equine epizootic and epidemic of Venezuelan encephalitis in Guatemala. Amer. J. Epidemiol. 95(3): 255–266.

Shapiro, D., Kos, K., Brandt, W. E. and Russell, P. K. 1972. Membrane-bound proteins of Japanese encephalitis virus-infected chick embryo cells. Virology 48(2):360–372.

Simasathien, P. and Coauthors. 1972. Recovery of Japanese encephalitis virus from wild caught mosquitoes in Thailand. Southeast Asian J. Trop. Med. and Pub. Health 3(1):52–54.

Solyanik, R. G., Fedorov, Yu. V. and Rapoport, I. A. 1972. Genetic characteristics of eastern equine encephalomyelitis virus mutants induced by alkylating compounds. Genetika 8(5):109–114. In Rus., Engl. Sum.

———, ——— and ———. 1972. Mutagenic effect of some alkylating compounds on eastern equine encephalomyelitis virus. Genetika 8(3): 164–165.

Spears, J. F. 1972. Largest spray operation ever. Ag Chem 26(12) and 27(1):12–14, 30. [This is a combination number for December 1971 and January 1972. Article concerns VEE epidemic.]

Takayama, N. 1972. Further characterization of an attenuated western equine encephalitis virus: search for *in vitro* markers. Arch. Gesamte Virusforsch. 36(3/4):363–371.

Taylor, W. M. and Buff, E. 1972. Transmissibility of an attenuated Venezuelan equine encephalomyelitis vaccine virus. Amer. Vet. Med. Assoc. J. 161(2):159–163.

Wada, Y. 1972. Theoretical model for Japanese encephalitis epidemic. Trop. Med. (Nagasaki) 14(1):41–54. In Jap., Engl. Sum.

Walton, T. E., Alvarez, O., Jr., Buckwalter, R. M. and Johnson, K. M. 1972. Experimental infection of horses with an attenuated Venezuelan equine encephalomyelitis vaccine (strain TC-83). Infect. and Immunity 5(5):750–756.

Walton, T. E., Brautigam, F. E., Ferrer, J. A. and Johnson, K. M. 1972. Epizootic Venezuelan equine encephalomyelitis in Central America. Disease pattern and vaccine evaluation in Nicaragua 1969–1970. Amer. J. Epidemiol. 95(3):247–254.

Walton, T. E. and Johnson, K. M. 1972. Experimental Venezuelan equine encephalomyelitis virus infection of the bovine. Infect. and Immunity 5(2):155–159.

White, A., Rourke, S., Berman, S. and Lowenthal, J. P. 1972. Production of high titer eastern equine encephalomyelitis virus and viral antigens in chick embryo suspension cultures. Arch. Gesamte Virusforsch. 36(1/2):13–17.

Williams, J. E., Watts. D. M., Young, O. P. and Reed, T. J. 1972. Transmission of eastern (EEE) and western (WEE) encephalitis to bobwhite sentinels in relation to density of *Culiseta melanura* mosquitoes. Mosquito News 32(2):188–192.

Wróblewska-Mularczykowa, Z. 1971. Studies on susceptibility of some mouse lines to eastern equine encephalitis (EEE) virus infection. Expt. Med. and Microbiol. 23(3):253–259. [Translated reprint of Med. Doswiad. i Mikrobiol. TT 71–54005/3 Nat. Lib. Med.]

Yamada, T. and Coauthors. 1971. Studies on an epidemic of Japanese encephalitis in the northern region of Thailand in 1969 and 1970. Biken J. 14(3):267–296.

Young, N. A. 1972. Origin of epidemics of Venezuelan equine encephalitis. J. Infect. Dis. 125(5):565–567. (Editorial)

Zlotnik, I., Peacock, S., Grant, D. P. and Batter-Hatton, D. 1972. The pathogenesis of western equine encephalitis virus (W.E.E.) in adult hamsters with special reference to the long and short term effects on the C.N.S. of the attenuated clone 15 variant. Brit. J. Expt. Path. 53(1):59–77.

FILARIASIS

Barclay, R. 1971. Filariasis in the Luangwa Basin. Med. J. Zambia 5(6):201–203. [*W. bancrofti* not found but suspected in area.]

Brygoo, E. R. and Brunhes, J. 1971. Historique de la filariose lymphatique a l'île de La Réunion. Inst. Pasteur Madagascar Arch. 40(1): 47–56. [*W. bancrofti* apparently disappeared.]

Burren, C. H. 1972. The behaviour of *Brugia malayi* microfilariae in experimentally infected domestic cats. Ann. Trop. Med. and Parasitol. 66(2):235–242.

Cabrera, B. C. and Jeuco, N. L. 1972. Filariasis survey among indigenous tribes of Palawan, Republic of the Philippines. Southeast Asian J. Trop. Med. and Pub. Health 3(1):31–39.

Carlos, E. R., Carlos, E. T. and Directo, A. C. 1971. Epizootiologic studies on canine filariasis. I. Studies on incidence in dogs in the greater Manila area from 1959 to 1970. Philippine J. Vet. Med. 10(1):49–59. [*D. immitis.*]

Chowdhury, A. B. 1971. Profile of filariasis problem. Indian Med. Assoc. J. 56(12):385–386.

Colbourne, M. J. and Ng, W. K. 1972. An assessment of filariasis transmission in Singapore. Southeast Asian J. Trop. Med. and Pub. Health 3(1):40–44.

Davis, H. C. and Casey, H. W. 1971. Heartworm and hookworm disease in military dogs: chemoprophylaxis with diethylcarbamazine and styrylpyridinium. USAF Schl. Aerosp. Med.,

Aerosp. Med. Div. (AFSC) Brooks AFB, Texas. SAM-TR-71-37:13 pp. AD-731-132.

Denham, D. A. and Coauthors. 1971. The effect of metrifonate on *Brugia pahangi* infections in domestic cats. WHO Bul. 45(4):423-429.

Dondero, T. J., Jr. and Ramachandran, C. P. 1972. Filariasis due to *Brugia malayi* in west Malaysia. Part II: Skin test aspects. Southeast Asian J. Trop. Med. and Pub. Health 3(1):25-30.

Ewers, W. H. 1972. Parasites of man in Papua—New Guinea. Southeast Asian J. Trop. Med. and Pub. Health 3(1):79-86. [Includes *Wuchereria, Plasmodium* and their mosquito hosts.]

Forbes, L. S. 1972. Pharmacodynamic actions of diethylcarbamazine in the dog with particular reference to nicotine-like properties. Southeast Asian J. Trop. Med. and Pub. Health 3(1):93-98.

Fowler, J. L., Matsuda, K. and Fernau, R. C. 1972. Experimental infection of the domestic cat with *Dirofilaria immitis*. Amer. Animal Hospital Assoc. J. 8(2):79-80.

Goldsmid, J. M., Mahomed, K., Makanji, H. and Muir, M. 1972. Microhaematocrit centrifuge technique for the laboratory diagnosis of filarial infections. South Afr. Med. J. 46(8):171-174.

Hawking, F. 1971. Circadian rhythms in monkeys, dogs and other animals. J. Interdisciplinary Cycle Res. 2(2):153-156. [Includes filariasis and malaria.]

———. 1971. Circadian rhythms of parasites. J. Interdisciplinary Cycle Res. 2(2):157-160.

Ito, K., Sawada, T. and Sato, S. 1972. Increased serum IgE level in individuals infected with *Schistosoma japonicum, Wuchereria bancrofti* or hook worm, and the changes by treatment in schistosomiasis. Jap. J. Expt. Med. 42(2):115-123.

Kim, J. S. 1970. Ecological survey and mass chemotherapy of filariasis on Che Ju Do, Korea. Seoul Nat. Univ., Schl. Pub. Health Ann. Rpt. No. 404-4, 116 pp. Sept. 1970.

Lambrecht, F. L. 1972. Filariasis survey—Seychelles. Entomological studies with some parasitological observations. Report on a visit to the Seychelles October 1968—August 1969. WHO/FIL/72.99, WHO/VBC/72.347. 12 pp.

Lupascu, G. and Panaitescu, D. 1971. Tropical parasitology problems in temperate climate areas. Arch. Roumaines Path. Expt. et Microbiol. 30(2):237-243. In Fr., Engl. Sum. [Includes *Wuchereria*.]

Nair, C. P., Roy, R. G. and Singh, B. 1971. Reaction and intensity differentials due to varying microfilaria load in asymptomatic *W. bancrofti* carriers placed on diethylcarbamazine. Antiseptic 68(6):403-408.

Outin-Fabre, D., Saugrain, J., Stanghellini, A. and Pichon, G. 1972. Une expérience pilote de campagne antifilarienne en milieu insulaire (Moorea, Polynésie française). WHO Bul. 46(2):253-256. Engl. Sum.

Palumbo, N. E. and Perri, S. F. 1972. Some observations on diagnosis of canine filariasis. Amer. Vet. Med. Assoc. J. 160(5):715-719.

Rahman, N. M. I. and Bhattacharyya, M. N. 1971. A preliminary survey of filarial infection in a group of labour population at Maijan tea estate in Lakhimpur district, Assam. Indian Med. Assoc. J. 56(12):363-366.

Rai, K. S. 1971. Prospects for genetic control of filariasis vectors. Jap. J. Genet. 46(3):207-214. In Engl. [*Culex pipiens.*]

Saugrain, J. 1971. Aperçu sur les parasitoses d'intérêt médical en Polynésie française. Med. Trop. (Marseille) 31(2):233-236. Engl. Sum. [Mosquitoes included.]

——— and Outin-Fabre, D. 1972. Bilan de vingt annees de lutte contre la filariose subpériodique de Bancroft en Polynésie française. WHO Bul. 46(2):249-252. Engl. Sum.

Schacher, J. F. and Sulahian, A. 1972. Lymphatic drainage patterns and experimental filariasis in dogs. Ann. Trop. Med. and Parasitol. 66(2):209-217.

Schillhorn van Veen, T. W. and Blotkamp, C. 1972. A rapid staining method for microfilariae. J. Parasitol. 58(3):446. [Dirofilaria included.]

Simpson, M. G. and Laurence, B. R. 1972. Histochemical studies on microfilariae. Parasitology 64(1):61-88. [*Brugia* and *Wuchereria* included.]

Suenaga, O. 1972. Studies on the filarial prevalence among dogs and the mosquito vectors in Nagasaki City, western Japan. 2. On the susceptibility of four common mosquitoes to the larvae of *Dirofilaria immitis* in Nagasaki City. Trop. Med. (Nagasaki) 14(1):32-40. In Jap., Engl. Sum.

MALARIA

Akinyanju, O. and Lawoyin, V. 1972. Aetiology of splenomegaly among Africans in Lagos, Nigeria. Trop. and Geog. Med. 24(1):49-54. [Partly in connection with malaria.]

Andersen, B. R. 1971. N. B. T. test in malaria. Lancet 7719:317.

Apt, W. 1972. Transmisión congénita de protozoos parásitos. Bol. Ofic. Sanit. Panamer. 72(6):517-546. Engl. Sum. [Includes congenital malaria.]

Barrett-Connor, E. 1972. Postoperative malaria. Lancet 7750:597-598.

Bienzle, U., Okoye, V. G. N. and Gogler, H. 1972. Haemoglobin and glucose 6-phosphate dehydrogenase variants: distribution in relation to malaria endemicity in a Togolese population. Z. Tropenmed. u. Parasitol. 23(1):56-62. Ger. Sum.

Brito, B. J. H. 1971. A imunofluorescência

e a sua contribuição para o estudo da malária. Escola Nacional de Saúde Púb. e Med. Trop. Anais 5(3/4):223–232.

Bruce-Chwatt, L. J. 1971. Some aspects of malaria and its control. Trop. Doctor 1(4): 147–153.

———. 1971. Greatness and weakness of eradication of transmissible diseases. Soc. de Path. Exot. Bul. 64(5):782–796. In Fr., Engl. Sum. [Includes malaria and yellow fever.]

———. 1972. Postoperative malaria. Lancet 7762:1238.

——— and Coauthors. 1972. Sero-epidemiological studies on population groups previously exposed to malaria. Lancet 7749:512–514.

Central America Malaria Research Station. 1972. Activities for year ending June 30, 1971. 95 pp., Atlanta, Ga. [CDC and AID.]

Cianci, P., Donahoo, S., Minogue, T. and Staver, R. 1972. Stress as a factor in the development of clinical malaria: a comparative study of malarial incidence in RVN casualties. Military Med. 137(3):113–114.

Colbourne, M. J. 1971. The laboratory diagnosis of malaria. Trop. Doctor 1(4):161–163.

Cuartas, F., Rothenberg, J., Fecci, C. and Gutterman, J. 1972. Diagnosis of malaria by bone marrow aspiration. South. Med. J. 65(6):523.

Dunn, M. A., Quinn, T. C. and Terwedow, H. A., Jr. 1972. Pre-erythrocytic rodent malaria, *Plasmodium berghei*—prevention of development in the ethionine fatty liver. Amer. J. Trop. Med. and Hyg. 21(3):288-292.

Evans, D. I. K., Reddy, P. M. and Wolman, B. 1972. Tropical splenomegaly, sickle-cell trait, and *P. falciparum* infection. Brit. Med. J. 5808:294.

Fletcher, J. R. and Coauthors. 1972. Acute *Plasmodium falciparum* malaria. Arch. Internal. Med. 129(4):617–619.

Gabaldon, A. 1972. La salud de iberoamérica en el año 2000 y la evolución de su mejoramiento en Venezuela. Bol. Ofic. Sanit. Panamer. 72(5):409–418. Engl. Sum. [Includes malaria.]

Hansford, C. F. 1972. Recent trends in the control and treatment of malaria. South Afr. Med. J. 46(21):635–637.

Heineman, H. S. 1972. The clinical syndrome of malaria in the United States. Arch. Internal. Med. 129(4):607–616.

Hendrickse, R. G. and Coauthors. 1972. Quartan malarial nephrotic syndrome. Collaborative clinicopathological study of Nigerian children. Lancet 7761:1143–1148.

Janosi, M. 1972. Tropical splenomegaly, sickle-cell trait, and *P. falciparum* infection. Brit. Med. J. 5800:628.

Jervis, H. R., Sprinz, H., Johnson, A. J. and Wellde, B. T. 1972. Experimental infection with *Plasmodium falciparum* in *Aotus* monkeys. II. Observations on host pathology. Amer. J. Trop. Med. and Hyg. 21(3):272–281.

Juricic, B. 1972. La salud pública en el año 2000. Bol. Ofic. Sanit. Panamer. 72(5):419–427. Engl. Sum. [Malaria included.]

Kagan, I. G. 1972. Malaria: seroepidemiology and serologic diagnosis. Expt. Parasitol. 31(1): 126–135.

Kortmann, H. F., Lelijveld, J., Ross, J. P. J. and Löhr, K. F. 1971. A capillary tube agglutination test for malaria. WHO Bul. 45(6):839–844.

Kreil, R. 1972. Malaria nach leukozytentransfusion. Deut. Med. Wochenschr. 97(15):633.

Lelijveld, J. L. M. 1971. Sero-epidemiological studies of malaria in Tanzania. 137 pp., Nijmegen. Drukkerij Van Mameren N. V. [Thesis, Catholic Univ. of Nijmegen.]

Meuwissen, J. H. E. T. and Leeuwenberg, A. D. E. M. 1972. Indirect haemagglutination test for malaria with freeze-dried cells. WHO/MAL/72.773, 4 pp.

Miller, M. B. and Reynolds, R. D. 1972. Treatment and complications of *vivax* malaria in Vietnam. Military Med. 137(7):267–269.

Mitchell, A. 1972. Malaria epidemic. South Afr. Med. J. 46(20):632.

O'Leary, D. S., Barr, C. F., Wellde, B. T. and Conrad, M. E. 1972. Experimental infection with *Plasmodium falciparum* in *Aotus* monkeys. III. The development of disseminated intravascular coagulation. Amer. J. Trop. Med. and Hyg. 21(3):282–287.

Rees, P. H., Barr, R. D., Cordy, P. E. and Voller, A. 1972. Possible role of malaria in the aetiology of the nephrotic syndrome in Nairobi. Brit. Med. J. 5806:130–131.

Sankale, M., Gueye, I., N'Diaye, P. and Diop, B. 1969. Place de l'education sanitaire des populations dans la lutte contre le paludisme en Afrique Noire. Med. d'Afr. Noire 16(2):209–214.

Stone, W. J., Hanchett, J. E. and Knepshield, J. H. 1972. Acute renal insufficiency due to falciparum malaria. Arch. Internal Med. 129(4): 620–628.

Suntharasamai, P. and Marsden, P. D. 1972. Studies of splenomegaly in rodent malaria III. Protein calorie malnutrition and splenomegaly in mice infected with *Plasmodium berghei yoelii*. Roy. Soc. Trop. Med. and Hyg. Trans. 66(2):214–221.

Tigertt, W. G. 1972. The malaria problem. Arch. Internal Med. 129(4):604–606.

Voller, A. and O'Neill, P. 1971. Immunofluorescence method suitable for large-scale application to malaria. WHO Bul. 45(4):524–529.

Wellde, B. T., Johnson, A. J., Williams, J. S. and Sadum, E. H. 1972. Experimental infection with *Plasmodium falciparum* in *Aotus* monkeys. I. Parasitologic, hematologic, and serum bio-

chemical determinations. Amer. J. Trop. Med. and Hyg. 21(3):260–271.
White, R. H. R. 1972. The hallmark of quartan malarial nephropathy. Lancet 7763:1292.
Woodruff, A. W. 1971. The treatment of severe and complicated malaria. Trop. Doctor 1(4):156–159.
World Health Organization. 1972. Immunopathology of nephritis in Africa. WHO Bul. 46(3):387–396. [In connection with malaria.]
Ziegler, J. L. and Coauthors. 1972. Burkitt's lymphoma and malaria. Roy. Soc. Trop. Med. and Hyg. Trans. 66(2):285–291.
See also Ewers and Hawkins in Filariasis Section.

Malaria—Eradication

Gabaldon, A. 1970. Duración de le medidas de ataque en un programa de erradicación de la malaria. Bol. Inform. (Dir. de Malariol. y San. Amb.) 10(5/6):226–241.
Giglioli, G. 1972. Changes in the pattern of mortality following the eradication of hyperendemic malaria from a highly susceptible community. WHO Bul. 46(2):181–202.
Zigas, V. and Rodrigue, R. 1972. Problems facing malaria eradication program in the Territory of Papua and New Guinea. Trop. and Geog. Med. 24(1):95–99.
See also Rafatjah in Cost Analysis Section.

Malaria—Immunology

Brito, B. J. H. 1971. A imunofluorescência no estudo da malária numana: o *Plasmodium berghei* utilizado como antigénio. Escola Nacional de Saúde Púb. e Med. Trop. Anais 5(3/4): 233–239. Engl. Sum.
Collins, W. E. and Contacos, P. G. 1972. Immunization of monkeys against *Plasmodium cynomolgi* by X-irradiated sporozoites. Nature (London) 263(67):176–177.
Philips, R. S. and Jones, V. E. 1972. Immunity to *Plasmodium berghei* in rats: maximum levels of protective antibody activity are associated with eradication of the infection. Parasitology 64(1):117–127.
Smith, A. R., Karr, L. J., Lykins, J. D. and Ristic, M. 1972. Serum-soluble antigens of malaria: a review. Expt. Parasitol. 31(1):120–125.
Wilson, R. J. M. and Voller, A. 1972. A comparison of malarial antigens from human and *Aotus* monkey blood infected with *Plasmodium falciparum*. Parasitology 64(2):191–195.

Malaria—Parasites

Aikawa, M. and Cook, R. T. 1972. *Plasmodium:* electron microscopy of antigen preparations. Expt. Parasitol. 31(1):67–74.
Areekul, S., Devakul, K., Kanakakorn, K. and Kasemsuth, R. 1972. Fate of labelled haemoglobin in normal and *Plasmodium coatneyi*-infected monkeys. Southeast Asian J. Trop. Med. and Pub. Health 3(1):62–68.
Baruzzi, R. G. and Coauthors. 1971. Splenomegalia in Brazilian Indians from the "Alto Zingu" (Central Brazil). I. Occurrence and results of serological tests from some parasitic diseases. Soc. Belges de Méd. Trop. Ann. 51(2):205–214. [Includes *Plasmodium.*]
Chow, J. S. and Kreier, J. P. 1972. *Plasmodium berghei:* adherence and phagocytosis by rat macrophages *in vitro*. Expt. Parasitol. 31(1): 13–18.
Corradetti, A. and Coauthors. 1972. Cytodynamic study of the immune response to sheep erythrocytes in the rat infected with *Plasmodium berghei*. Inst. Pasteur Ann. 122(2):193–203. In Fr., Engl. Sum.
D'Antonio, L. E. 1972. *Plasmodium:* a resumé of the isolation of a vaccine fraction by the French pressure cell technique. Expt. Parasitol. 31(1):75–81.
———. 1972. *Plasmodium berghei:* vaccination of mice against malaria with heat inactivated parasitized blood. Expt. Parasitol. 31(1):82–87.
Eveland, L. K. and Allen, E. G. 1972. Nile blue stain: *Plasmodium berghei* and uninfected erythrocytes. Roy. Soc. Trop. Med. and Hyg. Trans. 66(3):512–513.
Ferris, D. H. 1972. Cinematographic recording of *Paranaplasma caudata* and *Plasmodium gallinaceum: in vitro* kinetics. Expt. Parasitol. 31(1):60–66.
Garnham, P. C. C., Rajapaksa, N., Peters, W. and Killick-Kendrick, R. 1972. Malaria parasites of the orang-utan *(Pongo pygmaeus)*. Ann. Trop. Med. and Parasitol. 66(2):287–294.
Gillet, J. and Herman, F. 1971. Study on the evolution of *Plasmodium berghei berghei* into the mouse embryo. Compt. Rend. Soc. de Biol. (Paris) 165(9/10):2029–2031. In Fr.
Gobert, J. G., Poindron, P., German, A. and Savel, J. 1972. Recherche sur le mécanisme d'action d'un inducteur viral de l'interféron dans la protection de la souris contre l'infestation massive par des formes endoérythrocytaires de *Plasmodium berghei*. Compt. Rend. Ser. D Sci. Nat. 274(8):1226–1229.
Gutteridge, W. E. and Trigg, P. I. 1972. Periodicity of nuclear DNA synthesis in the intraerythrocytic cycle of *Plasmodium knowlesi*. J. Protozool. 19(2):378–381.
Hawking, F. 1972. Unsuccessful attempts to stimulate the production of gametocytes in *Plasmodium berghei*. Roy. Soc. Trop. Med. and Hyg. Trans. 66(3):513–514.
Isfan, T. and Dinculescu, M. 1971. Isolement d'un facteur cytotoxique chez *Plasmodium berghei*. Arch. Roumaines Path. Expt. et Microbiol. 30(2):245–256. Engl. Sum.
Jones, S. A. and Ferreira Neto, J. A. 1971. Symptomless *Plasmodium vivax* parasitaemias

and malaria eradication in Santa Catarina State, Brazil. Soc. Bras. Med. Trop. Rev. 5(1):21–35.

Kreier, J. P., Seed, T., Mohan, R. and Pfister, R. 1972. *Plasmodium* sp.: the relationship between erythrocyte morphology and parasitization in chickens, rats, and mice. Expt Parasitol. 31(1):19–28.

Kreier, J. P., Taylor, W. M. and Wagner, W. M. 1972. Destruction of erythrocytes in monkeys *(Macaca mulatta)* infected with *Plasmodium cynomolgi*. Amer. J. Vet. Res. 33(2):409–414.

Krettli, A. U. 1972. Pedunculate oocysts in a Brazilian strain of *Plasmodium juxtanucleare*. J. Parasitol. 58(3):630–631.

Ludford, C. T., Purchase, H. G. and Cox, H. W. 1972. Duck infectious anemia virus associated with *Plasmodium lophurae*. Expt. Parasitol. 31(1):29–38.

Lupascu, G. 1970. The study of lycosomal enzymes of the spleen on mice injected with purified *Plasmodium berghei* antigen. Arch. Roumaines Path. Expt. et Microbiol. 29(4): 649–658. In Engl.

McLaughlin, J. and McGhee, R. B. 1972. Changes in the neutral glycosyl ceramides of duck erythrocytes during infection with the avian malaria parasite, *Plasmodium lophurae*. Life Sciences Pt. II 11(8):397–404.

Miller, L. H. 1972. The ultrastructure of red cells infected by *Plasmodium falciparum* in man. Roy. Soc. Trop. Med. and Hyg. Trans. 66(3):459–462.

Nussenzweig, R. S., Vanderberg, J. P., Sanabria, Y. and Most, H. 1972. *Plasmodium berghei:* accelerated clearance of sporozoites from blood as part of immune-mechanism in mice. Expt. Parasitol. 31(1):88–97.

Omar, A. R. 1968. Haemoprotozoan infections of poultry in Malaysia. Kajian Vet. 1(3):109–124. [Includes *Plasmodium*. This journal published by Assoc. of Vet. Surgeons, Malaysia-Singapore.]

Platzer, E. G. 1972. Metabolism of tetrahydrofolate in *Plasmodium lophurae* and duckling erythrocytes. N. Y. Acad. Sci. Trans. 34(3): 200–208.

Scorza, J. V., De Scorza, C. and Monteiro, M. C. C. 1972. Cytochemical observations of three acid hydrolases in blood stages of malaria parasites. Ann. Trop. Med. and Parasitol. 66 (2):167–172.

Seitz, H. M. 1972. The role of the thymus in *Plasmodium berghei* infection of mice—I. Effect of adult thymectomy on the course of infection and acquisition of protective immunity. Z. Tropenmed. u. Parasitol. 23(1): 48–55. In Ger., Engl. Sum.

Telford, S. R., Jr. 1972. Malaria parasites of the "Jesu Cristo" lizard *Basiliscus basiliscus* (Iguanidae) in Panama. J. Protozool. 19(1): 77–81.

———. 1972. The course of infection of Japanese saurian malaria *(Plasmodium sasai* Telford and Ball) in natural and experimental hosts. Jap. J. Expt. Med. 42(1):1–21.

World Health Organization. 1972. Cultivation techniques for the erythrocytic stages of malaria parasites. WHO/MAL/72.772, 25 pp.

Zaman, V. 1972. A concentration method for plasmodia. WHO/MAL/72.771, 3 pp.

Malaria—Therapeutics and Antimalarials

Aikawa, M. 1972. High-resolution autoradiography of malarial parasites treated with ^{3}H-chloroquine. Amer. J. Path. 67(2):277–284.

Bass, S. W., Ramirez, M. A. and Aviado, D. M. 1972. Cardiopulmonary effects of antimalarial drugs. VI. Adenosine, quinacrine and primaquine. Toxicol. and Appl. Pharmacol. 21(4): 464–481.

Benson, L. E. and Coauthors. 1972. Drug resistance in malaria. Lancet 7753:743–744.

Blumbergs, P. and Coauthors. 1972. Antimalarials. 2. 2,6-bis(aryl)-4-pyridinemethanols. J. Medicinal Chem. 15(8):808–812.

Bruce-Chwatt, L. J. and Roberts, J. M. D. 1972. Confusion or confidence in chloroquine. West Afr. Med. J. 21(1):23.

Das, B. P. and Coauthors. 1972. Naphthothiophenes. 1. α(alkylaminomethyl)–4–naphtho [2,1–*b*] thiophenemethanols as antimalarials. J. Medicinal Chem. 15(4):370–374.

Davoll, J. and Coauthors. 1972. Folate antagomists. 2. 2,4-diamino-6-{[aralkyl and (heterocylic)methyl]amino}quinazolines, a novel class of antimetabolites of interest in drug-resistant malaria and Chagas' disease. J. Medicinal Chem. 15(8):812–826.

Davoll, J., Clarke, J. and Elslager, E. F. 1972. Folate antagonists. 4. Antimalarial and antimetabolite effects of 2,4-diamino-6[(benzyl) amino]pyrido[2,3-*d*]pyrimidines. J. Medicinal Chem. 15(8):837–839.

Elslager, E. F. and Coauthors. 1972. Folate antagonists. 3. 2,4-diamino-6-(heterocyclic) quinazolines, a novel class of antimetabolites with potent antimalarial and antibacterial activity. J. Medicinal Chem. 15(8):827–836.

Fink, E. 1972. Causal prophylactic activity of standard antimalarials in rodent malaria *(Plasmodium berghei yeolii)*. Z. Tropenmed. u. Parasitol. 23(1):35–47. In Ger., Engl. Sum.

Guruswami, M. N., Sriram, K. and Ganapathy, K. 1972. The effect of chloroquine on survival of skin allografts in rats: a preliminary report. Indian J. Med. Res. 60(1):164–171.

Gutteridge, W. E., Trigg, P. I. and Bayley, P. M. 1972. Effects of chloroquine on *Plasmodium knowlesi in vitro*. Parasitology 64(1): 37–45.

Hla–Myint and Khin Maung Win. 1971. The routine treatment of malaria. Trop. Doctor 1(4):153–156.

Kusnecov, R., Storey, J. and Lietaert, P. 1972. Effect of four different types of single-dose

treatment with chloroquine and with chloroquine and pyrimethamine on *Plasmodium falciparum* infections in a semi-immune population in northern Nigeria. WHO Bul. 46(1):117–122.

Laing, A. B. G. 1972. Methotrexate in malaria. Roy. Soc. Trop. Med. and Hyg. Trans. 66(3): 518–519.

Lantz, C. H. and Van Dyke, K. 1972. *Plasmodium berghei:* inhibited incorporation of AMP-8-^{3}H into nucleic acids of erythrocyte-free malarial parasites by acridines, phenathridines, and 8-aminoquinolines. Expt. Parasitol. 31(2):255–261.

Markovac, A., Stevens, C. L. and Ash, A. B. 1972. Antimalarials. 1. 2-quinolinemethanols. J. Medicinal Chem. 15(5):490–493.

Minhas, A. L. and Siddiq, K. Y. 1971. Trimethoprim-sulphamethoxazole (Septran) in *P. falciparum* and *P. vivax* malaria. Medicus 42 (6):310–314.

Moreno, H. R., Oatis, J. E., Jr. and Schultz, H. P. 1972. Quinoxaline studies. 20. Potential antimalarials. Synthesis of *anti*-and *syn-N,N*-dialkylaminomethyl 2-quinoxalinyl ketoximes. J. Medicinal Chem. 15(4):433–434.

Morley, D. 1971. Malaria in childhood. Trop. Doctor 1(4):159–161.

Onori, E. 1972. Experience on mass drug administration as supplementary attack measure in areas of vivax malaria. WHO/MAL/72. 770, 11 pp.

Porter, T. H., Skelton, F. S., Bowman, C. M. and Folkers, K. 1972. Synthesis of new 2-alkylamino-1,4-naphthoquinones as inhibitors of coenzyme Q and as antimalarials. J. Medicinal Chem. 15(5):504–506.

Ramirez, M. A., Drimal, J. and Aviado, D. M. 1972. Cariopulmonary effects of antimalarial drugs. VII. Coronary vascular effects of pyridoquinolines. Toxicol. and Appl. Pharmacol. 21(4):482–494.

Rees, R. W. A., Russell, P. B., Foell, T. J. and Bright, R. E. 1972. Antimalarial activities of some 3,5-diamino-as-triazine derivatives. J. Medicinal Chem. 15(8):859–861.

Simpson, B., Jamieson, W. S. and Dimond, A. H. 1972. Sulphadoxine and pyrimethamine as treatment for acute *Plasmodium falciparum* malaria. Roy. Soc. Trop. Med. and Hyg. Trans. 66(2):222–224.

Siu, P. M. L. 1972. Malaria: the effect of iron and chloroquine on the erythrocytic forms of *Plasmodium berghei*. Soc. Expt. Biol. and Med. Proc. 139(3):799–802.

Smithurst, B. A., Robertson, I. and Naughton, M. A. 1971. Dapsone-induced agranulocytosis complicated by Gram-negative septicaemia. Med. J. Austral. 1(10):537–539.

Traxler, J. T., Lira, E. P. and Huffman, C. W. 1972. Synthesis of halogenated anthraldehydes and their conversion to antimalarial amino alcohols. J. Medicinal Chem. 15(8):861–863.

Wright, D. H., Masembe, R. M. and Bazira, E. R. 1971. The effect of antithymocyte serum on golden hamsters and rats infected with *Plasmodium berghei*. Brit. J. Expt. Path. 52(5): 465–477.

Malaria—Antimalarials—Resistance

Bruce-Chwatt, L. J. and Roberts, J. M. D. 1972. Chloroquine-resistant malaria? Brit: Med. J. 5805:108–109.

——— and ———. 1972. Dissent on the alleged finding of chloroquine resistance in East Africa. Roy. Soc. Trop. Med. and Hyg. Trans. 66(2):376–377.

Clyde, D. F., Hlaing, N. and Tin, F. 1972. Resistance to chloroquine of *Plasmodium falciparum* from Burma. Roy. Soc. Trop. Med and Hyg. Trans. 66(2):369–370.

Colwell, E. J., Hickman, R. L. and Kosakal, S. 1972. Tetracycline treatment of chloroquine-resistant *falciparum* malaria in Thailand. Amer. Med. Assoc. J. 220(5):684–686.

Laing, A. B. G. 1972. Pyrimethamine resistance in the Gambia: a failure to prevent experimental infection with *Plasmodium falciparum* in a "non-immune". Roy. Soc. Trop. Med. and Hyg. Trans. 66(2):367–368.

Nowell, F. 1972. Sulphonamide resistance induced in malaria parasites by milk diet given to host animals. Roy. Soc. Trop. Med. and Hyg. Trans. 66(2):376–377.

Powers, K. G. and Jacobs, R. L. 1972. Activity of two chlorinated lincomycin analogues against chloroquine-resistant falciparum malaria in owl monkeys. Antimicrobial Agents and Chemotherapy 1(1):49–53.

Ramos, O. L., Jacaline, A. V., De La Cruz, F. and Cuasay, L. C. 1971. Chloroquine and other anti-malaria drugs resistant *Plasmodium falciparum* from Palawan, Philippines. Philippine Med. Assoc. J. 47(7):297–322.

Williamson, J. 1972. Potentiation of proguanil resistance by sulphonamides. Roy. Soc. Trop. Med. and Hyg. Trans. 66(2):356.

Malaria—Vectors

Cabrera, B. D., Ramos, O. L. and Cruz, I. T. 1970. Malaria transmission by *Anopheles litoralis* King, a salt-water breeder, in Pangutaran, Sulu, Republic of the Philippines. Philippine Med. Assoc. J. 46(7):443–455.

Collins, W. E. and Contacos, P. G. 1972. Transmission of *Plasmodium falciparum* from monkey to monkey by the bite of infected *Anopheles freeborni* mosquitos. Roy. Soc. Trop. Med. and Hyg. Trans. 66(2):371–372.

Slooff, R. and Verdrager, J. 1972. *Anopheles balabacensis balabacensis* Baisas 1936 and malaria transmission in south-eastern areas of Asia. WHO/MAL/72.765, WHO/VBC/72.346. 23 pp. and annexes.

YELLOW FEVER

Brès, P. 1969. L'épidémie de fièvre jaune au Sénégal en 1965. Considerations épidémiologiques. Méd. d'Afr. Noire 16(2):173–176.

Chambon, L. Digoutte, J. P., Cornet, M. and Robin, Y. 1971. Recent data on yellow fever epidemiology in tropical Africa. Soc. de Path. Exot. Bul. 64(5):673–683. In Fr., Engl. Sum.

Gayral, P. and Cavier, R. 1971. Present entomological and ecological data on yellow fever vectors in West Africa. Soc. de Path. Exot. Bul. 64(5):701–708. In Fr., Engl. Sum.

Gordon Smith, C. E. 1971. Human and animal ecological concepts behind the distribution, behavior and control of yellow fever. Soc. de Path. Exot. Bul. 64(5):683–694. Fr. Sum.

Mason, R. A. and Coauthors. 1972. Yellow fever vaccine. V. Antibody response in monkeys inoculated with graded doses of the 17D vaccine. Appl. Microbiol. 23(5):908–913.

Pinto, M. R. and Armindo, R. F. 1971. The yellow fever epidemic in Luanda in 1971. Soc. de Path. Exot. Bul. 64(5):708–710.

Taufflieb, R., Robin, Y. and Cornet, M. 1971. Le virus amaril en la faune sauvage en Afrique. Ent. Méd. Parasitol. Cah. 9(4):351–372. Engl. Sum.

Tauraso, N. M. and Coauthors. 1972. Yellow fever vaccine. IV. Reactogenicity and antibody response in volunteers inoculated with a vaccine free from contaminating avian leukosis viruses. Soc. Expt. Biol. and Med. Proc. 139(2):439–446.

WHO Expert Committee on Yellow Fever. 1971. Third report. WHO Tech. Rpt. Ser. 479, 56 pp.

See also Bruce-Chwatt in Malaria Section.

EXPERIMENTAL HOSTS OR VECTORS

Bürki, F., Aspöck, H. and Kunz, C. 1972. Failure to propagate equine arteritis virus in an aedine and an anopheline mosquito species. Zentbl. Bakteriol. Parasit. Infektionskr. u. Hyg. I. Abt. Orig. Reihe A 219(1):109–111.

Ogunba, E. O. 1972. The development of *Loa loa* (Guyot) in *Mansonia africana* (Theobald). J. Med. Ent. 9(2):159–161.

Schaffer, P. A. and Scherer, W. F. 1972. Growth of a candidate arbovirus (Tsuruse) in *Aedes aegypti* mosquitoes following intrathoracic inoculation. Soc. Expt. Biol. and Med. Proc. 139(4):1298–1304.

Zaman, V. 1972. Inability to transmit *Breinlia sergenti* to other laboratory animals. Southeast Asian J. Trop. Med. and Pub. Health 3 (1):143. [Vectors of this worm include several mosquitoes.]

LIGHT AND OTHER TRAP STUDIES

Coz, J., Hamon, J., Vervent, G. and Sales, S. 1971. Contribution à l'étude du piège lumineux "C.D.C. miniature light trap" comme moyen d'échantillonnage des populations anophélinennes dans le Sud-Ouest de la Haute-Volta. Ent. Méd. Parasitol. Cah. 9(4):417–430. Engl. Sum. [Same title in WHO/MAL/72.764, WHO/VBC/72.341. 17 pp.]

Herbert, E. W., Meyer, R. P. and Turbes, P. G. 1972. A comparison of mosquito catches with CDC light traps and CO_2-baited traps in the Republic of Vietnam. Mosquito News 32(2):212–214.

Roberts, R. H. 1972. Relative attractiveness of CO_2 and a steer to Tabanidae, Culicidae, and *Stomoxys calcitrans* (L.) Mosquito News 32 (2):208–211.

LITERATURE REFERENCES AND REVIEWS

Laird, M. 1971. A bibliography on diseases and enemies of medically important arthropods 1963–67 with some earlier titles omitted from Jenkins' 1964 list. *In* Microbial Control of Insects and Mites by H. D. Burges and N. W. Hussey (Editors). pp. 751–790. London, New York. Academic Press. [Mosquitoes included.]

Piotrowski, F. 1971. Achievements of Polish sanitary and veterinary entomology. Polskie Pismo Ent. 41(4):803–822. In Pol., Engl. Sum. [Includes mosquitoes.]

Sollers-Riedel, H. 1972. Literature references to mosquitoes and mosquito-borne diseases. 1972—Part II. Mosquito News 32(2):287–305.

World Health Organization. 1972. WHO publications 1971–1972. Supplement to the catalogue of WHO publications 1947–1971. 5 pp.

BIOGRAPHY AND HISTORY

Eichler, W. 1972. Aleksandr Vasilevic Maslov 1906–1971. Angew. Parasitol 13(2):127–128. In Ger.

SUBJECTS NOT COVERED BY OTHER HEADINGS

Basio, R. G., Prudencio, M. J. and Chanco, I. E. 1970. Notes on the aerial transportation of mosquitoes and other insects at the Manila International Airport. Philippine Ent. 1(5):407–408.

Deparis, M. 1971. Remarks on "humanized" application of certain international regulations. Soc. de Path. Exot. Bul. 64(5):796–798. In Fr. Engl. Sum. [Includes yellow fever quarantine.]

Harinasuta, C. 1972. The programmes and activities of the SEAMEO TROPMED project. Southeast Asian J. Trop. Med. and Pub. Health 3(1):1–16.

Pajot, F. X. and Germain, M. 1971. Note sur un cas nouveau de phorésie chez les insectes. Transport de *Linognathus breviceps* (Piaget) Anoplura, Linognathidae) par des *Eretmapo-*

dites du groupe *chrygogaster* (Diptera Culicidae). Soc. Ent. France Bul. 76(1/2):5-6.

BOOKS

Askew, R. R. 1971. Parasitic insects. 316 pp., London. Heinemann Educational Books. [Includes mosquitoes.]

Assar, M. 1971. Guide to sanitation in natural disasters. 135 pp., Geneva. Published by WHO Spanish edition has 142 pp. [Control for mosquitoes included.]

Burges, H. D. and Hussey, N. W. (Editors). 1971. Microbial control of insects and mites. 861 pp., New York and London. Academic Press. [Includes mosquitoes.]

Ewers, W. H. and Jeffrey, W. T. 1971. Parasites of man in Niugini. 275 pp., Queensland. Jacaranda Press. [Includes malaria control.]

Galigher, A. E. and Kozloff, E. N. 1971. Essentials of practical microtechnique. 531 pp., Philadelphia. Edition 2. Lea and Febiger.

Meyer, M. C. and Olsen, O. W. 1971. Essentials of parasitology. 305 pp., Iowa. Wm. C. Brown Co. [Includes mosquitoes.]

Muirhead-Thomson, R. C. 1971. Pesticides and freshwater fauna. 248 pp., New York. Academic Press. [Mosquitoes included.]

Noble, E. R. and Noble, G. A. 1971. Parasitology: the biology of animal parasites. 617 pp., Philadelphia. Edition 3. Lea and Febiger. [Mosquitoes included.]

Sloss, M. W. 1970. Veterinary clinical parasitology. 250 pp., Ames, Iowa. Iowa State Univ. Press. [*Dirofilaria immitis* included.]

NEW PERIODICALS AND NAME CHANGES

Antimicrobial Agents and Chemotherapy, once published as an annual volume, is now a monthly periodical. Volume 1, number 1 appeared in January 1972.

ERRATA

In Mosquito News 31(4):622—add and Coauthors to reference by Ramachandran; 32(2):305—in Books section, change date of Coatney et al. to read 1971.