

LITERATURE REFERENCES TO CHEMICAL CONTROL OF MOSQUITOES 1979–83

HELEN SOLLERS-RIEDEL¹

P.O. Box 19009, Washington, DC 20036, USA

A different type of bibliography appears in this issue of *Mosquito News*. This is the first of a series of cumulative bibliographies to be published on an irregular basis. The present one covers a 5-year span (1979–83) and is partially annotated. The two headings are Adulticides and Larvicides and Surface Films. In the future, I expect to cover such topics as taxonomy and distribution, biology, techniques, genetics, arboviruses et al. I will assume that you like this approach unless I hear from you otherwise. If you have special topics you would like to have covered on a cumulative basis, please write to me at the above address.

ADULTICIDES AND LARVICIDES

- Abbassy, M. A. 1982. Naturally occurring chemicals for pest control. III. Insecticidal and synergistic alkaloids isolated from *Schinus terebinthifolius* Raddi. Med. Fac. Landbouww. Rijksuniv. Gent. 47(2):695–699. [*Culex pipiens* included.]
- Anderson, L. M., Nelson, J. H., Thies, C. and Meisch, M. V. 1983. Evaluation of a controlled-release siliicate formulation of temephos against *Aedes aegypti* larvae in the laboratory and *Psorophora columbiæ* larvae (Diptera: Culicidae) in rice field plots. J. Med. Ent. 20(3):325–329.
- Anufrieva, V. N., Polevoy, N. I., Khairetdinov, D. G. and Arsenieva, L. N. 1981. Experience in using malathion for *Anopheles* control in irrigated regions of northeastern Afghanistan. Med. Parazit. i Parazit. Bolezni 50(4):36–43. In Rus., Engl. Sum.
- Attri, B. S. and Prasad, R. 1980. Neem oil extractive, an effective mosquito larvicide. Indian J. Ent. 42(3):371–374. [*Culex quinquefasciatus*.]
- Axtell, R. C., Rutz, D. A. and Edwards, T. D. 1980. Field tests of insecticides and insect growth regulators for the control of *Culex quinquefasciatus* in anaerobic animal waste lagoons. Mosquito News 40(1):36–42. [Malathion and Flit MLO included.]
- Back, C., Leblanc, A. and Aubin, A. 1983. Effets sur la derive des insectes aquatiques d'un traitement au temephos contre les larves de moustiques dans le Quebec subarctique. Canad. Ent. 115(6):703–712. Engl. Sum.
- Bang, Y. H., Bown, D. N., Knudsen, A. B. and Ezike, V. 1980. Ground application of malathion thermal fogs and cold mists for the control of sylvatic vectors of yellow fever in rural communities near Enugu, Nigeria. Mosquito News 40(4):541–550.
- Bang, Y. H. and Coauthors. 1981. Selective application of fenitrothion for control of the malaria vector *Anopheles aconitus* in Central Java, Indonesia. WHO/VBC/81.822, 12 pp.
- Barlow, F., Miles, J., Turner, C. R. and Smith, S. 1982. The insecticidal activity of spray deposits from some formulations of malathion. WHO/VBC/82.853, 6 pp. [*Anopheles stephensi*.]
- Barlow, F., Turner, C. R., Flower, L. S. and Smith, S. 1982. Further measurements of insecticidal activity and the distribution of malathion between dried spray deposits and underlying porous substrates. WHO/VBC/82.852, 8 pp. [*Anopheles stephensi*.]
- Batra, C. P. and Coauthors, 1981. Control of *Anopheles stephensi* with larvicide and adulticide in Salem, Tamil Nadu. Indian J. Med. Res. 73(Suppl.) Jan.:114–119. [Temephos, pyrethrum.]
- Bilbie, I., Giurca, I. and Petrescu, S. 1980. The remanent effect of some insecticides on anophelines in rural environment. Arch. Roumaines Path. Expt. et Microbiol. 39(3):265–269. Fr. Sum. [DDT, malathion et al.]
- Biswas, S. and Coauthors. 1982. Ultra-low volume technical malathion application for the control of adult mosquitoes in Adarsh Nagar complex, Delhi. J. Commun. Dis. 14(1):57–66.
- Boike, A. H., Jr., Rathburn, C. B., Jr., Sizemore, L. A. and Peters, M. W. 1982. Results of the Florida program for monitoring mosquito susceptibility to temephos, 1980–82. J. Fla. Anti-Mosquito Assoc. 53(2):84–92.
- Bown, D. N. and Coauthors. 1981. Indoor and outdoor ULV applications of malathion for the extended control of *Anopheles* and *Aedes* species in wooded rural communities in eastern Nigeria. Mosquito News 41(1):136–142.
- Carteron, B., Morvan, D. and Rodhain, F. 1979. The control of Culicidae in Djibouti town. An experience of 7 years. Medecine Tropicale 39(5):554–558. In Fr., Engl. Sum. [Dursban, Abate and Baygon.]
- Dale, P. S. 1980. Use of residual insecticidal coatings for killing insects in aircraft. New Zeal. Ent. 7(2):116–119. [*Aedes* included, Permethrin.]
- Darwazeh, H. A. and Mulla, M. S. 1981. Encapsulated formulations of primpiphos-methyl against mosquito larvae and some nontarget organisms. Proc. and Papers Calif. Mosquito and Vect. Cont. Assoc. 49:90–94. (Pub. 1982).
- Darwazeh, H. A., Mulla, M. S., Ede, L. and Rodriguez, C. 1981. Activity of new larvicides against mosquitoes. Proc. and Papers Calif. Mosquito and Vect. Cont. Assoc. 49:73–75. (Pub. 1982).
- Das, P. K. and Mariappan, T. 1983. Insecticidal evaluation of Zolone® against *Culex quinquefasciatus*, *Anopheles culicifacies*, *A. stephensi* and *Aedes aegypti*. Indian J. Med. Res. 77(May):638–641.
- Das, P. K., Mariappan, T. and Somachary, N. 1981. Contact and vapour toxicity of bendiocarb and pirimiphosmethyl against *Culex quinquefasciatus* and *Anopheles stephensi*. Indian J. Med. Res. 74(Sept.):380–384.

¹ This work was supported, in part, by Grant AI 15643, from the National Institute of Allergy and Infectious Diseases, National Institutes of Health, U.S. DHHS.

- DeMilo, A. B., Borkovec, A. B., Cohen, C. F. and Robbins, W. E. 1981. Larvicidal effects of substituted diamino- and triamino-s-triazines. J. Agr. and Food Chem. 29(1):82-84. [*Aedes aegypti* included.]
- Dremova, V. P. and Coauthors. 1979. Comparative insecticidal activity of certain synthetic pyrethroids. Med. Parazit. i Parazit. Bolezni 48(4):50-56. In Rus., Engl. Sum. [*Aedes* included.]
- Dureja, P., Roy, N. K. and Mukerjee, S. K. 1980. Preparation and biocidal activity of alkyl phenyl (dichloromethyl) phosphonates. Pesticide Sci. 11(6):685-688. [*Culex quinquefasciatus* included.]
- Entente Interdépartementale pour la Démoustication du Littoral Méditerranéen. 1980. Rapport annuel d'Activité. 1979. Laboratoire d'Évaluation des Insecticides. [About 90 pp. Numerous separate articles of which J. Sinègre is senior or only author. Most of articles already have appeared in WHO mimeographed series.]
- Eshghy, N., Janbakhsh, B. and Motabar, M. 1979. Experimental hut trials for the evaluation of bendiocarb (Ficam W) against *Anopheles stephensi* Khesht district, Kazeroun, southern Iran, 1977. Mosquito News 39(1):126-129.
- Eshghy, N., Motabar, M. and Janbakhsh, B. 1980. Village scale trial of bendiocarb (Ficam W) for the control of *Anopheles stephensi* in Mamasani, southern Iran, 1978. Mosquito News 40(4):514-519.
- Fanara, D. M. and Coauthors. 1979. A village-trial of chlorphoxim (OMS-1197) for control of the malaria vector *Anopheles aconitus* in Central Java, Indonesia. WHO/VBC/79.724, 10 pp.
- Fleming, G. A. and Coauthors. 1982. Village-scale field trials of malathion (OMS-1) for control of the malaria vector *Anopheles aconitus* in central Java, Indonesia. WHO/VBC/82.839, 17 pp.
- Fleming, G. A. and Coauthors. 1983. A village-scale trial of bendiocarb (OMS-1394) for control of the malaria vector *Anopheles aconitus* in Central Java, Indonesia. WHO/VBC/83.875, 13 pp.
- Fox, I. 1980. Evaluation of ultra-low volume aerial and ground applications of malathion against natural populations of *Aedes aegypti* in Puerto Rico. Mosquito News 40(2):280-283.
- Gaaboub, I. A., Rawash, I. A., Tag-El-Din, A. and Hassanein, M. A. T. 1981. Joint action of six herbicides with malathion against mosquito larvae of *Culex pipiens* L. Toxicol. 20(1):61-70.
- Geery, P. R., Holub, R. E. and Keen, R. R. 1983. Statistical evaluation of ground applied ULV malathion on natural populations of *Aedes vexans* and *Culex* species. Mosquito News 43(2):206-208.
- Gerberg, E. J., Todd, R. G. and Giglioli, M. E. C. 1981. Dilute aqueous emulsions of fenitrothion and malathion applied with a Hudson Porta-Pak® against *Aedes aegypti*. Mosquito News 41(2):322-324.
- Giglioli, M. E. C., Gerberg, E. J. and Todd, R. G. 1979. Large scale field tests and environmental assessments of Sumithion® (fenitrothion) against adult mosquitoes in Grand Cayman, West Indies. Mosquito News 39(4):781-792.
- Gozzo, F., Masoero, M., Quadrelli, L. and Zagni, A. 1980. A novel series of *O,O*-diethyl *O*-(1,3-disubstituted-1,2,4-triazol-5-yl) phosphorothioates. Part II. Quantitative structure—activity relationships. Pesticide Sci. 11(3):314-323. [*Culex pipiens* included.]
- Greuter, H. and Coauthors. 1980. Structure and insecticidal activities of pyrethroids available through new methods of synthesis. Pesticide Sci. 11(2):148-155. [*Aedes aegypti* included.]
- Haile, D. G., Biery, T. L., Reinert, J. F. and Pierce, N. W. 1982. Aerial applications of naled diluted in HAN with UC-123K aircraft for adult mosquito control. Mosquito News 42(1):41-48.
- Haile, D. G., Mount, G. A. and Pierce, N. W. 1982. Effect of droplet size of malathion aerosols on kill of caged adult mosquitoes. Mosquito News 42(4):576-583.
- Helson, B. V. and Surgeoner, G. A. 1983. Effect of temperature and stage of development on susceptibility of *Aedes vexedes* and *Aedes stimulans* (Diptera: Culicidae) larvae to temephos. Canad. Ent. 115(6):623-628.
- Helson, B. V. and Surgeoner, G. A. 1983. Permethrin as a residual lawn spray for adult mosquito control. Mosquito News 43(2):164-169.
- Hervy, J. P. and Sales, S. 1979. Stage IV evaluation of imagocides OMS-43, OMS-1331 and OMS-1394 at the Soumoussou Experimental Station, Upper Volta, during 1978. WHO/VBC/79.727, 19 pp.
- Hervy, J. P. and Sales, S. 1981. Comparative evaluation of the efficacy of two formulations of OMS-1 (malathion)—emulsion concentrate and water-dispersible powder—against adult wild mosquitoes in the Soumoussou Experimental Station (Upper Volta). WHO/VBC/81.804, 21 pp.
- Hervy, J. P. and Sales, S. 1982. Stage IV evaluation of the effectiveness of two insecticides (OMS-2002 and OMS-2004) on adult *Anopheles* by intradomiciliary spraying at Soumoussou Experimental Station (Upper Volta) using OMS-1 as the reference product in full or selective treatment WHO/VBC/82.862, 113 pp.
- Hervy, J. P., Legros, F. and Sales, S. 1982. Stage IV evaluation of the effectiveness of two insecticides (OMS-2002 and OMS-2004) on adult *Anopheles* by intradomiciliary spraying at Soumoussou Experimental Station (Upper Volta) using OMS-1 as the reference product in full or selective treatment WHO/VBC/82.861, 16 pp.
- Hii, J. L. K. 1979. Entomological evaluation of sumithion, DDT and malathion for the control of *Anopheles balabacensis balabacensis* Baisas in Kuala Penyu district, Sabah, Malaysia. Jap. J. Sanit. Zool. 30(4):319-328. Jap. Sum.
- Hii, J. L. K. 1980. Responses of *Anopheles balabacensis balabacensis* Baisas to ultra-low-volume aerosols of sumithion in Sabah, Malaysia. J. Commun. Dist. 12(1):14-22.
- Hudson, J. E. 1981. Studies on flight activity and control of mosquitoes in the Edmonton area, 1971-73. Quaestiones Ent. 17(3-4):179-188. [Malathion.]
- Hwang, Y. S. and Mulla, M. S. 1980. Insecticidal activity of alkanamides against immature mosquitoes. J. Agr. and Food Chem. 28(6):1118-1122.
- Hwang, Y. S., Mulla, M. S. and Darwazeh, H. A. 1980. Evaluation of alkanamide formulations against immature mosquitoes. Proc. and Papers Calif. Mosquito and Vector Cont. Assoc. 48:81-83.

- Hwang, Y. S., Mulla, M. S. and Darwazeh, H. A. 1980. Larvicidal and pupicidal activity of alkanamides against *Culex quinquefasciatus*. Proc. and Papers Calif. Mosquito and Vector Cont. Assoc. 48:78–80.
- Hwang, Y. S., Mulla, M. S., Pope, M. M. and Rodriguez, C. 1982. Insecticidal activity of N,N-diethyl-, N,N-dipropl-, N,N-di-isopropyl-, and N,N-di-isobutylalkanamides against mosquito larvae. Pesticide Sci. 13(5):517–522.
- Hwang, Y. S., Mulla, M. S. and Rodriguez, C. 1981. N,N-dialkylalkanamides and alkyl N-methylcarbamates as mosquito larvicides. Proc. and Papers Calif. Mosquito and Vect. Cont. Assoc. 49:88–89.
- Indra Vytilingam and Chong Eng Li. 1982. Field trials on the effectiveness of bioresmethrin Reslin 10/10 (R) on *Aedes aegypti*. Med. J. Malaysia 37(4):381–385.
- Kamath, V. R. and Renapurkar, D. M. 1982. Laboratory evaluation of propetamphos against insects of public health importance. Pestology 6(8):29–31. [*Culex pipiens* included.]
- Kaul, S. M., Chandrasekharan, A., Das, M. and Rao, C. K. 1980. Attempted control of *Mansonioides* breeding with temephos (Abate) and fenthion (Baytex) in Kerala. J. Comun. Dis. 12(1):42–45.
- Kent, R. B., Jr., Khoo, B. K. and Sutherland, D. J. 1983. The N. J. airspray program: operations and methods in 1982. Proc. N.J. Mosquito Cont. Assoc. 70:100–106. [Temephos, malathion et al.]
- Kent, R. and Sutherland, D. 1979. Aerial adulticiding; risks and benefits. A report of the New Jersey State Airspray Program in 1978. Proc. N.J. Mosquito Cont. Assoc. 66:91–102. [Temephos, malathion et al.]
- Khoo, B. K., Sutherland, D. J., Siewierski, M. and Kent, R. B. 1983. Interval *in situ* sampling: a method to evaluate aerial ULV adulticiding of *Aedes sollicitans*. Proc. N. J. Mosquito Cont. Assoc. 70:107–115. [Malathion.]
- Knudsen, A. B., Bang, Y. H., Bown, D. N. and Ezike, V. 1980. Aerial application of 50% malathion for the control of sylvatic vectors of yellow fever in a rural wooded community near Enugu, Nigeria. Mosquito News 40(4):551–559.
- Kottkamp, W. B., Roberts, R. H. and Meisch, M. V. 1981. Efficacy of three pyrethroids as larvicides against ricefield mosquito larvae in field plots. Mosquito News 41(2):382–383.
- Leiser, L. B., Beier, J. C. and Craig, G. B., Jr. 1982. The efficacy of malathion ULV spraying for urban *Culex* control in South Bend, Indiana. Mosquito News 42(4):617–618.
- Leng, H. F. and Coauthors. 1981. The relationship between the chemical structure of 1-(3, 4-dichlorophenyl)-2, 2-trichloroethyl acetate analogues and insecticidal activities. Acta Ent. Sinica 24(2):121–126. In Chin., Engl. Sum. [*Culex pipiens pallens* included.]
- Lloyd, J. E. and Kumar, R. 1979. Efficacy of oil solution and water emulsion formulations of fenthion against pasture mosquitoes and effect on selected non-target insect species. Proc. Utah Mosquito Abat. Assoc. 32:36–39. Pub. 1980. [Fention in original.]
- Mackenzie, D. L., Braun, H. E. and Frank, R. 1983. Municipal larvicing programs with temephos to control early and mid-season mosquitoes in Ontario, 1974–80. Mosquito News 43(2):187–194.
- Maeda, O., Uemoto, K., Nakazawa, T. and Matsuyama, Y. 1981. Mosquito control project by aircraft application of larvicidal granules on rice fields in Kyoto City area. Jap. J. Sanit. Zool. 32(3):193–202. In Jap., Engl. Sum. [Malathion, dieldrin et al.]
- McNeill, J. C., IV, Briscoe, J. J. and Ludwig, P. D. 1979. Residual control of mosquitoes in drainage ditches in Brazoria County, Texas. Down to Earth 35(3):16–18. [Dursban.]
- Merriam, T. L., Leidy, R. B. and Axtell, R. C. 1981. Efficacy and longevity of controlled-release chlorpyrifos (Dursban® 10CR) for mosquito control in coastal dredged material disposal sites. Mosquito News 41(3):512–522.
- Miller, R. M., Gillies, P. A., Townzen, K. R. and Washino, R. K. 1982. Field trials of Ficam ULV® on caged and wild mosquitoes in California. Proc. and Papers Calif. Mosquito and Vect. Cont. Assoc. 50:99–105.
- Moran, K. R. 1980. Control of the New England spring brood. Proc. N.J. Mosquito Cont. Assoc. 67:77–82. [*Aedes* spp.; temephos, malathion et al.]
- Motabar, M., Mallyon, B. A., Goose, J. and Adcock, J. W. 1981. The safety of bendiocarb to operators and inhabitants in a mosquito control trial in Iran. WHO/VBC/81.821, 11 pp.
- Mulla, M. S. 1980. New synthetic pyrethroids—effective mosquito larvicides. Proc. Calif. Mosquito and Vector Cont. Assoc. 48:92–93.
- Mulla, M. S. and Darwazeh, H. A. 1981. Efficacy of petroleum larvicidal oils and their impact on some aquatic nontarget organisms. Proc. and Papers Calif. Mosquito and Vect. Cont. Assoc. 49:84–87. (Pub. 1982).
- Mulla, M. S., Darwazeh, H. A. and Ede, L. 1982. Evaluation of new pyrethroids against immature mosquitoes and their effects on nontarget organisms. Mosquito News 42(4):583–590.
- Mulla, M. S., Federici, B. A., Darwazeh, H. A. and Brenner, R. J. 1981. New developments in chemical control: synthetic and natural products. Mosquito Control Research Ann. Rpt. 1981 (Univ. Calif.):113–114.
- Nathan, M. B. and Giglioli, M. E. C. 1982. Eradication of *Aedes aegypti* on Cayman Brac and Little Cayman, West Indies, with Abate (temephos) in 1970–1971. Bul. Pan. Amer. Health Organ. 16(1):28–29.
- Nathan, M. B. and Giglioli, M. E. C. 1982. Eradication of *Aedes aegypti* on Cayman Brac and Little Cayman, West Indies, with Abate (Temephos) in 1970–1972. Bol. Ofic. Sanit. Amer. 92(1):18–32. In Sp., Engl. Sum.
- Neves, D. P., Linardi, P. M. and Cunha, H. C. 1981. Emprego do K-othrine (decamethrin NRDC 161) no controle de *Aedes vexans* e de *Culex pipiens fatigans*: testes de laboratorio e campo. Revista Brasil. de Biol. 41(3):607–614. Engl. Sum.
- Osmani, Z. and Sighamony, S. 1980. Effects of certain essential oils on mortality and metamorphosis of *Aedes aegypti*. Pesticides (Bombay) 14(9):15–16.
- Pandey, U. K. and Srivastava, H. C. 1981. Studies on the mixed formulation of insecticides against mosquito larvae (*Culex fatigans*). Z. Angew. Zool. 68(1):115–121. [DDT-endrin, DDT-pyrethrum et al.]

- Pant, C. P., Rishikesh, N., Bang, Y. H. and Smith, A. 1981. Progress in malaria vector control. *Bul. WHO* 59(3):325-333. [Permethrin, chlorpyrifos et al.]
- Parry, J. E. 1983. Control of *Aedes triseriatus* in La Crosse, Wisconsin. In California serogroup viruses (edited by Calisher, C. H. and Thompson, W. H.) pp. 355-363. [Dursban 10CR.]
- Parsons, R. E. 1982. Effect of ground ultra low volume insecticide applications on natural mosquito populations. *J. Florida Anti-Mosquito Assoc.* 53(1):31-35. [Malathion and naled.]
- Pattanayak, S., Samnotra, K. G. and Seni, A. 1980. A comparison, on a village scale, of the effect of pirimiphos-methyl and DDT on *Anopheles balabacensis*-vectored malaria. *J. Trop. Med. and Hyg.* 83(5):211-221.
- Paulov, S. and Paulovová, J. 1980. Notes on the insecticide effectiveness of resin. *Biologia (Bratislava)* 35(8):553-555. In Czech., Engl. Sum. [*Culex molestus*.]
- Pinkovsky, D. D. 1982. Mosquito control in the United States Air Force during the 1980's. *Proc. and Papers Calif. Mosquito and Vect. Cont. Assoc.* 50:20-21. [Malathion.]
- Pradhan, G. D. and Coauthors. 1979. A village-scale field trial of ground ULV fenitrothion (OMS-43) for the control of *Anopheles aconitus* in the Semarang Area of Central Java, Indonesia. *WHO/VBC/79.729*, 15 pp.
- Qureshi, S. A., Mohiuddin, S., Parveen, R. and Kemal, R. 1982. Larvicidal activity of aryl substituted isothiocyanates against the yellow-fever mosquito, *Aedes aegypti* (L.). *Pakistan J. Zool.* 14(1):91-95.
- Ra'afat, H. R. 1982. Classification of pesticides used in the chemical control of insects. *Bul. Endemic Dis. (Baghdad)* 20-21(1-4):111-116. [A helpful list of chemicals.]
- Rajvanshi, A. C., Verma, K. V. S., Joshi, G. C. and Wattal, B. L. 1982. Synergistic effect of piperonyl butoxide on the efficacy of synthetic pyrethroids as mosquito laricides. *J. Commun. Dis.* 14(4):286-293.
- Rajvanshi, A. C., Wattal, B. L., Das, M. and Joshi, G. C. 1982. Laboratory evaluation of two new synthetic pyrethroids against larvae of five vector mosquitoes. *J. Commun. Dis.* 14(1):52-56.
- Rampal, L., Thevasagayam, E. S., Kolta, S. and Hooi, C. W. 1983. A small-scale field trial on the effectiveness of a slow-release formulation of chlorpyrifos (Dursban 10CR) against *Culex quinquefasciatus* Say breeding in sullage drains in Kelang, Malaysia. 1982. *WHO/VBC/83.881*, 5 pp.
- Rathburn, C. B., Jr. 1979. Insecticides for the control of mosquitoes and other Diptera. *Mosquito News* 39(1):58-63. [Chlorpyrifos, fenthion et al.]
- Rathburn, C. B., Jr. and Boike, A. H., Jr. 1981. Laboratory and field tests comparing formulations of malathion/resmethrin with malathion for the control of adult mosquitoes. *Mosquito News* 41(4):756-759.
- Rathburn, C. B., Jr., Boike, A. H., Jr., Hallmon, C. F. and Welles, R. L. 1981. Field tests of insecticides applied as ULV sprays by ground equipment for the control of adult mosquitoes. *Mosquito News* 41(1):132-135. [Resmethrin, chlorpyrifos et al.]
- Rathburn, C. B., Jr. Boike, A. H., Jr., Sizemore, L. A. and Peters, M. W. 1982. Laboratory tests of mosquito adulticides. *J. Fla. Anti-Mosquito Assoc.* 53(2):92-96. [Fenthion, pyrethroids et al.]
- Rettich, F. 1979. Laboratory and field investigations in Czechoslovakia with fenitrothion, pirimiphos-methyl, temephos and other organophosphorous laricides applied as sprays for control of *Culex pipiens molestus* Forskal and *Aedes cantans* Meigen. *Mosquito News* 39(2):320-328.
- Rettich, F. 1979. The toxicity of four synthetic pyrethroids to mosquito larvae and pupae (Diptera, Culicidae) in Czechoslovakia. *Acta Ent. Bohemoslovaca* 76(6):395-401.
- Rettich, F. 1980. Field evaluation of permethrin and decamethrin against mosquito larvae and pupae (Diptera, Culicidae). *Acta Ent. Bohemoslovaca* 77(2):89-96.
- Rettich, F. 1980. Residual toxicity of wall-sprayed organophosphates, carbamates and pyrethroids to mosquito *Culex pipiens molestus* Forskal. *J. Hygiene Epidemiol. Microbiol. and Immunol.* 24(1):110-117.
- Rettich, F. 1980. The use of permethrin (NRDC 143) in pre-seasonal treatment of mosquito breeding sites. *Folia Parasitol.* 27(3):265-268.
- Rettich, F. 1981. The use of sand and granular fertilizers to prepare granules containing pirimiphos-methyl for the control of mosquito larvae. *Mosquito News* 41(3):435-439.
- Rettich, F. 1982. Insecticide aerosols for residual treatment of walls against mosquitos. *Cesk. Epidemiol. Mikrobiol. Immunol.* 31(5):305-309. In Czech., Engl. Sum. [Permethrin.]
- Rettich, F. 1983. Effect of some synthetic pyrethroids on the mosquitoes *Culex pipiens pipiens*. *Cesk. Epidemiol. Mikrobiol. Immunol.* 32(2):68-74. In Czech., Engl. Sum.
- Rishikesh, N. and Coauthors. 1979. Stage V field evaluation of decamethrin against *Anopheles gambiae* and *Anopheles funestus* in a group of villages in Nigeria. *WHO/VBC/79.712*, 25 pp.
- Roberts, R. H. 1981. Effectiveness of ULV ground aerosols of phenothrin against mosquitoes, house flies, and stable flies. *Mosquito News* 41(2):251-253.
- Roberts, R. H. 1982. Efficacy of ground ULV aerosols of three pyrethroids against two mosquito species. *Mosquito News* 42(1):109-112.
- Roberts, R. H. 1983. Evaluation of cypermethrin as an ULV cold aerosol against caged mosquitoes. *Mosquito News* 43(2):156-158.
- Roberts, R. H. and Coauthors. 1980. Effectiveness of nine pyrethroids against *Anopheles quadrimaculatus* Say and *Psorophora columbiae* (Dyar and Knab) in Arkansas. *Mosquito News* 40(1):43-46.
- Roberts, R. H., Kottkamp, W. B. and Meisch, M. V. 1983. Experimental laricides tested in rice field plots against *Psorophora columbiae*. *Mosquito News* 43(1):82-84. [Temephos et al.]
- Roberts, R. H., Meisch, M. V. and Sandoski, C. 1982. Wind tunnel evaluation of new compounds as adulticides against two species of mosquitoes found in rice fields. *Mosquito News* 42(2):217-219.
- Rodríguez Rodríguez, J. A., Molina Martín, E. Martínez Fernández, A. R. 1981. Sensibilidad actual de culicinos larvarios. II. Insecticidas organofas-

- forados. Revista Iberica de Parasitol. 41(4):519–526. Engl. Sum.
- Rubio-Moran, R., Rowley, W. A. and Coats, J. R. 1981. Effect of permethrin and malathion on *Aedes trivittatus* and *Culex pipiens pipiens*. Iowa State J. Res. 55(3):235–244.
- Safron, K. R., May, L. K. and Ward, R. V. 1980. Variations on the Florida formulation larvicide. Proc. Fla. Anti-Mosquito Assoc. 51:37–39. [Motor oils.]
- Sakaki, I. 1980. Effects of insecticide oils on mosquito larvae of *Culex pipiens pallens* under the semi-field condition. Jap. J. Sanit. Zool. 31(1):64–66. In Jap., Engl. Sum. [Fenitrothion, diazinon et al.]
- Saleh, M. S., Gaaboub, I. A. and Kassem, M. I. 1981. Larvicidal effectiveness of three controlled-release formulations of Dursban and Dimilin on *Culex pipiens* L. and *Aedes aegypti* (L.). J. Agr. Sci. (Cambridge) 97(1):87–96.
- Samnotra, K. G. and Kumar, P. 1980. Field evaluation of pirimiphos-methyl as a mosquito larvicide in an urban area of India as part of the National Malaria Eradication Programme. Mosquito News 40(2):257–263.
- Sandoski, C. A., Kottkamp, W. B., Yearian, W. C. and Meisch, M. V. 1983. Efficacy of resmethrin alone and in combination with piperonyl butoxide against native ricefield *Anopheles quadrimaculatus* (Diptera: Culicidae). J. Econ. Ent. 76(3):646–648.
- Schaefer, C. H., Dupras, E. F., Jr., Mulligan, F. S., III and Wilder, W. H. 1981. New chemical agents against mosquitoes. Mosquito Control Research Ann. Rpt. 1981 (Univ. Calif.):108–109.
- Schultz, G. W., Mulla, M. S. and Hwang, Y. S. 1983. Petroleum oil and nonanoic acid as mosquitoicides and oviposition repellents. Mosquito News 43(3):315–318.
- Scirocchi, A. and D'erme, A. 1980. Tossicita di sette insetticidi su alcune specie di pesci di acqua dolce. Rivista di Parassitol. 41(1):113–121. Engl. Sum. [*Culex pipiens* included. Temephos.]
- Seng, C. M. 1980. Temporary control of *Mansonia booneae* and *Ma. dives* by malathion thermal fogging in Petra Jaya, Kuching. WHO/VBC/80.787, 3 pp.
- Seymour, K. G. 1980. Chlorpyrifos release from mosquito larvicide formulations. In Controlled release of bioactive materials (edited by Baker, R.), pp. 331–342.
- Shankar, V. and Pandeya, S. N. 1979. Synthesis, insecticidal and larvicidal activity of 1-(α - or β)-naphthylamidine-1-aryliocarbamide dihydrochlorides and 4-aryl-3(α or β)-naphthylimino-5-imine-1,2,4-thiadiazolidines. Indian J. Pharmaceut. Sci. 41(6):218–222.
- Shaw, R. F. and Coauthors. 1979. A village-scale trial of pirimiphos-methyl (OMS-1424) for control of the malaria vector *Anopheles aconitus* in central Java, Indonesia. WHO/VBC/79.722, 10 pp.
- Shaw, R. F. and Coauthors. 1983. Residual treatment of cattle shelters using fenitrothion to control a zoophilic malaria vector, *Anopheles aconitus*, in Indonesia: a village-scale field trial. WHO/VBC/83.877, 17 pp.
- Shinjo, G. and Coauthors. 1981. A study on the insecticidal activity of d-tetramethrin. Jap. J. Sanit. Zool. 32(3):221–228. In Jap., Engl. Sum. [Mosquitoes included.]
- Siekel, P., Greco, V. and Paulovova, J. 1979. Effect of insecticides on mosquitoes and some other organisms. Agrochemia (Bratislava) 19(2):58–59. In Slovak. [Fenitrothion, malathion et al.]
- Sinègre, G., Jullien, J. L. and Gaven, B. 1980. Preliminary evaluation of permethrine in the larval control of mosquitoes in the southern part of France. Cah. ORSTOM Sér. Ent. Méd. et Parasitol. 18(3):195–199. In Fr., Engl. Sum.
- Singh, N. and Coauthors. 1982. Field trial of ultra low volume (ULV) spray of technical malathion in Adarsh Nagar areas of Delhi. J. Commun. Dis. 14(2):118–121.
- Sjogren, R. D. 1980. Control of *Aedes vexans* in the Midwest: current status and future needs. Mosquito News 40(3):341–346. [Temephos, chlorpyrifos et al.]
- Sjogren, R. D. and Frank, A. M. 1979. Effectiveness and cost of nonthermal resmethrin aerosols for control of *Aedes* mosquitoes in wooded areas. Mosquito News 39(3):597–604.
- Stewart, J. P. 1979. Mosquito control for St. Louis encephalitis vectors in western Volusia County. Proc. Fla. Anti-Mosquito Assoc. 50:67–73. [Dibrom and Baytex.]
- Strickman, D. 1979. Malathion as ground-applied ULV evaluated against natural populations of *Culex pipiens* and *Cx. restuans*. Mosquito News 39(1):64–67.
- Sullivan, W. N. and Coauthors. 1979. Aircraft disinsecting: the effectiveness of Freon-based and water-based phenothrin and permethrin aerosols. Bul. WHO 57(4):619–623.
- Supalin, — and Coauthors. 1979. A village-scale trial of pirimiphos-methyl (OMS-1424) emulsifiable concentrate at the reduced dosage of 1 g/m² for control of the malaria vector *Anopheles aconitus* in central Java, Indonesia. WHO/VBC/79.752, 10 pp.
- Supratman, G. D. and Coauthors. 1979. A village-scale trial of fenitrothion (OMS-43) at the reduced dosage of 1 g/m² for control of the malaria vector *Anopheles aconitus* in Central Java, Indonesia. WHO/VBC/79.738, 13 pp.
- Sutherland, D. J., Kent, R., Ford, S. and Khoo, D. K. 1981. An evaluation of resmethrin® as an aerially applied mosquito adulticide. Proc. N.J. Mosquito Cont. Assoc. 68:48–54.
- Sutherland, D. J., Khoo, B. K. and Fahy, A. 1982. Evaluation of aerially applied resmethrin and its synergism with piperonyl butoxide with a report of the N.J. Airspray Program—1981. Proc. N.J. Mosquito Cont. Assoc. 69:73–82.
- Svestka, M. and Cervenka, F. 1979. Evaluation of the insecticide Dursban as a mosquito larvicide. Lesnická Prace 58(3):126–128.
- Tapley, R. G., Hutchinson, E. and Fussell, E. M. 1980. The evaluation of a novel bendiocarb ULV formulation against adult mosquitoes. Mosquito News 40(4):560–563.
- Taylor, R. N. and Coauthors. 1981. A field evaluation of permethrin (OMS 1821) and NRDC 161 (OMS 1998) for residual control of mosquitoes. Mosquito News 41(3):423–434.
- Tewari, S. C., Reuben, R. and Batra, C. P. 1981. Dose determination with temephos against *Anopheles stephensi* Liston, in wells. Indian J. Med. Res. 73(June):890–894.

- Thevasagayam, E. S., Khoon, C. C. and Siong, Y. 1979. Studies on the biology of *Anopheles campbelli* Reid (Diptera, Culicidae) and its response to residual spraying with DDT, carried out in experimental huts in Penang, Malaysia. Med. J. Malaysia 34(2):117-130.
- Thevasagayam, E. S., Siong, Y. and Philip, G. 1979. Temephos (Abate) as a replacement larvicide for oil for the control of *Anopheles maculatus*, the main vector of malaria in peninsular Malaysia. WHO/VBC/79.723, WHO/MAL/79.908. 11 pp. See also Corr. 1, 2 pp. to this citation.
- Upatham, E. S. and Sa-Nguankul, P. 1982. Controlled release Ecopro® 1707 as mosquito larvicide and molluscicide. Southeast Asian J. Trop. Med. and Pub. Hlth. 13(2):231-237.
- Uribe, L. J. and Coauthors. 1980. Aerial ULV application trial of malathion against *Aedes aegypti* in a city of Colombia. WHO/VBC/80.768, 18 pp.
- Uribe, L. J. and Coauthors. 1983. Experimental ULV aerial application of malathion against *Aedes aegypti* over a Colombian city. Bol. Ofic. Sanit. Panamer. 94(6):546-559. In Sp., Engl. Sum.
- Vittal, M. and Bhate, M. R. 1981. Bioassay tests on the effectiveness of malathion spraying on *Anopheles culicifacies* resting on different wall surfaces in Aurangabad Town, Maharashtra. Indian J. Malariaiol. 18(2):124-125.
- Vittal, M. and Deshpande, L. B. 1981. Experiments to test paris green emulsion to control mosquito breeding. Indian J. Malariaiol. 18(2):117-118.
- Wagstaff, K. H. 1983. Field observations of Dursban 2% granules in Salt Lake County, Utah. Proc. Utah Mosquito Abat. Assoc. 35:17.
- Walker, T. and Meisch, M. V. 1982. Evaluation of pyrethrin and two synthetic pyrethroids alone and in mixtures with malathion as ULV ground aerosols against ricefield mosquitoes. Mosquito News 42(2):167-171.
- Walker, T. W., Williams, D. C., Coombes, L. E. and Meisch, M. V. 1981. Efficacy of fenitrothion, propoxur and carbaryl applied by truck-mounted cold aerosol generator against ricefield mosquitoes. Mosquito News 41(2):254-257.
- Williams, R. E., Knapp, F. W. and Clarke, J. L., Jr. 1979. Aerial insecticide applications for control of adult mosquitoes in the Ohio River basin. Mosquito News 39(3):622-626. [Propoxur, fenthion, pyrethrins.]
- Wirat, S. and Coauthors. 1982. Tests of insecticides applied by ULV ground and thermal fogging equipment for the control of *Aedes aegypti* in Thailand. WHO/VBC/82.869, 17 pp. [Fenitrothion, malathion et al.]
- Yamaguchi, T. and Coauthors. 1981. Insecticidal activity of a new synthetic pyrethroid "terallethrin". Jap. J. Sanit. Zool. 32(1):59-66. Jap. Sum. [Mosquitoes included.]
- Yap, H. H., Lau, B. L. and Leong, Y. P. 1982. Laboratory and field tests of temephos (Abate®) on mosquito larvae and non-target organisms in rice fields in Malaysia. Southeast Asian J. Trop. Med. and Pub. Health 13(4):646-653.
- SURFACE FILMS
- Hester, P. G., Rathburn, C. B., Jr. and Rogers, A. J. 1979. Small plot field tests of an oil formulation against mosquito larvae and non-target organisms. Mosquito News 39(3):566-568.
- Levy, R., Chizzonite, J. J., Garrett, W. D. and Miller, T. W., Jr. 1980. Control of immature mosquitoes through applied surface chemistry. Proc. Fla. Anti-Mosquito Assoc. 51(2):68-71. [Milleh in original.]
- Levy, R., Chizzonite, J. J., Garrett, W. D. and Miller, T. W., Jr. 1981. Ground and aerial application of a monomolecular organic surface film to control salt-marsh mosquitoes in natural habitats of southwestern Florida. Mosquito News 41(2):291-301.
- Levy, R., Chizzonite, J. J., Garrett, W. D. and Miller, T. W., Jr. 1982. Control of larvae and pupae of *Anopheles quadrimaculatus* and *Anopheles crucians* in natural paludal ponds with the monomolecular surface film isostearyl alcohol containing two oxyethylene groups. Mosquito News 42(2):172-178.
- Levy, R., Chizzonite, J. J., Garrett, W. D. and Miller, T. W., Jr. 1982. Efficacy of the organic surface film isostearyl alcohol containing two oxyethylene groups for control of *Culex* and *Psorophora* mosquitoes: laboratory and field studies. Mosquito News 42(1):1-11.
- Levy, R. and Coauthors. 1982. Additional studies on the use of the monomolecular surface film Arosurf® 66-E2 for operational control of mosquito larvae and pupae. J. Fla. Anti-Mosquito Assoc. 53(2):100-106.
- Levy, R., Garrett, W. D., Chizzonite, J. J. and Miller, T. W., Jr. 1980. Control of *Culex* spp. mosquitoes in sewage treatment systems of southwestern Florida with monomolecular organic surface films. Mosquito News 40(1):27-35.
- Levy, R., Powell, C. M., Garrett, W. D. and Miller, T. W., Jr. 1982. Control of immature mosquitoes with liquid and solid formulations of a monomolecular organic surface film. Proc. and Papers Calif. Mosquito and Vect. Cont. Assoc. 50:106-108.
- Mulla, M. S., Darwazeh, H. A. and Luna, L. L. 1983. Monolayer films as mosquito control agents and their effects on nontarget organisms. Mosquito News 43(4):489-495.
- Reiter, P. 1980. The action of lecithin monolayers on mosquitoes. III. Studies in irrigated rice-fields in Kenya. Ann. Trop. Med. and Parasitol. 74(5):541-557.
- Sinniah, B. 1983. Insecticidal effect of aliphatic alcohols against aquatic stages of *Aedes* mosquitoes. Trans. Roy. Soc. Trop. Med. and Hyg. 77(1):35-38.
- Webber, L. A. 1983. The effect of the monomolecular surface film, isostearyl alcohol containing two oxyethylene groups (ISA-20E) on non-target organisms: fish studies. J. Florida Anti-Mosquito Assoc. 54(1):43-44.