

NOTE XXXV.

DESCRIPTION OF A NEW SPECIES OF
THE COLEOPTEROUS FAMILY STAPHYLINIDAE.

BY

A. FAUVEL.*Euryporus flavipes*, sp. n.

♂. Ab omnibus in genere forma antice et postice angusta, capite disco lævi, thorace parvo, dispersim subtilissime præter series octo punctorum punctulato, elytris multo fortius rugosis, pedibusque præter coxas flavescentibus primo visu distinctus; niger, nitidus, elytris parum nitidulis; ore rufo, palporum maxillarium articulo ultimo apice dilute flavo; antennis tenuioribus, capite thoraceque brevioribus, articulis 1^o. piceo, 2—3 basi rufis, 3^o. 2^o. paulo longiore, 4—5 paulo longioribus quam latioribus, 6—7 quadratis, 8—10 transversis, 11^o. breviter pyriformi; capite parvo, orbiculato, parum convexo, parce nigro setoso, fronte, basi et intus prope oculos maximos parce fortiter punctato, subtus præter puncta 5 antice utrinque notata lævi; collo non producto; thorace ovato, parum convexo, capite vix tertia parte latiore, vix quarta longiore, parce nigro setosello, dispersim fusco-nigro pubescente, seriebus 8 punctorum aliquot majorum inter punctorum magis perspicuis, duabus disco longitudinalibus, cæteris ad latera obliquis, angulis omnibus, præsertim posticis, fortissime rotundatis, margine ipsa uniseriatim punctata; scutello transversim subtiliter punctulato; elytris subquadratis, longius fusco-nigro pubescen-

tibus, transversim grosse asperato-punctatis; abdomine obconico, irideo-cyaneo, parum dense præsertim circa segmentorum apicalium apicem sat fortiter acupunctato, 6^o. 7^oque apice rufulis, illo albo-marginato; corpore subtus etiam fortiter parum densè acupunctato, segmentorum 3—5 margine apicali spinulis numerosis acutissimis pectinata, 6^o. 7^oque apiceque rufulis, hoc late parum profunde subtriangulariter emarginato; tarsis anticis vix dilatatis, articulo 1^o. 2^o. brevior; alis fuscis. — Long. 9 mill.

♀ latet.

Hab. Sumatra: Boenga mas, Palembang (J. C. van Hasselt). — A single ♂ specimen in the Leyden Museum.

Caen, June 1884.



Fauvel, Albert. 1884. "Description of a new species of the Coleopterous family Staphylinidae." *Notes from the Leyden Museum* 6, 241-242.

View This Item Online: <https://www.biodiversitylibrary.org/item/37327>

Permalink: <https://www.biodiversitylibrary.org/partpdf/150832>

Holding Institution

Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Sponsored by

Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Copyright & Reuse

Copyright Status: NOT_IN_COPYRIGHT

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.