MISCELLANEOUS NOTES

REFERENCES

DISTANT, W. L. (1903): The Fauna of British India, Rhynchota Vol. 2, part—1 x + 503 pp. Taylor and Francis, London.

———— (1906): The Fauna of British India, Rhynchota Vol. 3, xix + 503 pp. Taylor and Francis, London.

25. ON AGGRESSIVENESS IN THE MALES OF BROWN CRICKET, GRYLLODES SIGILLATUS WALKER (ORTHOPTERA: GRYLLIDAE)

Alexander (1961)¹ described aggressiveness as a sequel of sexual behaviour in field crickets. While working on the sexual behaviour of the common brown cricket, *Gryllodes sigillatus*, we were able to record the following observations.

When females are scarce, males become aggressive in order to secure the females and fighting males back up, and lash and kick each other with their hind legs. The fight generally lasts about 10 minutes. Meanwhile the female remains hidden. If the fight is prolonged both become more fierce and aggressive, and after about 15 minutes become exhausted. The fight is interrupted occasionally with intervals lasting about five seconds.

As soon as one of the males becomes in-

DEPARTMENT OF ZOOLOGY,

ALIGARH MUSLIM UNIVERSITY,

ALIGARH, (U.P.),

November 13, 1975.

active, the other takes the opportunity of nibbling or even chopping off the antennae of the rival cricket and subduing it. At times, the femur may be chewed and with this deformity the already mutilated male runs and is chased by the winner.

During such a fight over a female, the males invariably stridulate and grapple each other. Subsequently the winning male mates.

ACKNOWLEDGEMENT

We thank professor S. M. Alam, Head, Department of Zoology, Aligarh Muslim University, Aligarh for providing research facilities and constant encouragement.

S. KAMAL A. RIZVI SHAMSHAD ALI M. MUSHTAQUE AHMAD MEHR-E-ALAM KHAN MASOOD A. ZUBERI

¹ALEXANDER, R. D. (1961): Aggressiveness, territoriality and sexual behaviour in field crickets (Orthoptera: Gryllidae). *Behaviour*. 17:130-223.



Rizvi, S. Kama A. et al. 1976. "On Aggressiveness in the Males of Brown Cricket, Gryllodes Sigillatus Walker (Orthoptera: Gryllidae)." *The journal of the Bombay Natural History Society* 73, 415–415.

View This Item Online: https://www.biodiversitylibrary.org/item/188009

Permalink: https://www.biodiversitylibrary.org/partpdf/152151

Holding Institution

Smithsonian Libraries and Archives

Sponsored by

Biodiversity Heritage Library

Copyright & Reuse

Copyright Status: In Copyright. Digitized with the permission of the rights holder

License: http://creativecommons.org/licenses/by-nc/3.0/ Rights: https://www.biodiversitylibrary.org/permissions/

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.