Dalzell been preoccupied by an European species, *Pimpinella lateriflora* Link (En. Hort. Berol. 1:285, 1821 descr.). Hence the next available epithet, *stictocarpum* of Clarke is accepted for this taxon and the full synonymy is as follows:

Trachyspermum stictocarpum (C.B.Cl.) Wolff in Pfreich. 43:89, 1927, (Trachispermum); Santapau in Rec. Bot. Surv. Ind. 16 (1):125, 1953. Carum stictocarpum C.B.Cl. in Fl. Brit. Ind. 2:681, 1879; Cooke, Fl. Pres. Bomb. 1:564, 1903. C. stictocarpum var. hebecarpa C.B.Cl. l.c. 682; Cooke l.c. Pimpinella lateriflora Dalz. in Dalz. & Gibs. Bomb. Fl. 106, 1861, non Link (1821); C B Clarke l.c. 689; Cooke l.c. 567. Trachyspermum stictocarpum var. hebecarpa (C.B.Cl.) Wolff, l.c., Santapau l.c. 1

As no specimen of Dalzell is available and no type of whatever kind is located at Kew or in any other herbaria as far as we are aware it may be appropriate as per rules to select a neotype for Pimpinella lateriflora Dalz. As such, the following specimen collected from the type locality region in general, is designated as Neotype and deposited in CAL. The duplicates of the same are being distributed to various World herbaria.

Neotype: Shivneri fort, Junnar in Poona district (Maharashtra State), Hemadri 104346 on 1-11-64.

The authors wish to express their thanks to Dr. Bakhuizen van den Brink, Rijksherbarium, Leiden, and to the Director, Royal Botanic Gardens, Kew, for their useful comments and suggestions on this subject.

BOTANICAL SURVEY OF INDIA, WESTERN CIRCLE, POONA, April 19, 1969. R. S. RAO K. HEMADRI

26. NOMENCLATURAL NOTES ON INDIAN PLANTS

The following new combinations are proposed for two taxa:

(1) Centaurium centaurioides (Roxb.) Rolla Rao et Hemadri comb. nov. Chironia centaurioides Roxb. (Hort. Beng. 16, 1814, nom. nud., 'centauroides' Fl. Ind. 1:584, 1832 ('centaureoides'). C. brachiata Willd. ex Criseb. Gen. et Sp. Gentian, 145, 1839. Erythraea roxburghii D. Don in Lond. & Edinb. Phil. Mag. & Journ. Sci. 8:77, 1836; G. Don, Syst. 4:206, 1837; Wt. Ic. t. 1325, 1848; C. B. Clarke in Fl. Brit.

^{1&#}x27; Pimpinella dalzellii P. K. Mukh. nom. nov. in Ind. For. 95 (8): 567, 1969 is a superfluous name for Trachyspermum stictocarpum.'

Ind. 4:102, 1883; Cooke, Fl. Pres. Bomb. 2:190, 1904; Gamble, Fl. Madras Pres. 876, 1923. Centaurium roxburghii (D. Don) Druce in Rep. Bot. Exch. Club. Brit. Isl. 4:614, 1916 (1917); Santapau in Rec. Bot. Surv. Ind. 16(1):181, 1953. Erythraea roxburghii var. saxatilis C. B. Clarke l.c. 104.

(2) Salacia salacioides (Roxb.) Rolla Rao et Hemadri comb. nov. Johnia salacioides Roxb. (Hort. Beng. 5, 1814, nom. nud.) Fl. Ind. 1:172, 1820 & 1:168, 1832; DC. Prodr. 1:571, 1824. Salacia roxburghii Wall. [Cat. no. 4217, 1831, nom. nud.] ex Wt. & Arn. Prodr. 105, 1834; Lawson in Fl. Brit. Ind. 1:627, 1875.

Critical study of the Wallichian sheets and other material cited as synonyms under this species by Lawson and Wight & Arnott has clarified the following points:

(a) Only Wallich's Cat. nos. 4217 & 4217c and Roxburgh's Ic. no. 1520 belong to the present species. (b) ? Indeterminata Wall. Cat. no. 4291 belongs to Cassine glauca (Rottb.) O. Ktze. and not the present taxon as doubted by Lawson (l.c.). (c) The taxon in question is mostly confined to Assam forests, extending up to lower Fagu in Bhutan (H. H. Haines 1048 on 1-2-1905, DD). (d) Salacia roxburghii of Dalz. et Gibs. (Bomb. Fl. 33, 1861) from Ramghat of Western Ghats is definitely a misidentification and possibly represents Salacia beddomei Gamble (Kew Bull. 1916:133, 1916). (e) Salacia cochinchinensis Lour. and S. chinensis Linn. indicated by Lawson (l.c.) as doubtful synonyms do not belong to this taxon but are distinct species by themselves.

BOTANICAL SURVEY OF INDIA, WESTERN CIRCLE, POONA-1, May 27, 1969.

R. S. RAO K. HEMADRI

27. NOMENCLATURE OF TWO INDIAN PLANTS

1. Justicia santapaui Bennet nom. nov.

STRAPT MARINE HO STREET

J. montana (Nees) T. Anderson in J. Linn. Soc. 10:509, 1867; Clarke in Hooker's Fl. Brit. Ind. 4:525. 1885; Santapau in Univ. Bomb. Bot. Mem. 2:85, 1951, non Roxb. (1805).

Hemichoriste montana Nees in Wall. Pl. As. Rar. 3:102, 1832 & in DC. Prodr. 11:367, 1847.

The epithet montana cannot be used for this plant under Justicia as used by T. Anderson and followed by others, because of the earlier



Rao, R S and Hemadri, K. 1970. "Nomenclatural Notes on Indian Plants." *The journal of the Bombay Natural History Society* 67, 357–358.

View This Item Online: https://www.biodiversitylibrary.org/item/185054

Permalink: https://www.biodiversitylibrary.org/partpdf/152686

Holding Institution

Smithsonian Libraries and Archives

Sponsored by

Biodiversity Heritage Library

Copyright & Reuse

Copyright Status: In Copyright. Digitized with the permission of the rights holder

License: http://creativecommons.org/licenses/by-nc/3.0/https://www.biodiversitylibrary.org/permissions/

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.