with the remains of this and other individuals of the same species.

EXPLANATION OF PLATE I., Figs. 1 a-1 l.

Fig. 1 a. Pentacrinus Fisheri, natural size: 1 b, detached head of a larger specimen; 1 c, plan of arrangement of plates composing the calyx of a larger specimen (natural size), showing articulating surface of ramules; 1 d, joints from the upper part of the column; 1 e, part of ditto, enlarged; 1 f, articulating surface of ditto; 1 g, portion of column, of still larger diameter, nat. size; 1 h, part of ditto, enlarged; 1 i, articulating surface of ditto; 1 j, portion of the column, enlarged, showing fragments of the ramules articulated to one of the joints; 1 k. two plates from the upper part of the rays, showing a double ridge; 1 l, one of the pinnules.

VII.—On a new Species of Solarium from the Upper Greensand, near Dorchester. By W. H. Bailly, F.G.S.

Class MOLLUSCA. Order GASTEROPODA.

Fam. Littorinidæ.

Solarium Binghami, Baily, n. sp. Pl. I. fig. 2 a.

S. testa parva discoïdea-depressa; spira prope plana; anfractibus (6) clathratis, marginibus bicarinatis tuberculatis, umbilico magno profundo margine tuberculosa ornato; apertura angulosa.

Diagnosis.—Shell small, discoidal; spire nearly flat, consisting of six whorls, their margins bicarinated and ornamented with varices or tubercles; whorls decussated with longitudinal and transverse lines; umbilicus large and deep, its margin being ornamented with a row of tubercles gradually decreasing in size; mouth angular.

Dimensions.—Elevation 2 inch; diameter 4.

Affinities and Differences.—This pretty little Solarium differs specifically from all other described forms, being distinguished from S. moniliferum, Michelin, by its very depressed spire and large, deep umbilicus; and from S. albensis, D'Orbigny, by its depressed spire and reticulated sculpturing. Its nearest affinity, however, is with these, and more remotely with S. ornatum, Fitton,—all species from the Gault, the two former being from foreign localities, the latter a British species.

Locality and Stratigraphical Range.—This beautifully preserved specimen was collected from the Upper Greensand at Bingham's Melcombe, near Dorchester, by the Rev. C. W. Bingham, a gentleman who has enriched the Museum of that town with many contributions, and to whom I have much plea-

sure in dedicating it.

EXPLANATION OF PLATE I., Figs. 2 a-2 c.

Fig. 2 a. Side view of Solarium Binghami, natural size; 2 b, the same, magnified 3 diameters; 2 c, upper surface of the same; 2 d, under surface of the same.



Baily, William Hellier. 1860. "VII.—On a new species of Solarium from the Upper Greensand, near Dorchester." *The Annals and magazine of natural history; zoology, botany, and geology* 6, 28–28.

View This Item Online: https://www.biodiversitylibrary.org/item/19439

Permalink: https://www.biodiversitylibrary.org/partpdf/15657

Holding Institution

Natural History Museum Library, London

Sponsored by

Natural History Museum Library, London

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.