

THE UNIVERSITY OF KANSAS SCIENCE BULLETIN

VOL. XXXIII, PT. II] MARCH 20, 1950

[No. 8

Type Localities of Mexican Reptiles and Amphibians

BY

HOBART M. SMITH and EDWARD H. TAYLOR,

University of Illinois, Department of Zoology, and
University of Kansas, Department of Zoology.

ABSTRACT: This paper contains a list of the type localities of all the species of reptiles and amphibians at present recognized as belonging in the Mexican fauna. Type localities are also given for all species recognized as synonyms of those forms.

The following list includes the type localities of all forms of reptiles and amphibians at present recognized as occurring in Mexico whether the type localities are in Mexico or elsewhere. The localities are arranged in alphabetical order throughout; the genera and species are likewise arranged alphabetically within the eight groups (in the order listed) of caecilians, salamanders, anurans, turtles, amphisbaenians, lizards, snakes and crocodilians. The group to which each name belongs is indicated by the prefixes g, u, a, t, am, s, o and c, respectively. A number of forms mentioned in the current and pending check lists, on which this list is based (see Smith and Taylor, 1945, 1948, 1950) but not yet definitely known to occur in Mexico, have been included. All synonyms noted in the lists mentioned are likewise included. Recognized forms are cited by the name currently used printed in italicized bold-faced type; unrecognized synonyms are cited by their original name, unmodified, and printed in italics.

Compilation of the list has emphasized the surprising lack of and the need for restriction of type localities, many of which are currently expressed as "Mexico" or some other equally useless generality, or as a series of localities, none of which has been selected as the type locality. We have made an attempt to correct the lack

of precision in statement of type locality as much as possible, by restricting as many type localities as the present state of knowledge will permit. We have restricted type localities only to localities from which specimens are known to have been taken, and/or to those at which there is a reasonable possibility the type or types may have been secured.

We have omitted authors' names from scientific names in this list, inasmuch as a precise reference to the form to which we refer (together with author and location of original description) may be found under the name cited in the check lists mentioned. Inasmuch as the validity of our restrictions of type locality of numerous names hinges upon the clarity of bibliographic reference accompanying use of those names, we wish to reiterate that: **the bibliographic reference we intend to accompany each name cited herein whose type locality is designated "by present restriction" is to be found under that same name (unless otherwise indicated) in our check lists of 1945, 1948 and 1950 (see Smith and Taylor, those dates).** Some names * are not to be found in these check lists, having been proposed after the check lists were in press. They may be found in the articles cited in the bibliography.

EASTERN HEMISPHERE

CEYLON

No definite locality

t *Caretta caretta gigas*

EGYPT

Cairo

s *Hemidactylus turcicus turcicus* (by present restriction)

INDIA

Malabar

t *Chelonia dussumieri*

Vizagapatam

o *Typhlops braminus*

JAVA

No definite locality

s *Hemidactylus frenatus*

* *Thorius minutissimus*, *Thorius macdougalli*, *Ptychohyla bogerti*, *Plectrohyla brachycephala*, *Hyla proboscidea*, *Hyla dalquesti*, *Rana moorei*, *R. pipiens austricola*, *Arizona elegans eburnata*, *A. e. expolita*, *A. e. pacata*, *A. e. philipi*, *Crotalus basiliscus oaxacae*, *C. glodyi laetus*, *Ficimia publia taylori*, *Hypsilema ochrorhyncha klauberi*, *H. o. texana*, *H. o. tortugaensis*, *H. unaocularis*, *Micruurus nigrocinctus wagneri*, *Phyllorhynchus browni fortuitus*, *Pituophis catenifer bimaculatus*, *P. c. coronalis*, *P. c. fuliginosus*, *P. c. insulanus*, *P. deppei brevilineata*, *Pseudoficimia hiltoni*, *Rhadinaea marcellae*, *Salvadora hexalepis klauberi*, *Schmidtophis rubriventris*, *Tantilla shawi*, *Thamnophis melanogaster linearis*, *T. sumichrasti salvini*, and *Toluca amphisticha*.

PHILIPPINE ISLANDS

Manila

- t *Lepidochelys olivacea*
- s *Peropus mutilatus*

PINE ISLAND

No definite locality

- o *Pelamis platurus*

RED SEA

No definite locality

- t *Caretta bissa*

SICILY

Palermo

- t *Dermochelys coriacea* (by present restriction)

STRAITS SETTLEMENTS

Singapore

- t *Eretmochelys squamata* (by restriction)

WESTERN HEMISPHERE

No definite locality

- s *Anolis damulus*
- s *Anolis impetigosus*
- s *Phyllodactylus mentalis*
- s *Phyllodactylus pulcher*
- o *Dipsas bertholdi*
- o *Erythrolamprus aesculapii*
- o *Tropidodipsas annulifera*
- o *Typhlops longissimus*

ATLANTIC OCEAN

ASCENSION ISLAND

No definite locality

- t *Chelonia maculosa* (by present restriction)
- t *Chelonia mydas*

BERMUDA ISLANDS

No definite locality

- t *Caretta caretta caretta* (by present restriction)
- t *Chelonia lachrymata* (by present restriction)
- t *Chelonia pseudo-caretta* (by present restriction)
- t *Chelonia pseudo-mydas* (by present restriction)
- t *Chelonia virgata* (by present restriction)
- t *Eretmochelys imbricata* (by present restriction)

CENTRAL AMERICA

BRITISH HONDURAS

Belize

- t *Dermatemys abnormis* (by present restriction)
- s *Anolis ustus*
- s *Coleonyx elegans elegans*
- o *Elaphe triaspis* (by present restriction)
- o *Herpetodryas incertus*
- o *Leptodeira annulata polysticta* (by restriction)
- o *Micrurus affinis alienus* (by present restriction)
- o *Micrurus affinis stantoni*
- o *Thamnophis sumichrasti praeocularis* (by present restriction)
- o *Tretanorhinus nigroluteus lateralis* (by present restriction)
- c *Alligator lacordairei*

Cohune Ridge (20 miles southeast of Benque Viejo)

- s *Sceloporus lundelli lundelli*

Double Falls (west of Stann Creek)

- o *Pliocercus elapoides semicinctus*

St. George Island (near Belize)

- s *Aristelliger georgeensis*

COSTA RICA

No definite locality

- s *Mabuia alliacea*

Arriba

- a *Bufo coccifer*
- s *Anolis nannodes* (by present restriction)

Bebedero

- a *Hyla underwoodi*

Palmar

- s *Anolis capito* (by present restriction)
- s *Leiolopisma cherriei cherriei*

Palomo (Valle de Orosi)

- a *Anotheca coronata*

San José

- a *Centrolenella fleischmanni*

San Mateo

- s *Cnemidophorus alfaronis*

EL SALVADOR

Izalco, Volcán

- s *Leiolopisma assatum assatum*
- o *Imantodes gemmistratus*

La Unión

- t *Geoemyda pulcherrima incisa*
- s *Ctenosaura completa* (by present restriction)
- s *Sceloporus fulvus*
- o *Loxocemus bicolor*
- o *Plastoseryx bronni* (by present restriction)
- o *Stenorhina freminvillii lactea* (by present restriction)

GUATEMALA

No definite locality

- o *Agkistrodon bilineatus* (Pacific coast of Guatemala)
- o *Amastridium sapperi*
- o *Pliocercus elapoides diastemus* (plateau of)
- o *Tantilla jani*

ALTA VERAPAZ

No definite locality

- t *Claudius pictus* (by present restriction)
- o *Petalognathus multifasciatus* (by present restriction)

Cobán

- a *Agalychnis moreletii*
- a *Hyla holochlora*
- t *Cinosternum cobanum* (by present restriction)
- s *Anolis petersii bivittatus* (by present restriction)
- s *Anolis stuarti*
- s *Sceloporus malachiticus taeniocnemis* (by present restriction)
- o *Bothriechis nummifera notata*
- o *Bothrops mexicanus*
- o *Bothrops nigroviridis aurifer*
- o *Drymobius chloroticus*
- o *Micrurus affinis apiatus* (by present restriction)
- o *Thamnophis sumichrasti fulvus* (by present restriction)

Cubilgutz

- o *Leptognathus cuculliceps* (by present restriction)
- o *Leptognathus semicinctus* (by present restriction)
- o *Thamnophis sumichrasti salvini*

Panzós, Río Polochic

- t *Chelydra rossignonii*
- s *Ameiva festiva edwardsii* (Santa María de, by present restriction)
- s *Anolis copei*
- s *Anolis limifrons rodriguezii*
- o *Bothrops nasutus*

Samac, Finca (6 kilometers west of Cobán)

- s *Anolis petersii* (by present restriction)

Volcán, Finca (49 kilometers east of Cobán)

- s *Xenosaurus rackhami*

BAJA VERAPAZ

No definite locality

- s *Anolis carneus*

San Gerónimo

- o *Pliocercus aequalis*

EL PETÉN

Flores

- o *Coniophanes quinquevittatus* (by present restriction)
- o *Tantilla moesta* (by present restriction)

Ixpuç Aguada (north of La Libertad)

- a *Hyla loquax*

La Libertad

- t *Geoemyda areolata* (by present restriction)
- t *Gymnodactylus coleonyx* (by present restriction)
- s *Gymnodactylus scapularis* (by present restriction)
- o *Thalerophis occidentalis praestans* (by present restriction) *

Petén, Laguna de

- c *Crocodylus moreletii*

Piedras Negras

- a *Eleutherodactylus conspicuus*
- o *Dendrophidion vinitor*
- o *Scaphiodontophis carpicinctus*
- o *Tantillita lintoni*
- o *Xenodon mexicanus*

Río de la Pasión

- s *Lepidophyma flavomaculatum flavomaculatum* (by present restriction)

Santa Teresa, 2 miles north of

- s *Anolis humilis uniformis* (by present restriction)
- s *Anolis ruthveni*

ESCUINTLA

Escuintla

- s *Corythophanes percarinatus*
- o *Thamnophis sumichrasti cerebrosus*

GUATEMALA

Guatemala

- o *Geophis nasalis*

HUEHUETENANGO

Canibal, Finca (3,000 ft.)

- s *Sceloporus melanorhinus stuarti*

RETALULEU

Huamuchil

- t *Staurotypus biporcatus*
- t *Staurotypus salvini*

Retaluleu

- o *Peropodium guatemalensis*
- o *Ungaliophis continentalis*

SACATEPEQUEZ

Antigua, Volcán

- s *Sceloporus squamosus* (by present restriction)

* Formerly *Leptophis occidentalis praestans*.

SOLOLÁ

Atitlán

- s *Celestus atitlanensis*
- o *Drymobius margaritiferus occidentalis* (Volcán)
- o *Leptognathus sexscutatus*
- o *Tropidodipsas fischeri* (Volcán) (by present restriction)
- o *Virginia fasciata* (by present restriction)

San Agustín, 610 m. (near Volcán de Atitlán)

- s *Sceloporus malachiticus acanthinus*
- o *Bothrops affinis*
- o *Bothrops bicolor*

SUCHITEPEQUEZ

Finca El Ciprés, Volcán Zunil

- o *Adelphicos quadrivirgatus sargii* (by present restriction)
- o *Micrurus latifasciatus*
- o *Micrurus nigrocinctus zunilensis*

Mazatenango

- s *Akleistops guatemalensis*
- s *Ameiva undulata parva* (by restriction)
- s *Lepidophyma smithii smithii* (by restriction)
- o *Leptognathus bernoullii* (Hacienda de Chitalón)
- o *Tropidodipsas sartorii annulatus* (Hacienda de Chitalón, by present restriction)

Río Nagualate

- t *Chelonia agassizii*
- t *Emys grayi*
- t *Pseudemys umbra*
- c *Crocodilus pacificus*

TOTONICAPAM

Totonicapam

- o *Bothrops godmani*

YZABAL

Yzabal

- o *Spilotes salvini* (by present restriction)

ZACAPA

Río Motagua, Valley of (10 kilometers northeast of Zacapa)

- s *Cnemidophorus motaguae*

HONDURAS

No definite locality

- t *Emys venusta*
- t *Cristasaura mitrella*
- o *Coniophanes fissidens punctigularis*
- o *Microphis quinquelineatus*
- o *Pseustes poecilonotus poecilonotus*

Lancetilla

- s *Eumeces schmidti*

Portillo Grande (Yoro)

o *Adelphicos quadrivirgatus visoninus* (by present restriction)

Tela

s *Ctenosaura similis similis* (by restriction)

NICARAGUA

No definite locality

a *Hyla ebraccata*

s *Cnemidophorus decemlineatus*

Greytown

s *Basiliscus nuchalis*

s *Draconura bivittata* (by present restriction)

Laguna Island

o *Hypsilema torquata*

Rama

s *Gonatodes fuscus* (by present restriction)

Recero

a *Leptodactylus melanotus* (by present restriction)

PANAMÁ

No definite locality

s *Anolis panamensis*

Chiriquí, Río (in vicinity of Bocas del Toro)

a *Bufo simus*

Obispo

o *Bothrops atrox asper*

Veragua

s *Sphaerodactylus lineolatus*

NORTH AMERICA

MEXICO

State unknown

u *Magnadigita sulcata*

u *Spelerpes punctatum*

a *Eleutherodactylus longipes*

a *Hyla crassa*

a *Hyla plicata*

t *Cinosternum brevigulare* (Playa Vicente)

s *Anolis baccatus*

s *Anolis cumingii*

s *Anolis guntherii*

s *Anolis heliactin*

s *Anolis metallicus*

s *Anolis schiedii*

s *Urosaurus irregularis* (highlands)

o *Anomalepis mexicana*

o *Dipsas brevis*

o *Dipsas dimidiatus*

o *Erythrolamprus guentheri*

o *Geophis chalybeus*

- o *Geophis rostralis*
- o *Geophis sieboldi* (?)
- o *Helicops septemvittata*
- o *Rhadinaea taeniata*
- o *Sonora aequalis*
- o *Tantilla deppei*
- o *Tantilla mexicana*
- o *Typhlops psittacus*

BAJA CALIFORNIA

No specific locality

- s *Phyllodactylus tuberculosus* (Californien)

Mainland localities

Agua Caliente (Cape region)

- o *Crotalus lucasensis*

Agua Verde Bay

- s *Callisaurus plasticus*

Alcatraz

- o *Lampropeltis zonata agalma*

Ballenas Bay

- s *Callisaurus draconoides crinitus*

Comondú

- s *Eumeces lagunensis* (on trail between Loreto and; neo-type locality)

- s *Petrosaurus repens*

- o *Sonora mosaueri*

Ensenada

- s *Cnemidophorus stejnegeri*

- o *Lichenura myriolepis* (by present restriction)

- o *Lichenura roseofusca roseofusca* (by present restriction)

Estero Salina

- o *Chilomeniscus stramineus esterensis*

Gardners Laguna, Salton River

- s *Callisaurus draconoides gabbii* (by present restriction)

La Paz

- s *Coleonyx variegatus peninsularis*

- s *Crotaphytus copeii*

- s *Uta stansburiana elegans*

- o *Chilomeniscus stramineus fasciatus*

- o *Leptotyphlops humilis slevini*

Las Palmas

- s *Crotaphytus fasciolatus*

Los Dolores

- t *Pseudemys scripta nebulosa*

Puerto Escondido

- o *Hypsilegna slevini*

San Bartolomé Bay

- s *Cnemidophorus bartolomae*

- s *Phrynosoma coronatum jamesi*

- s *Uta parva*

- San Fernando Misión (between San Ignacio and)
- o *Phyllorhynchus decurtatus decurtatus* (by present restriction)
- San Francisquito (Sierra de la Laguna)
- s *Eumeces lagunensis*
 - s *Xantusia gilberti*
- San Francisquito Bay
- s *Sauromalus australis*
- San Ignacio
- o *Thamnophis dugueti* (by restriction)
- San Jorge, 2 miles east of
- o *Sonora bancroftae*
- San José del Cabo
- s *Dipsosaurus dorsalis lucasensis*
 - o *Lampropeltis nitida* (= *L. getulus nitida*)
- San Lucas, Cape
- a *Hyla curta*
 - a *Hyla regilla laticeps*
 - a *Scaphiopus varians*
 - am *Bipes biporus*
 - s *Callisaurus draconoides draconoides* (by present restriction)
 - s *Cnemidophorus hyperythrus hyperythrus*
 - s *Cnemidophorus maximus*
 - s *Ctenosaura hemilopha*
 - s *Ctenosaura interrupta* (by present restriction)
 - s *Petrosaurus thalassinus*
 - s *Phrynosoma coronatum coronatum* (by present restriction)
 - s *Phyllodactylus unctus*
 - s *Phyllodactylus xanti*
 - s *Sceloporus magister zosteromus*
 - s *Urosaurus nigricaudus*
 - o *Chilomeniscus stramineus stramineus*
 - o *Crotalus enyo*
 - o *Crotalus mitchellii mitchellii*
 - o *Hypsiglena ochrorhyncha ochrorhyncha*
 - o *Lampropeltis getulus conjuncta*
 - o *Lichanura trivirgata*
 - o *Masticophis aurigulus*
 - o *Natrix valida celaeno*
 - o *Pituophis catenifer vertebralis* (by present restriction)
 - o *Pityophis haematois*
 - o *Salvadora hexalepis klauberi*
 - o *Tantilla planiceps* (by present restriction)
 - o *Trimorphodon lyrophanes*
 - o *Tropidonotus tephroleura*
- San Pedro Mártir Mountains
- s *Urosaurus microscutatus*
 - o *Crotalus goldmani* (El Piñon, 5,300 ft.)

- o *Thamnophis ordinoides hueyi* (= *T. elegans hueyi*)
(Arroyo Encantado)
- San Quintín
 - s *Phrynosoma nelsoni*
- San Quintín Bay
 - s *Sceloporus magister rufidorsum*
- Santa Gertrudis, near El Arco
 - o *Pituophis catenifer bimaris*
- Santa Rosalía
 - s *Sceloporus digueti*
 - o *Elaphe rosaliae*
 - o *Hypsiglena ochrorhyncha venusta* (by present restriction)
- Santo Domingo
 - s *Callisaurus rhodostictus* (by present restriction)
 - o *Arizona elegans pacata*
- Sierra San Lázaro
 - s *Sceloporus orcutti licki*
- Tecate
 - s *Phrynosoma ochoterenai*
- Todos Santos
 - s *Elgaria paucicarinata*
- Insular localities
 - Ángel de la Guarda
 - s *Callisaurus draconoides splendidus*
 - s *Crotaphytus insularis*
 - s *Sauromalus hispidus*
 - o *Crotalus atrox elegans*
 - Carmen
 - s *Callisaurus draconoides carmenensis*
 - s *Cnemidophorus hyperythrus caeruleus*
 - s *Cnemidophorus vandenburgi*
 - s *Dipsosaurus carmenensis*
 - s *Uta mannophorus*
 - Cedros
 - s *Cnemidophorus hyperythrus beldingi*
 - s *Cnemidophorus tigris multiscutatus*
 - s *Cnemidophorus labialis*
 - s *Elgaria cedrosensis*
 - s *Phrynosoma cerroense*
 - s *Phrynosoma schmidti*
 - s *Uta concinna*
 - o *Crotalus exsul*
 - o *Pituophis catenifer insulanus*
 - Ceralvo
 - s *Cnemidophorus ceralbensis*
 - s *Ctenosaura insulana*
 - s *Sator grandaevus*
 - Los Coronados
 - u *Batrachoseps attenuatus leucopus* (North Island)
 - s *Elgaria multicarinata nana* (South Island)

- o *Hypsiglena ochrorhyncha klauberi* (South Island)
- o *Pituophis catenifer coronalis* (South Island)
- Espíritu Santo
 - s *Sauromalus ater* (by present restriction)
 - s *Verticaria espiritensis*
- Isla Partida
 - s *Cnemidophorus dickersonae* (near Ángel de la Guarda)
 - o *Chilomeniscus punctatissimus* (near Espíritu Santo)
 - o *Masticophis barbouri* (near Espíritu Santo)
- Mejía
 - s *Streptosaurus slevini*
- Monserrate
 - s *Cnemidophorus hyperythrus pictus*
 - s *Sauromalus slevini* (southern end)
 - s *Sceloporus magister monserratensis*
- Sal Si Puedes
 - s *Cnemidophorus tigris canus*
- San Benito
 - s *Uta stellata*
- San Francisco
 - s *Verticaria franciscensis*
- San Gerónimo
 - s *Anniella geronimensis*
- San José
 - s *Cnemidophorus hyperythrus danheimae*
 - s *Cnemidophorus tigris celeripes*
- San Marcos
 - s *Cnemidophorus hyperythrus schmidti*
- San Martín
 - s *Gerrhonotus scincicauda ignavus*
 - s *Uta martinensis*
 - o *Pituophis catenifer fuliginatus*
- Santa Catalina
 - s *Cnemidophorus catalinensis*
 - s *Dipsosaurus catalinensis*
 - s *Sauromalus klauberi*
 - s *Sceloporus magister lineatulus*
 - s *Uta squamata*
 - o *Lampropeltis catalinensis*
- Santa Cruz
 - s *Sator angustus*
- Santa Inez, South
 - s *Coleonyx variegatus slevini*
- Santa Margarita
 - s *Cnemidophorus tigris rubidus*
 - o *Zamenis lateralis fuliginosus*
- Todos Santos, South
 - o *Diadophis amabilis anthonyi*
 - o *Lampropeltis zonata herrerae*

Tortuga

- o *Crotalus tortugensis*
- o *Hypsiglena ochrorhyncha tortugaensis*

CAMPECHE

No definite locality

- s *Eumeces schwartzei* (a small island in the Laguna de Términos)

Balchacaj

- s *Ctenosaura (Cachryx) annectens* (by present restriction)
- s *Enyaliosaurus erythromelas* (by present restriction)
- o *Imantodes splendidus luciodorsus*

Encarnación

- a *Hypopachus cuneus nigroreticulatus*

Panlao

- s *Anolis sagrei mayensis*

Tuxpeña

- o *Leptodeira yucatanensis malleisi*

CHIAPAS

Chícharros

- u *Bolitoglossa flaviventris*
- o *Geophis cancellatus*

Ciudad de las Casas, 11 kilometers southeast of, 2,300 m.

- s *Barisia moreleti temporalis*

Conjab, between San Bartolomé and Comitán, 5,300 ft.

- s *Sceloporus prezygus*

Finca Germania, 4 miles northeast of Huixtla, 3,300 ft.

- o *Micrurus nigrocinctus wagneri*

La Esperanza, near Escuintla

- u *Bolitoglossa occidentalis*
- a *Acrodytes modesta* (Cruz de Piedra)
- a *Bufo angustipes*
- a *Microbatrachylus imitator*
- a *Syrrhophus rubrimaculatus*
- s *Sceloporus guentheri* (by present restriction)
- o *Drymarchon corais unicolor*
- o *Scaphiodontophis albonuchalis*

La Libertad

- s *Ameiva undulata thomasi*

Malé, Cerro, 3,200 m.

- s *Gerrhonotus liocephalus austrinus*

Mineral de Santa Fé

- s *Eumeces rovirosae*

Ovando, Cerro

- u *Chiroppterotriton xolocalcae*
- u *Magnadigita nigroflavescens*
- a *Eleutherodactylus matudai*
- a *Hyla rozellae* (Salto de Agua)
- a *Microbatrachylus montanus*

- a *Plectrohyla matudai*
 - a *Plectrohyla sagorum*
 - o *Elaphe flavirufa matudai* (Salto de Agua)
 - o *Micrurus nigrocinctus ovandoensis* (Salto de Agua)
 - o *Rhadinaea lachrymans* (by present restriction)
 - Palenque
 - u *Bolitoglossa moreleti*
 - s *Ameiva undulata stuarti*
 - s *Celestus rozellae*
 - o *Coniophanes bipunctatus biseriatus*
 - o *Thamnophis rozellae*
 - Piedra Parada
 - s *Anolis biporcatus* (by present restriction)
 - Piedras Negras, Guatemala, across Río Usumacinta from
 - s *Ameiva undulata hartwegi*
 - San Cristobal
 - o *Adelphicos veraepacis nigrilatus*
 - San Ricardo
 - a *Hypopachus maculatus*
 - Santa Rosa, near Comitán
 - s *Abronia ochoterenai*
 - Siltepec, 16 miles south of, 2,300 m.
 - s *Barisia moreleti rafaeli*
 - Tacaná, Volcán de
 - s *Abronia matudai*
 - Tapachula
 - a *Hyla beltrani*
 - a *Hyla robertmertensi*
 - Tonalá
 - a *Syrrhophus nebulosus*
 - o *Conophis pulcher plagosus*
 - o *Conophis pulcher similis* (by present restriction)
 - o *Tantillita brevissima*
 - c *Alligator Chiapasius*
 - Tuxtla Gutiérrez
 - t *Kinosternon abaxillare*
 - s *Sceloporus carinatus*
- CHIHUAHUA**
- No definite locality
 - s *Barisia levicollis* * (by present restriction)
 - o *Trimorphodon vilkinsonii*
 - Batopilas
 - s *Urosaurus unicus* (?)
 - o *Procinura aemula*
 - Batosegachic
 - o *Micrurus diastema distans*

* Originally stated "Mexican Boundary," the type locality cannot reasonably be restricted further than "Chihuahua" at the present time, inasmuch as no specimens are yet known from localities near the U. S. boundary in that state.

Casas Grandes

- o *Arizona elegans expolita*

Chihuahua

- a *Bufo insidior*

- s *Cnemidophorus gularis gularis obsoletus*

- s *Cnemidophorus gularis gularis verus*

- s *Cnemidophorus sackii scalaris*

- s *Cnemidophorus sexlineatus tigris* Cope (nec Baird and Girard)

- s *Urosaurus ornatus caeruleus* (30 miles north of)

Colonia García

- o *Thamnophis ordinoides errans* (= *Thamnophis errans*)

Guasaremos, Río Mayo

- o *Tantilla yaquia*

Juárez, 15 miles south of

- s *Holbrookia bunkeri*

Mojáracich

- u *Ambystoma fluvinatum*

- u *Ambystoma rosaceum*

- a *Eleutherodactylus tarahumaraensis*

- s *Elgaria kingii kingii* (by present restriction)

- s *Gerrhonotus multifasciatus* (by present restriction)

- o *Crotalus semicornutus*

- o *Lampropeltis knoblochi*

Presidio del Norte

- o *Churchillia bellona*

San Buenaventura, 11 miles south of

- o *Masticophis flagellum lineatulus*

Sierra Madre, lat. 26°6' N., long. 106°50' W.

- u *Axolotes maculata*

Yoquivo

- a *Rana tarahumarae* (by present restriction)

COAHUILA

Agua Nueva

- s *Cnemidophorus semifasciatus*

Arteaga

- s *Sceloporus jarrovii oberon*

Buena Vista

- o *Pituophis deppei jani*

Castañuelas

- s *Holbrookia maculata dickersonae*

Cuatro Ciénelas

- t *Terrapene coahuila*

El Salado, San Luis Potosí, 30 miles north of

- s *Sceloporus cautus*

Monclova

- o *Crotalus (tigris) palmeri*

- o *Rhinocheilus lecontei tessellatus*

Nazas, Río

- a *Scaphiopus rectifrenis*

Parras

- s *Cnemidophorus variolosus*

- o *Thamnophis angustirostris*

Patos

- s *Sceloporus ornatus ornatus*

Rinconada

- o *Thamnophis eques cyrtopsis*

San Pedro (de las Colonias)

- s *Sceloporus ornatus caeruleus* (5 miles south of)

- s *Uma exsul* (sand dunes 12 miles north of)

Sierra Guadalupe

- s *Barisia imbricata ciliaris*

COLIMA

No specific locality

- s *Phrynosoma orbiculare dugesii*

- s *Sceloporus dugesii dugesii*

- o *Geophis semiannulatus*

- o *Leptotyphlops dugesii*

Colima

- a *Agalychnis dacnicolor*

- a *Bufo argillaceus* (by present restriction)

- s *Cnemidophorus communis copei* (by present restriction)

- s *Cnemidophorus deppii lineatissimus* (by present restriction)

- s *Cnemidophorus sackii communis* (by present restriction)

- s *Ctenosaura brevirostris*

- s *Ctenosaura pectinata* (by restriction)

- s *Eumeces colimensis*

- s *Phrynosoma asio* (by present restriction)

- s *Sceloporus horridus oligoporos*

- s *Sceloporus pyrocephalus*

- s *Sceloporus uniformis*

- s *Urosaurus bicarinatus tuberculatus*

- o *Crotalus basiliscus basiliscus* (by present restriction)

- o *Elaps epistema* (by present restriction)

- o *Elaps fulvius hypostema* (by present restriction)

- o *Micruurus diastema diastema* (by present restriction)

- o *Pseudoficimia frontalis* (by present restriction)

- o *Pseudoficimia pulchra* (by present restriction)

Comala

- o *Tropidodipsas occidentalis*

Manzanillo

- s *Ameiva undulata sinistra*

- s *Anolis schmidti*

Paso del Río, Hacienda

- a *Syrrhophus modestus*

- s *Coleonyx elegans nemoralis*

- o *Dipsas gaigeae*

- o *Leptotyphlops phenops bakewelli*

Santiago

s *Leilopisma assatum taylori*

Revillagigedos Archipelago

s *Urosaurus auriculatus* (Socorro Island)

s *Urosaurus clarionensis* (Clarión Island)

o *Hypsilema unaocularis* (Clarión Island)

o *Masticophis anthonyi* (Clarión Island)

DISTRITO FEDERAL

Coyoacán

a *Hyla eximia* (by present restriction)

a *Scaphiopus dugesii* (by present restriction)

a *Scaphiopus multiplicatus* (by present restriction)

o *Crotalus triseriatus anahuacus* (by present restriction)

o *Oxyrhina de filippii* (by present restriction)

o *Toluca lineata lineata* (by present restriction)

Desierto de los Leones

a *Hyla lafrentzi*

Laguna Santa Isabel, near Guadalupe Hidalgo

u *Ambystoma velasci*

u *Siredon tigrina*

Magdalena

s *Scincus ventralis* (by present restriction)

México (City)

a *Rana adtrita* (by present restriction)

a *Rana montezumae*

s *Agama torquata* Peale and Greene (by present restriction)

s *Barisia imbricata imbricata* (by present restriction)

s *Gerrhonotus lichenigerus* (by present restriction)

s *Phrynosoma orbiculare orbiculare* (by present restriction)

s *Phrynosoma wiegmanni* (by present restriction)

s *Sceloporus grammicus microlepidotus* (by present restriction)

s *Sceloporus scalaris scalaris* (by present restriction)

s *Sceloporus torquatus torquatus* (by present restriction)

s *Tapaya orbicularis longicaudatus* (by present restriction)

o *Diadophis dugesii* (Potreros de Balbuena, near)

o *Eutaenia flavilabris* (by present restriction)

o *Eutaenia insigniarum* (Chapultepec)

o *Eutaenia macrostemma*

o *Geophis bicolor* (?)

o *Rhadinaea laureata*

o *Thamnophis scalaris scaliger* (by present restriction)

San Diego

s *Gerrhonotus olivaceus* (by present restriction)

Serranía de las Cruces, Manantial de los Axolotes

u *Rhyacosiredon altamirani*

Xochimilco

u *Siredon mexicanum* (by present restriction)

a *Bufo anomalus* (by present restriction)

- a ***Bufo compactilis compactilis*** (by present restriction)
- a ***Bufo levifrons*** (by present restriction)
- a ***Bufo mexicanus*** (by present restriction)
- o ***Thamnophis melanogaster melanogaster*** (by present restriction)
- o ***Tropidonotus mesomelanus*** (by present restriction)

DURANGO

No specific locality

- s ***Phrynosoma douglassii brachycercum***
- o ***Natrix valida valida***

Pedriceña

- s ***Sceloporus lineolateralis*** (6 miles northeast of)
- s ***Sceloporus maculosus*** (14 miles northeast of)

Ventanas

- a ***Rana pustulosa***
- s ***Coleonyx fasciatus***

GUANAJUATO

Acámbaro

- o ***Lampropeltis triangulum nelsoni (L. doliata nelsoni)***
- o ***Salvadora bairdii*** (by present restriction)

Guanajuato

- a ***Bufo monksiae*** (by present restriction)
- a ***Bufo occidentalis*** (by present restriction)
- a ***Eleutherodactylus augusti***
- a ***Rana montezumae concolor*** (by present restriction)
- a ***Syrrhophus guttilatus***
- t ***Cinosternum rostellum***
- s ***Eumeces calicephalus*** (by present restriction)
- s ***Eumeces dugesii*** (by present restriction)
- s ***Sceloporus ferrariiperezi*** (by present restriction)
- o ***Conopsis nasus*** (by present restriction)
- o ***Epirhina tessellata*** (by present restriction)
- o ***Eutaenia pulchrilatus***
- o ***Hemigenius variabilis***
- o ***Hypsilegna ochrorhyncha janii*** (by present restriction)
- o ***Masticophis taeniatus australis*** (by present restriction)
- o ***Micrurus fitzingeri fitzingeri*** (by present restriction)
- o ***Oxyrhina (Exorhina) maculata*** (by present restriction)
- o ***Tantilla bocourtii*** (by present restriction)
- o ***Thamnophis cyrtopsis cyclides*** (by present restriction)

Salamanca

- o ***Thamnophis stejnegeri***

Sierra de Santa Rosa

- o ***Oreophis bouleengeri***

Tupátaro

- s ***Sceloporus torquatus melanogaster*** (by present restriction)
- o ***Crotalus lugubris multimaculata*** (by present restriction)
- o ***Crotalus polystictus*** (by present restriction)

GUERRERO

Acapulco

- t *Kinosternon integrum* (by present restriction)
- s *Anolis taylori* (1 mile north of)
- s *Phyllodactylus magnatuberculatus*
- s *Sceloporus melanorhinus calligaster*
- o *Conophis vittatus vittatus* (Laguna Coyuca, by present restriction)
- o *Dryadophis melanolomus stuarti*
- o *Imantodes gracilimus* (by present restriction)
- o *Micrurus nuchalis taylori*
- o *Salvadora lemniscata* (by present restriction)
- o *Trimorphodon biscutatus semirutus*

Agua del Obispo (between Rincón and Cajones)

- a *Centrolenella viridissima*
- a *Hyla erythromma*
- a *Hyla pinorum*
- a *Hypopachus caprimimus*
- a *Microbatrachylus minimus*
- a *Ptychohyla adipoventralis*
- a *Rana sierramadrensis*
- a *Tomodactylus albolarvatus*
- s *Anolis dunni*
- s *Anolis megapholidotus*

Amula

- a *Tomodactylus amulae*

Balsas, Río

- o *Leptodeira guilleni*

Buena Vista

- o *Tropidodipsas guerreroensis*

Chilpancingo

- a *Hyla melanomma* (7 miles east of)
- s *Sceloporus grammicus grammicus* (by present restriction)
- s *Sceloporus pleurostictus* Weigmann (by present restriction)
- o *Enulius unicolor* (by present restriction)
- o *Leptotyphlops maximus*
- o *Micrurus browni* (= *M. nigrocinctus browni*)
- o *Salvadora intermedia intermedia*
- o *Tantilla coronadoi*

El Treinte

- o *Rhadinaea hesperia baileyi*
- o *Tantilla martindelcampoi*

Huajintlán (at Morelos border)

- s *Heloderma Hernandesii* (by present restriction)
- s *Heloderma horridum* (by present restriction)
- o *Pseudoficimia pulcherrima* (by present restriction)
- o *Pseudoleptodeira latifasciata* (by present restriction)

La Venta

- a *Acrodytes inflata*
- a *Bufo gemmifer* (El Limoncito, near)
- o *Coniophanes fissidens dispersus* (El Limoncito, near)

Malinaltepec

- a *Hyla leonard-schultzei*

Mazatlán

- a *Syrrhophus pilans* (9 miles south of)
- s *Eumeces ochoterenai*
- s *Sceloporus ochoterenae* (2 miles north of)

Mexcala

- a *Bufo perplexus*

- am *Bipes canaliculatus* (by present restriction)
- am *Chalcides sulcata* (by present restriction)
- am *Chamaesaura propus* (by present restriction)
- am *Lacerta lumbricooides* (by present restriction)
- am *Lacerta mexicana* (by present restriction)

Mezquititlán (north of Chilpancingo)

- s *Sceloporus gadovii*

Omilteme

- a *Eleutherodactylus calcitrans* (by restriction)
- a *Eleutherodactylus saltator*
- a *Hyla arboricola* (6 miles east of)
- a *Rana omiltemana*
- s *Abronia deppii* (by present restriction)
- s *Anolis liogaster* (7,600 ft.)
- s *Barisia gadovii gadovii*
- s *Sceloporus formosus scitulus*
- s *Sceloporus mucronatus omiltemanus* (8,000 ft.)
- s *Sceloporus rubriventris*
- o *Agkistrodon browni*
- o *Bothrops barbouri*
- o *Crotalus omiltemanus*
- o *Geophis omiltemana*
- o *Rhadinaea aemula* (by present restriction)
- o *Rhadinaea hesperia hesperia* (by present restriction)
- o *Rhadinaea omiltemana*
- o *Thamnophis scalaris godmani*

Rincón

- s *Ameiva undulata dextra*

Taxco

- s *Phyllodactylus bordai* (6 miles north of)
- o *Sonora erythrura* (10 miles south of)

Tecpán de Galeana

- am *Bipes tridactylus*
- o *Geotracus tecpanecus*

Tierra Colorada

- s *Anolis gadovii*
- s *Phyllodactylus delcampi*
- s *Phyllodactylus lanei*
- s *Phyllodactylus magnus*
- s *Sceloporus stejnegeri*

Tixtla

- o *Ficimia ruspator* (3 miles east of)

HIDALGO

Durango

- u *Chiropterotriton chondrostega*
- u *Chiropterotriton mosaueri* (7,200 ft.)
- s *Gaigeia gaigeae*
- o *Ninia diademata plorator*
- o *Rhadinaea crassa*

El Chico

- a *Hyla robertsorum* (Parque Nacional)
- s *Abronia taeniata taeniata*
- s *Eumeces lynxe lynxe*
- s *Plestiodon bellii*

El Pinalito

- s *Sceloporus jarrovii immucronatus* (10 miles north of)
- Guerrero (near Mineral del Monte)

- u *Chiropterotriton dimidiata*
- u *Pseudoeurycea cephalica manni*

La Placita (south of Jacala), 7,000 ft.

- a *Tomodactylus macrotympanum*
- s *Leilopisma forbesorum*

Santa Anita

- u *Pseudoeurycea cephalica rubrimembris* (6 kilometers south of)

Tianguitengo

- u *Chiropterotriton arborea*
- u *Chiropterotriton terrestris* (6 miles south of, 5,000 ft.)
- a *Eleutherodactylus hidalgensis* (4 miles west of)
- a *Hyla bromeliana*

Zacualtipan

- a *Syrrhophus verrucipes* (1,800 ft. lower than)
- s *Gaigeia sylvatica* (7 miles north of)
- o *Geophis mutitorques*
- o *Micrurus bernadi*
- o *Storeria hidalgensis*
- o *Thamnophis phenax halophilus* (7 miles north of)

Zimapán

- s *Phrynosoma boucardi* (by present restriction)

JALISCO

Barranca Íbarra

- s *Ctenosaura parkeri*

Chapala

- a *Rana megapoda*
- o *Thamnophis melanogaster canescens*

Cofradía

- s *Urosaurus gadovii*

Corrientes, Cape

- o *Salvadora mexicana*

Guadalajara

- a *Microhyla usta usta*
- a *Rana trilobata* (= *R. pipiens trilobata*)

- o *Adelophis copei*
- o *Cheilorrhina villarsi*
- o *Clelia clelia immaculata*
- o *Coniophanes lateritius*
- o *Conophis sumichrastii sumichrastii*
- o *Crotalus jimenezii* (by present restriction)
- o *Imantodes latistratus* (by restriction)
- o *Sypholmis lippiens*
- o *Tantilla calamarina*
- o *Thamnophis subcarinata subcarinata* (by restriction)
- o *Trimorphodon upsilon*
- La Cumbre de los Arrastrados
 - s *Sceloporus asper*
 - s *Sceloporus bulleri*
 - s *Sceloporus heterolepis* (by present restriction)
- Magdalena
 - s *Sceloporus scalaris unicanthalis*
 - o *Hypsiglena affinis* (by present restriction)
 - o *Rhadinaea hesperia hesperioides*
 - o *Sonora michoacanensis mutabilis*
- San Ramón
 - o *Elaphe chlorosoma*

MÉXICO

- Asunción
 - s *Eumeces copei* (10 miles southeast of)
- Gavia, Hacienda de la
 - s *Barisia rudicollis* (by present restriction)
- Guadalupe, Rancho (14 kilometers east of San Martín)
 - u *Ambystoma bombyllum*
 - u *Ambystoma schmidti*
- Ixtapán del Oro
 - a *Eleutherodactylus bolivari*
- Lake Lerma
 - u *Siredon lermaensis*
 - o *Thamnophis melanogaster linearis*
- Río Frío
 - u *Rhyacosiredon leorae*
- San Juan Teotihuacán
 - o *Elaphis pleurostictus* (by present restriction)
 - o *Pituophis deppei deppei* (by present restriction)
 - o *Pituophis deppei pholidostictus* (by present restriction)
- San Martín
 - s *Gerrhonotus adspersus* (by present restriction)
- Toluca
 - u *Ambystoma granulosum* (kilometer no. 74, about 12 miles northwest of)
 - u *Pseudoeurycea robertsi* (Nevado de, 10,000 to 11,000 ft.)
- Villa Victoria
 - u *Rhyacosiredon rivularis* (13 kilometers west of)
 - o *Conopsis biserialis*

Zempoala

- s *Sceloporus jarrovii sugillatus* (Laguna no. 4)

Zumpango, Lake

- u *Ambystoma lacustris*

MICHOACÁN

Apatzingán (de la Constitución)

- a *Cystignathus microtis* (by present restriction)
- s *Eumeces altamirani* (by restriction)
- o *Micrurus diastema michoacanensis* (by present restriction)
- o *Sonora michoacanensis michoacanensis* (by present restriction)

Cício

- o *Geophis maculiferus*

Cojumatlán

- a *Hyla smaragdina* (6 kilometers east of)

El Mirador

- u *Ambystoma ordinarium* (4 miles west of, near Puerto Hondo)

El Sabino (near Uruapan)

- a *Eleutherodactylus vocalis*
- o *Leptodeira bressoni*
- o *Leptodeira smithi*
- o *Leptotyphlops bressoni*
- o *Thamnophis eques postremus*

La Noria, near Zamora, Hacienda of D. Epifanio Jiménez

- s *Sceloporus dugesii intermedius*

- s *Sceloporus westphalii*

Morelia

- u *Ambystoma ambycephalum* (15 kilometers west of)

Ovopeo, 1,000 ft.

- s *Enyaliosaurus clarki*

Pátzcuaro

- u *Bathysiredon dumerilii* (Lake)
- o *Geophis petersii* (by present restriction)
- o *Lampropeltis ruthveni*

Quiroga

- a *Tomodactylus angustidigitorum*

Tancítaro, 6,000 ft.

- o *Pituophis deppei brevilineata*

Tangancícuaro

- o *Geophis dugesii*

Temaxcal

- o *Thamnophis vicinus*

Tengohecho

- o *Erythrolamprus grammophrys*

Uruapan

- a *Microbatrachylus hobartsmithi*

- o *Trimorphodon fasciolata* (Zararacua Falls)

MORELOS

Cuernavaca

- a *Hyla smithi*
- a *Hypopachus alboventer* (8 miles east of)
- s *Cnemidophorus costatus* (by present restriction)
- s *Cnemidophorus mexicanus balsas* (by present restriction)
- s *Cnemidophorus sackii sackii* (by restriction)
- s *Eumeces indubitus* (kilometer 63)
- s *Sceloporus horridus horridus* (by present restriction)
- s *Urosaurus bicarinatus bicarinatus* (by present restriction)

Tepoztlán

- a *Hylella azteca*

Tres Cumbres

- s *Sceloporus aeneus aeneus* (by present restriction)
- o *Crotalus transversus*
- o *Storeria storerioides* (by present restriction)

Zempoala (Lakes of)

- u *Pseudoeurycea altamontana*
- u *Rhyacosiredon zempoalaensis*

NAYARIT

Acaponeta

- o *Tantilla bogerti*

Ixtlán

- s *Cnemidophorus communis occidentalis* (by present restriction)

Miramar

- o *Drymobius margaritiferus fistulosus*

Pedro Pablo, 2,500 ft.

- t *Terrapene nelsoni*

San Blas

- s *Hemidactylus navarri*
- o *Manolepis putnami*
- o *Rhinocheilus lecontei antonii*

Tepic

- a *Bufo nayaritensis*
- a *Hyliola digueti*
- a *Hypopachus ovis*
- a *Leptodactylus occidentalis*
- s *Eumeces parvulus*
- s *Sceloporus horridus albiventris*
- s *Sceloporus obscurus*

Tres Marias Islands

- s *Cnemidophorus sackii mariarum*
- o *Constrictor constrictor sigma* (María Madre Island)
- o *Dryadophis melanolomus slevini* (María Madre Island)
- o *Drymarchon corais cleofae* (María Cleofa Island)
- o *Exelencophis nelsoni* (María Madre Island)
- o *Lampropeltis triangulum schmidti* (= *L. doliata schmidti*)
- o *Masticophis flagellum variolosus* (María Magdalena Island)
- o *Thalerophis diplotropis forreri*

NUEVO LEÓN

No exact locality

- o *Lampropeltis leonis*
- o *Tantilla atriceps*

Galeana

- u *Pseudoeurycea galeanae* (7,000 ft.)
- a *Syrrhophus smithi* (15 miles west of)
- o *Crotalus triseriatus miquihuana* (= *C. pricei miquihuana*;
Cerro Potosí)
- o *Rhadinaea montana* (Ojo de Agua, near)
- o *Tantilla wilcoxi rubricata* (15 miles southeast of)

Montemorelos

- s *Cnemidophorus gularis meeki*

Monterrey

- a *Syrrhophus latodactylus* (Huasteca Cañon, 15 miles west of)
- s *Sceloporus cyanogenys*

Pablillo, trail between Alamar and

- s *Sceloporus torquatus binocularis*

Pesquería Grande

- s *Cnemidophorus perplexus inornatus*
- s *Cnemidophorus sackii octolineatus*

Sabinas Hidalgo

- s *Sceloporus parvus parvus* (hills 5 miles west of)
- o *Pituophis mexicanus*

Santa Caterina

- s *Sceloporus couchii*
- o *Nerodia couchii* (by present restriction)

OAXACA

No definite locality

- a *Eleutherodactylus rugulosus* (Pacific region of the Isthmus
of Tehuantepec) *
- s *Abronia oaxacae*
- s *Anolis boulengerianus* (Isthmus of Tehuantepec)
- s *Anolis rubigenosus*
- s *Barisia imbricata planifrons*
- s *Cnemidophorus unicolor* (West Tehuantepec)
- s *Phrynosoma braconnieri*
- o *Coluber oaxaca*
- o *Enulius sumichrasti* (Isthmus of Tehuantepec) *
- o *Lampropeltis triangulum oligozona* (Tehuantepec = *L. doliata*
oligozona)
- o *Pseudoleptodeira discolor*
- o *Salvadora bogerti* (Tehuantepec)

Buena Vista

- o *Rhadinaea macdougalli*

* More precise restriction is prohibited by the absence of definite records from southeastern Oaxaca where the types undoubtedly were obtained. Very likely the types were collected near Tapantatepec.

- Cacoprieto
 o *Scaphiodontophis sumichrasti*
- Chihuitán
 o *Coniophanes piceivittis*
 o *Syphimus leucostomus*
- Concordia, Cafetal, 600 m., between Puerto Ángel and Salina Cruz
 g *Gymnopus multiplicata oaxacae*
 u *Magnadigita macrinii*
- Cuicatlán
 s *Cnemidophorus sackii australis* (by present restriction)
 s *Urosaurus bicarinatus nelsoni*
- Dondominguillo
 s *Ctenosaura multispinis*
- El Barrio
 o *Stenorrhina freminvillii apiata*
- Guichicovi
 o *Ficimia variegata* (by present restriction)
- Iztepec (= San Gerónimo)
 s *Sceloporus edwardtaylori*
- Juchitán
 t *Geoemyda rubida*
 s *Cnemidophorus lativittis*
 o *Toluca lineata acuta*
- Lachiguiri, 7,100 ft.
 s *Gaigeia dontomasi*
- La Gloria, north of Niltepec
 a *Eleutherodactylus macdougalli*
- Maquilianguis
 u *Thorius macdougalli* (Cerro de Humo)
- Mazatlán
 s *Sphaerodactylus glaucus torquatus*
- Mixtequila
 o *Tantilla depressa*
 o *Tantilla striata*
- Niltapéc
 s *Ficimia ramirez* (1 league north)
- Oaxaca
 s *Barisia gadovii levigata* (valley of)
 s *Barisia viridiflava* (by restriction)
 s *Cnemidophorus sackii bocourti* (by present restriction)
 s *Eumeces brevirostris* (by present restriction)
 s *Gerrhonotus bocourti* (by present restriction)
 s *Gerrhonotus obscurus* (by present restriction)
 o *Crotalus basiliscus oaxacus*
- Pluma Hidalgo
 o *Geophis sallaei* (by present restriction)
- Putla
 s *Anolis nebuloides*
- Quezaltepec
 s *Anolis milleri*

Quiotepec

- o *Trimorphodon tau*

Río Astuta

- a *Plectrohyla brachycephala* (at the foot of the Sierra Madre
between the Sierra Madre and the Sierra Atrevesado)

Río Grande

- a *Ptychohyla bogerti*

San Felipe, Cerro (15 kilometers northeast of Oaxaca)

- u *Bolitoglossa mexicana* (by present restriction)

- u *Pseudoeurycea cochranae*

- u *Pseudoeurycea unguidentis*

- u *Salamandra togata* (by present restriction)

- u *Thorius narisovalis*

- u *Thorius pulmonaris*

- a *Eleutherodactylus mexicanus* (by present restriction)

- a *Hyla hazelae*

- a *Hyla robustofemora*

- a *Microbatrachylus lineatissimus* (7,000 ft.)

- a *Microbatrachylus oaxacae*

- o *Crotalus gloydi* (10,000 ft.)

- o *Thamnophis eburatus*

- o *Toluca megalodon* (summit of)

San José Manteca (5 kilometers from San Carlos Yautepetec)

- s *Gaigeia radula*

San Juan del Río

- t *Rhinoclemmys mexicana*

San Juan Guivini

- o *Toluca conica*

San Luis, Cerro (15 kilometers northeast of Oaxaca)

- u *Pseudoeurycea smithi*

- s *Sceloporus spinosus caeruleopunctatus*

San Mateo del Mar

- a *Microhyla usta gadovii*

- t *Cinosternum triliratum* (by present restriction)

- t *Kinosternon cruentatum cruentatum* (by present restriction)

- t *Kinosternum mexicanum* (by present restriction)

Santa Efigenia

- a *Hylella sumichrasti*

- a *Syrrhophus leprus*

- t *Claudius severus*

- t *Staurotypus marmoratus* (by present restriction)

Tapanatepec

- a *Bufo canaliferus* (by present restriction)

- a *Cystignathus perlaevis*

- a *Hylella platycephala*

- o *Imantodes splendidus oliveri*

- o *Micruurus nuchalis nuchalis*

- o *Tantilla rubra*

Tecpan

- u *Thorius minutissimus* (Santo Tomás)

Tehuantepec (city, and environs)

- a *Bufo lateralis*
- a *Cystignathus fragilis*
- a ***Diaglena reticulata*** (Cerro Arenal)
- a ***Eleutherodactylus avocalis*** (Tres Cruces)
- a *Rhinophryne rostratus*
- s ***Ameiva undulata undulata*** (by restriction)
- s ***Cnemidophorus deppii deppii*** (by restriction)
- s ***Cnemidophorus guttatus immutabilis*** (by present restriction)
- s *Cnemidophorus guttatus striatus* (by present restriction)
- s *Cnemidophorus microlepidopus* (by present restriction)
- s ***Enyaliosaurus quinquecarinatus*** (by restriction)
- s ***Lepidophyma smithi tehuanae*** (Cerro Arenal, 30 kilometers west of Tehuantepec)
- s *Phrynosoma spinimentum* (by present restriction)
- s *Sceloporus humeralis* (by present restriction)
- s ***Sceloporus melanorhinus melanorhinus*** (by present restriction)
- s ***Sceloporus siniferus siniferus*** (by present restriction)
- s ***Sceloporus variabilis smithi*** (Guengola Mt., 6 kilometers northwest of)
- s *Sphaerodactylus inornatus* (by present restriction)
- s ***Urosaurus bicarinatus anonymorphus***
- o ***Bothrops dunni***
- o ***Coniophanes imperialis copei*** (between Cerro Guengola and)
- o ***Conophis vittatus viduus***
- o ***Dipsas elegans***
- o ***Dryadophis melanolomus tehuanae*** (Cerro Guengola)
- o *Geagras longicaudatus* (by present restriction)
- o *Geagras redimitus*
- o ***Geophis dubius***
- o ***Geophis isthmicus***
- o ***Leptodeira mystacina*** (by present restriction)
- o ***Leptotyphlops phenops phenops***
- o ***Loxocemus sumichrasti***
- o ***Masticophis mentovarius mentovarius*** (by present restriction)
- o ***Micrurus ephippifer*** (by present restriction)
- o ***Oxybelis aeneus auratus*** (by present restriction)
- o ***Thalerophis diplotropis diplotropis***
- o ***Thamnophis ruthveni*** (3 miles northwest of)
- o ***Trimorphodon biscutatus biscutatus*** (by present restriction)
- o ***Trimorphodon major***
- o ***Tropidodipsas macdougalli***

Tlapancingo

- s ***Gerrhonotus liocephalus liocephalus*** (by present restriction)
- s *Gerrhonotus tessellatus* (by present restriction)

Totolapam

- s ***Phyllodactylus muralis***

- o *Stenorhina degenhardtii quinquefasciata* (by present restriction)
- o *Stenorhina freminvillii freminvillii* (by present restriction)
- Totontepec
 - o *Geophis anocularis*
- Ventosa, Bay
 - t *Caretta remivaga*
 - s *Gymnophthalmus sumichrasti* (by present restriction)
- Xuimygopk, between Ayutla and Cacalotepec, 8,650 ft.
 - o *Toluca amphisticha*
- Zempoaltepec, Mt.
 - s *Abronia fuscolabialis*
 - s *Sceloporus cochranae*
 - s *Sceloporus siniferus cupreus* (by present restriction)

PUEBLA

- Alchichica, Lake
 - u *Ambystoma subsalsum*
- Cacaloapam
 - o *Bothrops melanurus* (by present restriction)
 - o *Trimeresurus garciai*
- Matamoros (Izúcar)
 - a *Engystoma mexicanum* (by present restriction)
 - a *Hyla microtis*
 - a *Hylodes berkenbuschii* (by present restriction)
 - a *Tomodactylus nitidus*
 - s *Cnemidophorus mexicanus* (by present restriction)
 - s *Phrynosoma taurus*
 - o *Leptodeira splendida*
 - o *Micruroides eurydice*
 - o *Tachymenis melanocephala* (by present restriction)
 - o *Trimorphodon latifascia* (by present restriction)
- Necaxa
 - o *Lampropeltis triangulum arcifera* (by present restriction =
L. doliata arcifera)
 - o *Tantilla morgani*
- Puebla
 - a *Hyla cardenasi*
 - s *Sceloporus spinosus spinosus* (by present restriction)
 - o *Chionactis diazi*
- Río Frío, 2 miles east of
 - u *Pseudoeurycea bellii* (by present restriction)
 - u *Pseudoeurycea cephalica cephalica* (by present restriction)
- Santa Caterina
 - s *Sceloporus pictus*
- Sierra de Zacapoaxtla
 - s *Gerrhonotus deppei digueti*
- Tehuacán
 - a *Eleutherodactylus cactorum* (20 miles northwest at kilometer
226)
 - o *Salvadora intermedia richardi* (1 mile north of)
 - o *Trimorphodon forbesi* (San Diego)

Teziutlán

- o *Rhadinaea quinquelineata*

QUERÉTARO

Jalpan

- s *Lepidophyma smithi occulor*

San Juan del Río

- u *Bathysiredon dumerilii queretarensis*

QUINTANA Roo

Catmis

- o *Thamnophis arabdotus*

Cobá

- o *Thalerophis mexicanus yucatanensis*

Cozumel Island

- t *Kinosternon cruentatum consors*

- s *Anolis cozumelae*

- s *Aristelliger irregularis*

- s *Cnemidophorus deppii cozumelus*

- s *Sceloporus cozumelae*

- o *Eutaenia rutiloris*

- o *Thamnophis sauritus chalceus* (= *T. sirtalis chalceus*, by present restriction)

SAN LUIS POTOSÍ

No definite locality

- o *Leptotyphlops humilis tenuiculus*

Álvarez

- u *Chiropterotriton multidentata*

- s *Sceloporus pilsbryi*

- o *Crotalus triseriatus triseriatus* (by present restriction)

- o *Rhadinaea gaigeae*

Arroyo Sacahuite (at Palictla, 6 miles north of Tamazunchale)

- a *Rana moorei*

Charcas

- s *Sceloporus goldmani*

Chijol

- t *Terrapene goldmani*

Ciudad Maiz

- o *Oxybelis potosiensis* (38 kilometers northwest of)

Matehuala

- s *Sceloporus parvus scutulatus* (30 miles north of)

San Luis Potosí

- o *Conopsis nasus heliae*

- o *Geophis latifrontalis* (50 miles south of)

- o *Lampropeltis mexicana*

- o *Tantilla deviatrrix* (= *T. bocourti deviatrrix*)

Xilitla (vicinity of)

- s *Gerrhonotus liocephalus loweryi*

- s *Xenosaurus newmanorum*

- o *Adelphicos newmanorum* (region)

- o *Rhadinaea marcellae*
- o *Schmidtophis rubriventris*
- o *Tantilla shawi*

SINALOA

Mazatlán

- a *Bufo kelloggi* (2 miles east of)
- a *Bufo mazatlanensis* (2 miles east of)
- a *Microhyla mazatlanensis* (2 miles east of)
- t *Kinosternon hirtipes* (by present restriction)
- t *Pseudemys scripta ornata*
- s *Anolis nebulosus* (by present restriction)
- s *Anolis utowanae* (10 miles north of)
- s *Callisaurus draconoides bogerti* (Los Chivos Island in port of)
- s *Ctenosaura teres brachylopha*
- s *Holbrookia maculata elegans*
- o *Leptodeira personata*
- o *Leptodeira punctata* (by present restriction)
- o *Leptognathus albocinctus* (by present restriction)
- o *Sphenocalamus lineolatus*
- o *Tantilla bimaculata*
- o *Trimorphodon paucimaculata*
- o *Tropidodipsas philippii*
- o *Tropidonotus quadrirufus*

Plomosas

- s *Sceloporus nelsoni*
- o *Crotalus stejnegeri*

Presidio de Mazatlán

- a *Diaglena spatulata*
- a *Hypopachus oxyrrhinus*
- a *Pternohyla fodiens*
- a *Rana forreri*
- t *Geoemyda pulcherrima pulcherrima* (by present restriction)
- s *Eumeces humilis*
- s *Sceloporus clarkii boulengeri*
- s *Uta lateralis* (by restriction)
- o *Coluber striolatus* (by present restriction)
- o *Gyalopion quadrangulare*
- o *Masticophis flagellum lineatus* (by present restriction)

Rosario

- o *Drymarchon corais rubidus*

San Blas

- o *Salvadora hexalepis celeris*

SONORA

No definite locality

- s *Phrynosoma ditmarsi* (not far from Arizona boundary)

Mainland localities

Álamos

- s *Eumeces parviauriculatus*

o *Leptodeira ephippiata* (Agua Marín, 8.3 miles west-northwest of)

o *Phyllorhynchus browni fortitus*

El Tigre Mountains

s *Sceloporus undulatus virgatus* (Santa María Mine, in)

Guaymas

t *Sphargis coriacea schlegelii* (by present restriction)

s *Cnemidophorus burti* (La Posa, 10 miles northwest of)

s *Holbrookia maculata thermophila*

s *Uta gularis*

s *Uta taylori* (10 miles northwest of)

o *Caudisona atrox sonoraensis* (by present restriction)

o *Chilomeniscus cinctus*

o *Gyalopion desertorum* (12 kilometers northwest of)

o *Masticophis bilineatus* (by present restriction)

o *Micruroides euryxanthus* (by present restriction)

o *Tantilla hobartsmithi* (10 miles northwest of)

o *Trimorphodon lambda*

Guirocoba, 18 miles southeast of Álamos, 1,485 ft.

t *Pseudemys scripta hiltoni*

t *Terrapene krauberi*

s *Callisaurus draconoides brevipes*

o *Pseudoficimia hiltoni*

Hermosillo

s *Cnemidophorus tigris aethiops*

s *Coleonyx variegatus sonoriensis* (5 miles southeast of)

s *Dipsosaurus dorsalis sonoriensis*

s *Phyllodactylus homolepidurus* (5 miles southwest of)

Llano (between Nogales and Hermosillo)

t *Kinosternon flavescens stejnegeri*

Los Nogales

s *Phrynosoma bufonium* (by present restriction)

s *Urosaurus ornatus linearis*

Puerto Libertad

s *Phrynosoma platyrhinos goodei* (by present restriction)

Santa Magdalena

s *Urosaurus ornatus schottii*

o *Chionactis occipitalis palarostris* (5 miles south of)

o *Diadophis regalis regalis* (by present restriction)

Tepoca Bay

s *Uma notata cowlesi* (shores of)

Zuñi

s *Phrynosoma regale* (Sierra de la Nariz, near)

San Estéban

s *Cnemidophorus estebanensis*

s *Ctenosaura conspicuosa*

s *Sauromalus varius*

San Pedro Martir

s *Cnemidophorus tigris martyris*

s *Uta palmeri*

San Pedro Nolasco

- s *Cnemidophorus bacatus*
- s *Uta nolascensis*

Tiburón

- s *Callisaurus draconoides inusitatus*
- s *Cnemidophorus disparilis*
- s *Cnemidophorus punctilineatus*
- s *Crotaphytus dickersonae*
- s *Sauromalus obesus townsendi*

TABASCO

No definite locality

- t *Cinosternum berendtianum*
- t *Claudius agassizii* (by present restriction)
- t *Claudius angustatus*
- t *Claudius megalocephalus* (by present restriction)
- s *Laemantus deborrei*
- o *Dipsas maxillaris*

San Juan Bautista

- o *Scolecophis scytalinus*

Teapa

- s *Sceloporus teapensis*
- o *Bothrops nummifer nummifer*

Tenosique

- o *Pliocercus elapoides laticollaris* (= *P. laticollaris*)

TAMAULIPAS

No definite locality

- a *Bufo debilis* (lower part of the Río Grande del Norte)
- s *Holbrookia maculata approximans* (lower Río Grande)

Antiguo Morelos

- o *Micrurus fitzingeri microgalbineus* (7 kilometers south of)

La Clementina, Hacienda, near Forlón

- o *Hypsilema dunklei*

Marmolejo

- s *Eumeces dicei*

Matamoros

- u *Diemictylus meridionalis* (by restriction)
- a *Scaphiopus couchii* (by restriction)
- s *Eumeces tetragrammus* (by restriction)
- s *Eumeces tetragrammus funebrosus*
- o *Coniophanes imperialis imperialis*
- o *Lampropeltis triangulum annulata* (= *L. doliata annulata*)
- o *Zamenis conirostris*

Mier

- o *Hypsilema ochrorhynchus texana* (by present restriction)

Miquihuana

- a *Eleutherodactylus batrachylus*
- o *Lampropeltis thayeri*

Tampico

- u *Diemictylus kallerti*
- t *Terrapene mexicana mexicana* (by restriction)
- s *Ctenosaura acanthura* (by restriction)
- s *Cyclura shawii* (by restriction)
- s *Cyclura teres*
- s *Iguana (Ctenosaura) armata* (by present restriction)
- s *Iguana (Ctenosaura) bellii* (by present restriction)
- s *Iguana (Ctenosaura) lanceolata* (by present restriction)
- o *Glaphyrophis lateralis*
- o *Leptotyphlops myopicus myopicus* (Savineto)
- o *Natrix rhombifera blanchardi*
- c *Crocodilus biscutatus* (by present restriction)
- c *Crocodilus mexicanus*

Victoria, Ciudad

- s *Ameiva undulata podarga* (7 miles west of)
- o *Pliocercus elapoides celatus*

Villagrán

- o *Agkistrodon bilineatus taylori* (21 kilometers north west of)

TLAXCALA

Huamantla

- o *Crotalus scutulatus salvini*

VERACRUZ

No exact locality

- s *Anolis cymbops*
- o *Rhabdosoma guttulatum*

Acultzingo

- u *Thorius dubitus* (2 miles west of)
- u *Thorius troglodytes* (2 miles west of)
- a *Hyla arborescens* (3 miles west of)
- a *Hyla bistincta* (Lake San Bernardino, by present restriction)
- a *Hyla forbesi* (3 miles west of)
- s *Sceloporus formosus formosus* (by present restriction)
- s *Sceloporus mucronatus aureolus* (2 miles west of)
- o *Geophis blanchardi* (2 miles west of)
- o *Toluca lineata varians* (by present restriction)

Alvarado

- t *Dermatemys mawii* (by present restriction)
- t *Emys callirostris* (by present restriction)
- t *Limnochelone micrura* (by present restriction)
- t *Pseudemys scripta cataspila* (by present restriction)
- t *Staurotypus triporcatus*

Atoyac

- a *Eleutherodactylus alfredi*
- o *Phrynonax guentheri*

Cabo Rojo, near Panaco Island

- o *Crotalus durissus totonacus*

Cascajal, Upper Uzpanapa River

- s *Anolis barkeri*

Castillo de Teayo

- o *Coniophanes fissidens convergens* (6 miles northwest of)
- Cerro Gordo
- s *Gerrhonotus lemniscatus* (by present restriction)

Córdoba

- a *Agalychnis callidryas*
- a *Hyla euphorbiacea* (by present restriction)
- a *Hylodes sallaei* (by present restriction)
- a *Microbatrachylus albolabris* (2 miles west of)
- a *Microhyla elegans*
- a *Smilisca baudinii baudinii* (by present restriction)
- a *Smilisca dawlinia* (by present restriction)
- s *Iguana iguana rhinolopha* (by present restriction)
- s *Leilopisma silvicolum* (San Lorenzo, 10 miles southeast of)
- s *Xenosaurus grandis*
- o *Boa diviniloquax mexicana* (by present restriction)
- o *Constrictor constrictor imperator* (by present restriction)
- o *Drymobius margaritiferus margaritiferus* (by present restriction)
- o *Geophis semidoliatus* (by present restriction)
- o *Micrurus affinis affinis* (by present restriction)
- o *Pseustes poecilonotus argus* (by present restriction)
- o *Stenorrhina degenhardtii mexicana* (by present restriction)
- o *Thamnophis phenax phenax*
- o *Typhlops praelongus*

Cosamaloapam

- a *Acrodytes spilomma*
- t *Cinosternon effeldtii* (by present restriction)
- t *Kinosternon acutum* (by present restriction)
- t *Kinosternon leucostomum* (by present restriction)
- t *Swanka maculata* (by present restriction)

Cruz Blanca

- u *Spelerpes laticeps* (by present restriction)
- s *Sceloporus aeneus bicanthalis*
- s *Sceloporus dispar* (by present restriction)

Cuatotlapam

- g *Dermophis mexicanus mexicanus* (by present restriction)

Cuautlapan

- u *Pseudoeurycea nigromaculata*
- a *Eleutherodactylus natator*
- a *Eleutherodactylus spatulatus*
- a *Hyla dendroscarta*
- o *Chersodromus liebmanni* (by present restriction)
- o *Chersodromus nigricans* (by present restriction)
- o *Dirosoma collare* (by present restriction)
- o *Rhadinella schistosa*
- o *Tantilla phrenitica*
- o *Scaphiodontophis cyclurus*

Encero

- s *Sceloporus serrifer plioporus* (4 miles east of)

Huatusco

- a *Syrrhophus verruculatus*
- s *Anolis lemurinus bourgaei* (by present restriction)
- s *Anolis tropidonotus*
- s *Xenosaurus fasciatus*
- o *Homalocranium boulengeri*
- o *Opisthiodon torquatus*

Jalapa

- u *Bolitoglossa platydactyla* (by present restriction)
 - u *Parvimolge townsendi* (Cerro de los Estropajos, near)
 - u *Pseudoeurycea gigantea*
 - a *Bufo cristatus*
 - a *Bufo occipitalis* (by present restriction)
 - a *Eleutherodactylus decoratus* (Banderilla, 6 miles west of)
 - a *Eleutherodactylus dunni* (Cerro de los Estropajos, near)
 - a *Eleutherodactylus venustus*
 - a *Hyla miotympanum* (by present restriction)
 - a *Hyla nigropunctata*
 - a *Hyla picta*
 - a *Hyla taeniopus*
 - a *Hylodes plicatus*
 - a *Syrrhophus mystaceus* (Cerro de los Estropajos, near)
 - s *Anelytropsis papillosus*
 - s *Anolis laeviventris* (by present restriction)
 - s *Anolis sallaei* (by present restriction)
 - s *Anolis sericeus* (El Encero de)
 - s *Anolis wiegmanni* (by present restriction)
 - s *Celestus enneagrammus*
 - s *Corythophanes chamaeleopsis* (by present restriction)
 - s *Corythophanes hernandezii* (by present restriction)
 - s *Corythophanes mexicanus* (by present restriction)
 - s *Eumeces lynxe furcirostris*
 - s *Laemancus longipes*
 - s *Sceloporus jalapae*
 - s *Sceloporus malachiticus salvini* (by restriction)
 - o *Coniophanes fissidens proterops*
 - o *Crotalus durissus durissus* (by present restriction)
 - o *Elapochrouus deppei* (by present restriction)
 - o *Geophis fuscus*
 - o *Lampropeltis triangulum polyzona* (Cuatupe, near)
(= *L. doliata polyzona*)
 - o *Leptodeira frenata*
 - o *Leptodeira maculata* (5 miles east of, by present restriction)
 - o *Liophis tricinctus* (by present restriction)
 - o *Micrurus elegans elegans* (by present restriction)
 - o *Pituophis deppei lineaticollis*
 - o *Pliocercus elapoides elapoides*
 - o *Thamnophis scalaris scalaris*
- Jicaltepec
- o *Adelphicos quadrivirgatus quadrivirgatus* (by present restriction)

- o *Adelphicos quadrivirgatus acutirostrum* (by present restriction)
- o *Coluber sibon* (by present restriction)
- o ***Sibon nebulatus*** (by present restriction)
- o ***Storeria dekayi temporalis*** (San Rafael)

Jico (Xico)

- a *Hyla proboscidea* (2 miles west of) (= ***Hyla dalquesti***)

La Joya

- u ***Chiropterotriton lavae*** (2 miles west of)

La Laja

- t ***Kinosternon herrerai***

Metlac

- u ***Oedipina lineola*** (by present restriction)
- u *Spelerves infuscatus* (by present restriction)

Mirador

- u ***Chiropterotriton chiroptera***
- a *Hyla gracilipes*
- a *Hyla muricolor*
- s *Sceloporus heterurus*
- s ***Sceloporus mucronatus mucronatus***
- s *Sceloporus viviparus*
- o ***Bothrops nummifer veraecrucis***
- o *Coluber novae hispaniae* (by present restriction)
- o *Galedon annularis* (by present restriction)
- o ***Imantodes cenchoa leucomelas***
- o *Leptognathus dumerili* (by present restriction)
- o *Spilotes pullatus auribundus*
- o ***Spilotes pullatus mexicanus*** (by present restriction)
- o *Spilotes variabilis* (by present restriction)
- o ***Tantilla miniata***
- o ***Tropidodipsas sartorii sartorii***

Misantla

- a *Hyla godmani* (by present restriction)

Orizaba

- u ***Bolitoglossa rufescens***
- u ***Pseudoeurycea leprosa***
- u *Spelerves gibbicaudus*
- u *Spelerves orizabensis* (Mount)
- u ***Thorius pennatus***
- a ***Eleutherodactylus beatae*** (La Perla, near)
- a ***Eleutherodactylus rhodopis*** (by restriction)
- a ***Hyla staufferi***
- s ***Abronia taeniata graminea***
- s ***Barisia antauges***
- s ***Barisia modesta*** (by present restriction)
- s ***Corythophanes cristatus*** (by present restriction)
- s *Diploglossus chalybeus*
- s ***Gerrhonotus liocephalus ophiurus***
- s ***Laemancus serratus*** (Valley of)
- s ***Leilopisma gemmingeri***
- s ***Phrynosoma orbiculare cortezii*** (Hacienda del Jasmin, between Córdoba and)

- o *Bothrops undulatus* (by present restriction)
- o *Drymarchon corais orizabensis*
- o *Elaps corallinus crebripunctatus* (by present restriction) *
- o *Ficimia olivacea* (by present restriction)
- o *Leptodeira annulata taylori*
- o *Ninia diademata diademata*
- o *Rhadinaea fulvivittis* (Alpine region of)
- o *Rhadinaea vittata* (by present restriction)
- o *Storeria dekayi anomala*
- o *Streptophorus bifasciatus* (by present restriction)
- o *Thamnophis chryscephalus*
- o *Thamnophis sumichrasti sumichrasti*
- o *Typhlops basimaculatus* (by present restriction)
- o *Typhlops perditus*
- Pan de Olla (south of Tezuitlán)
 - a *Hyla pachyderma*
 - o *Toluca lineata wetmorei*
- Perez
 - s *Cnemidophorus deppii oligoporus*
- Potrero Viejo
 - a *Hyla rickardsi*
 - a *Leptodactylus labialis* (by present restriction)
 - a *Syrrhophus cystignathoides*
 - s *Eumeces sumichrasti* (by restriction)
 - s *Leiolopisma cherriei stuarti*
 - o *Coniophanes imperialis clavatus* (by present restriction)
 - o *Oxyrhopus baileyi*
 - o *Rhadinaea decorata* (by present restriction)
 - o *Scaphiodontophis notthus*
 - o *Thalerophis mexicanus mexicanus* (by present restriction) *
- Puerto México
 - a *Bufo eiteli*
 - o *Calopisma quinquevittatum mexicana* (by present restriction)
 - o *Hydrops lubricus* (by present restriction)
- Rodríguez Clara
 - a *Microbatrachylus pygmaeus*
 - o *Liophis varia* (by present restriction)
- San Andrés Tuxtla
 - s *Ameiva undulata amphigrama*
 - o *Coniophanes fissidens fissidens* (by present restriction)
- San José Acateno
 - o *Geophis longiceps*
- San Lorenzo
 - o *Ficimia publia taylori*
- Tecolutla
 - s *Holbrookia propinqua piperata* (2 miles south of)

* No specimens are definitely known from the state of Puebla.

* *Leptophis mexicanus mexicanus* Smith and Taylor, Bull. U. S. Nat. Mus., no. 187, 1945, p. 91.

Tequeyutepec (7 miles west of Jalapa)

- a *Eleutherodactylus dorsocolor*
- o *Rhadinaea forbesi*

Totalco

- u *Pseudoeurycea melanomolga* (20 kilometers north of)
- s *Sceloporus megalepidurus*
- o *Crotalus glodyi laetus*
- o *Sistrurus rarus* (by present restriction)
- o *Thamnophis eques eques* (by present restriction)

Tuxpan

- o *Pliocercus bicolor*

Tuxpango (near Orizaba)

- o *Trimorphodon collaris*

Veracruz

- a *Bufo marmoreus*
- a *Bufo horribilis*
- a *Bufo trachypus* (by present restriction)
- a *Bufo valliceps* (by present restriction)
- a *Rana pipiens austricola* (by restriction)
- a *Rhinophryne dorsalis*
- t *Emys berardii*
- s *Anolis jacobi* (by present restriction)
- s *Basiliscus vittatus* (by present restriction)
- s *Cnemidophorus guttatus guttatus* Wiegmann (by present restriction)
- s *Ctenosaura cycloroides* (by present restriction)
- s *Cyclura denticulata* (by present restriction)
- s *Cyclura semicristata* (by present restriction)
- s *Sceloporus variabilis variabilis* (by present restriction)
- o *Conophis lineatus lineatus* (by present restriction)
- o *Ninia sebae sebae* (by present restriction)
- o *Streptophorus sebae collaris* (by present restriction)
- c *Crocodilus americanus* (by present restriction)

Xometla (8,500 ft., Mt. Orizaba)

- u *Pseudoeurycea gadovii*

Zacuapán

- o *Dryadophis melanolomus veraecrucis*
- o *Eudryas boddarti mexicanus*

YUCATÁN

No specific locality

- u *Bolitoglossa yucatana*
- a *Eleutherodactylus laticeps*

Chichen Itzá

- a *Triprion petasatus* (by present restriction)
- t *Kinosternon creaseri* (1 mile south of Hacienda)
- t *Terrapene mexicana yucatana* (by present restriction)
- s *Anolis aureolus* (by present restriction)
- s *Anolis beckeri* (by present restriction)
- s *Cnemidophorus sackii angusticeps* (by present restriction)

- s *Enyaliosaurus defensor* (by present restriction)
- s *Leioploisma cherriei ixbaac*
- s *Norops yucatanicus*
- s *Sceloporus chrysostictus* (by present restriction)
- s *Thecadactylus rapicaudus* (by present restriction)
- o *Bothrops yucatanicus*
- o *Cochliophagus tornieri* (by present restriction)
- o *Coniophanes schmidti*
- o *Conophis lineatus concolor* (by present restriction)
- o *Dipsadomorus fasciatus* (by present restriction)
- o *Dipsas brevifacies* (by present restriction)
- o *Dipsas sanniolus* (by present restriction)
- o *Dryadophis melanolumus melanolumus* (by present restriction)
- o *Drymarchon corais melanocercus* (by present restriction)
- o *Drymarchon corais melanurus* (by present restriction)
- o *Elaphe flavirufa flavirufa* (by present restriction)
- o *Ficimia ornata* (by present restriction)
- o *Ficimia publia* (by present restriction)
- o *Geophis multitorques yucatanicus*
- o *Imantodes splendidus splendidus* (by present restriction)
- o *Imantodes tenuissimus* (by present restriction)
- o *Lampropeltis triangulum blanchardi* (= *L. doliata blanchardi*)
- o *Leptodeira yucatanensis yucatanensis* (by present restriction)
- o *Leptognathus leucostomus* (by present restriction)
- o *Leptognathus subannulatus* (by present restriction)
- o *Leptognathus torquatus* (by present restriction)
- o *Micrurus affinis mayensis*
- o *Ninia sebae morleyi*
- o *Oxybelis fulgidus* (by present restriction)
- o *Pliocercus elapoides schmidti*
- o *Tantilla canula* (by present restriction)
- o *Tropidodipsas fasciata* (by present restriction)
- o *Typhlops microstomus* (by present restriction)
- Citilpech
 - s *Anolis acutirostris*
- Dzitás
 - o *Opheodrys mayae*
- Libre Unión
 - o *Pliocercus andrewsi*
- Mérida
 - s *Anolis kidderi*
 - s *Laemancus alticoronatus*
 - s *Sceloporus lundelli gaigeae*
 - s *Sceloporus serrifer serrifer* (by present restriction)
 - s *Sphaerodactylus glaucus glaucus*
 - o *Coniophanes meridianus*
 - o *Tantilla cuniculator*

Progreso

- s *Ameiva undulata gaigeae*
- s *Hemidactylus exsul*

ZACATECAS

Hacienda El Florencia

- a *Eleutherodactylus occidentalis*

La Colorada

- o *Crotalus molossus nigrescens* (4 miles west of)

Valparaiso Mts.

- s *Sceloporus jarrovii minor* (by present restriction)

UNITED STATES

ARIZONA

Apache County

Springerville, 11 miles south of

- a *Hyla wrightorum*

Cochise County

Chiricahua Mts.

- s *Urosaurus ornatus chiricahuae* (Pinery Canyon)

Fairbank

- s *Cnemidophorus arizonae*

Huachuca Mts.

- s *Holbrookia maculata pulchra* (Carr Canyon, 5,200 ft.)

- s *Sceloporus jarrovii jarrovii* (by present restriction)

- s *Sceloporus scalaris slevini* (Miller Peak)

- o *Crotalus lepidus klauberi* (Carr Canyon)

- o *Crotalus triseriatus pricei* (= *C. pricei pricei*)

- o *Crotalus willardi* (Ramsey Canyon; by present restriction)

- o *Tantilla wilcoxi wilcoxi* (Fort Huachuca)

Coconino County

Painted Desert, Little Colorado River

- s *Crotaphytus collaris baileyi*

Gila County

Tonto Creek, 6,000 ft.

- o *Thamnophis rufipunctatus*

Graham County

Camp Grant

- o *Bascanium semilineatus* (by present restriction)

- o *Masticophis flagellum piceus*

Gila Mts.

- s *Sauromalus obesus tumidus* (Telegraph)

Maricopa County

Wickenburg

- o *Crotalus scutulatus scutulatus* (by present restriction)

Mohave County

Fort Mojave, between Fort Yuma and, along the Colorado River
near 35° N.

- a *Bufo frontosus*

- Navajo County
 Winslow, 10 miles east of
 o *Arizona elegans philipi*
- Pima County
 Fort Buchanan (4 miles south of Tucson)
 o *Gyalopion canum*
 o *Hypsilegra chlorophaea*
 Indian Oasis, 27 miles west of
 o *Lampropeltis getulus yumensis*
 Santa Catalina Mts.
 o *Diadophis regalis arizonae* (Sabino Canyon)
- Sasabe
 o *Crotalus tigris*
 Sierra de Morena (= Sierra de la Union, 10 miles southwest of San Miguel)
 s *Heloderma suspectum*
- Tucson
 t *Cinosternum punctatum* (by present restriction)
 t *Kinosternon sonoriense*
 s *Callisaurus draconoides ventralis* (by present restriction)
 o *Diadophis regalis laetus* (by restriction)
 o *Phyllorhynchus browni browni*
 o *Pituophis catenifer rutilis*
 o *Thamnophis macrostemma megalops* (= *T. subcarinatus megalops*) (by present restriction)
- Xavier
 s *Coleonyx variegatus bogerti*
 o *Phyllorhynchus decurtatus nubilis* (Weisner's Ranch)
- Santa Cruz County
 Calabasas Canyon (4 miles north of Mexican border, south of Calabasas)
 o *Oxybelis microphthalmus*
- Santa Rita Mts.*
 a *Hyla affinis*
 a *Hyla arenicolor* (by present restriction)
 s *Sceloporus clarki clarki* (by present restriction)
 o *Lampropeltis getulus splendida* (by present restriction)
 o *Salvadora grahamiae* (by present restriction)
 o *Sonora semiannulata semiannulata* (by restriction)
- Yavapai County
 Canyon Prieto
 o *Crotalus mitchellii pyrrhus*
- Fort Whipple
 o *Lampropeltis pyromelana*
 o *Salvadora hexalepis hexalepis*
 o *Sonora semiannulata isoazona*

* While the type localities of all forms listed for this locality were originally stated as "Sonora," with little doubt the specimens actually were secured in the part of Arizona that was only long ago part of Sonora. Stickel (Proc. Biol. Soc. Wash., vol. 56, 1943, p. 120) provides reasonable evidence for justification of his restriction of the type locality of *Sonora s. semiannulata* to the vicinity of the Santa Rita Mountains. We believe it equally reasonable to so restrict the other names here cited.

Yuma County

Yuma

- a *Bufo alvarius* (by present restriction)
- s *Cnemidophorus gracilis* (by present restriction)
- s *Cnemidophorus melanostethus* (by present restriction)
- s *Phrynosoma solare* (by present restriction)
- s *Sceloporus magister magister* (Fort Yuma)
- s *Uma notata notata* (by present restriction)
- s *Uma rufopunctata*

ARKANSAS

No specific locality

- o *Elaphe laeta laeta* (Red River)
- o *Thamnophis marciana* (Red River)

Lawrence County

Imboden

- u *Siren intermedia nettingi*

CALIFORNIA

No specific locality

- s *Crotaphytus gambelii*
- s *Eumeces skiltonianus amblygrammus* (Fort Humboldt)
- o *Masticophis lateralis*

El Dorado County

No specific locality

- o *Lampropeltis getulus boylii*

Fresno County

Fort Miller

- s *Cnemidophorus tigris mundus*
- s *Cnemidophorus undulatus*

Fresno

- o *Tantilla eiseni eiseni*

Imperial County

Holtville

- o *Chionactis occipitalis annulatus* (by present restriction)

Seeley

- o *Sonora semiannulata linearis*

Winterhaven (= Fort Yuma, Camp Yuma)

- s *Coleonyx variegatus variegatus*
- s *Dipsosaurus dorsalis dorsalis*
- s *Phrynosoma m'callii* (between Vallecita and)
- s *Sauromalus obesus obesus*
- s *Urosaurus graciosus*
- s *Urosaurus ornatus symmetricus*

Inyo County

Death Valley

- s *Anota calidiarum*

Kern County

El Paso Creek

- s *Sceloporus occidentalis biseriatus* (borders of, by present restriction)

- Fort Mohave, Mountains near
t *Gopherus agassizii*
- Fort Tejon
u *Ensatina croceater*
s *Xantusia vigilis*
- Randsburg
o *Lichanura roseofusca gracia*
- Tehachapi Mountains
s *Eumeces gilberti rubricaudata*
- Los Angeles County
Pasadena, Arroyo Seco Canyon
s *Uta stansburiana hesperis*
- Monterey County
Monterey
u *Aneides lugubris lugubris*
- Orange County
Lower Coyote Creek, near Alamitos
t *Clemmys marmorata pallida*
- San Benito County
Bear Valley
s *Phrynosoma coronatum frontale*
- San Bernardino County
Mojave River
s *Eumeces quadrilineatus* (by present restriction)
- San Diego County
Boulder Creek
u *Taricha klauberi*
- Coast Range, summit of
s *Sceloporus graciosus vandenburgianus*
s *Streptosaurus mearnsi* (at boundary of United States and Mexico)
- Deerhorn Flat
o *Salvadora hexalepis virgulnea*
- Dry Lake, Bensons
o *Arizona elegans eburnata*
o *Phyllorhynchus decurtatus perkinsi*
- Dulzura
o *Crotalus ruber* (by present restriction)
- La Jolla
o *Arizona elegans occidentalis*
- Milquatay Valley
s *Sceloporus orcutti orcutti*
- Mountain Spring, Colorado Desert
o *Bascanion flagellum frenatum*
- Narrows, The
o *Crotalus cerastes laterorepens*
o *Rhinocheilus antonii clarus* (Borego Valley, 2 miles north of)
- Poway
s *Xantusia picta* (by present restriction)

Proctor Valley, between Jamul and Upper Otay Reservoir

s *Coleonyx variegatus abbotti*

San Diego

s *Anniella pulchra pulchra* (by present restriction)

s *Anniella texana* (by present restriction)

s *Elgaria multicarinata webbii* (by restriction)

s *Phrynosoma coronatum blainvillii* (by present restriction)

o *Coronella multifasciata* (by present restriction)

o *Diadophis amabilis similis*

o *Lampropeltis californiae* (= *Lampropeltis getulus californiae*) (by present restriction)

o *Pituophis catenifer annexens*

o *Rhinocheilus lecontei lecontei*

o *Thamnophis hammondii* (= *T. elegans hammondii*) (by restriction)

Vallecito, 35 miles west of

o *Leptotyphlops humilis humilis* (by present restriction)

Wildwood Ranch, 1,520 ft. (5 miles southwest of Ramona)

o *Trimorphodon vandenburgi*

Witch Creek, 2,700 ft.

s *Xantusia henshawi*

Yaqui Well

o *Leptotyphlops humilis cahuilae*

o *Tantilla eiseni transmontanus* (1 mile east of)

San Francisco County

San Francisco

a *Rana aurora draytoni* (by present restriction)

Santa Barbara County

Santa Barbara

o *Lampropeltis zonata zonata*

Shasta County

Fort Reading (near Redding)

a *Scaphiopus hammondii*

Solano County

Benicia

a *Bufo boreas halophilus*

Ventura County

Santa Paula, 800 ft.

a *Bufo californicus*

COLORADO

Fremont County

Beaver Creek

s *Cnemidophorus tesselatus*

Larimer County

Cow Creek

s *Eumeces multivirgatus*

Prowers County

Arkansas River

a *Bufo cognatus*

Pueblo County
Pueblo
o *Masticophis flagellum testaceus* (by present restriction)

FLORIDA

Monroe County
Key West
t *Lepidochelys kempii* (by present restriction)

INDIANA

Posey County
New Harmony, Fox River at
t *Pseudemys scripta elegans*

IOWA

Pottawatomie County
Council Bluffs
t *Terrapene ornata* (by present restriction)

KANSAS

Cowley County
Winfield
o *Sistrurus catenatus tergeminus* (by present restriction)
Geary County
Fort Riley
a *Microhyla olivacea* (by present restriction)
s *Phrynosoma cornutum* (by present restriction)
s *Phrynosoma harlanii* (by present restriction)
Riley County
Manhattan
t *Chrysemys picta bellii* (by present restriction)

LOUISIANA

Orleans Parish
New Orleans
t *Chelydra serpentina* (by present restriction)

MISSOURI

Cape Girardeau County
Cape Girardeau, below, on Mississippi River
s *Leiolopisma laterale*
Jasper County
Carthage
o *Pituophis catenifer sayi* (by present restriction)

MONTANA

Chouteau County
Fort Benton
a *Bufo dipternus* (by present restriction)

NEBRASKA

Boyd County
Gross
o *Crotalus viridis viridis* (by present restriction)

Washington County

- Boyers River, stone quarry on west side of Missouri River three miles above the mouth of
- o *Thamnophis sauritus proximus* (= *T. sirtalis proximus*)
 - o *Thamnophis sirtalis parietalis* (= *T. ordinatus parietalis*)

NEW JERSEY

Gloucester County

- Raccoon
a *Rana pipiens*

NEW MEXICO

No definite locality

- u *Siredon harlanii* (Spring Lake)
- t *Cinosternum henrici*

Dona Ana County

- Jornada del Muerto
s *Crotaphytus fasciatus*
s *Lamprosaurus guttulatus*

Valley, 20 miles northeast of Fort Cummings

- s *Holbrookia maculata flavilenta*

Las Cruces

- s *Phrynosoma modestum* (by present restriction)

Grant County

- Fort Webster
s *Elgaria kingii nobilis* (Copper mines of the Gila)
o *Crotalus molossus molossus* (Santa Rita del Cobre)

McKinley County

- Zuñi
o *Pituophis catenifer affinis*

Otero County

- Alamogordo
s *Uta stansburiana stejnegeri* (mouth of dry canyon)

San Juan County

- Pueblo Bonito
s *Cnemidophorus gularis velox* (by present restriction)

Shiprock

- o *Masticophis taeniatus taeniatus* (by present restriction)

Santa Fe County

- Santa Fe
s *Gambelia wislizenii wislizenii*
s *Phrynosoma douglassii hernandezii* (by present restriction)

Sierra County

- Lake Valley
o *Leptotyphlops myopicus dissectus*

NEW YORK

Albany County

- Albany
a *Acris crepitans* (by present restriction)

OKLAHOMA

- Beckham County
 Suydam Creek
 s *Sceloporus undulatus consobrinus* (junction with north fork of Red River)
- Garvin County
 Maysville
 o *Psammophis flavigularis* (by present restriction)
- Tulsa County
 Tulsa
 o *Natrix erythrogaster transversa* (by present restriction)
 o *Natrix rhombifera rhombifera* (by present restriction)

OREGON

- Wasco County
 The Dalles
 s *Eumeces skiltonianus* (by present restriction)
 o *Crotalus viridis oreganus* (by present restriction)

SOUTH CAROLINA

- Charleston County
 Charleston
 a *Rana catesbeiana* (by present restriction)
 t *Testudo cephalo* (by present restriction)
 t *Testudo viridis* (by present restriction)
 s *Cnemidophorus sexlineatus* (by present restriction)
 o *Opheodrys aestivus* (vicinity of; by present restriction)

TENNESSEE

- Hardeman County
 Boliver, 10 miles northeast of
 o *Agkistrodon piscivorus leucostomus* (by restriction)

TEXAS

- Aransas County
 Rockport
 t *Malaclemys terrapin littoralis*
- Atascosa County
 Pleasanton, 9 miles east of
 o *Tantilla kirnia*
 o *Tantilla nigriciceps fumiceps* (by restriction)
- Somerset, 9 miles southwest of
 s *Holbrookia propinqua* (by present restriction)
- Bexar County
 Helotes
 a *Eleutherodactylus latrans*
 s *Coleonyx brevis*
 s *Eumeces brevilineatus*
- San Antonio
 u *Ambystoma tigrinum proserpine* (Salado River, 4 miles east of)
 a *Bufo nebulifer* (by present restriction)

- t *Pseudemys floridana texana*
- s *Sceloporus variabilis marmoratus*
- Brewster County
 - Boquillas, on Rio Grande River
 - t *Pseudemys scripta gaigeae*
 - Chalk Draw
 - o *Leptotyphlops humilis segregus*
 - Chisos Mts.
 - s *Sceloporus merriami annulatus* (east slope of)
 - o *Agkistrodon mokeson pictigaster* (= *A. contortrix pictigaster*) (Maple Canyon, 5,200 ft.)
 - o *Diadophis regalis blanchardi* (the Basin)
 - o *Salvadora hexalepis deserticola* (Government Spring)
 - o *Sonora semiannulata blanchardi* (northern slopes of)
- Calhoun County
 - Indianola
 - o *Crotalus atrox*
- Cameron County
 - Brownsville
 - a *Bufo compactilis speciosus* (by present restriction)
 - a *Hyla vanvlietii*
 - a *Syrrhophus campi*
 - t *Amyda emoryi* (Rio Grande River)
 - t *Gopherus berlandieri* (by present restriction)
 - s *Cnemidophorus guttatus* Hallowell (by present restriction)
 - s *Cnemidophorus sackii gularis* (by present restriction)
 - o *Coluber constrictor stejnegerianus* (by present restriction)
 - o *Heterodon nasicus kennerlyi* (by present restriction)
 - o *Leptodeira annulata septentrionalis* (by present restriction)
 - o *Masticophis taeniatus ruthveni*
- Comal County
 - New Braunfels
 - s *Holbrookia texana*
 - o *Micruurus fulvius tenere* (by present restriction)
- Comanche County
 - Comanche
 - o *Leptotyphlops dulcis* (by present restriction)
- Duval County
 - San Diego
 - a *Hypopachus cuneus cuneus*
 - s *Cnemidophorus gularis sericeus*
 - s *Lysoptychus (Sceloporus) lateralis*
 - o *Sonora taylori* (by present restriction)
- El Paso County
 - El Paso
 - a *Hyla copii*
 - s *Cnemidophorus marmoratus* (by present restriction)
 - s *Phrynosoma planiceps* (by present restriction)

- Fort Bliss
 - o *Tantilla nigriceps nigriceps* (by present restriction)
- Erath County
 - No definite locality
 - s *Holbrookia maculata lacerata* (by present restriction)
- Hidalgo County
 - Hidalgo
 - s *Sceloporus grammicus disparilis* (Lomita Ranch, 6 miles north of)
- Jeff Davis County
 - Davis Mountains
 - o *Elaphe sclerotica*
 - o *Elaphe subocularis*
 - o *Lampropeltis alterna*
- Fort Davis
 - s *Cnemidophorus grahami* (by present restriction)
 - s *Urosaurus ornatus schmidti*
 - o *Coluber taeniatus girardi* (by present restriction)
 - o *Elaphe bairdi*
 - o *Masticophis taeniatus ornatus* (by present restriction)
- Kendall County
 - Edge Falls, 4 miles south of Kendalia
 - o *Storeria dekayi texana*
- Kleburg County
 - Kingsville
 - o *Salvadora lineata*
- McLennan County
 - Waco
 - t *Kinosternon flavescens flavescens* (by present restriction)
- Maverick County
 - Eagle Pass
 - o *Arizona elegans elegans* (by present restriction)
 - o *Coluber arizonae* (by present restriction)
 - o *Drymarchon corais erebennus*
 - o *Drymarchon corais obsoleta*
 - o *Masticophis taeniatus schotti*
 - o *Sonorae episcopa* (by present restriction)
- Presidio County
 - Marfa
 - s *Cnemidophorus septemvittata* (by present restriction)
 - Presidio (del Norte)
 - o *Crotalus lepidus lepidus* (by present restriction)
- Starr County
 - Rio Grande City
 - s *Sceloporus olivaceus* (Arroyo Los Olmos, 3 miles southeast of)
 - o *Ficimia streckeri* (Arroyo Los Olmos, 3 miles southeast of)

Val Verde County

Devils River (Rio San Pedro)

- a *Bufo punctatus*
- s *Cnemidophorus perplexus perplexus*
- s *Eumeces obsoletus*
- s *Gerrhonotus liocephalus infernalis*
- s *Holbrookia affinis*
- s *Sceloporus poinsettii*
- s *Urosaurus ornatus ornatus* (by restriction)

East Painted Cave, near mouth of Pecos River

- s *Sceloporus merriami merriami*

Webb County

Laredo

- s *Crotaphytus reticulatus* (by present restriction)

UTAH

Salt Lake County

Great Salt Lake

- s *Cnemidophorus tigris tigris* (valley of)
- s *Phrynosoma platyrhinos platyrhinos*

Washington County

Beaverdam Mountains

- o *Pituophis catenifer deserticola* (by restriction)

WASHINGTON

King County

Seattle

- a *Hyla regilla* (by present restriction)

SOUTH AMERICA

ARGENTINA

Buenos Aires

- o *Bothrops atrox dirus*

BRAZIL

Amazon River

- a *Hyla lichenosa* (by present restriction)
- a *Rana palmipes*

Espíritu Santo River

- o *Oxybelis acuminatus*

Río de Janeiro

- s *Scincus agilis*

COLOMBIA

No definite locality

- o *Bothrops schlegelii*

Baranquilla

- s *Anolis sulcifrons*
- s *Goniodactylus braconnieri*

Río Magdalena

- c *Caiman crocodilus fuscus*

Río Truando

- a *Engystomops pustulosus*
- s *Anolis pentaprion*

Turbo

- a *Hyla phaeota*

DUTCH GUIANA

No definite locality

- o *Clelia clelia clelia*

ECUADOR

No definite locality

- a *Bufo intermedius* (Andes)

Guayaquil

- o *Pseudodipsas fallax* (by present restriction)

URUGUAY

Montevideo

- o *Erythrolamprus bizona* (by present restriction)

VENEZUELA

No definite locality

- a *Bufo sternosignatus*

Caracas

- o *Comastes quincunciatus*

WEST INDIES

CUBA

Cienfuegos

- s *Anolis sagrei sagrei* (by present restriction)

JAMAICA

No definite locality

- t *Testudo caouana* (by present restriction)

ST. VINCENT

No definite locality

- s *Hemidactylus mabouia* (by present restriction)

- s *Mabuya mabouya mabouya* (by present restriction)

SANTO DOMINGO

Puerto Plata

- c *Crocodylus acutus acutus* (by present restriction)

BIBLIOGRAPHY

BLAIR, ALBERT P.

1947. A new *Rana* from San Luis Potosí, Mexico. Amer. Mus. Novitates No. 1353, pp. 1-17, figs. 1-8.

BOGERT, CHARLES M.

1945. Two additional races of the patch-nosed snake, *Salvadora hexalepis*. Amer. Mus. Novitates No. 1285, pp. 1-14, figs. 1-10.

—, and JAMES A. OLIVER

1945. A preliminary analysis of the herpetofauna of Sonora. Bull. Amer. Mus. Nat. Hist., vol. 83, pp. 297-426, figs. 1-13, pls. 30-37, table 1, maps 1, 2.

BURGER, W. LESLIE, and M. MAX HENSLEY

1949. Notes on a collection of reptiles and amphibians from northwest-ern Sonora. Bull. Chicago Acad. Sci., vol. —, pp. —.

—, and WM. B. ROBERTSON

1950. A new subspecies of the Mexican moccasin *Agristostodon bilineatus*. Univ. Kansas Sci. Bull., vol. 54, 1950 (in press).

CONANT, ROGER

1946. Studies on North American water snakes—II. The subspecies of *Natrix valida*. Amer. Midl. Naturalist, vol. 35, pp. 250-275, figs. 1, 2.

GLOYD, HOWARD K.

1948. Description of a neglected subspecies of rattlesnake from Mexico. Nat. Hist. Miscellanea, No. 17, pp. 1-4, figs 1-3.

KLAUBER, L. M.

1946. The glossy snake, Arizona, with descriptions of new subspecies. Trans. San Diego Soc. Nat. Hist., vol. 10, pp. 311-398, pls. 7-8, fig 1, map.

1946. The gopher snakes of Baja California, with descriptions of new subspecies of *Pituophis catenifer*. Trans. San Diego Soc. Nat. Hist., vol. 11, pp. 1-40, pls. 1-2, map.

1947. Classification and ranges of the gopher snakes of the genus *Pituophis* in the western United States. Bull. Zool. Soc. San Diego, no. 22, pp. 1-83, figs. 1-6.

MALDONADO-KOERDELL, MANUEL

1948. Los colecciones de anfibios del Museo Alfredo Dugès en la Universidad de Guanajuato I. Urodelos. Mem. Rev. Acad. Nac. Cienc, vol. 56 (2-3) pp. 185, 226, figs. 1-8.

MERTENS, ROBERT

1941. Eine neue Korallennatter aus Mexiko. Senckenbergiana, vol. 25, pp. 216-217, fig. 1.

PETERS, JAMES A.

1948. The northern limit of the range of *Laemantus serratus*. Nat. Hist. Miscellanea, No. 27, pp. 1-3, fig. 1.

REESE, ROBERT W., and I. LESTER FIRSCHEIN

1950. Herpetological results of the University of Illinois field expedition, spring 1949. II. Amphibia. Trans. Kansas Acad. Sci. Bull., vol. 53 (in press).

SCHMIDT, KARL P., and FREDERICK A. SHANNON

1947. Notes on amphibians and reptiles of Michoacán, Mexico. Fieldiana, Zool., vol. 3, pp. 63-84, fig. 8.

SHANNON, FREDERICK A., and HOBART M. SMITH

1949. Herpetological results of the University of Illinois field expedition, spring 1949. I. Introduction, Testudines, Serpentes. Trans. Kansas Acad. Sci., vol. 52 (in press).

SMITH, HOBART M.

1946. Preliminary notes and speculation on the *triseriatus* group of rattlesnakes in Mexico. Univ. Kan. Sci. Bull. vol. 31, pp. 75-101, pl. 3, figs 1-23.
 1946. Notas sobre una colección de reptiles y anfibios de Chiapas, Mex. Rev. Soc. Mex. Hist. Nat., vol. 7, pp. 63-74.
 1947. Subspecies of the sonoran toad (*Bufo compactilis* Wiegmann). Herpetologica, vol. 4, pp. 7-13, fig. 1.
 1947. Notes on Mexican amphibians and reptiles. Journ. Wash. Acad. Sci., vol. 37, pp. 408-412.

—, and DAVE A. LANGEBARTEL

1950. Notes on a collection of reptiles and amphibians from the Isthmus of Tehuantepec, Oaxaca. Journ. Washington Acad. Sci., 1950 (in press).

—, and LEONARD E. LAUFE

1945. Notes on a herpetological collection from Oaxaca. Herpetologica, vol. 3, pp. 1-13, fig. 1.
 1945. Mexican amphibians and reptiles in Texas Wildlife Collections. Trans. Kan. Acad. Sci., vol. 48, pp. 325-354.

—, C. WILLIAM NIXON, and PHILIP W. SMITH

1949. Mexican and Central American garter snakes (*Thamnophis*) in the British Museum of Natural History. Journ. Linn. Soc. London, vol. —, pp. —.

—, and EDWARD H. TAYLOR

1945. An annotated checklist and key to the snakes of Mexico. Bull. U. S. Nat. Mus. no. 187, pp. i-iv, 1-239.
 1948. An annotated checklist and key to the amphibia of Mexico. Bull. U. S. Nat. Mus., no. 194, pp. i-iv, 1-118.
 1950. An annotated checklist and key to the reptiles of Mexico exclusive of the snakes. Bull. U. S. Nat. Mus., no. 199, pp. i-iv, 1—(in press).

SMITH, PHILIP W., and W. LESLIE BURGER

1950. Herpetological results of the University of Illinois field expedition, spring 1949. III. Sauria. Trans. Kansas Acad. Sci., vol. 53 (in press).

TANNER, WILMER W.

1946. A taxonomic study of the genus *Hypsiglena*. Great Basin Naturalist, vol. 5, pp. 25-92, pls. 1-4.

TAYLOR, EDWARD H.

1947. A bibliography of Mexican herpetology. Univ. Kan. Sci. Bull., vol. 31, pp. 543-589.
 1948. A new hylid frog from eastern Mexico. Univ. Kan. Publ. Mus. Nat. Hist., vol. 1, pp. 257-264, 1 fig.
 1949. A Preliminary account of the herpetology of the State of San Luis Potosí, Mexico. Univ. Kansas Sci. Bull., vol. 33, pt. 1, pp. 169-215.
 1949. New or unusual Mexican amphibians. Amer. Mus. Novitates, no. 1437, Dec. 7, pp. 1-21, figs. 1-6.
 1950. Second contribution to the herpetology of San Luis Potosí. Univ. Kansas Sci. Bull., vol. 33, pt. 2, pp.

WOODBURY, ANGUS M., and DIXON M. WOODBURY

1944. Notes on Mexican snakes from Oaxaca. Journ. Wash. Acad. Sci., vol. 34, pp. 360-373.

SPECIES INDEX

PAGE	PAGE		
Abronia deppii	332	Amyda emoryi	361
Abronia fuscolabialis	341	Aneides lugubris lugubris	356
Abronia matudai	326	Anelytropsis papillosus	348
Abronia ochoterenai	326	Anniella geronimensis	324
Abronia oaxacae	337	Anniella pulchra pulchra	357
Abronia taeniata graminea	349	Anniella texana	357
Abronia taeniata taeniata	333	Anolis acutirostris	352
Aceris crepitans	359	Anolis aureolus	351
Acrodentes inflata	331	Anolis baccatus	320
Acrodentes modesta	325	Anolis barkeri	346
Acrodentes spilomma	347	Anolis beckeri	351
Adelophis copei	334	Anolis biporcatus	326
Adelphicos newmanorum	342	Anolis boulengerianus	337
Adelphicos quadrivirgatus acutirostrum, 349		Anolis capito	316
Adelphicos quadrivirgatus quadrivirgatus, 348		Anolis carneus	317
Adelphicos quadrivirgatus sargii	319	Anolis copei	317
Adelphicos quadrivirgatus visoninus.....	320	Anolis cozumelae	342
Adelphicos veraepacis nigrilatus	326	Anolis cumingii	320
Agalychnis callidryas	347	Anolis cymbops	346
Agalychnis daunicolor	328	Anolis damulus	315
Agalychnis moreletii	317	Anolis dunnii	331
Agama torquata	329	Anolis gadovii	332
Akgistrodon bilineatus bilineatus	317	Anolis guntherii	320
Akgistrodon bilineatus taylori	346	Anolis heliaactin	320
Akgistrodon browni	332	Anolis humilis uniformis	318
Akgistrodon contortrix pictigaster	361	Anolis impetigosus	315
Akgistrodon mokeson pictigaster	361	Anolis jacobi	351
Akgistrodon piscivorus leucostomus	360	Anolis kidderi	352
Akleistops guatemalensis	319	Anolis laeviventris	348
Alligator chiapasius	326	Anolis lemurinus bourgaei	348
Alligator lacordairei	316	Anolis limifrons rodriguezii.....	317
Amastridium sapperi	317	Anolis liogaster	332
Ambystoma amblycephalum	335	Anolis megapholidotus	331
Ambystoma bombypellum	334	Anolis metallicus	320
Ambystoma fluvinatum	327	Anolis milleri	338
Ambystoma granulosum	334	Anolis nannodes	316
Ambystoma lacustris	335	Anolis nebuloides	338
Ambystoma ordinarium	335	Anolis nebulosus	343
Ambystoma rosaceum	327	Anolis panamensis	320
Ambystoma schmidti	334	Anolis pentaprion	364
Ambystoma subsalsum	341	Anolis petersii	317
Ambystoma tigrinum proserpine	360	Anolis petersii bivittatus	317
Ambystoma velasci	329	Anolis rubigenosus	337
Ameiva festiva edwardsii	317	Anolis ruthveni	318
Ameiva undulata amphigramma	350	Anolis sagrei mayensis.....	325
Ameiva undulata dextra	332	Anolis sagrei sagrei.....	364
Ameiva undulata gaigeae	353	Anolis sallei	348
Ameiva undulata hartwegi	326	Anolis schiedii	320
Ameiva undulata parva	319	Anolis schmidti	328
Ameiva undulata podarga	346	Anolis sericeus	348
Ameiva undulata sinistra	328	Anolis stuarti	317
Ameiva undulata stuarti	326	Anolis sulcifrons	363
Ameiva undulata thomasi	325	Anolis taylori	331
Ameiva undulata undulata	340	Anolis tropidonotus	348

	PAGE		PAGE
<i>Anolis ustus</i>	316	<i>Bothrops yucatanicus</i>	352
<i>Anolis utowanae</i>	343	<i>Bufo alvarius</i>	355
<i>Anolis wiegmanni</i>	348	<i>Bufo angustipes</i>	325
<i>Anomalepis mexicana</i>	320	<i>Bufo anomalus</i>	329
<i>Anota calidiarum</i>	355	<i>Bufo argillaceous</i>	328
<i>Anotheca coronata</i>	316	<i>Bufo boreas halophilus</i>	357
<i>Axolotes maculata</i>	327	<i>Bufo californicus</i>	357
<i>Arizona elegans eburnata</i>	314, 356	<i>Bufo canaliferus</i>	339
<i>Arizona elegans elegans</i>	362	<i>Bufo coccifer</i>	316
<i>Arizona elegans exploita</i>	314, 327	<i>Bufo cognatus</i>	357
<i>Arizona elegans pacata</i>	314, 323	<i>Bufo compactilis compactilis</i>	330
<i>Arizona elegans philipi</i>	314, 354	<i>Bufo compactilis speciosus</i>	361
<i>Arizona elegans occidentalis</i>	356	<i>Bufo cristatus</i>	348
<i>Aristelliger georgeensis</i>	316	<i>Bufo debilis</i>	345
<i>Aristelliger irregularis</i>	342	<i>Bufo dipternus</i>	358
 		<i>Bufo eiteli</i>	350
<i>Barisia antauges</i>	349	<i>Bufo frontosus</i>	353
<i>Barisia gadovii gadovii</i>	332	<i>Bufo gemmifer</i>	331
<i>Barisia gadovii levigata</i>	338	<i>Bufo horribilis</i>	351
<i>Barisia imbricata ciliaris</i>	328	<i>Bufo insidior</i>	327
<i>Barisia imbricata imbricata</i>	329	<i>Bufo intermedius</i>	364
<i>Barisia imbricata planifrons</i>	337	<i>Bufo kelloggi</i>	343
<i>Barisia levicollis</i>	326	<i>Bufo lateralis</i>	340
<i>Barisia modesta</i>	349	<i>Bufo levifrons</i>	330
<i>Barisia moreleti rafaeli</i>	326	<i>Bufo marmoreus</i>	351
<i>Barisia moreleti temporalis</i>	325	<i>Bufo mazatlanensis</i>	343
<i>Barisia rudicollis</i>	334	<i>Bufo mexicanus</i>	330
<i>Barisia viridiflava</i>	338	<i>Bufo monksiae</i>	330
<i>Bascanion flagellum frenatum</i>	356	<i>Bufo nayaritensis</i>	336
<i>Bascanium semilineatus</i>	353	<i>Bufo nebulifer</i>	360
<i>Basiliscus nuchalis</i>	320	<i>Bufo occidentalis</i>	330
<i>Basiliscus vittatus</i>	351	<i>Bufo occipitalis</i>	348
<i>Bathysiredon dumerilii</i>	335	<i>Bufo perplexus</i>	332
<i>Bathysiredon dumerillii queretarensis</i>	342	<i>Bufo punctatus</i>	363
<i>Batrachoseps attenuatus leucopus</i>	323	<i>Bufo simus</i>	320
<i>Bipes biporus</i>	322	<i>Bufo sternosignatus</i>	364
<i>Bipes canaliculatus</i>	332	<i>Bufo trachypus</i>	351
<i>Bipes tridactylus</i>	332	<i>Bufo valliceps</i>	351
<i>Boa divinoloxquax mexicana</i>	347	 	
<i>Bolitoglossa flaviventris</i>	325	<i>Caiman crocodilus fuscus</i>	363
<i>Bolitoglossa mexicana</i>	339	<i>Callisaurus draconoides bogerti</i>	343
<i>Bolitoglossa moreleti</i>	326	<i>Callisaurus draconoides brevipes</i>	344
<i>Bolitoglossa occidentalis</i>	325	<i>Callisaurus draconoides carmenensis</i>	323
<i>Bolitoglossa platydactyla</i>	348	<i>Callisaurus draconoides crinitus</i>	321
<i>Bolitoglossa rufescens</i>	349	<i>Callisaurus draconoides draconoides</i>	322
<i>Bolitoglossa yucatana</i>	351	<i>Callisaurus draconoides gabbii</i>	321
<i>Bothriechis nummifera notata</i>	317	<i>Callisaurus draconoides inusitatus</i>	345
<i>Bothrops affinis</i>	319	<i>Callisaurus draconoides ventralis</i>	354
<i>Bothrops atrox asper</i>	320	<i>Callisaurus plasticus</i>	321
<i>Bothrops atrox dirus</i>	363	<i>Callisaurus rhodostictus</i>	323
<i>Bothrops barbouri</i>	332	<i>Callisaurus draconoides splendidus</i>	323
<i>Bothrops bicolor</i>	319	<i>Calopisma quinquevittatum mexicana</i>	350
<i>Bothrops dunni</i>	340	<i>Caretta bissa</i>	315
<i>Bothrops godmani</i>	319	<i>Caretta caretta caretta</i>	315
<i>Bothrops melanurus</i>	341	<i>Caretta caretta gigas</i>	314
<i>Bothrops mexicanus</i>	317	<i>Caretta remivaga</i>	341
<i>Bothrops nasutus</i>	317	<i>Caudisona atrox sonoraensis</i>	344
<i>Bothrops nigroviridis aurifer</i>	317	<i>Celestus atitlanensis</i>	319
<i>Bothrops nummifer nummifer</i>	345	<i>Celestus enneagrammus</i>	348
<i>Bothrops nummifer veraecrucis</i>	349	<i>Celestus rozellae</i>	326
<i>Bothrops schlegelii</i>	363	<i>Centrolenella fleischmanni</i>	316
<i>Bothrops undulatus</i>	350	<i>Centrolenella viridissima</i>	331

	PAGE		PAGE
<i>Chalcides sulcata</i>	332	<i>Cnemidophorus deppii cozumelus</i>	342
<i>Chamaesaura propus</i>	332	<i>Cnemidophorus deppii deppii</i>	340
<i>Cheilorhina villarsii</i>	334	<i>Cnemidophorus deppii lineatissimus</i>	328
<i>Chelonia agassizii</i>	319	<i>Cnemidophorus deppii oligoporus</i>	350
<i>Chelonia dussumieri</i>	314	<i>Cnemidophorus dickersonae</i>	324
<i>Chelonia lachrymata</i>	315	<i>Cnemidophorus disparilis</i>	345
<i>Chelonia maculosa</i>	315	<i>Cnemidophorus estebanensis</i>	344
<i>Chelonia mydas</i>	315	<i>Cnemidophorus gracilis</i>	355
<i>Chelonia pseudo-caretta</i>	315	<i>Cnemidophorus grahami</i>	362
<i>Chelonia pseudo-mydas</i>	315	<i>Cnemidophorus gularis gularis obsoletus</i>	327
<i>Chelonia virgata</i>	315	<i>Cnemidophorus gularis gularis verus</i>	327
<i>Chelydra rossignonii</i>	317	<i>Cnemidophorus gularis meeki</i>	337
<i>Chelydra serpentina</i>	358	<i>Cnemidophorus gularis sericeus</i>	361
<i>Chersodromus liebmanni</i>	347	<i>Cnemidophorus gularis velox</i>	359
<i>Chersodromus nigricans</i>	347	<i>Cnemidophorus guttatus</i>	361
<i>Chilomeniscus cinctus</i>	344	<i>Cnemidophorus guttatus guttatus</i>	351
<i>Chilomeniscus punctatissimus</i>	324	<i>Cnemidophorus guttatus immutabilis</i>	340
<i>Chilomeniscus stramineus esterensis</i>	321	<i>Cnemidophorus guttatus striatus</i>	340
<i>Chilomeniscus stramineus fasciatus</i>	321	<i>Cnemidophorus hyperythrus beldingi</i>	323
<i>Chilomeniscus stramineus stramineus</i>	322	<i>Cnemidophorus hyperythrus caeruleus</i>	323
<i>Chionactis diasii</i>	341	<i>Cnemidophorus hyperythrus danheimae</i>	324
<i>Chionactis occipitalis annulatus</i>	355	<i>Cnemidophorus hyperythrus hyperythrus</i>	322
<i>Chionactis occipitalis palarostris</i>	344	<i>Cnemidophorus hyperythrus pictus</i>	324
<i>Chiropeterotriton arborea</i>	333	<i>Cnemidophorus hyperythrus schmidti</i>	324
<i>Chiropeterotriton chiroptera</i>	349	<i>Cnemidophorus labialis</i>	323
<i>Chiropeterotriton chondrostega</i>	333	<i>Cnemidophorus lativittis</i>	338
<i>Chiropeterotriton dimidiata</i>	333	<i>Cnemidophorus marmoratus</i>	361
<i>Chiropeterotriton lavae</i>	349	<i>Cnemidophorus maximus</i>	322
<i>Chiropeterotriton mosaueri</i>	333	<i>Cnemidophorus melanostethus</i>	355
<i>Chiropeterotriton multidentata</i>	342	<i>Cnemidophorus mexicanus</i>	341
<i>Chiropeterotriton terrestris</i>	333	<i>Cnemidophorus mexicanus balsas</i>	336
<i>Chiropeterotriton xolocalcae</i>	325	<i>Cnemidophorus microlepidotus</i>	340
<i>Chrysemys picta bellii</i>	358	<i>Cnemidophorus motaguae</i>	319
<i>Churchillia bellona</i>	327	<i>Cnemidophorus perplexus inornatus</i>	337
<i>Cinosternum berendtianum</i>	345	<i>Cnemidophorus perplexus perplexus</i>	363
<i>Cinosternum brevigulare</i>	320	<i>Cnemidophorus punctilineatus</i>	345
<i>Cinosternum cobanum</i>	317	<i>Cnemidophorus sackii angusticeps</i>	351
<i>Cinosternum effeldtii</i>	347	<i>Cnemidophorus sackii australis</i>	338
<i>Cinosternum henrici</i>	359	<i>Cnemidophorus sackii bocourti</i>	338
<i>Cinosternum punctatum</i>	354	<i>Cnemidophorus sackii communis</i>	328
<i>Cinosternum rostellum</i>	330	<i>Cnemidophorus sackii gularis</i>	361
<i>Cinosternum triliratum</i>	339	<i>Cnemidophorus sackii mariarum</i>	336
<i>Claudius agassizii</i>	345	<i>Cnemidophorus sackii octolineatus</i>	337
<i>Claudius angustatus</i>	345	<i>Cnemidophorus sackii sackii</i>	336
<i>Claudius megalcephalus</i>	345	<i>Cnemidophorus sackii scalaris</i>	327
<i>Claudius pictus</i>	317	<i>Cnemidophorus semifasciatus</i>	327
<i>Claudius severus</i>	339	<i>Cnemidophorus septemvittata</i>	362
<i>Clelia clelia clelia</i>	364	<i>Cnemidophorus sexlineatus</i>	360
<i>Clelia clelia immaculata</i>	334	<i>Cnemidophorus sexlineatus tigris</i>	327
<i>Clemmys marmorata pallida</i>	356	<i>Cnemidophorus stejnegeri</i>	321
<i>Cnemidophorus alfaronis</i>	316	<i>Cnemidophorus tessellatus</i>	357
<i>Cnemidophorus arizonae</i>	353	<i>Cnemidophorus tigris aethiops</i>	344
<i>Cnemidophorus bacatus</i>	345	<i>Cnemidophorus tigris canus</i>	324
<i>Cnemidophorus bartolomaei</i>	321	<i>Cnemidophorus tigris celrides</i>	324
<i>Cnemidophorus burti</i>	344	<i>Cnemidophorus tigris martyris</i>	344
<i>Cnemidophorus catalinensis</i>	324	<i>Cnemidophorus tigris multiscutatus</i>	323
<i>Cnemidophorus ceralbensis</i>	323	<i>Cnemidophorus tigris mundus</i>	355
<i>Cnemidophorus communis copei</i>	328	<i>Cnemidophorus tigris rubidus</i>	324
<i>Cnemidophorus communis occidentalis</i>	336	<i>Cnemidophorus tigris tigris</i>	363
<i>Cnemidophorus costatus</i>	336	<i>Cnemidophorus undulatus</i>	355
<i>Cnemidophorus decemlineatus</i>	320	<i>Cnemidophorus unicolor</i>	337

PAGE	PAGE
<i>Cnemidophorus vandenburghi</i>	323
<i>Cnemidophorus variolosus</i>	328
<i>Cochliophagus tornieri</i>	352
<i>Coleonyx brevis</i>	360
<i>Coleonyx elegans elegans</i>	316
<i>Coleonyx elegans nemoralis</i>	328
<i>Coleonyx fasciatus</i>	330
<i>Coleonyx variegatus abbotti</i>	357
<i>Coleonyx variegatus bogerti</i>	354
<i>Coleonyx variegatus peninsularis</i>	321
<i>Coleonyx variegatus slevini</i>	324
<i>Coleonyx variegatus sonoriensis</i>	344
<i>Coleonyx variegatus variegatus</i>	355
<i>Coluber arizonae</i>	362
<i>Coluber constrictor stejnegerianus</i>	361
<i>Coluber novae hispaniae</i>	349
<i>Coluber oaxaca</i>	337
<i>Coluber sibon</i>	349
<i>Coluber striolatus</i>	343
<i>Coluber taeniatus girardi</i>	362
<i>Comastes quincunciatus</i>	364
<i>Coniophanes bipunctatus biseriatus</i>	326
<i>Coniophanes fissidens convergens</i>	347
<i>Coniophanes fissidens dispersus</i>	331
<i>Coniophanes fissidens fissidens</i>	350
<i>Coniophanes fissidens proterops</i>	348
<i>Coniophanes fissidens punctigularis</i>	319
<i>Coniophanes imperialis clavatus</i>	350
<i>Coniophanes imperialis copei</i>	340
<i>Coniophanes imperialis imperialis</i>	345
<i>Coniophanes lateritus</i>	334
<i>Coniophanes meridanus</i>	352
<i>Coniophanes piceivittis</i>	338
<i>Coniophanes quinquevittatus</i>	318
<i>Coniophanes schmidti</i>	352
<i>Conophis lineatus concolor</i>	352
<i>Conophis lineatus lineatus</i>	351
<i>Conophis pulcher plagosus</i>	326
<i>Conophis pulcher similis</i>	326
<i>Conophis sumichrastii sumichrastii</i>	334
<i>Conophis vittatus viduus</i>	340
<i>Conophis vittatus vittatus</i>	331
<i>Conopsis biserialis</i>	334
<i>Conopsis nasus</i>	330
<i>Conopsis nasus heliae</i>	342
<i>Constrictor constrictor imperator</i>	347
<i>Constrictor constrictor sigma</i>	336
<i>Coronella multifasciata</i>	357
<i>Corythophanes chamaeleopsis</i>	348
<i>Corythophanes cristatus</i>	349
<i>Corythophanes hernandezii</i>	348
<i>Corythophanes mexicanus</i>	348
<i>Corythophanes percarinatus</i>	318
<i>Ctenosaura acanthura</i>	346
<i>Ctenosaura brevirostris</i>	328
<i>Ctenosaura (Cachryx) annectens</i>	325
<i>Ctenosaura completa</i>	316
<i>Ctenosaura cyclurooides</i>	351
<i>Ctenosaura hemilopha</i>	322
<i>Ctenosaura insulana</i>	323
<i>Ctenosaura interrupta</i>	322
<i>Ctenosaura multispinis</i>	338
<i>Ctenosaura parkeri</i>	333
<i>Ctenosaura pectinata</i>	328
<i>Ctenosaura similis similis</i>	320
<i>Ctenosaurus conspicuosa</i>	344
<i>Ctenosaurus teres brachylopha</i>	343
<i>Cristasaura mitrella</i>	319
<i>Crotalus atrox</i>	361
<i>Crotalus atrox elegans</i>	323
<i>Crotalus basiliscus basiliscus</i>	328
<i>Crotalus basiliscus oaxacus</i>	314, 338
<i>Crotalus cerastes laterorepens</i>	356
<i>Crotalus durissus durissus</i>	348
<i>Crotalus durissus totonacus</i>	346
<i>Crotalus enyo</i>	322
<i>Crotalus exsul</i>	323
<i>Crotalus gloydi</i>	339
<i>Crotalus gloydi laurus</i>	314, 351
<i>Crotalus goldmani</i>	322
<i>Crotalus jimenezii</i>	334
<i>Crotalus lepidus klauberi</i>	353
<i>Crotalus lepidus lepidus</i>	362
<i>Crotalus lugubris multimaculata</i>	330
<i>Crotalus lucasensis</i>	321
<i>Crotalus mitchellii mitchellii</i>	322
<i>Crotalus mitchellii pyrrhus</i>	354
<i>Crotalus molossus molossus</i>	359
<i>Crotalus molossus nigrescens</i>	353
<i>Crotalus omiltemanus</i>	332
<i>Crotalus polystictus</i>	330
<i>Crotalus pricei miquihuana</i>	337
<i>Crotalus pricei pricei</i>	353
<i>Crotalus ruber</i>	356
<i>Crotalus semicornutus</i>	327
<i>Crotalus scutulatus salvini</i>	346
<i>Crotalus scutulatus scutulatus</i>	353
<i>Crotalus stejnegeri</i>	343
<i>Crotalus tigris</i>	354
<i>Crotalus (tigris) palmeri</i>	327
<i>Crotalus tortugensis</i>	325
<i>Crotalus transversus</i>	336
<i>Crotalus triseriatus anahuacus</i>	329
<i>Crotalus triseriatus miquihuana</i>	337
<i>Crotalus triseriatus pricei</i>	353
<i>Crotalus triseriatus triseriatus</i>	342
<i>Crotalus viridis oreganus</i>	360
<i>Crotalus viridis viridis</i>	358
<i>Crotalus willardi</i>	353
<i>Crotaphytus collaris baileyi</i>	353
<i>Crotaphytus copeii</i>	321
<i>Crotaphytus dickersonae</i>	345
<i>Crotaphytus fasciatus</i>	359
<i>Crotaphytus fasciolatus</i>	321
<i>Crotaphytus gambelii</i>	355
<i>Crotaphytus insularis</i>	323
<i>Crotaphytus reticulatus</i>	363
<i>Crocodylus acutus acutus</i>	364
<i>Crocodilus americanus</i>	351
<i>Crocodilus biscutatus</i>	346
<i>Crocodilus mexicanus</i>	346
<i>Crocodylus moreletii</i>	318

PAGE	PAGE		
<i>Crocodilus pacificus</i>	319	<i>Elaps epistema</i>	328
<i>Cyclura denticulata</i>	351	<i>Elaps fulvius hypostema</i>	328
<i>Cyclura semicristata</i>	351	<i>Elaphe bairdi</i>	362
<i>Cyclura shawii</i>	346	<i>Elaphe chlorosoma</i>	334
<i>Cyclura teres</i>	346	<i>Elaphe flavirufa flavirufa</i>	352
<i>Cystignathus fragilis</i>	340	<i>Elaphe flavirufa matudai</i>	326
<i>Cystignathus microtis</i>	335	<i>Elaphe laeta laeta</i>	355
<i>Cystignathus perlaevis</i>	339	<i>Elaphe rosaliae</i>	323
<i>Dermatemys abnormis</i>	316	<i>Elaphe sclerotica</i>	362
<i>Dermochelys coriacea</i>	315	<i>Elaphe subocularis</i>	362
<i>Dendrophidion vinitor</i>	318	<i>Elaphe triaspis</i>	316
<i>Dermatemys mawii</i>	346	<i>Elaphis pleurostictus</i>	334
<i>Dermophis mexicanus mexicanus</i>	347	<i>Eleutherodactylus alfredi</i>	346
<i>Diadophis amabilis anthonyi</i>	324	<i>Eleutherodactylus augusti</i>	330
<i>Diadophis amabilis similis</i>	357	<i>Eleutherodactylus avocalis</i>	340
<i>Diadophis dugesii</i>	329	<i>Eleutherodactylus batrachylus</i>	345
<i>Diadophis regalis arizonae</i>	354	<i>Eleutherodactylus beatae</i>	349
<i>Diadophis regalis blanchardi</i>	361	<i>Eleutherodactylus bolivari</i>	334
<i>Diadophis regalis laetus</i>	354	<i>Eleutherodactylus cactorum</i>	341
<i>Diadophis regalis regalis</i>	344	<i>Eleutherodactylus calcitrans</i>	332
<i>Diaglena reticulata</i>	340	<i>Eleutherodactylus conspicuus</i>	318
<i>Diaglena spatulata</i>	343	<i>Eleutherodactylus decoratus</i>	348
<i>Diemictylus kallerti</i>	346	<i>Eleutherodactylus dorsoconcolor</i>	351
<i>Diemictylus meridionalis</i>	345	<i>Eleutherodactylus dunni</i>	348
<i>Diploglossus chalybeus</i>	349	<i>Eleutherodactylus hidalgoensis</i>	333
<i>Dipsadomorus fasciatus</i>	352	<i>Eleutherodactylus laticeps</i>	351
<i>Dipsas bertholdi</i>	315	<i>Eleutherodactylus latrans</i>	360
<i>Dipsas brevifacies</i>	352	<i>Eleutherodactylus longipes</i>	320
<i>Dipsas brevis</i>	320	<i>Eleutherodactylus mexicanus</i>	339
<i>Dipsas dimidiatus</i>	320	<i>Eleutherodactylus macdougalli</i>	338
<i>Dipsas elegans</i>	340	<i>Eleutherodactylus matudai</i>	325
<i>Dipsas gaigeae</i>	328	<i>Eleutherodactylus natator</i>	347
<i>Dipsas maxillaris</i>	345	<i>Eleutherodactylus occidentalis</i>	353
<i>Dipsas sanniolus</i>	352	<i>Eleutherodactylus rhodopis</i>	349
<i>Dipsosaurus carmenensis</i>	323	<i>Eleutherodactylus rugulosus</i>	337
<i>Dipsosaurus catalinensis</i>	324	<i>Eleutherodactylus saltator</i>	332
<i>Dipsosaurus dorsalis dorsalis</i>	355	<i>Eleutherodactylus spatulatus</i>	347
<i>Dipsosaurus dorsalis lucasensis</i>	322	<i>Eleutherodactylus tarahumaraensis</i>	327
<i>Dipsosaurus dorsalis sonoriensis</i>	344	<i>Eleutherodactylus venustus</i>	348
<i>Dirosema collare</i>	347	<i>Eleutherodactylus vocalis</i>	335
<i>Draconura bivittata</i>	320	<i>Elgaria cedrosensis</i>	323
<i>Dryadophis melanolumus melanolumus</i> ..	352	<i>Elgaria kingii kingii</i>	327
<i>Dryadophis melanolumus sleveni</i>	336	<i>Elgaria kingii nobilis</i>	359
<i>Dryadophis melanolumus stuarti</i>	331	<i>Elgaria multicarinata nana</i>	323
<i>Dryadophis melanolumus tehuanae</i>	340	<i>Elgaria multicarinata webbii</i>	357
<i>Dryadophis melanolumus veraecrucis</i>	351	<i>Elgaria paucicarinatas</i>	323
<i>Drymarchon corais cleofae</i>	336	<i>Emys callirostris</i>	346
<i>Drymarchon corais erebennus</i>	362	<i>Emys berardii</i>	351
<i>Drymarchon corais melanocercus</i>	352	<i>Emys grayi</i>	319
<i>Drymarchon corais melanurus</i>	352	<i>Emys venusta</i>	319
<i>Drymarchon corais obsoleta</i>	362	<i>Engystoma mexicanum</i>	341
<i>Drymarchon corais orizabensis</i>	350	<i>Engystomops pustulosus</i>	364
<i>Drymarchon corais rubidus</i>	343	<i>Ensatina croceater</i>	356
<i>Drymarchon corais unicolor</i>	325	<i>Enulius sumichrasti</i>	337
<i>Drymobius chloroticus</i>	317	<i>Enulius unicolor</i>	331
<i>Drymobius margaritiferus fistulosus</i>	336	<i>Enyaliosaurus clarki</i>	335
<i>Drymobius margaritiferus margaritiferus</i> ,	347	<i>Enyaliosaurus defensor</i>	352
<i>Drymobius margaritiferus occidentalis</i> ..	319	<i>Enyaliosaurus erythromelas</i>	325
<i>Elapochrouss deppei</i>	348	<i>Enyaliosaurus quinquecarinatus</i>	340
<i>Elaps corallinus crebripunctatus</i>	350	<i>Epiphina tessellata</i>	330
		<i>Eretmochelys imbricata</i>	315

PAGE	PAGE		
Eretmochelys squamata	315	Geophis anocularis	341
Erythrolamprus aesculapii	315	Geophis bicolor	329
Erythrolamprus grammophrys	335	Geophis blanchardi	346
Erythrolamprus guentheri	320	Geophis cancellatus	325
Eudryas bodaerti mexicanus	351	Geophis chalybeus	320
Eumeces altamirani	335	Geophis dubius	340
Eumeces brevilineatus	360	Geophis dugesii	335
Eumeces brevirostris	338	Geophis fuscus	348
Eumeces callicephalus	330	Geophis isthmicus	340
Eumeces colimensis	328	Geophis latifrontalis	342
Eumeces copei	334	Geophis longiceps	350
Eumeces dicei	345	Geophis maculiferus	335
Eumeces dugesii	330	Geophis mutitorques	333
Eumeces gilberti rubricaudata	356	Geophis multitorques yucatanicus	352
Eumeces humilis	343	Geophis nasalis	318
Eumeces indubitus	336	Geophis omiltemana	332
Eumeces lagunensis	321, 322	Geophis petersii	335
Eumeces lynxe furcirostris	348	Geophis rostralis	321
Eumeces lynxe lynxe	333	Geophis sellaei	338
Eumeces multivirgatus	357	Geoophis semiannulatus	328
Eumeces obsoletus	363	Geophis semidoliatus	347
Eumeces ochoterenai	332	Geophis sieboldi	321
Eumeces parviauriculatus	343	Gerrhonotus adspersus	334
Eumeces parvulus	336	Gerrhonotus bocourti	338
Eumeces quadrilineatus	356	Gerrhonotus deppei digueti	341
Eumeces rovirosae	325	Gerrhonotus lemniscatus	347
Eumeces schmidti	319	Gerrhonotus lichenigerus	329
Eumeces schwartzei	325	Gerrhonotus liocephalus austrinus	325
Eumeces skiltonianus	360	Gerrhonotus liocephalus infernalis	363
Eumeces skiltonianus amblygrammus	355	Gerrhonotus liocephalus liocephalus	340
Eumeces sumichrasti	350	Gerrhonotus liocephalus loweryi	342
Eumeces tetragrammus	345	Gerrhonotus multifasciatus	327
Eumeces tetragrammus funebrosus	345	Gerrhonotus obscurus	338
Eutaenia flavilabris	329	Gerrhonotus olivaceus	329
Eutaenia insigniarum	329	Gerrhonotus liocephalus ophiurus	349
Eutaenia macrostemma	329	Gerrhonotus scincicauda ignavus	324
Eutaenia pulchrilatus	330	Gerrhonotus tessellatus	340
Eutaenia rutiloris	342	Glaphyrophis lateralis	346
Exelencophis nelsoni	336	Gonatodes fuscus	320
Ficimia olivacea	350	Goniodactylus braconnieri	363
Ficimia ornata	352	Gopherus agassizii	356
Ficimia publia	352	Gopherus berlandieri	361
Ficimia publia taylori	314, 350	Gyalopion canum	354
Ficimia ramirez	338	Gyalopion desertorum	344
Ficimia ruspator	332	Gyalopion quadrangularis	343
Ficimia streckeri	362	Gymnodactylus coleonyx	318
Ficimia variegata	338	Gymnodactylus scapularis	318
Gaigeia dontomasi	338	Gymnophthalmus sumichrasti	341
Gaigeia gaigeae	333	Gymnopis multiplicata oaxacae	338
Gaigeia radula	339	Helicops septemvittata	321
Gaigeia sylvatica	333	Heloderma Hernandesi	331
Galedon annularis	349	Heloderma horridum	331
Gambelia wislizenii wislizenii	359	Heloderma suspectum	354
Geagras longicaudatus	340	Hemidactylus exul	353
Geagras redimitus	340	Hemidactylus frenatus	314
Geatractus tecpanecus	332	Hemidactylus mabouia	364
Geoemyda areolata	318	Hemidactylus navarri	336
Geoemyda pulcherrima incisa	316	Hemidactylus turcicus turcicus	314
Geoemyda pulcherrima pulcherrima	343	Hemigenius variabilis	330
Geoemyda rubida	338	Herpetodryas incertus	316

PAGE	PAGE		
Heterodon nasicus kennedyi	361	Hyla staufferi	349
Holbrookia affinis	363	Hyla taeniopus	348
Holbrookia bunkeri	327	Hyla underwoodi	316
Holbrookia maculata approximans	345	Hyla vanvlietii	361
Holbrookia maculata dickersonae	327	Hyla wrightorum	353
Holbrookia maculata elegans	343	Hylella azteca	336
<i>Holbrookia maculata flavigaster</i>	359	<i>Hylella platycephala</i>	339
Holbrookia maculata lacerata	362	Hylella sumichrasti	339
Holbrookia maculata pulchra	353	<i>Hyliola digueti</i>	336
Holbrookia maculata thermophila	344	<i>Hylodes berkenbuschii</i>	341
Holbrookia propinquua	360	<i>Hylodes plicatus</i>	348
Holbrookia propinquua piperata	350	<i>Hylodes sallei</i>	347
Holbrookia texana	361	Hypopachus alboventer	336
<i>Homalocranium boulengeri</i>	348	Hypopachus caprimimus	331
<i>Hydrops lubricus</i>	350	Hypopachus cuneus cuneus	361
<i>Hyla affinis</i>	354	Hypopachus cuneus nigroreticulatus	325
Hyla arborescens	346	Hypopachus maculatus	326
Hyla arborecola	332	Hypopachus ovis	336
Hyla arenicolor	354	Hypopachus oxyrrhinus	343
Hyla beltrani	326	Hypsilegna affinis	343
Hyla bistincta	346	<i>Hypsilegna chlorophea</i>	354
Hyla bromeliana	333	Hypsilegna dunklei	345
Hyla cardenasi	341	Hypsilegna ochrorhynca janii	330
<i>Hyla copii</i>	361	Hypsilegna ochrorhyncha klauberi	314, 324
Hyla crassa	320	Hypsilegna ochrorhyncha ochrorhyncha	322
<i>Hyla curta</i>	322	Hypsilegna ochrorhyncha texana	314, 345
Hyla dalquesti	314, 349	Hypsilegna ochrorhyncha	
Hyla dendrosarta	347	<i>tortugaensis</i>	314, 325
Hyla ebraccata	320	Hypsilegna ochrorhyncha venusta	323
Hyla erythromma	331	Hypsilegna slevini	321
Hyla euphorbiacea	347	Hypsilegna torquata	320
Hyla eximia	329	Hypsilegna unaocularis	314, 329
Hyla forbesi	346	<i>Iguana (Ctenosaura) armata</i>	346
<i>Hyla godmani</i>	349	<i>Iguana (Ctenosaura) bellii</i>	346
<i>Hyla gracilipes</i>	349	<i>Iguana (Ctenosaura) lanceolata</i>	346
Hyla hazelae	339	<i>Iguana iguana rhinolopha</i>	347
<i>Hyla holochlora</i>	317	Imantodes cenchoa leucomelas	349
Hyla lafrentzi	329	Imantodes gemmistratus	316
Hyla leonard-schultzei	332	Imantodes gracillimus	331
Hyla lichenosa	363	Imantodes latistratus	334
Hyla loquax	318	Imantodes splendidus luciodorsus	325
Hyla melanomma	331	Imantodes splendidus oliveri	339
<i>Hyla microtis</i>	341	Imantodes splendidus splendidus	352
Hyla miotympanum	348	Imantodes tenuissimus	352
<i>Hyla muricolor</i>	349	Kinosternon abaxillare	326
<i>Hyla nigropunctata</i>	348	Kinosternon acutum	347
Hyla pachyderma	350	Kinosternon creaseri	351
Hyla phaeota	364	Kinosternon cruentatum consors	342
Hyla picta	348	Kinosternon cruentatum cruentatum	339
Hyla pinorum	331	Kinosternon flavescens flavescens	362
Hyla plicata	320	Kinosternon flavescens stejnegeri	344
<i>Hyla proboscidea</i>	314, 349	Kinosternon herrerae	349
Hyla regilla	363	Kinosternon hirtipes	343
<i>Hyla regilla laticeps</i>	322	Kinosternon integrum	331
Hyla rickardsi	350	Kinosternon leucostomum	347
Hyla robertmertensi	326	<i>Kinosternon mexicanum</i>	339
Hyla robertsorum	333	Kinosternon sonoriense	354
Hyla robustofemora	339	Lacerta lumbricoides	332
Hyla rozellae	325	<i>Lacerta mexicana</i>	332
Hyla smaragdina	335	Laemancus alticoronatus	352
Hyla smithi	336		

PAGE	PAGE		
Laemancus deborrei	345	<i>Leptodeira guilleni</i>	331
Laemancus longipes	348	<i>Leptodeira maculata</i>	348
Laemancus serratus	349	<i>Leptodeira mystacina</i>	340
Lampropeltis alterna	362	<i>Leptodeira personata</i>	343
<i>Lampropeltis californiae</i>	357	<i>Leptodeira punctata</i>	343
Lampropeltis catalinensis	324	<i>Leptodeira smithi</i>	335
Lampropeltis doliata annulata	345	<i>Leptodeira splendida</i>	341
Lampropeltis doliata arcifera	341	<i>Leptodeira yucatanensis malleisi</i>	325
Lampropeltis doliata blanchardi	352	<i>Leptodeira yucatanensis yucatanensis</i>	352
Lampropeltis doliata oligozona	337	<i>Leptognathus albocinctus</i>	343
Lampropeltis doliata polyzona	348	<i>Leptognathus bernoullii</i>	319
Lampropeltis doliata schmidti	336	<i>Leptognathus cuculliceps</i>	317
<i>Lampropeltis getulus boylii</i>	355	<i>Leptognathus dumerili</i>	349
Lampropeltis getulus californiae	357	<i>Leptognathus leucostomus</i>	352
Lampropeltis getulus conjuncta	322	<i>Leptognathus subannulatus</i>	352
Lampropeltis getulus nitida	322	<i>Leptognathus semicinctus</i>	317
Lampropeltis getulus splendida	354	<i>Leptognathus sexscutatus</i>	319
Lampropeltis getulus yumaensis	354	<i>Leptognathus torquatus</i>	352
Lampropeltis knoblochi	327	<i>Leptophis occidentalis praestans</i>	318
Lampropeltis leonis	337	<i>Leptotyphlops bressoni</i>	335
Lampropeltis mexicana	342	<i>Leptotyphlops dugesii</i>	328
<i>Lampropeltis nitida</i>	322	<i>Leptotyphlops dulcis</i>	361
Lampropeltis pyromelana	354	<i>Leptotyphlops humilis cahuiiae</i>	357
Lampropeltis ruthveni	335	<i>Leptotyphlops humilis humilis</i>	357
Lampropeltis thayeri	345	<i>Leptotyphlops humilis segregus</i>	361
<i>Lampropeltis triangulum annulata</i>	345	<i>Leptotyphlops humilis slevini</i>	321
<i>Lampropeltis triangulum arcifera</i>	341	<i>Leptotyphlops humilis tenuiculus</i>	342
<i>Lampropeltis triangulum blanchardi</i>	352	<i>Leptotyphlops maximus</i>	331
<i>Lampropeltis triangulum nelsoni</i>	330	<i>Leptotyphlops myopicus dissectus</i>	359
<i>Lampropeltis triangulum oligozona</i>	337	<i>Leptotyphlops myopicus myopicus</i>	346
<i>Lampropeltis triangulum polyzona</i>	348	<i>Leptotyphlops phenops bakewelli</i>	328
<i>Lampropeltis triangulum schmidti</i>	336	<i>Leptotyphlops phenops phenops</i>	340
Lampropeltis zonata agalma	321	<i>Lichanura myriolepis</i>	321
Lampropeltis zonata herrerae	324	<i>Lichanura roseofusca gracia</i>	356
Lampropeltis zonata zonata	357	<i>Lichanura roseofusca roseofusca</i>	321
Lamprosaurus guttulatus	359	<i>Lichanura trivirgata</i>	322
Leioploisma assatum assatum	316	<i>Liophis tricinctus</i>	348
Leioploisma assatum taylori	329	<i>Liophis varia</i>	350
Leioploisma cherriei cherriei	316	<i>Limnochelone micrura</i>	346
Leioploisma cherriei ixbaac	352	<i>Loxocemus bicolor</i>	316
Leioploisma cherriei stuarti	350	<i>Loxocemus sumichrasti</i>	340
Leioploisma forbesorum	333	<i>Lysotychus (Sceloporus) lateralis</i>	361
Leioploisma gemmingeri	349	<i>Mabuya alliacea</i>	316
Leioploisma laterale	358	<i>Mabuya mabouya mabouya</i>	364
Leioploisma silvicolum	347	<i>Magnadigita macrinii</i>	338
Lepidochelys kempii	358	<i>Magnadigita nigroflavescens</i>	325
Lepidochelys olivacea	315	<i>Magnadigita sulcata</i>	320
Lepidophyma flavomaculatum		<i>Malaclemys terrapin littoralis</i>	360
flavomaculatum	318	<i>Manolepis putnami</i>	336
Lepidophyma smithi oculor	342	<i>Masticophis anthonyi</i>	329
Lepidophyma smithii smithii	319	<i>Masticophis aurigulus</i>	322
Lepidophyma smithii tehuanae	340	<i>Masticophis barbouri</i>	324
Lepidodactylus labialis	350	<i>Masticophis bilineatus</i>	344
Lepidodactylus melanotonus	320	<i>Masticophis flagellum lineatulus</i>	327
Lepidodactylus occidentalis	336	<i>Masticophis flagellum lineatus</i>	343
Leptodeira annulata polysticta	316	<i>Masticophis flagellum piceus</i>	353
Leptodeira annulata septentrionalis	361	<i>Masticophis flagellum testaceus</i>	358
Leptodeira annulata taylori	350	<i>Masticophis flagellum variolosus</i>	336
Leptodeira bressoni	335	<i>Masticophis mentovarius mentovarius</i>	340
Leptodeira ephippiata	344	<i>Masticophis lateralis</i>	355
Leptodeira frenata	348		

PAGE	PAGE		
Masticophis taeniatus australis	330	Oxybelis aeneus auratus	340
Masticophis taeniatus ornatus	362	Oxybelis fulgidus	352
Masticophis taeniatus ruthveni	361	<i>Oxybelis microphthalmus</i>	354
Masticophis taeniatus schotti	362	Oxybelis potosiensis	342
Masticophis taeniatus taeniatus	359	<i>Oxyrhina defilippi</i>	329
Microbatrachylus albolabris	347	<i>Oxyrhina (Exorhina) maculata</i>	330
Microbatrachylus hobartsmithi	335	Oxyhopus baileyi	350
Microbatrachylus imitator	325	Parvimolge townsendi	348
Microbatrachylus lineatissimus	339	Pelamis platurus	315
Microbatrachylus minimus	331	<i>Peropodum guatemalensis</i>	318
Microbatrachylus montanus	325	Peropus mutilatus	315
Microbatrachylus oaxacae	339	<i>Petalognathus multifasciatus</i>	317
Microbatrachylus pygmaeus	350	Petrosaurus repens	321
Microhyla elegans	347	Petrosaurus thalassinus	322
Microhyla olivacea	358	<i>Phrynonax guentheri</i>	346
Microhyla mazatlanensis	343	Phrynosoma asio	328
Microhyla usta gadovii	339	Phrynosoma boucardi	333
Microhyla usta usta	333	Phrynosoma braconnieri	337
<i>Microphis quinquefasciatus</i>	319	<i>Phrynosoma bufonium</i>	344
Micruroides euryxanthus	344	Phrynosoma cerroense	323
Micrurus bernadi	333	Phrynosoma cornutum	358
<i>Micrurus browni</i>	331	Phrynosoma coronatum blainvillii	357
Micrurus ephippifer	340	Phrynosoma coronatum coronatum	322
Micrurus affinis affinis	347	Phrynosoma coronatum frontale	356
Micrurus affinis alienus	316	Phrynosoma coronatum jamesi	321
Micrurus affinis apiatus	317	Phrynosoma ditmarsi	343
Micrurus affinis mayensis	352	Phrynosoma douglassii brachycercum	330
<i>Micrurus affinis stantoni</i>	316	Phrynosoma douglassii hernandezi	359
Micrurus diastema diastema	328	<i>Phrynosoma harlanii</i>	358
Micrurus diastema distans	326	Phrynosoma m'callii	355
Micrurus diastema michoacanensis	335	Phrynosoma modestum	359
Micrurus elegans elegans	348	<i>Phrynosoma nelsoni</i>	323
Micrurus fitzingeri fitzingeri	330	Phrynosoma orbiculare cortezii	349
Micrurus fitzingeri microgalbineus	345	Phrynosoma orbiculare dugesii	328
Micrurus fulvius tenere	361	<i>Phrynosoma ochoterenai</i>	323
Micrurus laticollaris	341	Phrynosoma orbiculare orbiculare	329
Micrurus latifasciata	319	<i>Phrynosoma planiceps</i>	361
Micrurus nigrocinctus browni	331	Phrynosoma platyrhinos goodei	344
<i>Micrurus nigrocinctus ovandoensis</i>	326	Phrynosoma platyrhinos platyrhinos	363
<i>Micrurus nigrocinctus wagneri</i>	314, 325	<i>Phrynosoma regale</i>	344
Micrurus nigrocinctus zunilensis	319	<i>Phrynosoma schmidti</i>	323
Micrurus nuchalis nuchalis	339	<i>Phrynosoma spinimentum</i>	340
Micrurus nuchalis taylori	331	Phrynosoma solare	355
Natrix erythrogaster transversa	360	Phrynosoma taurus	341
Natrix rhombifera blanchardi	346	<i>Phrynosoma wiegmanni</i>	329
Natrix rhombifera rhombifera	360	Phyllodactylus bordai	332
Natrix valida celaeno	322	Phyllodactylus delcampi	332
Natrix valida valida	330	Phyllodactylus homolepidurus	344
<i>Nerodia couchii</i>	337	Phyllodactylus lanei	332
Ninia diademata diademata	350	Phyllodactylus magnatuberculatus	331
Ninia diademata plorator	333	Phyllodactylus magnus	332
Ninia sebae morleyi	352	<i>Phyllodactylus mentalis</i>	315
Ninia sebae sebae	351	Phyllodactylus muralis	340
<i>Norops yucatanicus</i>	352	<i>Phyllodactylus pulcher</i>	315
Oedipina lineola	349	Phyllodactylus tuberculosus	321
Opheodrys aestivus	360	Phyllodactylus unctus	322
Opheodrys mayae	352	<i>Phyllodactylus xanti</i>	322
<i>Opisthodon torquatus</i>	348	Phyllorhynchus browni browni	354
<i>Oreophis bouleengeri</i>	330	Phyllorhynchus browni fortuitus	314, 344
<i>Oxybelis acuminatus</i>	363	Phyllorhynchus decurtatus decurtatus	322

PAGE	PAGE
Phyllorhynchus decurtatus nubilis.....	354
Phyllorhynchus decurtatus perkinsi.....	356
Pituophis deppei brevilineata.....	314, 335
Pituophis deppei deppei.....	334
Pituophis deppei jani.....	327
Pituophis deppei lineaticollis.....	348
<i>Pituophis deppei pholidostictus</i>	334
Pituophis catenifer affinis.....	359
Pituophis catenifer annectens.....	357
Pituophis catenifer bimaris.....	314, 323
Pituophis catenifer coronalis.....	314, 324
Pituophis catenifer deserticola.....	363
Pituophis catenifer fuliginosus.....	314
Pituophis catenifer fuliginatus.....	324
Pituophis catenifer insulanus	314, 323
<i>Pituophis catenifer rutilis</i>	354
Pituophis catenifer sayi	358
Pituophis catenifer vertebralis	322
<i>Pituophis haematois</i>	322
<i>Pituophis mexicanus</i>	337
<i>Plastoseryx bronni</i>	316
Plectrohyla brachycephala	314, 339
Plectrohyla matudai	326
Plectrohyla sagorum	326
<i>Plestiodon bellii</i>	333
Pliocercus aequalis	317
Pliocercus andrewsi	352
Pliocercus bicolor	351
Pliocercus elapoides celatus.....	346
Pliocercus elapoides diastemus	317
Pliocercus elapoides elapoides	348
<i>Pliocercus elapoides laticollaris</i>	345
Pliocercus elapoides schmidti	352
<i>Pliocercus elapoides semicinctus</i>	316
Pliocercus laticollaris	345
Procinura aemula	326
<i>Psammophis flagivularis</i>	360
Pseudemys floridana texana	361
Pseudemys scripta cataspila	346
Pseudemys scripta elegans	358
Pseudemys scripta gaigeae	361
Pseudemys scripta hiltoni	344
Pseudemys scripta ornata	343
Pseudemys scripta nebulosa	321
Pseudemys umbra	319
<i>Pseudodipsas fallax</i>	364
Pseudoeurycea altamontana	336
Pseudoeurycea bellii	341
Pseudoeurycea cephalica cephalica	341
Pseudoeurycea cephalica manni	333
Pseudoeurycea cephalica rubrimembris..	333
Pseudoeurycea cochranae	339
Pseudoeurycea gadovii	351
Pseudoeurycea galeanae	337
Pseudoeurycea gigantea	348
Pseudoeurycea leprosa	349
Pseudoeurycea melanomolga	351
Pseudoeurycea nigromaculata	347
Pseudoeurycea robertsi	334
Pseudoeurycea smithi	339
Pseudoeurycea unguidentis	339
Pseudoficimia frontalis	328
Pseudoficimia hiltoni	314, 344
Pseudoficimia pulcherrima	331
<i>Pseudoficimia pulchra</i>	328
Pseudoleptodeira discolor	337
Pseudoleptodeira latifasciata	331
Pseustes poecilonotus argus	347
Pseustes poecilonotus poecilonotus	319
Pternohyla fodiens	343
Ptychohyla adipoventralis	331
Ptychohyla bogerti	314, 339
<i>Rana adtrita</i>	329
Rana aurora draytoni	357
Rana catesbeiana	360
<i>Rana forreri</i>	343
Rana megapoda	333
Rana moorei	314, 342
Rana montezumae	329
<i>Rana montezumae concolor</i>	330
<i>Rana omiltemana</i>	332
Rana palmipes	363
Rana pipiens	359
Rana pipiens austricola	314, 351
Rana pipiens trilobata	333
Rana pustulosa	330
Rana sierramadrensis	331
Rana tarahumarae	327
<i>Rana trilobata</i>	333
<i>Rhabdosoma guttulatum</i>	346
Rhadinaea aemula	332
Rhadinaea crassa	333
Rhadinaea decorata	350
Rhadinaea forbesi	351
Rhadinaea fulvivittis	350
Rhadinaea gaigeae	342
Rhadinaea hesperia baileyi	331
Rhadinaea hesperia hesperia	332
Rhadinaea hesperia hesperioides	334
Rhadinaea lachrymans	326
Rhadinaea laureata	329
Rhadinaea macdougalli	337
Rhadinaea marcellae	314, 343
Rhadinaea montana	337
Rhadinaea omiltemana	332
Rhadinaea quinquelineata	342
Rhadinaea taeniata	321
Rhadinaea vittata	350
Rhadinella schistosa	347
<i>Rhinoclemmys mexicana</i>	339
Rhinocheilus antonii clarus.....	356
Rhinocheilus lecontei antonii.....	336
Rhinocheilus lecontei lecontei.....	357
Rhinocheilus lecontei tessellatus.....	327
Rhinophrynus dorsalis	351
<i>Rhinophrymnus rostratus</i>	340
Rhyacosiredon altamirani	329
Rhyacosiredon leorae	334
Rhyacosiredon rivularis	334
Rhyacosiredon zempoalaensis	336

PAGE	PAGE
<i>Salamandra togata</i>	339
<i>Salvadora bairdii</i>	330
<i>Salvadora bogerti</i>	337
<i>Salvadora grahamiae</i>	354
<i>Salvadora hexalepis celeris</i>	343
<i>Salvadora hexalepis deserticolor</i>	361
<i>Salvadora hexalepis hexalepis</i>	354
<i>Salvadora hexalepis klauberi</i>	314, 322
<i>Salvadora hexalepis virgultea</i>	356
<i>Salvadora intermedia intermedia</i>	331
<i>Salvadora intermedia richardi</i>	341
<i>Salvadora lemniscata</i>	331
<i>Salvadora lineata</i>	362
<i>Salvadora mexicana</i>	333
<i>Sator angustus</i>	324
<i>Sator grandaevus</i>	323
<i>Sauromalus ater</i>	324
<i>Sauromalus australis</i>	322
<i>Sauromalus hispidus</i>	323
<i>Sauromalus klauberi</i>	324
<i>Sauromalus obesus obesus</i>	355
<i>Sauromalus obesus townsendi</i>	345
<i>Sauromalus obesus tumidus</i>	353
<i>Sauromalus slevini</i>	324
<i>Sauromalus varius</i>	344
<i>Scaphiodontophis albonuchalis</i>	325
<i>Scaphiodontophis carpincetus</i>	318
<i>Scaphiodontophis cyclurus</i>	347
<i>Scaphiodontophis nothus</i>	350
<i>Scaphiodontophis sumichrasti</i>	338
<i>Scaphiopus couchii</i>	345
<i>Scaphiopus dugesii</i>	329
<i>Scaphiopus hammondii</i>	357
<i>Scaphiopus multiplicatus</i>	329
<i>Scaphiopus rectifrenis</i>	328
<i>Scaphiopus varians</i>	322
<i>Sceloporus aeneus aeneus</i>	336
<i>Sceloporus aeneus bicanthalis</i>	347
<i>Sceloporus asper</i>	334
<i>Sceloporus bulleri</i>	334
<i>Sceloporus carinatus</i>	326
<i>Sceloporus cautus</i>	327
<i>Sceloporus chrysostictus</i>	352
<i>Sceloporus clarki boulengeri</i>	343
<i>Sceloporus clarki clarki</i>	354
<i>Sceloporus cochranae</i>	341
<i>Sceloporus couchii</i>	337
<i>Sceloporus cozumelae</i>	342
<i>Sceloporus cyanogenus</i>	337
<i>Sceloporus digueti</i>	323
<i>Sceloporus dispar</i>	347
<i>Sceloporus dugesii dugesii</i>	328
<i>Sceloporus dugesii intermedius</i>	335
<i>Sceloporus edwardtaylori</i>	338
<i>Sceloporus ferrariiperezi</i>	330
<i>Sceloporus formosus formosus</i>	346
<i>Sceloporus formosus scitulus</i>	332
<i>Sceloporus fulvus</i>	316
<i>Sceloporus gadovii</i>	332
<i>Sceloporus goldmani</i>	342
<i>Sceloporus graciosus vandenburgianus</i>	356
<i>Sceloporus grammicus disparilis</i>	362
<i>Sceloporus grammicus grammicus</i>	331
<i>Sceloporus grammicus microlepidotus</i>	329
<i>Sceloporus guentheri</i>	325
<i>Sceloporus heterolepis</i>	334
<i>Sceloporus heterurus</i>	349
<i>Sceloporus horridus albiventris</i>	336
<i>Sceloporus horridus horridus</i>	336
<i>Sceloporus horridus oligoporus</i>	328
<i>Sceloporus humeralis</i>	340
<i>Sceloporus jalapae</i>	348
<i>Sceloporus jarrovii immucronatus</i>	333
<i>Sceloporus jarrovii jarrovii</i>	353
<i>Sceloporus jarrovii minor</i>	353
<i>Sceloporus jarrovii oberon</i>	327
<i>Sceloporus jarrovii sugillatus</i>	335
<i>Sceloporus lineolateralis</i>	330
<i>Sceloporus lundelli gaigeae</i>	352
<i>Sceloporus lundelli lundelli</i>	316
<i>Sceloporus maculosus</i>	330
<i>Sceloporus magister lineatulus</i>	324
<i>Sceloporus magister magister</i>	355
<i>Sceloporus magister monserratensis</i>	324
<i>Sceloporus magister rufidorsum</i>	323
<i>Sceloporus magister zosteromus</i>	322
<i>Sceloporus malachiticus acanthinus</i>	319
<i>Sceloporus malachiticus salvini</i>	348
<i>Sceloporus malachiticus taeniocnemis</i>	317
<i>Sceloporus megalepidurus</i>	351
<i>Sceloporus melanorhinus calligaster</i>	331
<i>Sceloporus melanorhinus melanorhinus</i>	340
<i>Sceloporus melanorhinus stuarti</i>	318
<i>Sceloporus merriami annulatus</i>	361
<i>Sceloporus merriami merriami</i>	363
<i>Sceloporus mucronatus aureolus</i>	346
<i>Sceloporus mucronatus mucronatus</i>	349
<i>Sceloporus mucronatus omiltemanus</i>	332
<i>Sceloporus nelsoni</i>	343
<i>Sceloporus obscurus</i>	336
<i>Sceloporus occidentalis biseriatus</i>	355
<i>Sceloporus ochoterenae</i>	332
<i>Sceloporus olivaceus</i>	362
<i>Sceloporus orcutti licki</i>	323
<i>Sceloporus orcutti orcutti</i>	356
<i>Sceloporus ornatus caeruleus</i>	328
<i>Sceloporus ornatus ornatus</i>	328
<i>Sceloporus parvus parvus</i>	337
<i>Sceloporus parvus scutulatus</i>	342
<i>Sceloporus pictus</i>	341
<i>Sceloporus pilsbryi</i>	342
<i>Sceloporus pleurostictus</i>	331
<i>Sceloporus poinsettii</i>	363
<i>Sceloporus prezygus</i>	325
<i>Sceloporus pyrocephalus</i>	328
<i>Sceloporus rubriventralis</i>	332
<i>Sceloporus scalaris scalaris</i>	329
<i>Sceloporus scalaris slevini</i>	353
<i>Sceloporus scalaris unicanthalis</i>	334
<i>Sceloporus serrifer plioporus</i>	347
<i>Sceloporus serrifer serrifer</i>	352
<i>Sceloporus siniferus cupreus</i>	341

PAGE	PAGE
<i>Sceloporus siniferus siniferus</i>	340
<i>Sceloporus spinosus caeruleopunctatus</i>	339
<i>Sceloporus spinosus spinosus</i>	341
<i>Sceloporus squamosus</i>	318
<i>Sceloporus stejnegeri</i>	332
<i>Sceloporus teapensis</i>	345
<i>Sceloporus torquatus binocularis</i>	337
<i>Sceloporus torquatus melanogaster</i>	330
<i>Sceloporus torquatus torquatus</i>	329
<i>Sceloporus undulatus consobrinus</i>	360
<i>Sceloporus undulatus virgatus</i>	344
<i>Sceloporus utiformis</i>	328
<i>Sceloporus variabilis marmoratus</i>	361
<i>Sceloporus variabilis smithi</i>	340
<i>Sceloporus variabilis variabilis</i>	351
<i>Sceloporus viviparus</i>	349
<i>Sceloporus westphalii</i>	335
<i>Schmidtophis rubriventris</i>	314, 343
<i>Scincus agilis</i>	363
<i>Scincus ventralis</i>	329
<i>Scolecophis scytalinus</i>	345
<i>Sibon nebulatus</i>	349
<i>Siredon harlanii</i>	359
<i>Siredon lermaensis</i>	334
<i>Siredon mexicanum</i>	329
<i>Siredon tigrina</i>	329
<i>Siren intermedia nettingi</i>	355
<i>Sistrurus catenatus tergeminus</i>	358
<i>Sistrurus ravus</i>	351
<i>Smilisca baudinii baudinii</i>	347
<i>Smilisca dawlinia</i>	347
<i>Sonora aequalis</i>	321
<i>Sonora bancroftae</i>	322
<i>Sonora episcopa</i>	362
<i>Sonora erythrura</i>	332
<i>Sonora michoacanensis michoacanensis</i> ..	335
<i>Sonora michoacanensis mutabilis</i> ..	334
<i>Sonora mosaueri</i>	321
<i>Sonora semiannulata blanchardi</i> ..	361
<i>Sonora semiannulata isoazona</i> ..	354
<i>Sonora semiannulata linearis</i> ..	355
<i>Sonora semiannulata semiannulata</i> ..	354
<i>Sonora taylori</i> ..	361
<i>Spelerves gibbicaudus</i> ..	349
<i>Spelerves infuscatus</i> ..	349
<i>Spelerves laticeps</i> ..	347
<i>Spelerves orizabensis</i> ..	349
<i>Spelerves punctatum</i> ..	320
<i>Sphaerodactylus glaucus glaucus</i>	352
<i>Sphaerodactylus lineolatus</i> ..	320
<i>Sphaerodactylus glaucus torquatus</i> ..	338
<i>Sphaerodactylus inornatus</i> ..	340
<i>Sphargis coriacea schlegelii</i> ..	344
<i>Sphenocalamus lineolatus</i> ..	343
<i>Spilotes pullatus auribundus</i> ..	349
<i>Spilotes pullatus mexicanus</i> ..	349
<i>Spilotes salvini</i> ..	319
<i>Spilotes variabilis</i> ..	349
<i>Staurotypus biporcatus</i> ..	318
<i>Staurotypus marmoratus</i> ..	339
<i>Staurotypus salvinii</i> ..	318
<i>Staurotypus triporcatus</i> ..	346
<i>Stenorhina degenhardtii mexicana</i> ..	347
<i>Stenorhina degenhardtii quinquelineata</i> ..	341
<i>Stenorhina freminvilli apiata</i> ..	338
<i>Stenorhina freminvillii freminvillii</i> ..	341
<i>Stenorhina freminvillii lactea</i> ..	316
<i>Storeria dekayi anomala</i> ..	350
<i>Storeria dekayi temporalis</i> ..	349
<i>Storeria dekayi texana</i> ..	362
<i>Storeria hidalgoensis</i> ..	333
<i>Storeria storerioides</i> ..	336
<i>Streptophorus bifasciatus</i> ..	350
<i>Streptophorus sebae collaris</i> ..	351
<i>Streptosaurus mearnsi</i> ..	356
<i>Streptosaurus slevini</i> ..	324
<i>Swanka maculata</i> ..	347
<i>Syphimus leucostomus</i> ..	338
<i>Sypholis lippiens</i> ..	334
<i>Syrrhopus campi</i> ..	361
<i>Syrrhopus cystignathoides</i> ..	350
<i>Syrrhopus guttilatus</i> ..	330
<i>Syrrhopus latodactylus</i> ..	337
<i>Syrrhopus leprus</i> ..	339
<i>Syrrhopus modestus</i> ..	328
<i>Syrrhopus mystaceus</i> ..	348
<i>Syrrhopus nebulosus</i> ..	326
<i>Syrrhopus pipilans</i> ..	332
<i>Syrrhopus rubrimaculatus</i> ..	325
<i>Syrrhopus smithi</i> ..	337
<i>Syrrhopus verrucipes</i> ..	333
<i>Syrrhopus verruculatus</i> ..	348
<i>Tachymenis melanocephala</i> ..	341
<i>Tantilla atriceps</i> ..	337
<i>Tantilla bimaculata</i> ..	343
<i>Tantilla bocourtii</i> ..	330
<i>Tantilla bocourtii deviatrix</i> ..	342
<i>Tantilla bogerti</i> ..	336
<i>Tantilla calamarina</i> ..	334
<i>Tantilla canula</i> ..	352
<i>Tantilla coronadoi</i> ..	331
<i>Tantilla cuniculator</i> ..	352
<i>Tantilla deppei</i> ..	321
<i>Tantilla depressa</i> ..	338
<i>Tantilla deviatrix</i> ..	342
<i>Tantilla eiseni eiseni</i> ..	355
<i>Tantilla eiseni transmontanus</i> ..	357
<i>Tantilla hobartsmithi</i> ..	344
<i>Tantilla jani</i> ..	317
<i>Tantilla kirnia</i> ..	360
<i>Tantilla martindelcampoi</i> ..	331
<i>Tantilla mexicana</i> ..	321
<i>Tantilla miniata</i> ..	349
<i>Tantilla moesta</i> ..	318
<i>Tantilla morgani</i> ..	341
<i>Tantilla nigriceps fumiceps</i> ..	360
<i>Tantilla nigriceps nigriceps</i> ..	362
<i>Tantilla phrenitica</i> ..	347
<i>Tantilla planiceps</i> ..	322
<i>Tantilla rubra</i> ..	339
<i>Tantilla shawi</i> ..	314, 343

PAGE	PAGE
Tantilla striata	338
Tantilla wilcoxi rubricata.....	337
Tantilla wilcoxi wilcoxi.....	353
Tantilla yaquia	327
Tantillita brevissima	326
Tantillita lintoni	318
Tapaya orbicularis longicaudata.....	329
Taricha klauberi	356
Terrapene coahuila	327
Terrapene goldmani	342
Terrapene klauberi	344
Terrapene mexicana mexicana.....	346
Terrapene mexicana yucatana.....	351
Terrapene nelsoni	336
Terrapene ornata	358
Testudo caouana	364
Testudo cephalo	360
Testudo viridis	360
Thalerophis diplotropis forreri.....	336
Thalerophis diplotropis diplotropis.....	340
Thalerophis mexicanus mexicanus.....	350
Thalerophis mexicanus yucatanensis.....	342
Thalorephis occidentalis praestans.....	318
Thamnophis angustirostris	328
Thamnophis arabdotus	342
Thamnophis chrysocephalus	350
Thamnophis cyrtopsis cyclides.....	330
Thamnophis digueti	332
Thamnophis eburatus	339
Thamnophis elegans hammondii.....	357
Thamnophis elegans hueyi.....	323
Thamnophis eques cyrtopsis.....	328
Thamnophis eques eques.....	351
Thamnophis eques postremus.....	335
Thamnophis errans	327
Thamnophis hammondii	357
Thamnophis macrostemma megalops.....	354
Thamnophis marciana	355
Thamnophis melanogaster canescens.....	333
Thamnophis melanogaster linearis.....	314, 334
Thamnophis melanogaster melanogaster..	330
Thamnophis ordinoides errans.....	327
Thamnophis ordinoides hueyi.....	323
Thamnophis ordinatus parietalis.....	359
Thamnophis phenax halophilus.....	333
Thamnophis phenax phenax.....	347
Thamnophis rozellae	326
Thomnophis rufipunctatus	353
Thamnophis ruthveni	340
Thamnophis sauritus chalceus.....	342
Thamnophis sauritus proximus.....	359
Thamnophis scalaris godmani.....	332
Thamnophis scalaris scalaris.....	348
Thamnophis scalaris scaliger.....	329
Thamnophis sirtalis parietalis.....	359
Thamnophis sirtalis proximus.....	359
Thamnophis stejnegeri	330
Thamnophis subcarinatus megalops.....	354
Thamnophis subcarinatus subcarinatus..	334
Thamnophis sumichrasti cerebrosus ..	318
Thamnophis sumichrasti fulvus	317
Thamnophis sumichrasti praeocularis.....	316
Thamnophis sumichrasti salvini.....	314, 317
Thamnophis sumichrasti sumichrasti.....	350
Thamnophis vicinus	335
Thecadactylus rapicaudus	352
Thorius dubitus	346
Thorius macdougalli	314, 338
Thorius minutissimus	314, 339
Thorius narisovalis	339
Thorius pennatulus	349
Thorius pulmonaris	339
Thorius troglodytes	346
Tomodactylus albolabris	331
Tomodactylus amulae	331
Tomodactylus angustidigitorum	335
Tomodactylus macrotympanum	333
Tomodactylus nitidus	341
Toluca amphisticha	314, 341
Toluca conica	339
Toluca lineata acuta	338
Toluca lineata lineata.....	329
Toluca lineata varians	346
Toluca lineata wetmorei	350
Toluca megalodon	339
Trimorphodon biscutatus biscutatus.....	340
Trimorphodon biscutatus semirutilus ..	331
Trimorphodon collaris	351
Trimorphodon fasciolata	335
Trimorphodon forbesi	341
Trimorphodon lambda	344
Trimorphodon latifascia	341
Trimorphodon lyrophanes	322
Trimorphodon major	340
Trimorphodon paucimaculata	343
Trimorphodon tau	339
Trimorphodon epsilon	334
Trimorphodon vandenburgi	357
Trimorphodon vilkinsonii	326
Tropidodipsas annulifera	315
Tropidodipsas fasciata	352
Tropidodipsas fischeri	319
Tropidodipsas guerreroensis	331
Tropidodipsas macdougalli	340
Tropidodipsas occidentalis	328
Tropidodipsas philippii	343
Tropidodipsas sartorii annulatus ..	319
Tropidodipsas sartorii sartorii	349
Tropidonotus mesomelanus	330
Tropidonotus quadriserialis	343
Tropidonotus tephrolepleura	322
Tretanorhinus nigroluteus lateralis ..	316
Trimeresurus garciai	341
Triprion petasatus	351
Typhlops basimaculatus	350
Typhlops braminus	314
Typhlops longissimus	315
Typhlops microstomus	352
Typhlops perditus	350
Typhlops praelongus	347
Typhlops psittacus	321

PAGE	PAGE		
<i>Uma exsul</i>	328	<i>Uta mannophorus</i>	323
<i>Uma notata cowlesi</i>	344	<i>Uta martinensis</i>	324
<i>Uma notata notata</i>	355	<i>Uta nolascensis</i>	345
<i>Uma rufopunctata</i>	355	<i>Uta palmeri</i>	344
<i>Ungaliophis continentalis</i>	318	<i>Uta parva</i>	321
<i>Urosaurus auriculatus</i>	329	<i>Uta squamata</i>	324
<i>Urosaurus bicarinatus anonymorphus</i>	340	<i>Uta stansburiana elegans</i>	321
<i>Urosaurus bicarinatus bicarinatus</i>	336	<i>Uta stansburiana hesperis</i>	356
<i>Urosaurus bicarinatus nelsoni</i>	338	<i>Uta stansburiana stejnegeri</i>	359
<i>Urosaurus bicarinatus tuberculatus</i>	328	<i>Uta stellata</i>	324
<i>Urosaurus clarionensis</i>	329	<i>Uta taylori</i>	344
<i>Urosaurus gadovii</i>	333	<i>Verticaria esperitensis</i>	324
<i>Urosaurus graciosus</i>	355	<i>Verticaria franciscensis</i>	324
<i>Urosaurus irregularis</i>	320	<i>Virginia fasciata</i>	319
<i>Urosaurus microscutatus</i>	322	<i>Xantusia gilberti</i>	322
<i>Urosaurus nigricaudus</i>	322	<i>Xantusia henshawi</i>	357
<i>Urosaurus ornatus caeruleus</i>	327	<i>Xantusia picta</i>	356
<i>Urosaurus ornatus chiricahuae</i>	353	<i>Xantusia vigilis</i>	356
<i>Urosaurus ornatus linearis</i>	344	<i>Xenodon mexicanus</i>	318
<i>Urosaurus ornatus ornatus</i>	363	<i>Xenosaurus fasciatus</i>	348
<i>Urosaurus ornatus schmidti</i>	362	<i>Xenosaurus grandis</i>	347
<i>Urosaurus ornatus schottii</i>	344	<i>Xenosaurus newmanorum</i>	342
<i>Urosaurus ornatus symmetricus</i>	355	<i>Xenosaurus rackhami</i>	317
<i>Urosaurus unicus</i>	326	<i>Zamenis conirostris</i>	345
<i>Uta concinna</i>	323	<i>Zamenis lateralis fuliginosus</i>	324
<i>Uta gularis</i>	344		
<i>Uta lateralis</i>	343		



BHL

Biodiversity Heritage Library

Smith, Hobart M. and Taylor, Edward Harrison. 1950. "Type localities of Mexican reptiles and amphibians." *The University of Kansas science bulletin* 33, 313–380.

View This Item Online: <https://www.biodiversitylibrary.org/item/25860>

Permalink: <https://www.biodiversitylibrary.org/partpdf/168053>

Holding Institution

Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Sponsored by

Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: KU Biodiversity Institute and Natural History Museum

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.