

VEGETATION AND FLORA OF THE MOUNTAIN PIMA VILLAGE OF NABOGAME, CHIHUAHUA, MEXICO

Joseph E. Laferrière

Herbarium, 113 Shantz Bldg., University of Arizona, Tucson, Arizona 85721
U.S.A.

ABSTRACT

The Mountain Pima village of Nabogame lies at an elevation of 1800 m in the Sierra Madre Occidental, 250 km W of Ciudad Chihuahua, 18 km NW of Yepachi and 10 km E of the Sonoran frontier. The village is in a rainshadow which causes a local abundance of xerophytic vegetation. A list is provided of 601 species of vascular plants collected from approximately 40 km² in the vicinity of Nabogame.

RESUMEN

La comunidad Pima de Nabogame se halla en una altitud de 1800 m en la Sierra Madre Occidental, 250 km oeste de la Ciudad Chihuahua, 18 km al noroeste de Yepachi y 10 km al este de los límites con Sonora. La comunidad está ubicada en un sombre orográfica que causa una abundancia local de vegetación xerofítica. Se recolectaron 601 especies de plantas vasculares de la vicinidat de Nabogame.

KEY WORDS: floristics, vegetation, México, Chihuahua

The Sierra Madre Occidental of northwestern México remains botanically underexplored. Brand (1937), Gentry (1942), LeSueur (1945), White (1948), and Maysilles (1959) provided floristic information on portions of the region, but no flora covers the area. None of these authors concentrated on the portion of the area inhabited by the Mountain Pima people. The present study is an

attempt to contribute to floristic knowledge of the region through intensive collecting in a small portion of it.

The Mountain Pima village of Nabogame, Chihuahua, México, lies in the Municipio of Temósachic at an elevation of 1800 m in the Sierra Madre Occidental at 28°30'N, 108°30'W. The town should not be confused with the larger Tepehuan community of the same name in southern Chihuahua. The site is approximately 250 km due west of Ciudad Chihuahua, 18 km northwest of Yepachi and 10 km east of the frontier with the state of Sonora. The total population is approximately 75. Information on the use of native plants and fungi by the people of Yepachi and Nabogame as sources of food, fiber, medicine, and holiday decorations is given by Pennington (1973), Laferrière (1990b; 1991a,d; 1992a), Laferrière & Gilbertson (1992), Laferrière & Van Asdall (1991, 1992), and Laferrière *et al.* (1991a,b).

The Nabogame valley ranges in altitude from 1600 m in the south at the confluence of the Nabogame Arroyo with the Río Yepachi to 2100 m at the summit of the mountain to the northeast of the town. The east side of the valley is formed of a highly siliceous rhyolite, while the west side is of a purplish-red shale. There are also numerous rocky outcroppings in the vicinity, often forming steep precipices. The entire area is cut by numerous small canyons and arroyos. There are no deep barrancas in the immediate vicinity, such as those found south of Yepachi in the drainage basin of the Río Mayo.

The region included in the floristic survey covers the drainage basin of the creek running through the center of Nabogame (called "Arroyo de Nabogame"), plus the neighboring drainage basin locally referred to as "La Mesa" (Figure 1). This basin to the east of the main drainage basin was included since one house socially and politically considered part of Nabogame lies to the east of the divide, and because there has been less disturbance in the area. The eastern drainage has been subjected to less intensive agricultural exploitation and no commercial logging. The creeks of both drainage basins are tributaries of the Río Yepachi. This is itself a tributary of the Río Mulatos, which in turn drains into the Río Papigóchic and the Río Yaqui. The portion of the river between the mouths of the two creeks was also included in the survey, as was the maple grove on the south side of the river near the mouth of the Arroyo de Nabogame. Estimated total area of the survey was 40 km².

Precipitation in the Sierra Madre Occidental is bimodal, with two rainy seasons and two dry seasons (Wallén 1955). Average annual precipitation in Yécora, Sonora, 40 km west of Nabogame, is reported at 1071 mm per annum (Hastings 1964). No data is available for Nabogame or Yepachi, but both appear somewhat moister than Yécora. Most of the rain occurs in the form of thunder showers which approach from the southeast in late summer (Hastings 1964). Nabogame is in a strong rainshadow even with respect to Yepachi 18 km to the southeast. Moist pine forest is the dominant natural vegetation type in Yepachi, but this covers only a small percentage of the land in Nabogame. The




Figure 1. Map showing Nabogame and La Mesa drainage basins included in floristic survey.

name "Nabogame," i.e., "place of the prickly-pears," reflects the abundance of xerophytic vegetation at this site. Nabogame is nevertheless moister than other communities farther west and is by no means a desert.

The seasonality of rainfall has a significant impact on vegetation and stream flow. Fallow fields depleted of vegetation by grazing during the spring dry season become covered with a thick stand of herbs two meters or more tall by the end of August. Creeks in the town dry out completely during the May-June dry season, then become raging torrents during July and August thunder showers. The desiccation of the annual dry season combined with the scouring effect of the summer floodwaters prevent the formation of swamps or marshes in the valley.

During the latter half of my fieldwork period, beginning in August 1987, the Mountain Pima area experienced the worst drought in the memory of the local people (Laferrière 1992a). Most of the North American continent experienced the same phenomenon, caused by warm currents in the tropical Pacific Ocean, commonly called "El Niño" (Trenberth *et al.*, 1988). The drought adversely affected many of the local plant populations. Indirect effects of the drought, especially increased grazing pressure, were as devastating on the local plant community as the direct effects.

Although the predominant natural vegetation of Nabogame is pine/oak forest (Rzedowski 1986), this has been greatly modified by human utilization. The inhabitants of the town impact on the landscape in several ways: livestock grazing, plowing of fields for agricultural use, and direct utilization of wild plants for food, fiber, medicine, construction materials, and firewood (Laferrière & Van Asdall 1992). Grazing intensity varies seasonally due to the local habit of allowing the livestock into the center of town during the winter but keeping them in the forest from May to November (Laferrière & Van Asdall 1992). This results in a great abundance of herbaceous vegetation inside the town during the summer rainy season. This luxurious growth is nearly completely consumed by the livestock by spring. Grazing and direct human utilization of plant resources has severely depleted several useful species, according to many of the local people. Economic species they describe as having been more abundant in the past include *Dasyllirion wheeleri*, *Nolina microcarpa*, *Yucca madrensis*, and *Prionosciadium townsendii*.

The valley can be subdivided into various vegetation zones according to use, soil, slope, aspect, and availability of water. The following habitats are present in Nabogame, characterized by their dominant species:

A. FORESTS

1. Oak forest: *Quercus chihuahuensis*, *Q. viminea*, *Q. hypoleuca*, *Arbutus zalapensis*. This constitutes the most widespread vegetation zone, covering large sections of hillside.
2. Moist pine forest: *Pinus engelmannii*, *P. chihuahuana*, *Quercus*

chihuahuensis, *Q. viminea*. Moist pine forest generally occurs in more protected, sheltered areas than oak woodland, although the two do intergrade considerably.

3. Dry pine forest: *Pinus lumholtzii*, *Quercus chihuahuensis*, *Juniperus deppeana*, *Arbutus zalapensis*. The soil in certain areas is poorer and more porous than in others, resulting in slightly more xerophytic vegetation. The trees in this area are shorter than in the moist pine forest, the herbaceous vegetation more scanty, and the general aspect more open.

4. Cypress forest: *Cupressus lusitanica*, *Pinus* spp., *Quercus* spp., *Prunus gentryi*, *Arbutus zalapensis*, *Frazinus* spp. Along the intermittent creeks where the water table is rather shallow, there occurs a very moist community dominated primarily by tall trees. Many of these areas are steep-walled canyons, with such shrubs as *Berberis pimana*, *Holodiscus dumosus*, *Rhus trilobata*, and *Forestiera neomexicana*.

5. Maple forest: *Acer grandidentatum*, *Cupressus lusitanica*. Along the banks of the Río Yepachi, there are two small stands dominated by these two tree species. Though of small extent, these groves are important floristically since many mesic, sun-intolerant herbs are present only in these groves.

B. OPEN BRUSH

1. Manzanita thickets: *Arctostaphylos pungens*, *Quercus chihuahuensis*, *Juniperus durangensis*. This community dominated by shrubs and small trees is found in areas of extremely poor, porous soil. This type grades into the dry pine forest.

2. Steep cliffs and near-cliffs: *Dasyllirion wheeleri*, *Agave shrevei*, *Opuntia* spp., *Eysenhardtia orthocarpa*. These open rock-faces are largely immune to grazing pressure.

C. AQUATIC

1. Rivers: *Ranunculus circinatus*, *Potamogeton* spp. In the waters of the Río Yepachi are found a few submerged and emergent species.

2. Sunlit springs: *Eryngium longifolium*, *Lobelia cardinalis*. Most of the sunlit springs are very heavily grazed, but approximately 1 km north of the town there is a permanent spring on a slope too steep for even the goats. This spring was flowing even during the drought of 1988.

3. Shaded springs: *Quercus* spp., *Prunus gentryi*, *Cupressus lusitanica*.

4. Sun-lit creekbanks: *Baccharis salicifolia*, *Polygonum* spp.

D. DISTURBED AREAS

1. Cultivated fields: *Amaranthus hybridus*, *Cosmos parviflorus*, *Bidens aurea*, *Ipomoea* spp.

2. Fallow fields, ungrazed in summer: *Cosmos parviflorus*, *Bidens aurea*, etc.

3. Cleared but unplowed fields: *Hymenocallis pimana*, *Cosmos parviflorus*, *Bidens aurea*, *Opuntia* spp. Within the perimeter fence protecting the center of town from grazing livestock, there are areas too steep or rocky for planting. These are therefore left permanently as pasture, grazed in the winter but not the summer. Most of the annual species found in the fallowed fields may also be found here, in addition to perennial species such as *H. pimana*.
4. Permanently grazed pasture: various grasses and forbs. In the forest beyond the perimeter fence there are several permanent pastures devoid of trees and subject to year-round grazing. Some of these represent fields formerly cultivated but now abandoned due to erosion.

I collected specimens of 601 plant species from this area between October 1986 and November 1988. The largest families represented were the Asteraceae (118 species), Poaceae (65), and Fabaceae (55). The number of species collected compares favorably with those of other local floras from northwestern México and the southwestern United States. Such local floras contain an average of approximately 400 species (Bowers 1981, 1982; McLaughlin 1986). White (1948) listed 1200 species from the Río Bavispe, an area close to Nabogame and at comparable elevation but approximately 100 times as large. Given these comparisons to other studies, I feel confident that the list represents the vast majority of the plant species present in Nabogame during the study period. I cannot, however, estimate the number of species missed because of the drought.

Nabogame is the type locale for nine recently described plant and fungal taxa. These are *Prunus gentryi* forma *flavipulpa* (Laferrière 1989), *Hymenocallis pimana* (Laferrière 1990a), *Berberis pimana* (Laferrière & Marroquín 1990), *Laennecia pimana* (Nesom & Laferrière 1990), *Pectis pimana* (Laferrière & Keil 1991), *Wedelia pimana* (Turner 1992), *Arabis microsperma* (Rollins 1993), *Albatrellus mexicanus* Laferr. & Gilbn. (Laferrière & Gilbertson 1990a), and *Polyporus tenuiparies* Laferr. & Gilbn. (Laferrière & Gilbertson 1990b).

ANNOTATED LIST OF PLANTS COLLECTED IN NABOGAME, CHIHUAHUA, MEXICO.

Numbers after the names indicate the author's collection numbers. Nearly all the following species are represented by vouchers at ARIZ. For those taxa not represented by vouchers at ARIZ, location of voucher is given after the collection number. Secondary centers for duplicate deposition are ANSM, CHAPA, MEXU, SD, and TEX. Smaller numbers of specimens have been sent to A, ASU, CAS, COL, COLO, DAV, DES, ENCB, F, FTG, GH, ID, K, KIRI, KU, MO, MONT, NCSC, NMC, NY, OBI, RM, SBBG, TAES, UC,

UCR, UNL, UNM, US, and VDB, and to Mesa State College, P.O. Box 2647, Grand Junction, Colorado 81502.

For many plants, the local common names are given. An "S" indicates the name used by the Pima when they are speaking Spanish; some of these are non-standard Spanish, and a few are actually of Tarahumara etymology. A "P" indicates a Pima name. The orthography used in Pima names is the same as for Spanish, except that "b," "v," "h" and "sh" have the same meanings as in English. A "+" indicates an open front vowel, an apostrophe indicates a glottal stop, and a "y" indicates palatization of the preceding consonant. Final vowels in Mountain Pima can fluctuate, especially between "i" and "e," or be dropped entirely.

LYCOPODIOPHYTA

Selaginellaceae

Selaginella arizonica Maxon. Barba de piedra (S); hot+nvara (P) [names also applied to all terrestrial lichens and bryophytes]. Cliff faces. #358.

Selaginella novoleonensis Hieron. Flor de piedra (S); bautama hioshgama (P). Cliff faces. #1241.

Selaginella rupicola Underw. Barba de piedra (S). Cliff faces, oak, pine, and cypress forests. #1307.

Selaginella wrightii Hieron. Barba de piedra (S). Sunlit creekbanks. #1371.

EQUISETOPHYTA

Equisetaceae

Equisetum hyemale var. *affine* (Engelm.) A.A. Eat. Cola de caballo (S); kaba hira (P). Streambanks. #1271.

POLYPODIOPHYTA

Adiantaceae

Argyrochosma limitanea (Maxon) Wind. var. *limitanea*. Cypress forest. #1239.

Bommeria hispida (Mett.) Underw. Oak forest. #379.

Bommeria pedata (Sw.) Fourn. Oak forest. #1649.

Cheilanthes alabamensis (Buckl.) Kunze. Cypress forest. #1293.

Cheilanthes bonariensis (Willd.) Proctor. Oak forest. #378.

Cheilanthes cuneata Link. Carnehual (S) [name applied to all ferns by some people but restricted to this species by others]. Cypress forest. #1001.

Cheilanthes lendigera (Cav.) Swartz. Oak forest. #377.

Cheilanthes sinuata (Sw.) Domin. Oak, cypress, and maple forests. #386.

Cheilanthes wrightii Hook. Fallow fields. #1289.

Pellaea cordifolia (Sessé & Moc.) A.R. Smith. Cliff-faces. #726.

Pellaea ternifolia (Cav.) Link. var. *ternifolia*. Oak forest. #1489.

Aspleniaceae

Asplenium palmeri Maxon. Cypress forest. #362.

Thelypteris puberula (Baker) Morton. Cypress forest. #1108.

Dennstaedtiaceae

Pteridium aquilinum var. *pubescens* Underw. Fields. #1105.

Ophioglossaceae

Ophioglossum engelmannii Prantl. Open oak forests. #1553.

Polypodiaceae

Elaphoglossum pilosum (H.B.K.) Moore. Maple forest. #1399.

Phlebodium areolatum (Willd.) J. Smith. Oak forest. #704.

Polypodium thysanolepis Klotz. var. *thysanolepis*. Pine and oak forests. #356, 380.

PINOPHYTA

Cupressaceae

Cupressus lusitanica Mill. Sabino (S); ga'a (P). Cited as *C. arizonica* E. Greene by Laferrière (1992a), Laferrière & Gilbertson (1992) and Laferrière *et al.* (1991a). Cypress and maple forests. #333.

Juniperus deppeana var. *robusta* Mart. Tásate (S); ban ga'a (P). Pine and oak forests. #398.

Juniperus durangensis Mart. Tásate negro (S); sho'olyi ga'a or tuk ga'a (P). Cliff faces and manzanita thickets. #1426.

Juniperus flaccida Schlecht. var. *flaccida*. Sabino colorado (S); wam ga'a (P). Oak forests. #1379.

Pinaceae

Pinus arizonica Engelm. Pino blanco (S); huko (P). Pine and cypress forests. #349.

Pinus chihuahuana Engelm. Pino colorado (S). Oak and pine forests. #336.

Pinus engelmannii Carr. Pino blanco (S); tua huko (P). Pine and cypress forests. #331.

Pinus lumholtzii B.L. Rob. & Fernald. Pino finito (S); bi'igama huko (P). Pine and cypress forests. #479.

ANTHOPHYTA
DICOTYLEDONAE
Acanthaceae

Dyschoriste decumbens (A. Gray) Kuntze. Cypress forests. #1227.

Elytraria imbricata (Vahl.) Pers. Cordoncillo (S). Oak and pine forests. #324.

Stenandrium pilosulum (S.F. Blake) T.F. Daniel. Fields. #439.

Aceraceae

Acer grandidentatum Nutt. Haya (S); sojara (P). Maple forests. #1491.

Amaranthaceae

Alternanthera caracasana H.B.K. Fields. #594.

Amaranthus hybridus L. Fields. Quelite de mayo or quelite de agua (S); tu'ya (P). Very common weed in cultivated fields. #546.

Gomphrena nitida Rothr. Fields. #315.

Guillerminea densa Willd. Contrahierba (S); v+v+gi hioktoktama (P). Creekbanks. #1041.

Iresine heterophylla Standl. Creekbanks and cypress forests. #1907.

Anacardiaceae

Rhus allophylloides Standl. Cypress forests. #2260.

Rhus aromatica Ait. Lima (S); divi'uka (P). Oak, pine, and cypress forests. #403.

Toxicodendron radicans var. *divaricatum* (E. Greene) Gillis. Hiedra (S); tumuraga (P). Forests. #491

Apiaceae

Donnellsmithia juncea (H.B.K.) Mathias & Const. Oak and pine forests. #1789.

Eryngium heterophyllum Engelm. Hierba del sapo (S); koko hoyi (P). Fields. #852.

Eryngium lemmonii Coult. & Rose. Creekbanks in cypress forests. #1767.

Eryngium longifolium Cav. Sunlit springs. #1568.

Hydrocotyle verticillata var. *triradiata* (A. Rich.) Fernald. Creekbanks. #513.

Lilaeopsis schaffneriana (Schl.) Coult. & Rose. Emergent from mudflats along riverbank. #2208.

Prionosciadium madrense S. Wats. Saraviqui amargo (S); komichi (P). Fields and oak and pine forests. #1155.

Prionosciadium townsendii Rose. Saraviqui (S); tapy+k+lyi (P). Cypress forests and sunlit springs. #1504.

Apocynaceae

Macrosiphonia hypoleuca (Benth.) Muell. Oak forests. #1519.

Mandevilla foliosa (Muell.-Arg.) Hemsl. Fields and oak, pine and cypress forests. #1459.

Aquifoliaceae

Ilex toluhana Hemsl. Cypress forests. #948.

Araliaceae

Aralia humilis Cav. Oak and cypress forests. #322.

Asclepiadaceae

Asclepias angustifolia Schweig. Fields, forests, and creekbanks. #470.

Asclepias elata Benth. Fields. #662.

Asclepias fournieri Woods. Fields. #1936 (A).

Asclepias glaucescens H.B.K. Fields. #1684.

Asclepias jaliscana B.L. Rob. Oak forests. #1528.

Asclepias linaria Cav. Fields and oak forests. #509.

Asclepias ovata Mart. & Gal. Fields and forests. #1524.

Asclepias quinqueidentata A. Gray. Fields. #981 (MO).

Gonolobus sp. Cypress forests. #2301 (MO).

Pherotrichis balbisii A. Gray. Mortal (S). Oak forests. #500.

Asteraceae

Acourtia dieringeri Cabrera. Pipichau (S); shamundam (P). Oak forests. #1085.

Acourtia patens (A. Gray) Reveal & R.M. King. Pine and oak forests. #1280.

Acourtia thurberi (A. Gray) R.M. King & H. Rob. Matariki (S); kokshama (P). Fields and oak forests. #317.

Ageratina hyssopina (A. Gray) R.M. King & H. Rob. Oak forests. #1918 (TEX).

Ageratina paupercula (A. Gray) R.M. King & H. Rob. Cypress forests. #1390.

Ageratina palmeri (A. Gray) Gage. Oak and maple forests. #2118.

Ageratina rothrockii (A. Gray) R.M. King & H. Rob. Cypress forests. #2200.

Ageratina stricta (A. Gray) R.M. King & H. Rob. Pine and cypress forests. #1311.

Ageratum corymbosum Pers. forma *corymbosum*. Fields and oak forests. #728.

Ageratum corymbosum forma *lactiflorum* M.F. Johnson. Cliff faces and oak forests. #979.

Alloispermum palmeri var. *lancifolium* (Urbatsch & B.L. Turner) Fernández & Urbatsch. Oak forests. #1548.

Ambrosia psilostachya DC. Estafiete (S); musha (P). Fields and creekbanks. #1933.

Artemisia ludoviciana subsp. *sulcata* (Rydb.) Keck. Forests. #1259.

Aster potosinus A. Gray. Fields and cypress forests. #1941.

Aster spinosus Benth. Creekbanks. #1214.

Aster subulatus var. *parviflorus* (Nees) Sundberg. Creekbanks. #1716.

Baccharis salicifolia (Ruiz & Pavon) Pers. Batamote (S); baashoma (P). Sunlit creekbanks. #329.

Baccharis thesioides H.B.K. Hierba del pasmo (S). Oak and pine forests. #1417.

Berlandiera lyrata var. *monocephala* B.L. Turner. Coronilla (S); ko'ovalyi (P). Fields. #1486 (TEX).

- Bidens aurea* (Ait.) Sherff. Fields and forests. #341.
- Bidens gentryi* Sherff. Creekbanks and oak forests. #2263.
- Bidens odorata* var. *rosea* (Sch.-Bip.) Melchert & B.L. Turner. Common in cultivated and fallow fields. #856.
- Brickellia betonicifolia* A. Gray. Fields, creekbanks, and maple forests. #2056.
- Brickellia eupatorioides* var. *chlorolepis* (Woot. & Standl.) B.L. Turner. Fields and cypress forests. #2220.
- Brickellia pringlei* A. Gray. Creekbanks and pine forests. #520.
- Brickellia simplex* A. Gray. Cypress forests. #1191.
- Carminatia tenuiflora* DC. Pine and cypress forests. #2105.
- Carphochaete pringlei* (S. Wats.) B.L. Turner. Oak and pine forests and manzanita thickets. #1853.
- Carphochaete wislizeni* A. Gray. Pine forests and manzanilla thickets. #2074.
- Chamomilla recutita* (L.) Rausch. Fields. Probably escaped from cultivation. #1994 (TEX).
- Chaptalia tezana* E. Greene. Pine and cypress forests. #2201.
- Conyza canadensis* (L.) Cronq. Fields and oak forests. #1266.
- Cosmos bipinnatus* Cav. Escape from cultivation. #1124 (TEX).
- Cosmos linearifolius* var. *magnifolius* Sherff. Oak and cypress forests. #1692.
- Cosmos parviflorus* (Jacq.) Pers. Juve (S); a'loke (P). Common weed in cultivated and fallow fields. #301.
- Cosmos pringlei* B.L. Rob. & Fernald. Bavisa (S); bavish (P). Oak and maple forests. #2123.
- Cosmos palmeri* B.L. Rob. Oak and maple forests. #1576.
- Dahlia coccinea* Cav. Dalia or cachana (S); kachana (P). Oak and cypress forests. #992.
- Dahlia sherffii* Sorenson. Dalia or cachana (S); kachana (P). Cypress forests. #1522.
- Dyssodia porophylla* subsp. *cancellata* (Cass.) Strother. Fields. #1975 (TEX).
- Erigeron basaseachensis* Nesom. Maple forests. #2127.
- Erigeron delphinifolius* Willd. Oak forests. #2267.
- Erigeron flagellaris* A. Gray. Fields. #371.

- Erigeron fraternus* E. Greene. Maple forests. #2137.
- Erigeron fundus* Nesom. Cypress and maple forests. #1432.
- Erigeron oreophilus* Greenm. Shaded streambanks. #1185.
- Erigeron strigosus* E. Greene. Fields. #1130.
- Eupatorium ovaliflorum* Hook. & Arn. Oak and pine forests. #1326.
- Eupatorium sonorae* A. Gray. Cypress forests and shaded springs. #2288.
- Galinsoga parviflora* Cav. Fields and oak forests. #2086.
- Gamochaeta americana* (Mill.) Wedd. Oak forests. #2183 (TEX).
- Gamochaeta purpurea* (L.) Cabrera *vel aff.* Oak forests. #430.
- Gnaphalium sphacilatum* H.B.K. Streambanks. #498.
- Gnaphalium stramineum* H.B.K. Fields. #537 (TEX).
- Gnaphalium thermale* A. Nelson. Fields and oak and maple forests. #2121.
- Gnaphalium viscosum* H.B.K. Manzanilla del río (S). Fields and cypress forests. #622.
- Gutierrezia wrightii* A. Gray. Creekbanks and fields. #1131.
- Heterosperma pinnatum* Cav. Fields and forests. #1897.
- Heterotheca subaxillaris* (Lam.) Britt. & Rusby. Fields, forests, and creekbanks. #1194.
- Hieracium abscissum* Less. Oak forests. #1564.
- Hieracium fendleri* C.H. Schultz. Oreja de conejo (S); bopkama sha'i (P). Forests. #366 (TEX).
- Hieracium pringlei* A. Gray. Oak forests. #521 (TEX).
- Hymenothrix palmeri* var. *glandulosa* (S. Wats.) B.L. Turner. Pine forests. #1312.
- Hymenothrix palmeri* A. Gray var. *palmeri*. Oak forests and manzanita thickets. #2077.
- Hymenothrix wrightii* A. Gray. Fields and cliff faces. #2309 (TEX).
- Jaegeria hirta* (Lag.) Less. Cypress forests. #2177.
- Laennecia eriophylla* (A. Gray) Nesom. Manzanita thickets, and oak and pine forests. #1570.
- Laennecia pimana* Nesom & Laferr. Unplowed fields. #2216 (TEX, type).

- Laennecia sophiifolia* (H.B.K.) Nesom. Pine forests. #2059.
- Lasianthaea podocephala* (A. Gray) K. Becker. Fields and oak forests. #1810.
- Leibnitzia occimadrensis* Nesom. Cypress and maple forests. #2136.
- Machaeranthera gracilis* (Nutt.) Shinnars. Fields. #1033.
- Melampodium appendiculatum* B.L. Rob. Fields and forests. #937.
- Melampodium longicorne* A. Gray. Fields and cypress forests. #1157.
- Melampodium perfoliatum* (Cav.) H.B.K. Fallow fields. #1690.
- Melampodium sericeum* Lag. Fields. #1637.
- Milleria quinqueflora* L. Oak and cypress forests. #1197.
- Montanoa leucantha* subsp. *arborescens* (DC.) V.A. Funk. Batayaqui (S);
nakshura (P). Oak forests. #321.
- Pectis pimana* Laferr. & Keil. Hierba de la hormiga (S). Fields. #2013
(type).
- Pectis prostrata* Cav. Fields and forests. #1202.
- Perityle microcephala* A. Gray. Cliff faces, manzanita thickets, and oak and
pine forests. #2081.
- Pinaropappus junceus* A. Gray. Pine and cypress forests. #514.
- Pinaropappus roseus* (Less.) Less. var. *roseus*. Fields and pine forests. #455.
- Porophyllum coloratum* (H.B.K.) DC. Oak forests. #323.
- Porophyllum macrocephalum* DC. Oak forests. #2095 (TEX).
- Psacalium decompositum* (A. Gray) H. Rob. & Brettell. Matariqui (S); t+p+lyi
(P). Fields and oak forests. #876.
- Pyrropappus pauciflorus* (D. Don) DC. Fields. #1228 (TEX).
- Schkuhria pinnata* var. *guatemalensis* (Rydb.) McVaugh. Fields and oak
forests. #1833.
- Senecio carlomasonii* B.L. Turner & T. Barkley. Fields. #952.
- Senecio lemmonii* A. Gray. Cypress forests. #1195 (TEX).
- Senecio masonii* B.L. Turner. Oak and pine forests. #2097.
- Senecio salignus* DC. Fields. #1405.
- Simsia amplexicaulis* (Cav.) Pers. Fields. #1081.
- Solidago wrightii* A. Gray. Cypress and maple forests. #2254 (TEX).

- Sonchus asper* (L.) Hill. Cultivated fields. #1545.
- Stevia glandulosa* var. *gentryi* Grashoff. Cliff faces. #2279.
- Stevia ovata* Willd. var. *ovata*. Fields and oak forests. #1012.
- Stevia palmeri* A. Gray var. *palmeri*. Fields, springs, and forests. #2141.
- Stevia serrata* Cav. var. *serrata*. Fields and oak forests. #1078.
- Stevia viscida* H.B.K. Fields. #303.
- Tagetes filifolia* Lag. Anís (S). Oak and cypress forests. #1201.
- Tagetes jaliscensis* Greenm. Fields. #1010.
- Tagetes lucida* Cav. Yerbanís (S). Common in unplowed fields. #310.
- Tagetes micrantha* Cav. Fields and oak forests. #1800.
- Tagetes palmeri* A. Gray. Oak forests. #1190.
- Tagetes subulata* Cerv. Oak forests. #1160.
- Tagetes wislizeni* Greenm. Oak forests. #326.
- Tarazacum officinale* L. Cypress forests. #1940.
- Tithonia tubaeformis* (Jacq.) Cass. Girasol del campo (S); wa'a hioktama sha'i (P). Fields and open oak forests. #1053.
- Tridax erecta* A. Gray. Oak forests. #2271 (TEX).
- Verbesina parviflora* (H.B.K.) S.F. Blake. Pine, oak, and cypress forests. #1785.
- Vernonia vernonioides* (A. Gray) Bacigalupi. Fields. #1983.
- Viguiera montana* Rose. Oak forests. #1402.
- Viguiera multiflora* (Nutt.) S.F. Blake var. *multiflora*. Fields. #302.
- Wedelia gentryi* B.L. Turner. Cypress forests. #1101.
- Wedelia greenmanii* B.L. Turner. Oak forests and cliff faces. #1950.
- Wedelia pimana* B.L. Turner. Fields. #646 (TEX, type).
- Xanthocephalum eradiatum* (Lane) Nesom. Fields. #867.
- Zinnia peruviana* (L.) L. Contrahierba (S); v+v+gi hioktoktama (P). Oak forests. #1236.
- Zinnia zinnioides* (H.B.K.) Olorode & Torres. Fields and open oak forests. #941.

Begoniaceae

Begonia gracilis var. *nervipilosa* A. DC. Caña aigre (S); h+'+k sha'i (P). Shaded creekbanks. #1683.

Berberidaceae

Berberis pimana Laferr. & Marr. Palo amarillo or palo aigre (S); o'ob u'ushi (P). Cypress and maple forests; occasionally on the northern (shaded) sides of large boulders. #1693 (type).

Betulaceae

Alnus oblongifolia Torr. Carnero (S); t+pura (P). Creekbanks in cypress forest. #418.

Boraginaceae

Lithospermum tubuliflorum E. Greene. Fields. #1501.

Brassicaceae

Arabis microsperma Rollins. Fields, oak and cypress forests. #1069 (GH, type).

Brassica rapa L. Streambanks and cultivated fields. #1832.

Descurainia pinnata subsp. *halictorum* (Cockerell) Detling. Fields. #420.

Dryopetalon runcinatum var. *laziflorum* Robbins. Palo de cuervo (S); kokonchara (P). Creekbanks. #1387.

Lepidium densiflorum Schrader. Fields and oak forests. #1474.

Raphanus raphanistrum L. Cultivated fields. Uncommon. #1027.

Rorippa mexicana (DC.) Standl. & Steyerl. Creekbank. #1462.

Schoenocrambe linearifolia (A. Gray) Rollins. Oak forests. #1536.

Buddlejaceae

Buddleja parviflora H.B.K. Oak forests. #449.

Buddleja sessiliflora H.B.K. Oak forests. #2291.

Cactaceae

Echinocereus polyacanthus Engelm. var. *polyacanthus*. Cholla (S); tu'i shogi (P). Fields and open oak forests. #405.

Echinocereus sheeri var. *obscuriensis* A. Lau. Cholla (S); tu'i shogi (P). Shaded cliff faces in cypress and maple forests. #1425.

Echinocereus stoloniferus var. *tayopensis* (W.T. Marsh) N.P. Taylor. Cholla (S); tu'i shogi (P). Fields, oak forests, and manzanita thickets. #381.

Mammillaria barbata Engelm. *vel aff.* Cholla (S); tu'i shogi (P). White- and pink-flowered specimens present. Fields and open oak forests. #2189.

Mammillaria sonorensis Craig *vel aff.* Pitahaya (S). Cliff faces in cypress forest. #1406.

Opuntia durangensis Britt. & Rose *vel aff.* Duraznillo (S); pashko'o nava (P). Red- and yellow-fruited specimens present. Fields, cliff faces, and open oak forests. #1198.

Opuntia macrorhiza Engelm. *vel aff.* Nopal de zorra (S); duji (P). Fields and oak forests. #1847.

Opuntia robusta Wendl. *vel aff.* Two folk varieties are recognized, the purple-fruited tuna temporal (Pima name, "nava") maturing in August, and the red-fruited tuna noviembreña ("t+t+'ibwi") maturing in October or November. Fields, cliff faces, and oak forests. #1437.

Campanulaceae

Lobelia anatina F.E. Wimmer. Maple forests. #1321.

Lobelia cardinalis var. *pseudosplendens* McVaugh. Flor de chuparosa (S); bipshi hioshgama (P). Springs and cypress forests. #1242.

Lobelia fenestralis Cav. Fields. #967.

Lobelia goldmanii (Fernald) Ayers. Fields and creekbanks. #375.

Lobelia laxiflora var. *angustifolia* DC. Creekbanks. #1431.

Triodanis biflora (A. Gray) E. Greene. Fields. #419.

Caprifoliaceae

Lonicera cerviculata S.S. White. Palo de venado (S). Creekbanks in oak and cypress forests. #451.

Caryophyllaceae

Arenaria lanuginosa subsp. *saxosa* (A. Gray) Maguire. Forests. #2032.

Cerastium nutans Raf. Oak and maple forests. #1682.

Cerastium tezanum Britton. Cliff faces. #368 (RM).

Drymaria effusa A. Gray var. *effusa*. Fields and cliff faces. #840.

Drymaria molluginea (Lag.) Didr. Fields. #1635.

Drymaria villosa subsp. *palustris* (Cham. & Schlecht.) J. Duke. Fields and cypress forests. #1776.

Silene scouleri var. *eglandulosa* Hitchcock & Maguire. Cypress forests. #1313.

Chenopodiaceae

Chenopodium leptophyllum Nutt. Chuale (S); waja (P). Cultivated fields. #1048.

Teloxys ambrosioides (L.) W.A. Weber. Pasote or epasote (S). Creekbanks. #1192.

Teloxys graveolens var. *neomexicanum* (Aellen) Aellen. Hierba de zorra (S). Fields and pine forests. #1831.

Cistaceae

Helianthemum pringlei S. Wats. Fields and manzanita thickets. #1291.

Lechea tripetala (Moç. & Sessé) Britton. Oak forests. #730.

Clusiaceae

Hypericum pratense Schlecht. & Cham. Fields and forests. #1188.

Hypericum punctatum Lam. Forests. #1098.

Cochlospermaceae

Amoreuzia palmatifida Moç. & Sessé. Open fields. #1829.

Convolvulaceae

Evolvulus alsinoides L. Cliff faces. #1864 (ASU).

Evolvulus arizonicus A. Gray. Forests and manzanita thickets. #788 (ASU).

Evolvulus sericeus Sw. Fields and cliff faces. #1479 (ASU).

Ipomoea capillacea (H.B.K.) G. Don. Fields and oak forests. #1675.

Ipomoea costellata Torr. Enredadera (S); shiitulyi (P). Fields, creekbanks, and oak forests. #1200 (ASU).

Ipomoea cristulata H. Hallier. Fields. #1955 (ASU).

Ipomoea madrensis S. Wats. Fields and forests. #1622.

Ipomoea pubescens Lam. Oak forests. #1687.

Ipomoea purpurea (L.) Roth. Fields, creekbanks, and springs. #1199.

Ipomoea tenuiloba var. *lemmonii* (A. Gray) Yatsk. & C. Mason. Fields, cliff faces, and cypress forests. #1727.

Ipomoea thurberi A. Gray. Fields. #879 (ASU).

Crassulaceae

Echeueria cragiana E. Walther. Jamón (S); hiishulyi (P). Pine forests. #959.

Sedum alamosanum S. Wats. Cypress forests. #1295.

Sedum mellitulum Rose. Cliff faces. #789.

Sedum vinicolor S. Wats. Cliff faces. #1174.

Villadia squamulosa (S. Wats.) Rose. Oak forests. #1843.

Cucurbitaceae

Apodanthera undulata A. Gray. Calabazilla chiquita (S); ara (P). Fields. #1530.

Cucurbita foetidissima H.B.K. Calabazilla grande (S); ara (P). Fields. #650 (CAS).

Cyclanthera dissecta (Torr. & A. Gray) Arn. Creekbanks in pine and cypress forests. #984.

Cuscutaceae

Cuscuta campestris Yuncker. Hongo de zacate (S); viva viikorgara (P). Parasite on herbs in fields. #318.

Ericaceae

Arbutus arizonica (A. Gray) Sarg. Madroño (S); hyopdyama (P). Pine and cypress forests. #409.

Arbutus zalapensis H.B.K. Madroño; hyopdyama (P). Pine and cypress forests. #354.

Arctostaphylos pungens H.B.K. Manzanilla (S); iol (P). Oak forests and manzanita thickets. #1272.

Euphorbiaceae

Acalypha neomexicana Muell.-Arg. *vel aff.* Creekbanks and oak and cypress forests. #2202.

Euphorbia anychioides Boiss. Fields. #2290.

Euphorbia bilobata Engelm. Oak forests. #1123.

Euphorbia densiflora (Klotzsch & Garcke) Klotzsch. #2198.

Euphorbia dentata Michx. Contrahierba (S); v+v+gi hioktoktama (P). Fields and oak and cypress forests. #1775.

Euphorbia hexagonoides S. Wats. Dry grassy slope. #1096.

Euphorbia hirta L. Creekbank. #1563 (SD).

Euphorbia indivisa (Engelm.) Tidestrom. Oak forests. #636 (SD).

Euphorbia macropus (Klotzsch & Garcke) Boiss. #916.

Euphorbia sphaerorhiza Benth. #1487.

Tragia nepetifolia Cav. Ortiguilla (S); t++m+ra (P). Fields and oak forests. #424.

Fabaceae

Acacia angustissima (Mill.) Kuntze. Ruína (S); shishpura (P). Fields and forests. #334.

Acacia villosa (Sw.) Willd. Grassy slopes. #1424.

Aeschynomene villosa Poir. Creekbanks. #2050.

Astragalus nuttallianus var. *austrinus* (Small) Barneby. Creekbanks. #1397.

Calliandra humilis Benth. var. *humilis*. Fields and cypress forests. #1978.

Calliandra humilis var. *reticulata* (A. Gray) L. Benson. Fields. #881.

Chamaecrista nictitans (L.) Moench. Fields. #1644.

Cologania angustifolia Kunth. Pine forests and manzanita thickets. #1481.

Cologania broussonettii (Balb.) DC. Frijolillo (S). Fields. #339.

Cologania obovata Schlecht. Manzanita thickets and oak and pine forests. #1819.

Coursetia caribaea var. *sericea* (A. Gray) Lavin. Oak and pine forests. #467.

Coursetia glabella (A. Gray) Lavin. Fields. #877.

Crotalaria pumila Ortega. Huevo de ratón or cascabel (S); bopshok shu'udara (P). Fields and creekbanks. #308.

Crotalaria sagittalis L. Fields and forests. #1972.

Dalea albiflora A. Gray. Fields. #309 (NY).

Dalea exigua Barneby. Fields and oak and cypress forests. #1912.

Dalea filiformis A. Gray. Fields and oak and pine forests. #1225.

Dalea grayi (Vail) L.O. Williams. Oak forests and manzanita thickets. #512.

Dalea leporina (Ait.) Bullock. Creekbanks and fields. #2044.

- Dalea lumholtzii* B.L. Rob. & Fernald. Oak forests. #1182.
- Dalea nelsonii* (Rydb.) Barneby. Fields. #2029.
- Dalea obreniformis* (Rydb.) Barneby. Cultivated and fallow fields. #1037.
- Dalea pinetorum* Gentry. Oak forests. #1100.
- Dalea pringlei* var. *multijuga* Barneby. Oak forests. #2181.
- Dalea versicolor* var. *calcarata* (Gentry) Barneby. Ibimaki (P). Cypress forests. #364.
- Desmodium angustifolium* (H.B.K.) DC. var. *angustifolium*. Fields. #1641.
- Desmodium angustifolium* var. *gramineum* (A. Gray) Schubert. Oak forests. #1866.
- Desmodium hartwegianum* Hemsl. Mala mujer (S); haramkulyi (P). Fields and oak forests. #327.
- Desmodium madrense* Hemsl. Fields and oak and cypress forests. #1350.
- Desmodium neomexicanum* A. Gray. Fields and forests. #1861.
- Desmodium procumbens* var. *exiguum* (A. Gray) Schubert. Cypress forests. #2261 (MONT).
- Desmodium procumbens* (Mill.) Hitchc. var. *procumbens*. Oak forests. #1088.
- Desmodium prostratum* Brandegees. Forests. #2071.
- Desmodium psilophyllum* Schlecht. Riverbanks in maple and cypress forests. #2117.
- Eriosema pulchellum* (H.B.K.) G. Don. Fields and forests. #648.
- Erythrina flabelliformis* Kearns. Chilicote (S). Oak forests. #517.
- Eysenhardtia orthocarpa* (A. Gray) Wils. var. *orthocarpa*. Palo dulce (S); ba'iva (P). Creekbanks and steep hillsides. #1006.
- Galactia wrightii* A. Gray. Oak forests. #562.
- Indigofera sphaerocarpa* A. Gray. Oak forests. #1349 (MONT).
- Lotus alamosanus* (Rose) Gentry. Creekbanks in pine and cypress forests. #1412.
- Lotus greenii* (Woot. & Standl.) Ott. Oak forests. #511.
- Lupinus huachucanus* M.E. Jones. Pine and maple forests. #2251 (ANSM, MEXU).

- Macroptilium gibbosifolium* (Ort.) A. Delgado. Creekbanks and oak forests. #644.
- Mimosa dysocarpa* Benth. Pine and oak forests. #1930.
- Mimosa grahamii* A. Gray var. *grahamii*. Gatuña (S); miishuktara (P). Fields and oak and cypress forests. #1304.
- Phaseolus acutifolius* var. *tenuifolius* A. Gray. Cypress forests. #2092.
- Phaseolus leptostachyus* Benth. Fields and oak forests. #1809.
- Phaseolus parvulus* E. Greene. Maple and cypress forests. #1726.
- Phaseolus pauciflorus* G. Don. Fields, manzanita thickets, and oak and pine forests. #1685.
- Phaseolus ritensis* M.E. Jones. Cocolmeca (S). Oak and pine forests. #1790.
- Tephrosia cinerea* (L.) Pers. *vel aff.* Pine forests. #2265.
- Tephrosia nicaraguensis* Benth. & Oerst. Oak forests. #1018.
- Trifolium amabile* H.B.K. var. *amabile*. Fields and cypress forests. #1771.
- Trifolium pinetorum* E. Greene. Fields. #416 (MONT).
- Trifolium wormskioldii* Lehm. Creekbanks and fields. #809.
- Vicia pulchella* H.B.K. Fields and oak forests. #920.
- Zornia reticulata* Sm. Hierba de la víbora (S); hada ko'o kaskavélgara (P). Fields. #1222.
- Zornia venosa* Mohl. This species and the previous one occur side-by-side with no apparent intergradation. Fields. #1904.

Fagaceae

- Quercus chihuahuensis* Trel. Encino blanco (S); bopkama tu'a (P). Forests. #314.
- Quercus chuhuichupensis* Muller. Encino chinito or encino chapito (S); gag-yap+lyi (P). Oak forests and manzanita thickets. #541.
- Quercus coccolobaefolia* Trel. Encino de hoja ancha (S); haap+ky+lyi (P). Oak and pine forests. #905.
- Quercus durifolia* von Seemen. Encino colorado (S); shipura (P). Oak and pine forests. #548.
- Quercus epileuca* Trel. Barril (S); shojara (P). Oak and pine forests. #1380.
- Quercus mcvaughii* Spellenberg. Oak forests. #1381.
- Quercus urbanii* Trel. Oak and pine forests. #2078.

Quercus viminea Trel. Cusi (S and P). Oak and pine forests. #320.

Quercus × *knoblochii* Muller. Oak and pine forests. Hybrid between *Q. viminea* and *Q. coccolobaefolia*. There is a considerable amount of intergradation in Nabogame. #1290.

Garryaceae

Garrya laurifolia Benth. subsp. *laurifolia*. Cypress and maple forests. #1580.

Garrya wrightii Torr. Oak and cypress forests. #1470.

Gentianaceae

Centaurium nudicaule (Engelm.) Robinson. Fields. #373, 428.

Gentianella microcalyx (Lemm.) Gill. Cypress forests. #330, 1285.

Geraniaceae

Geranium albidum Hands & Small. Creekbanks in cypress forests. #415.

Geranium subulato-stipulatum Kunth. Creekbanks in oak and cypress forests. #921.

Geranium wislizeni S. Wats. Creekbanks in oak, cypress, and maple forests. #328.

Gesneriaceae

Achimenes grandiflora (Schiede) DC. Flor de relíz (S); bava hioshgama (P). Shaded cliff faces in cypress forests. #966.

Lamiaceae

Agastache mearnsii Woot. & Standl. Oak and cypress forests. #1784.

Agastache pallida var. *coriacea* R. Sanders. Oak forests. #1149.

Hedeoma patens M.E. Jones. Orégano chiquito (S); toynkama (P). Fields and oak and cypress forests. #1839.

Hyptis seemannii A. Gray. Cliff faces and fields. #1213.

Lepechinia caulescens (Ort.) Epling. Fields. #974.

Mentha piperita L. vel aff. Hierba buena (S). Under *Baccharis salicifolia* along creekbank. #316.

Monarda citriodora subsp. *austromontana* (Epling) Scora. Orégano grande (S); toynkama (P). Fields. #964.

Prunella vulgaris L. Espiga de trigo (S); dogo t++lyigo (P). Creekbanks and cypress forests. #1287.

Salvia azurea Lam. Oak and pine forests. #1937.

- Salvia galinsogifolia* Fernald. Springs and oak and maple forests. #1932.
- Salvia goldmannii* Fernald. Creekbanks and oak forests. #1750.
- Salvia greggii* A. Gray. Oak and cypress forests. #734.
- Salvia hispanica* L. Espiga de trigo (S); dogo t++lyigo (P). Creekbanks, fields, and cypress forests. #307.
- Salvia lemmonii* A. Gray. Oak and cypress forests. #1624.
- Salvia reptans* var. *glabra* (A. Gray) K.M. Peterson. Fields and oak forests. #1224.
- Salvia subincisa* Benth. Cypress forests. #2113.
- Salvia tiliaefolia* Vahl. Fields and oak forests. #1749.
- Stachys bigelovii* A. Gray. Cypress forests. #554.
- Stachys coccinea* Jacq. Flor de chuparosa (S); bipshi hioshgama (P). Fields and forests. #1546.

Lentibulariaceae

- Pinguicula caudata* Schlecht. Maple forests. #1574.

Loranthaceae

- Phoradendron bolleanum* (von Seemen) Eichl. Toji de táscate or toji de madroño; haramkulyi (P). Parasitic on *Arbutus* spp. and *Juniperus deppeana*. #410.
- Phoradendron engelmannii* Trel. Toji de encino; haramkulyi (P). Parasitic on *Quercus* spp. #337.

Lythraceae

- Cuphea llavea* Lex. Bayburín (S); h+kt+lyi (P). Creekbanks and cypress forests. #743.
- Cuphea wrightii* A. Gray. Fields and open oak forests. #1234.
- Rotala ramosior* (L.) Koehne. Streambanks. #1865.

Malpighiaceae

- Aspicarpa hirtella* Rich. Oak forests. #1216.

Malvaceae

- Anoda cristata* (L.) Schlecht. Tusi (S); shiipugi (P). Fields and streambanks. #1051.
- Malva parviflora* L. Malva. Fields and oak forests. #805.

Sida glabra Mill. Cliff faces. #1212.

Sida neomexicana A. Gray. Fields and pine and oak forests. #2000.

Nyctaginaceae

Boerhaavia coccinea Mill. Fields. #684.

Mirabilis longiflora L. Maravilla (S). Fields and oak forests. #885 (NMC).

Oleaceae

Forestiera pubescens Nutt. Oak, cypress, and maple forests. #1389.

Frazinus papillosa Lingelsheim. Fresno (S); piichai (P). Forests. #977.

Frazinus pennsylvanica subsp. *velutina* (Torr.) Miller. Fresno (S); piichai (P).
Oak and pine forests. #1670.

Osmanthus americanus (L.) Benth. & Hook. Maple forests. #1320.

Onagraceae

Epilobium fendleri Hausskn. Springs and creekbanks. #2178.

Gaura hexandra var. *gracilis* (Woot. & Standl.) Raven & Gregory. Fields.
#685.

Gongylocarpus rubricaulis Cham. & Schlecht. Fields and oak forests. #1999.

Oenothera kunthiana (Spach) Munz. Sunlit creekbanks. #370.

Oenothera pubescens Spreng. Fields. #555.

Oenothera rosea Ait. Rosal (S). Fields. #300.

Orobanchaceae

Conopholis alpina var. *mexicana* (S. Wats.) Haynes. Maiz del oso (S); vohi
huungara (P). Pine forests. #355.

Oxalidaceae

Oxalis albicans H.B.K. subsp. *albicans*. Hierba aigre (S); h+kt+lyi (P). Com-
mon in sunny locations. #369.

Oxalis alpina (Rose) Kunth. Fields. #1517.

Oxalis decaphylla H.B.K. Fields and forests. #1493.

Oxalis hernandesii DC. Fields, oak forests, and manzanita thickets. #1497.

Oxalis latifolia H.B.K. Fields and maple forests. #1488.

Passifloraceae

Passiflora bryonioides H.B.K. Tonolochi (S); baopkokama (P). Cliff faces and manzanita thickets. #1668.

Passiflora quercetorum Killip. Sandía (S). Cypress forests. #1507.

Phytolaccaceae

Phytolacca americana L. Fields and creekbanks. #342.

Plantaginaceae

Plantago australis var. *hirtella* (H.B.K.) Rahn. Cypress forests. #522.

Plantago linearis H.B.K. Fields. #1935.

Podostemaceae

Podostemon ceratophyllum Michx. Aquatic. #2007.

Polemoniaceae

Ipomopsis pinnata (Cav.) V. Grant. Fields and pine and oak forests. #1838.

Loeselia glandulosa (Cav.) G. Don. Oak forests. #319.

Polygalaceae

Monnina wrightii A. Gray. Fields and forests. #2083.

Polygala sinaloae S.F. Blake *vel aff.* Fields and pine and oak forests. #850 (SD).

Polygala glochidiata H.B.K. Fields and oak forests. #1863.

Polygala hemipterocarpa A. Gray. Fields and oak forests. #423.

Polygala obscura Benth. var. *obscura*. Fields and forests. #793.

Polygonaceae

Polygonum lapathifolium L. Sunlit creekbanks. #1711.

Polygonum mexicanum Small. Sunlit creekbanks. #1714.

Polygonum persicaria L. Sunlit creekbanks. #343.

Polygonum punctatum Ell. Shaded springs in cypress forest. #1883.

Pterostegia drymarioides Fisch. & Meyer. Creekbanks. #2229.

Rumex obtusifolius L. Lengua de vaca (S); vakashin+nir (P). Fields and forests. #2051.

Portulacaceae

Portulaca oleracea L. Verdolaga (S). Cultivated fields. #1834.

Portulaca suffrutescens Engelm. Fields. #1464.

Talinum marginatum E. Greene. Cliff faces. #571.

Primulaceae

Samolus vagans E. Greene. Cypress forests. #2277.

Ranunculaceae

Clematis drummondii Torr. & A. Gray. Enredadera de nopal (S); kaava boporo (P). Fields, often climbing over *Opuntia* spp. #853.

Delphinium wislizeni Engelm. Fields and cypress forests. #1143.

Ranunculus circinatus var. *subrigidus* (W. Drew) L. Benson. Aquatic. #352.

Ranunculus macranthus Scheele. Streambanks. #997.

Thalictrum pinnatum S. Wats. Fields and open pine and oak forests. #1555.

Rhamnaceae

Ceanothus coeruleus Lag. Maple forests. #1577.

Ceanothus depressus Benth. Junco (S); ho'i (P). Oak forests. #1520.

Ceanothus lanuginosus (Jones) Rose. Pine and cypress forests. #1297.

Rhamnus scopulorum (M.E. Jones) C.B. Wolf. Oak and cypress forests. #1664.

Rosaceae

Cercocarpus montanus var. *paucidentatus* (S. Wats.) F.L. Martin. Riverbank. #1325.

Holodiscus dumosus var. *australis* (Heller) Ley. Cypress forests. #564.

Potentilla thurberi A. Gray. Fields and oak forests. #1715.

Prunus gentryi Standl. Ahuasi (S); humpalyi (P). Both purple-fruited specimens (forma *gentryi*) and orange- to yellow-fruited specimens (forma *flavipulpa* Laferr.) are present. Creekbanks, cypress and maple forests. #1600 (type of forma *flavipulpa*).

Prunus serotina var. *virens* (Woot. & Standl.) McVaugh. Capulín (S); mo'osh-gama (P). Pine and cypress forests. #392.

Rubus arizonensis Focke vel aff. Mora (S). Maple forests. #1579.

Rubiaceae

- Bouvardia ternifolia* (Cav.) Schlecht. Fields and oak forests. #742.
- Crusea diversifolia* (H.B.K.) Anderson. Fields. #859.
- Crusea longiflora* (Willd.) Anderson. Fields, forests, and manzanita thickets. #849.
- Crusea wrightii* A. Gray var. *wrightii*. Fields. #1660.
- Galium hystericocarpum* Greenm. Oak forests and cliff faces. #1737.
- Galium mexicanum* subsp. *asperrimum* (A. Gray) Demp. Pine, cypress, and maple forests. #2264 (UC).
- Galium microphyllum* A. Gray. Cliff faces and creek banks. #1275.
- Hedyotis pygmaea* Roemer & Schultes. Fields and creekbanks. #1468.
- Mitracarpus hirtus* (L.) DC. Fields and cliff faces. #2206.

Salicaceae

- Salix bonplandiana* H.B.K. Sauzo del río (S); tu'ulyi (P). Streambanks. #388.
- Salix lasiolepis* Benth. Creekbanks in pine and cypress forests. #1410.
- Salix taxifolia* H.B.K. Riverbank. #2210.

Saxifragaceae

- Heuchera sanguinea* Engelm. Flor de piedra (S); hoda hioshgama (P). Shaded cliff faces in cypress forest. #360.

Scrophulariaceae

- Brachystigma wrightii* (A. Gray) Pennell. Fields and open forests. #1140.
- Buchnera pusilla* H.B.K. Fields. #2172.
- Castilleja nervata* Eastw. Pine forests. #1135.
- Castilleja tenuiflora* Benth. Creekbanks, forests, and manzanita thickets. #1415.
- Escobedia crassipes* Pennell. Oak forests. #1742.
- Lamourouzia viscosa* H.B.K. Fields. #1013.
- Leucospora intermedia* (A. Gray) Keil. Oak forests. #1700.
- Mecardonia vandellioides* (H.B.K.) Pennell. Creekbanks. #1613.
- Mimulus guttatus* DC. Shaded creekbanks. #1429.

Mimulus pallens E. Greene. Creekbanks. #1395.

Mimulus dentilobus B.L. Rob. & Fernald. Creekbanks. #372.

Penstemon campanulatus (Cav.) Willd. Manzanita thickets and oak and cypress forests. #1299.

Penstemon stenophyllus A. Gray. Fields. #1132.

Penstemon fasciculatus A. Gray. Oak forests. #982.

Penstemon wislizeni (A. Gray) Straw. Pine and oak forests. #1175.

Seymeria sinaloana (Pennell) Standl. Pine and oak forests. #1180.

Veronica peregrina subsp. *zalapensis* (H.B.K.) Pennell. Creekbanks. #395.

Solanaceae

Browallia eludens R. VanDevender & P. Jenkins. Oak forests and open cliff faces. #1629 (paratype).

Jaltomata procumbens (Cav.) J.L. Gentry. Tulusín (S); tuushkulyi (P). Fields and oak forests. #784.

Physalis caudella Standl. Tomatillo (S). Cultivated fields. #621.

Physalis microcarpa Urban & Eckman. Tomatillo chiquito (S). Fields and oak forests. #1552.

Physalis minima L. Tomatillo chiquito. Fields and oak forests. #1178.

Physalis pubescens L. Tomatillo (S). Fields and cypress forests. #1686.

Solanum nannodes Corr. *vel aff.* Papa del monte (S). Cypress forests and as a weed in potato fields. #1525.

Solanum nigrescens Mart. & Gal. Fields, oak forests, and manzanita thickets. #561.

Solanum rostratum Dunal. Fields near riverbank. #1030.

Tiliaceae

Triumfetta discolor Rose. Mala mujer (S); haramkulyi (P). Fields and pine and cypress forests. #986.

Valerianaceae

Valeriana sorbifolia H.B.K. var. *sorbifolia*. Cypress forests. #1949.

Verbenaceae

Glandularia bipinnatifida (Nutt.) Nutt. Cypress forests. #466.

Priva mexicana (L.) Pers. Mala mujer (S); haramkulyi (P). Oak and pine forests. #864.

Verbena carolina L. Fields. #1080.

Verbena neomexicana (A. Gray) Small. Fields, oak forests, and manzanita thickets. #1121.

Verbena perennis Woot. Fields and oak and pine forests. #1122.

Violaceae

Viola adunca J.E. Smith. Pine, cypress, and maple forests. #1400 (VDB).

Vitaceae

Vitis arizonica Engelm. Parra (S); shohar u'ushi (P). Shaded creekbanks. #450.

MONOCOTYLEDONAE

Agavaceae

Agave polianthiflora Gentry. Taréchari (S); matashmayi (P). Pine and oak forests. #1454.

Agave shrevei subsp. *matapensis* Gentry. Chugilla or churiqui (S); mayi (P). Cliff faces and oak forests. #1792.

Manfreda singuliflora (S. Wats.) Rose. Creekbanks in oak forests. #1662.

Yucca madrensis Gentry. Jamol (P); hoyi (P). North-facing slopes in oak forests (Laferrière 1990a). #1300.

Amaryllidaceae

Hymenocallis pimana Laferr. Cebollín (S); shi'iva (P). Unplowed fields and sun-lit creekbanks. #1456 (type).

Hypoxis mexicana Schultes. Fields and manzanita thickets. #519.

Bromeliaceae

Tillandsia erubescens Schlecht. Flor de encino (S); u'ush hioshgama (P). Epiphytic on most tree species; occasionally on shaded cliff faces in moist canyons. #406.

Tillandsia recurvata L. Epiphytic on various trees. #489.

Commelinaceae

Commelina coelestis Willd. Fallow fields and oak and pine forests. #1615.

Commelina dianthifolia Del. Oak, pine, and cypress forests. #1595.

Gibasis linearis (Benth.) Rohweder. Oak, pine, and cypress forests. #1503.

Tradescantia pinetorum E. Greene. Fallow fields and oak forests. #1540.

Tripogandra purpurescens (Schauer) Handlos subsp. *purpurescens*. Oak, pine, and cypress forests. #801.

Cyperaceae

Bulbostylis capillaris (L.) Clarke. Cultivated fields, oak and pine forests. #700.

Carex agrostoides MacKenzie. Cypress forests. #484.

Carex chihuahuensis MacKenzie. Creekbanks. #1430.

Carex endlichii Kukenth. Cypress forests. #1418.

Carex leucodonta Holn. Pine forests. #506.

Carex longicaulis Bock. Pine forests. #525 (TEX).

Carex turbinata Liebm. Maple forests. #1398.

Cyperus amabilis Vahl. Fallow fields. #2009.

Cyperus bipartitus Torr. Springs and creekbanks. #1169.

Cyperus dipsaceus Liebm. Fields and pine forests. #1609.

Cyperus esculentus L. Grulla (S); to'ora (P). Common in cultivated fields; also pine and oak forests. #480.

Cyperus hermaphroditus (Jacq.) Standl. Fields and forests. #1104.

Cyperus niger Ruiz & Pavon. Springs and creek banks. #2045.

Cyperus seslerioides H.B.K. Oak forests and manzanita thickets. #630.

Cyperus squarrosus L. Fallow fields. #1910.

Eleocharis parvula (Roem. & Schult.) Link. Creekbanks. #1452.

Eleocharis rostellata (Torr.) Torr. Creekbanks. #1616.

Fimbristylis dichotoma (L.) Vahl. Creekbanks and oak forests. #1856.

Fimbristylis autumnalis (L.) Roem. & Schult. Fields, creekbanks, and springs. #2159.

Fimbristylis puberula (Michx.) Vahl. Oak forests. #1092.

Iridaceae

- Nemastylis tenuis* (Herb.) Baker. Unplowed fields. #800.
Sisyrinchium palmeri Greenm. Oak forests and manzanita thickets. #1518.
Sisyrinchium scabrum Schlecht. & Cham. Fields and cliff faces. #680.
Tigridia pavonia (L. f.) DC. Cypress forests. #946.

Juncaceae

- Juncus articulatus* L. Creekbanks. #391.
Juncus confusus Coville. Creekbanks. #357.
Juncus interior Wieg. Creekbanks and cypress forests. #2218.

Liliaceae

- Allium rhizomatum* Woot. & Standl. Cebollín (S); shevo'oya (P). Fields near creekbanks. #1628.
Calochortus fuscus Schultes. Cypress forests. #1695.
Calochortus venustulus var. *madrensis* (S. Wats.) Reveal & Hess. Fields and open oak forests. #935.
Echeandia durangensis Cruden. Creekbanks and oak forests. #1673.
Echeandia flavescens (Schultes & Schultes) Cruden. Creekbanks and oak forests. #1646.
Milla biflora Cav. Fields and cliff faces. #841.
Schoenocaulon megarhizum M.E. Jones var. *megarhizum*. Cypress forests. #1587.
Zigadenus virescens (H.B.K.) Macbr. Maple forests. #2134.

Nolinaceae

- Dasyllirion wheeleri* var. *durangense* (Trel.) Laferr. Sotol (S); shereki (P). Cliff faces and oak forests. #2268.
Dasyllirion wheeleri S. Wats. var. *wheeleri*. Sotol; shereki (P). The two varieties of this species intergrade in Nabogame (Laferrière 1991a). Cliff faces and oak forests. #1314.
Nolina microcarpa S. Wats. Palmilla (S). Pine and oak forests. #1466.

Orchidaceae

- Bletia gracilis* var. *roezlii* (Reichb.) L.O. Williams. Kiki (P) [name applied to all orchids by some people but restricted to this species by others]. Pine and oak forests. #1529.

- Corallorhiza involuta* Greenm. Maple forests. #2278.
- Epipactis gigantea* Dougl. Riverbank. #422.
- Govenia liliacea* (Lex.) Lindl. Oak and cypress forests. #994.
- Habenaria clypteata* Lindl. Pine and cypress forests. #815.
- Habenaria guadalajara* S. Wats. Fallow fields. #944.
- Hexalectris grandiflora* (A. Richard & Galeotti) L.O. Williams. Pine forests. #1523.
- Malaxis fastigiata* (Reichb. f.) Kuntze. Cypress forests. #1543.
- Malaxis myurus* (Lindl.) Kuntze. Cypress forests. #1584.
- Spiranthes aurantiaca* (Llave & Lex.) Hemsley. Unplowed fields. #825.
- Spiranthes lanceolata* (Aubl.) Leon. Oak forests. #384.
- Spiranthes michuacana* (Lex.) Hemsley. Fields. #2096.
- Spiranthes rubrocalosa* B.L. Rob. & Greenm. Fields. #461.
- Triphora trianthophora* (Sw.) Rydb. Oak forests. #978.

Poaceae

- Aegopogon cenchroides* Humb. & Bonpl. Cliff faces and oak forests. #725.
- Aegopogon tenellus* var. *abortivus* Beetle. Cypress forests. #1047.
- Agrostis scabra* Willd. Cypress forests. #1419.
- Aristida adscensionis* L. Fields and oak and pine forests. #2303.
- Bothriochloa barbinodis* (Lag.) Herter. Fields. #1060.
- Bouteloua curtipendula* (Michx.) Torr. Zacate de navaja (S); navája sha'i (P).
Fields and cypress forests. #652.
- Bouteloua gracilis* (H.B.K.) Steud. Creekbanks. #1902.
- Bouteloua hirsuta* Lag. Creekbanks. #675.
- Bouteloua radicata* (Fourn.) Griffiths. Fields. #783.
- Bouteloua repens* (H.B.K.) Scribn. & Merr. Oak forests. #1828.
- Bromus anomalus* Fourn. Creekbanks and forests. #1043.
- Chloris submutica* H.B.K. Fields. #585.
- Chloris virgata* Sw. Creekbanks. #549.

- Cynodon dactylon* (L.) Pers. Fields. #397.
- Digitaria sanguinalis* (L.) Scop. Fields and creekbanks. #1057.
- Echinochloa colonum* (L.) Link. Creekbanks. #1854.
- Echinochloa crusgalli* (L.) P. Beauv. Creekbanks, cultivated fields, and cypress forests. #595.
- Echinochloa muricata* (P. Beauv.) Fernald. Creekbanks. #1082.
- Eleusine indica* (L.) Gaertn. Cultivated and noncultivated fields. #1061.
- Eleusine multiflora* Hochst. Fields. #1056.
- Elyonurus barbiculmis* Hack. Oak forests. #2154.
- Eragrostis intermedia* Hitchc. Fields, cliff faces, and cypress forests. #505.
- Eragrostis mexicana* (Hornem.) Link. Fields. #1063.
- Eriochloa acuminata* (Presl.) Kunth var. *acuminata*. Fields. #1911.
- Eriochloa lemmonii* Vasey & Scribn. Oak forests. #1898.
- Hackelochloa granularis* (L.) Kuntze. Fields. #1905.
- Heteropogon melanocarpus* (Ell.) Benth. Fields. #1258.
- Hilaria swallenii* Cory. Fields. #1245.
- Muhlenbergia alamosae* Vasey. Oak forests. #1396.
- Muhlenbergia annua* (Vasey) Swallen. Creekbanks. #1872.
- Muhlenbergia argentea* Vasey. Oak forests. #2184.
- Muhlenbergia dumosa* Scribn. Creekbanks. #1413.
- Muhlenbergia durangensis* Herrera *vel aff.* Pine forests. #1416.
- Muhlenbergia elongata* Beal. Fields. #2128.
- Muhlenbergia emersleyi* Vasey. Cliff faces. #732.
- Muhlenbergia leptoura* (Piper) Hitchc. Springs. #2164.
- Muhlenbergia montana* (Nutt.) Hitchc. Pine and cypress forests. #1953.
- Muhlenbergia polycaulis* Scribner. Maple forests. #2131.
- Muhlenbergia rigens* (Benth.) Hitchc. Cypress forests. #1244.
- Muhlenbergia schmitzii* Hackel. Springs. #2289.
- Muhlenbergia scoparia* Vasey. Pine forests. #1815.

- Muhlenbergia shepherdii* (Vasey) Swallen. Sunlit spring. #2162.
- Oplismenus burmannii* (Retz.) P. Beauv. Cypress forests. #2230.
- Panicum bulbosum* H.B.K. Hierba de la flecha (S); nor sha'i (P). Fields and forests. #665.
- Panicum hirticaule* Presl. Fields and creek banks. #677.
- Paspalum convexum* Willd. Fields and creekbanks. #629.
- Paspalum distichum* L. Creekbanks. #1951.
- Paspalum setaceum* var. *stramineum* (Nash) D. Banks. Fields. #1636.
- Paspalum squamulatum* Fourn. Cypress forests. #2104.
- Pereilema crinitum* Presl. Fields and cypress forests. #2021.
- Piptochaetium fimbriatum* (H.B.K.) A. Hitchc. Pine forests. #1923.
- Poa annua* L. Creekbanks. #497.
- Polypogon elongatus* H.B.K. Creekbanks. #504.
- Polypogon viridis* (Gouan) Breistr. Creekbanks. #494.
- Rhynchelytrum repens* (Willd.) C.E. Hubbard. Fields. #604.
- Schizachyrium cirratum* (Hack.) Woot. & Standl. Forests. #2068.
- Schizachyrium sanguineum* (Retz.) Alston. Oak forests. #1125.
- Setaria grisebachii* Fourn. Fields and oak forests. #678.
- Setaria macrostachya* H.B.K. Fields. #601.
- Setaria parviflora* (Poir.) Kerg. Fields. #1836.
- Setaria pumila* (Poir.) Roemer & Schultes. Creekbanks and cypress forests. #663.
- Sorghastrum nutans* (L.) Nash. Creekbanks and oak and cypress forests. #2224.
- Sporobolus indicus* (L.) R. Br. Fields and oak forests. #586.
- Trachypogon secundus* (Presl.) Scribn. Fields and pine forests. 1064.
- Tripsacum lanceolatum* Fourn. Cliff faces and oak and pine forests. #721.

Pontederiaceae

- Heteranthera limosa* (Sw.) Willd. Aquatic. #2005.
- Heteranthera peduncularis* Benth. Aquatic. #2002.

Potamogetonaceae

Potamogeton foliosus Raf. Aquatic. #1435.

Potamogeton pusillus L. Aquatic. #1403.

Smilacaceae

Smilax moranensis Mart. & Gal. var. *moranensis*. Maple forests. #2252.

ACKNOWLEDGMENTS

This work was funded by a grant from the University of Arizona Graduate Student Development Fund, and by a Doctoral Dissertation Improvement Grant from the National Science Foundation to the author and Dr. Willard Van Asdall. I thank Deborah Ellstrom, Gary Nabhan, Amadeo Rea, Geoff Levin, Paul Martin, Steve McLaughlin, Jorge Marroquín, Michael Donoghue, Jessica Perry, and Phil Jenkins for invaluable advice and assistance. Many people assisted in identification of specimens, including Becky VanDevender, Charles Mason, Richard Felger, John Reeder, Charlotte Reeder, Miriam Fritts, Steve McLaughlin, Paul Martin, Phil Jenkins, Tony Burgess, Tom VanDevender, Karen Adams, Don Pinkava, Billie Turner, Allen Zimmerman, Geoff Levin, Matt Lavin, Jan Bowers, Matt Thompson, Wendy Hodgson, Roger Sanders, Alfonso Delgado, Rupert Barneby, Richard Hauke, Ralph Brooks, Reid Moran, Andrew Sanders, Richard Spellenberg, Jon Ricketson, Thomas Daniel, Mary Butterwick, Guy Nesom, George Yatskievych, Elizabeth McClintock, W. Douglas Stevens, William D'Arcy, Douglas Henderson, Paul Fantz, Kevin Dahl, Leticia Cabrera, William Weber, Paul Fryxell, John MacDougal, Warren L. Wagner, Walter Kelley, Lauramay Dempster, Thomas Wendt, Daniel Austin, Landon McKinney, Ihsan Al-Shehbaz, Lincoln Constance, Rafael Corral-Díaz, James Bauml, David Keil, Dale McNeal, Ronald Hartman, Mark Fishbein, Victor Steinmann, and Dawn Frame. I also express my appreciation to the good people of Nabogame, especially Alfonso Alvarez, who collected many specimens on my behalf.

REFERENCES CITED

- Bowers, J.E. 1981. Local floras of Arizona: an annotated bibliography. *Madroño* 28:193-209.

- . 1982. Local floras of the Southwest, 1920-1980: an annotated bibliography. *Great Basin Naturalist* 42:105-112.
- Brand, D.D. 1937. The natural landscape of northwestern Chihuahua. *Univ. New Mexico Bull.* 280:1-27.
- Cronquist, A. 1981. *An Integrated System of Classification of Flowering Plants*. New York, New York: Columbia University Press.
- Dahlgren, R.M.T., H.T. Clifford, & P.F. Yeo. 1985. *The Families of the Monocotyledons: Structure, Evolution, and Taxonomy*. Berlin, Germany: Springer-Verlag.
- Gentry, H.S. 1942. *Rio Mayo Plants*. Washington, D.C.: Carnegie Inst. Wash. Publ. 527.
- Hastings, J.R. 1964. Climatological data for Sonora and northern Sinaloa. *Univ. Ariz. Inst. Atmospheric Physics Tech. Rep. Meteorol. Climatol. Arid Lands* 15.
- Laferrière, J.E. 1989. A yellow-fruited form of *Prunus gentryi* (Rosaceae). *Phytologia* 65:482.
- . 1990a. *Hymenocallis pimana* (Amaryllidaceae): a new species from northwestern México. *Phytologia* 68:255-259.
- . 1990b. The taxonomy and ethnobotany of *Yucca madrensis*. *Cact. Succ. J. [U.S.]* 62:95-96.
- . 1991a. Optimal use of ethnobotanical resources by the Mountain Pima of Chihuahua, Mexico. Ph.D. Dissertation, University of Arizona, Tucson, Arizona.
- . 1991b. *Dasylirion wheeleri* var. *durangense*: a new combination in the Nolinaceae. *Ann. Missouri Bot. Gard.* 78:516-520.
- . 1991c. Mountain Pima ethnomycology. *J. Ethnobiol.* 11(1):159-160.
- . 1992a. Cultural and environmental response to drought among the Mountain Pima. *Ecol. Food Nutr.* 28:1-9.
- & R.L. Gilbertson. 1990a. A new species of *Albatrellus* (Aphyll-ophorales: Albatrellaceae) from Mexico. *Mycotaxon* 37:183-186.
- . 1990b. A new species of *Polyporus* (Aphyll-ophorales: Polyporaceae) from Mexico. *Mycotaxon* 37:331-333.

- _____. 1992. Fungi of Nabogame, Chihuahua, Mexico. *Mycotaxon* 44:73-87.
- _____ & D.J. Keil. 1991. *Pectis pimana* (Asteraceae: Tageteae): a new species from northwestern Mexico. *Madroño* 38:195-197.
- _____ & J.S. Marroquín. 1990. *Berberis pimana* (Berberidaceae): a new species from northwestern Mexico. *Madroño* 37:283-288.
- _____ & W. Van Asdall. 1991. Plant use in Mountain Pima holiday decorations. *Kiva* 57:27-38.
- _____. 1992. Contemporary agricultural patterns in a Mountain Pima village. *Kiva* 58:155-175.
- _____, C.W. Weber, & E.A. Kohlhepp. 1991a. Use and nutritional composition of some traditional Mountain Pima plant foods. *J. Ethnobiol.* 11:93-114.
- _____. 1991b. Mineral contributions from some traditional Mexican teas. *Pl. Foods Hum. Nutr.* 41:277-282.
- LeSueur, H. 1945. The ecology of the vegetation of Chihuahua, Mexico, north of parallel twenty-eight. *Univ. Texas Publ.* 452:1-92.
- Maysilles, J.H. 1959. Floral relationships of the pine forests of western Durango, México. Ann Arbor, Michigan: Ph.D. dissertation, University of Michigan.
- McLaughlin, S.P. 1986. Floristic analysis of the southwestern United States. *Great Basin Naturalist* 46:46-65.
- Nesom, G.L., & J.E. Laferrière. 1990. A new species of *Laennecia* (Asteraceae: Astereae) from Chihuahua, México. *Phytologia* 68(3):202-204.
- Pennington, C.W. 1973. Plantas medicinales utilizadas por el pima montañés de Chihuahua. *América Indígena* 33:213-232.
- Rollins, R.C. 1993. *The Cruciferae of Continental North America: Systematics of the Mustard Family from the Arctic to Panama*. Stanford, California: Stanford University Press.
- Rzedowski, J. 1986. *Vegetación de México*. México, D.F.: Ed. Limusa.
- Smith, J.P. 1977. *Vascular Plant Families: An Introduction to the Families of Vascular Plants Native to North American and Selected Families of Ornamental or Economic Importance*. Eureka, California: Mad River Press.

- Trenberth, K.E., G.W. Branstator, & P.A. Arkin. 1988. Origins of the 1988 North American drought. *Science* 242:1640-1645.
- Turner, B.L. 1992. New species of *Wedelia* (Asteraceae, Heliantheae) from México and critical assessment of previously described taxa. *Phytologia* 72:115-126.
- Wallén, C.C. 1955. Some characteristics of precipitation in Mexico. *Geogr. Ann. Svenska Sällsk. Antropol.* 37:51-85.
- White, S.S. 1948. The vegetation and flora of the Río de Bavispe in north-eastern Sonora, Mexico. *Lloydia* 11:229-269.



Laferriere, Joseph A. 1994. "Vegetation and flora of the Mountain Pima village of Nabogame, Chihuahua, Mexico." *Phytologia* 77, 102–140.

View This Item Online: <https://www.biodiversitylibrary.org/item/47150>

Permalink: <https://www.biodiversitylibrary.org/partpdf/175881>

Holding Institution

New York Botanical Garden, LuEsther T. Mertz Library

Sponsored by

The LuEsther T Mertz Library, the New York Botanical Garden

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Phytologia

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.