NOTES ON SOME GENERA OF BLATTIDÆ.

By A. N. CAUDELL.

U. S. National Museum, Washington, D. C.


The genus Steleopyga was established by Fischer von Waldheim in 1833 with three included species, orientalis, americana and trichoprocta, the last a new species and the first two, while not so listed, are known to be the Blatta orientalis of Linnaus and the Blatta americana of the same author. Now the type of Steleopyga must be one of the three above mentioned originally included species. The first of the originally included species, orientalis, is not eligible as it was designated as the type of Blatta by Latreille in 1810.2 To date, so far as I know, orientalis is the only one of the originally included species that has been designated as type of Steleopyga. 3 The type is therefore as yet undesignated. The second originally included species, americana, has long been the designated type of Periplaneta, thus eliminating it from consideration as the type of Steleopyga. The third and last of the originally included species, trichoprocta, becomes therefore the type of Steleopyga.

Blatta aegyptica Linnaeus, the type species of the genus Polyphaga of Brullé, has as a synonym the Steleopyga trichoprocta of Fischer, shown above to be the type of Steleopyga. Thus Polyphaga Brullé and Steleopyga Fischer, having synonymous species as types, are themselves synonymous. Polyphaga therefore falls as a synonym of Steleopyga, being the more recent by two years. 2 Blatt., p. 30 (1907), designates Blatta rhombifolia Stoll as type of Stylopyga but it is not an originally included species of that genus.

In 1846 4 Fischer introduced a different spelling of his genus Steleopyga, spelling it Stylopyga, crediting it to himself, quoting the reference to its original proposal in 1833 and including but a single species, Blatta orientalis Linnæus, which is figured. is obviously but a different spelling, or an emendation, of Steleopyga but it has recently been used as a distinct genus by Mr. Shelford, ⁵

Bull. Soc. Imp. Nat. Moscou, vol. vi, p. 356, 366 (1833).
 Consid. Crust., Arach. & Ins., p. 246.
 Shelford, Sjöstedt's Expedit. Kilim. Meru &c., 17, Orth.

Orth. Russie, p. 68.
Genera Insectorum, Fasc. 109, p. 14 (1910).





Caudell, Andrew Nelson. 1911. "Notes on Some Genera of Blattidæ." *Psyche* 18, 88–89. https://doi.org/10.1155/1911/503423.

View This Item Online: https://www.biodiversitylibrary.org/item/43955

DOI: https://doi.org/10.1155/1911/503423

Permalink: https://www.biodiversitylibrary.org/partpdf/182552

Holding Institution

Smithsonian Libraries and Archives

Sponsored by

Smithsonian

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.