

INDEX

Synonyms are printed in *italics*; new names in **bold-face** type

- ABBE, ERNST C., and ANDERSON, EDGAR,
A quantitative comparison of specific
and generic differences in the Betu-
laceae, 43, fig.
- Abutilon *Cavaleriei*, 94
— *Esquirolii*, 94
— *indicum*, 94
- Acanthopanax *Bodinieri*, 115
— *Esquirolii*, 114
- Acer argutum, 8
— *Bodinieri*, 5
— *caudatum ukurunduense*, 5
— *Cavaleriei*, 7
— *coriaceifolium*, 6
— *crataegifolium*, 7
— *cucullobracteatum*, 7
— *Davidi*, 7
— *Dielsii*, 4
— *Fabri rubrocarpum*, 6
— *Fargesii*, 6
— *Fauriei*, 8
— *Hayatae*, 5
— — *glabra*, 5
— *lasiocarpum*, 5
— *Miyabei*, 4
— *Negundo*, 8
— *oblongum*, 5
— — *biauratum*, 6
— — *erythrocarpum*, 6
— *palmatum plicatum*, 8
— *Paxii integrifolia*, 5
— *pellucidobracteatum*, 7
— *pictum*, 5
— — *tricuspis*, 5
— *Prainii*, 6
— *spicatum ukurunduense*, 5
— *Tschonoskii*, 7
- Acronychia *Esquirolii*, 315
- Actinidia *arguta Dunnii*, 96
— *Dielsii*, 97
— *Fortunati*, 97
— *lanata*, 97
- Actinidia *purpurea*, 96
— *Rubus*, 97
— *rufa*, 96
- Aganosma *cymosa*, 315
— *Schlechterianum*, 315
- Agapetes *vaccinioidea*, 288
- Alangium *Fabri*, 108
— — **perforatum**, 108
- Allomorpha *Blinii*, 110
— *Bodinieri*, 111
— *Cavaleriei*, 113
- Alstonia *Esquirolii*, 315
— *Mairei*, 315
— *yunnanensis*, 315
- Alyxia **Bodinieri**, 316
— *Schlechteri*, 316
- Ampelopsis *aconitifolia palmiloba*, 25
— **Bodinieri**, 23
— — *cinerea*, 23
— *brevipedunculata*, 23
— *cantonensis*, 26
— — *grosse-dentata*, 26
— **Chaffanjoni**, 25
— *Delavayana*, 24
— — *Gentiliana*, 24, 377
— *heterophylla cinerea*, 23
— — *Gentiliana*, 24
— *micans*, 23
— — *cinerea*, 23
— *Watsoniana*, 25
- ANDERSON, EDGAR, and ABBE, ERNST C.,
A quantitative comparison of specific
and generic differences in the Betula-
ceae, 43, fig.
- and WHITAKER, THOMAS W., Specia-
tion in *Uvularia*, 28, pl. 82, 83, figs.
- Andrachne *Cavaleriei*, 294
- Anisophyllea *Cavaleriei*, 286
- Aralia *Bodinieri*, 116
— *chinensis nuda*, 116
— *Mairei*, 113
- Ardisia *Bodinieri*, 289

- Ardisia brevicaulis*, 289
 — *castaneifolia*, 291
 — *Cavaleriei*, 291
 — *crispa*, 289
 — — *Taquetii*, 290
 — *Dielsii*, 290
 — *discolor*, 116
 — *elegans*, 290
 — *elegantissima*, 290
 — *Esquirolii*, 294
 — *Faberi*, 291
 — *Henryi Dielsii*, 290
 — *Labordei*, 289
 — *Meziana*, 289
 — *perforata*, 108
 — *Taquetii*, 290
 — *tenera*, 289
Arduina Carandas, 312
Argyreia Seguini, 319
 — *Seguini*, 320
 Arnold Arboretum, Bibliography of the published writings of the staff and students of the, July 1, 1933—June 30, 1934, 371
 Arnold Arboretum during the fiscal year ended June 30, 1934, 366
 Arnold Arboretum, 1934-35, Staff of the, 376
 ARTHUR, J. C., Nomenclatural priority in the Uredinales, 263
Aspidopterys Cavaleriei, 108
 BAILEY, I. W. and FAULL, ANNA F., The cambium and its derivative tissues. No. IX. Structural variability in the redwood, *Sequoia sempervirens*, and its significance in the identification of fossil woods, 233, pl. 99-106, fig.
 — and KERR, THOMAS, The cambium and its derivative tissues. No. X. Structure, optical properties and chemical composition of the so-called middle lamella, 327, pl. 110-113, figs.
Barthea Blinü, 110
 — *Cavaleriei*, 110, 112
 Beach Plum in Michigan, The, 88
 BEAL, J. M. and SAX, KARL, Chromosomes of the Cycadales, 255, pl. 107, 108
Berchemia Cavaleriei, 13
Berchemia Chaneti, 13
 — *floribunda*, 11
 — *Giraldiana*, 1, 10
 — *pycnantha*, 11
 Betulaceae, A quantitative comparison of specific and generic differences in the, 43
 Biology of Milesian Rusts, The, 50, pl. 84-86
Bladhia crispa Taquetii, 290
 — *lentiginosa Taquetii*, 290
Blastus Cavaleriei, 111
 — *cochinchinensis*, 111
 — *Dunnianus*, 111
 — *Lyi*, 112
 — *Mairei*, 112
 — *Marchandii*, 111
 — *pauciflorus*, 111
 — *yunnanensis*, 112
 Blister Rust of *Pinus longifolia*, Roxb., 154
Bodinierella Cavaleriei, 279
Brassaiopsis ciliata, 115
 — *tripteris*, 115
Bredia Bodinieri, 111
 — *Cavaleriei*, 112
 — *Cavaleriei*, 112
 — *Mairei*, 112
 — *soneriloides*, 111
 — *yunnanensis*, 112
Buddleia acutifolia, 310
 — — *albiflora*, 310
 — *asiatica*, 309
 — *Mairei*, 310
 — — *albiflora*, 310
 — *tibetica truncatifolia*, 310
 — *truncatifolia*, 310
Callicarpa Bodinieri, 321
 — — *Giraldii*, 322
 — — *Lyi*, 322
 — — *Rosthornii*, 323
 — *dichotoma*, 324
 — *Dielsii*, 323
 — *Dunniana*, 320
 — *Feddei*, 321
 — *Giraldiana*, 322
 — — *Rosthornii*, 323
 — — *subcanescens*, 321
 — *Giraldii*, 322

- Callicarpa grisea*, 322
 — *longifolia Rosthornii*, 323
 — *Lyi*, 322
 — *macrophylla*, 320
 — — *Kouytchensis*, 320
 — *Mairei*, 322
 — *Martini*, 326
 — *panduriformis*, 323
 — *rubella Hemsleyana*, 323
 — *Seguini*, 321
 — *Taquetii*, 324
 Cambium and its derivative tissues.
 No. IX. Structural variability in the
 redwood, *Sequoia sempervirens*, and
 its significance in the identification of
 fossil woods, 233, pl. 99-196, fig.
 Cambium and its derivative tissues. No.
 X. Structure, optical properties and
 chemical composition of the so-called
 middle lamella, 327, pl. 110-113, figs.
Camellia Costei, 98
 — *japonica*, 99
Capparis masaikai, 96
Carrierea calycina, 102
 — *Dunniana*, 102
Caryopteris paniculata, 326
Cassiope Mairei, 280
 — *selaginoides*, 280
Castanopsis Cavaleriei, 91
Cayratia dichromocarpa, 27
 — *oligocarpa*, 26
 — — *glabra*, 26
Ceanothus napalensis, 14
Celastrus Cavaleriei, 292
 — *Esquirolianus*, 13, 14
 — *Esquirolii*, 10
 — *euonymoides*, 92
 — *Kouytchensis*, 13, 14
 — *Lyi*, 14
 — *Mairei*, 9
 — *Seguini*, 292
 — *tristis*, 15
 — *yunnanensis*, 324
Chionanthus coreanus, 304
 — *retusa*, 304
 — — *coreana*, 304
 — — *Mairei*, 304
 Chromosome constitution in certain
 monocotyledons, 135, figs.
 Chromosomes of the Cycadales, 255, pl.
 107, 108
Clerodendron Bodinieri, 325
 — — *Cavaleriei*, 325
 — *Bungei*, 324
 — *Cavaleriei*, 325
 — *Darrisii*, 325
 — *Esquirolii*, 325
 — *foetidum*, 324
 — *japonicum*, 325
 — *Leveillei*, 325
 — *mandarinorum*, 325
Clethra Bodinieri, 267
 — *Cavaleriei*, 267
 — *Esquirolii*, 267
 — *kaipoensis*, 268
 — *lineata*, 267
 — *pinfaensis*, 268
Columella oligocarpa, 26
Combretum Wallichii, 108
Corchorus Cavaleriei, 96
Cornus Amblardi, 117
 — *Bodinieri*, 116
 — *canadensis*, 117
 — *capitata hypoleuca*, 117
 — — *mollis*, 117
 — *Fauriei*, 117
 — *macrophylla*, 116
 — *Monbeigii*, 116
 — *oblonga*, 116
 — *paucinervis*, 117
 — *rosea*, 116
Cotoneaster coreanus, 297
Crataegus Academiae, 101
 — *biloba*, 297
 — *Lyi*, 297
 CROWELL, IVAN H., The hosts, life his-
 tory and control of the cedar-apple
 rust fungus *Gymnosporangium Juni-*
 peri-virginianae Schw., 163, pl. 91-98,
 figs.
 Culture chamber for the study of *My-*
 corrhizae, A, 358, pl. 119, figs.
 Cycadales, Chromosomes of the, 255, pl.
 107, 108
Damnacanthus Esquirolii, 312
Daphne Bodinieri, 104, 316
 — *Cavaleriei*, 105
 — *Esquirolii*, 105

- Daphne Feddei*, 105
 — *leuconeura*, 105
 — — *Mairei*, 105
 — *Mairei*, 105
 — *Martini*, 105
 — *papyracea*, 105
 — *papyrifera*, 105
 — *salicina*, 104
 — *tangutica*, 104
 — *Wilsonii*, 104
Daphniphyllum Cavaleriei, 107
Decaspermum fruticosum, 109
Diospyros Argyi, 295
 — *Esquirolii*, 294
 — *kaki silvestris*, 295
 — *Mairei*, 294
 — *mollifolia*, 294
 — *Navillei*, 293
Dipteronia sinensis, 4
Echites cymosa, 315
Ehretia Dunniana, 320
Eleutherococcus Bodinieri, 115
 — *Mairei*, 116
Embelia Blinii, 292
 — *Bodinieri*, 291
 — *Dielsii*, 292
 — *Kaopoensis*, 292
 — *oblongifolia*, 291
 — *pauciflora*, 291
 — — *Blinii*, 292
 — *rubrinervis*, 12
 — *Schlechteri*, 291
 — *Vaniotii*, 282
Enkianthus Cavaleriei, 278
 — *cerasiflora*, 279
 — *chinensis*, 279
 — *Dunnii*, 278
 — *Leveilleanus*, 279
 — *xanthoxantha*, 278
Eriolaena malvacea, 95
 — *sterculiacea*, 95
 — *szemaoensis*, 95
Erythrostaphyle vitiginea, 3
Esquirolia sinensis, 304
Eugenia Esquirolii, 109
Eurya Cavaleriei, 299
 — *nitida*, 99
Eurycorymbus austrosinensis, 8
 — *Cavaleriei*, 8
Euscaphis japonica, 2
 — *staphyleoides*, 2
Evodia Chaffanjoni, 2
 Farlow Herbarium of Harvard University, The seventh century of the Reliquiae Farlowianae. Distributed by the, 259, pl. 109
Fatsia Cavaleriei, 113
 — *papyrifera*, 113
 FAULL, ANNA F. and BAILEY, I. W., The cambium and its derivative tissues. No. IX. Structural variability in the redwood, *Sequoia sempervirens*, and its significance in the identification of fossil woods, 233, pl. 99-106, fig.
 FAULL, J. H., A remarkable spruce rust, *Peridermium Parksianum*, n. sp., 86
 — Blister Rust of *Pinus longifolia* Roxb., 154
 — The Biology of Milesian Rusts, 50, pl. 84-86
 — Wehmeyer's "The Genus *Diaporthe* Nitschke and its Segregates," 157
Ficus hirtaeformis, 97
Flacourtia Cavaleriei, 102
Fontanesia Argyi, 302
 — *Fortunei*, 302
Fordiophyton Cavaleriei, 112
 — — *violacea*, 112
 — *Faberi*, 112
Fraxinus, Studies in the genus, 118, pl. 87-89, figs.
Fraxinus americana, 124
 — *biltmoreana*, 123
 — *excelsior*, 125
 — *Fauriei*, 302
 — *Griffithii*, 302
 — *holotricha*, 125
 — *mandshurica*, 125
 — *nigra*, 125
 — *oregona*, 123
 — *oxycarpa*, 125
 — *pennsylvanica*, 123
 — — *lanceolata*, 123
 — *potamophila*, 124
 — *profunda*, 123
 — *quadrangulata*, 124
 — *syriaca*, 124
 — *texensis*, 124

- Gardneria chinensis*, 309
 — *multiflora*, 309
Gaultheria laxiflora, 282
 — **yunnanensis**, 282
Gongronema yunnanense, 317
Gouania javanica, 18
Grewia abutilifolia, 93
 — *biloba*, 93
 — *biloba*, 92
 — — *parviflora*, 93
 — *Chanetii*, 93
 — *Esquirolii*, 92
 — *glabrescens*, 92
 — *parviflora glabrescens*, 92
Gymnosporangium Juniperi-virginianae Schw., The hosts, life history and control of the cedar-apple rust fungus, 163, pl. 91-98, figs.
Gymnostemma pedatum, 27
 — *pentaphyllum*, 27
 HATCH, A. B., A culture chamber for the study of Mycorrhizae, 358, pl. 119, figs.
Helicteres Cavaleriei, 96
 — *glabriuscula*, 96
Heptapleurum Bodinieri, 114
 — *Cavaleriei*, 114
 — *Delavayi*, 113
 — *Dunnianum*, 113
 — *Esquirolii*, 116
 — *tripteris*, 115
Hernandia sinensis, 2
Hibiscus bellicosus, 95
 — *Bodinieri*, 94
 — — *brevicalyculata*, 95
 — *cancellatus*, 94
 — *Cavaleriei*, 94
 — *crinitus*, 94
 — *Esquirolii*, 95
 — *Labordei*, 94
 — *sagittifolius septentrionalis*, 95
 Hosts, life history and control of the cedar-apple rust fungus *Gymnosporangium Juniperi-virginianae* Schw., 163, pl. 91-98, figs.
Hovenia dulcis, 17
Hoya carnosa, 318
 — *Esquirolii*, 318
 — *Lyii*, 318
Hypericum Argyi, 100
 — *Henryi*, 100
 — *Hookerianum*, 100
 — *kouytchense*, 101
 — *longifolium*, 101
 — *patulum*, 100
Iodes ovalis, 2
 — — *Miquelii*, 3
 — *rugosa*, 4
 — **Seguini**, 3
 — *vitiginea*, 2
 — — *levitestis*, 4
Jasminum amplexicaule, 308
 — *Argyi*, 306
 — *Beesianum*, 308
 — *Blinii*, 307
 — *Bodinieri*, 306
 — *Delafieldii*, 307
 — **Duclouxii**, 307
 — *dumicolum*, 307
 — *Dunnianum*, 306
 — *Esquirolii*, 308
 — *floridum*, 306
 — *humile*, 306
 — *lanceolarium puberulum*, 306
 — *laurifolium villosum*, 308
 — *Mairei*, 306
 — — *siderophyllum*, 306
 — *multiflorum*, 308
 — *polyanthum*, 307
 — *Prainii*, 308
 — *Schneideri*, 307
 — *Seguini*, 307
 — *sinense*, 306
 — *Valbrayi*, 308
 Karyo-systematic study of *Robinia*, A, 353, fig.
 KERR, THOMAS and BAILEY, I. W., The cambium and its derivative tissues. No. X. Structure, optical properties and chemical composition of the so-called middle lamella, 327, pl. 110-113, figs.
Leea Dielsii, 25
 — *theifera*, 26
Lettsomia Seguini, 320
Leucothoe sp., 280
 Lèveillé, Notes on the ligneous plants from eastern Asia, described by, 1, 91, 267

- Ligustrum Argyi*, 305
 — *Bodinieri*, 305
 — *Esquirolii*, 304
 — *japonicum*, 305
 — *lucidum*, 304
 — — *Esquirolii*, 304
 — *Mairei*, 302
 — *phillyrea*, 303
 — *Quihoui*, 305
 — *sinense myrianthum*, 305
 — *Taquetii*, 305
 — *Vanioti*, 302
 LINDER, DAVID H., The seventh century of the Reliquiae Farlowianae. Distributed by the Farlow Herbarium of Harvard University, 259, pl. 109
Litsea Chaffanjonii, 301
Lonicera androsaemifolia, 107
 — *Cavaleriei*, 306
 — *Rehderi*, 306
 — *Vaccinium*, 103
Lysimachia capillipes Cavaleriei, 294
 — *lancifolia*, 294
 — **Navillei**, 293
 — *solanoides*, 293
Maesa aurea, 299
 — *Blinii*, 15
 — *Bodinieri*, 299
 — *Cavaleriei*, 289
 — *Dunniana*, 289
 — *Esquirolii*, 289
 — *japonica*, 288
 — *Labordei*, 289
 — *Martini*, 288
 — *scandens*, 310
 — *tenera*, 288
Marlea Bodinieri, 108
 — *Cavaleriei*, 309
Marsdenia Cavaleriei, 318
 — **yunnanensis**, 317
 McKELVEY, SUSAN D., A verification of the occurrence of *Yucca Whipplei* in Arizona, 350 pl. 114-117
Melastoma Cavaleriei, 109
 — *Esquirolii*, 109
 — *Mairei*, 110
 — *normale*, 109
Meliosma Cavaleriei, 25
 — *Oldhami*, 10, 302
Meliosma sinensis, 10
Melodinus Bodinieri, 312
 — *Cavaleriei*, 311
 — *Chaffanjonii*, 310
 — *Duclouxii*, 307
 — *Dunnii*, 311
 — *edulis*, 313
 — *Esquirolii*, 313
 — *flavus*, 313
 — *khasianus*, 313
 — *Seguini*, 313
Melodium Dunnii, 311
Mespilus Esquirolii, 97
Metaplexis Cavaleriei, 318
Microrhamnus Bodinieri, 107
 — *Cavaleriei*, 11
 — *Franchetiana*, 1, 11
 — *franguloides*, 12
 — *Mairei*, 11
 Milesian Rusts, The Biology of, 50, pl. 84-86
 Mycorrhizae, A culture chamber for the study of, 358, pl. 119, figs.
Myrica Mairei, 285
Myrsine africana, 293
 — *Esquirolii*, 289
 — *Seguini*, 293
 — *semiserrata*, 292
Nicotiana hybrids, The occurrence of tumors on certain, 144, pl. 90, fig.
 Nomenclatural priority in the Uredinales, 263
 Notes on some plants of Oklahoma, 127
 Notes on the ligneous plants described by Lévillé from eastern Asia, 1, 91, 267
Nothopanax Delavayi, 115
Nyssa sinensis, 107
Oakesia sessilifolia, 29
 Occurrence of tumors on certain *Nicotiana* hybrids, The, 144, pl. 90, fig.
Osbeckia crinita, 109
 — — *yunnanensis*, 110
Osmanthus Delavayi, 303
Oxyspora Cavaleriei, 112, 113
 — *paniculata*, 110
Paederia Bodinieri, 309
Paliurus Mairei, 10

- PALMER, ERNEST J., Notes on some plants of Oklahoma, 127
 — *Quercus ellipsoidalis* in Missouri, 89
 — The Beach Plum in Michigan, 88
 — Trees of the Southeastern States, 266
Panax Delavayi, 116
Parameria Esquirolii, 316
Parthenocissus heterophylla, 22
 — *himalayana rubrifolia*, 22
 — *tricuspidata*, 23
Pavetta Esquirolii, 325
Pavonia cancellata, 95
Peridermium Parksianum, n. sp., A remarkable spruce rust, 86
Periploca astacus, 310
Phyllagathis Cavaleriei, 113
Pieris Bodinieri, 280
 — *buxifolia*, 287
 — *Cavaleriei*, 280
 — *coreana*, 283
 — *divaricata*, 282
 — *Duclouxii*, 284
 — *Esquirolii*, 284
 — — *discolor*, 284
 — — *leucocalyx*, 285
 — *Fauriei*, 283
 — *formosa*, 280
 — *Fortunati*, 282
 — *Gagnepainiana*, 286
 — *Henryi*, 281
 — *kouyangensis*, 281
 — *longicornu*, 284
 — *lucida*, 285
 — *Mairei*, 281
 — — *parvifolia*, 281
 — *Martini*, 286
 — *oligodonta*, 289
 — *ovalifolia*, 281
 — — *denticulata*, 285
 — — *lanceolata*, 281
 — *repens*, 283
 — *Ulbrichii*, 281
 — *vaccinium*, 282
Pinus longifolia, 154
Pirus Bodinieri, 109
Plagiopetalum Esquirolii, 110
 — *quadrangulum*, 110
 — *serratum*, 110
Porana Delavayi, 318
 — *Esquirolii*, 318
 — *Gagnepainiana*, 319
 — *racemosa*, 319
 — *sinensis*, 318
 — — **Delavayi**, 319
Premna Bodinieri, 324
 — *Cavaleriei*, 324
 — *Martini*, 324
 — *parvulimba*, 324
 — *puberula*, 324
Prunus Lyi, 297
 — *Mairei*, 297
 — *Taqueti*, 17
Psedera Thunbergii, 23
Pterostyrax Cavaleriei, 295
 — *Leveillei*, 295
 Quantitative comparison of specific and generic differences in the Betulaceae, A, 43
Quercus ellipsoidalis in Missouri, 89
Quercus Dunniana, 12
Rapanea aurea, 100
 — *neriifolia*, 293
Reevesia Cavaleriei, 96
 — *Esquirolii*, 276
 — *pubescens*, 96
 — *thyrsoidea*, 96
 REHDER, ALFRED, Notes on the ligneous plants described by Lévillé from eastern Asia, 1, 91, 267
 Reliquiae Farlowianae, The seventh century of the, Distributed by the Farlow Herbarium of Harvard University, 259, pl. 109
 Remarkable spruce rust, *Peridermium Parksianum*, n. sp., A, 86
Rhamnella franguloides, 12
 — *hainanensis*, 12
 — *Martini*, 11, 377
 — **rubrinervis**, 12
Rhamnus Blinii, 15
 — — **Sargentianus**, 16
 — *Bodinieri*, 15
 — *Cavaleriei*, 14, 17
 — *coriaceifolius*, 294
 — *crenatus*, 13
 — *Esquirolii*, 14
 — *hamatidens*, 17

- Rhamnus heterophyllus*, 14
 — *leptophyllus*, 17
 — *Leveilleanus*, 17
 — *Martini*, 11
 — *myrtillus*, 293
 — *napalensis*, 14
 — *paniculiflorus*, 14
 — *Pasteuri*, 309
 — *pruniformis*, 17
 — *pseudo-frangula*, 13
 — *Rosthornii*, 17
 — *Sargentianus*, 16
 — *Schneideri*, 17
 — *serpyllifolius*, 16
 — *Taqueti*, 16
 — *yunnanensis*, 11, 377
Rhododendron albicaule, 270
 — *Argyi*, 278
 — *Bachii*, 275
 — *Blinii*, 271
 — *Bodinieri*, 272
 — *caeruleum*, 273
 — *Cavaleriei*, 276
 — — *Chaffanjonii*, 275
 — *Chaffanjonii*, 275
 — *chrysocalyx*, 276
 — *cordatum*, 270
 — *crenatum*, 274
 — *cruentum*, 269
 — *dauricum mucronulatum*, 275
 — *decorum*, 270
 — *denudatum*, 269
 — *Duclouxii*, 274
 — *eriandrum*, 273
 — *Esquirolii*, 276
 — *euonymifolium*, 273
 — *farinosum*, 269
 — *Feddei*, 278
 — *Franchetianum*, 270
 — *fuchsiaeiflora*, 274
 — *fuchsiifolium*, 276
 — *Giraudiasii*, 270
 — *hallaisanense*, 277
 — *Jahandiezii*, 272
 — *lacteum*, 269
 — *Leclerei*, 271
 — *Lemeei*, 271
 — *leucandrum*, 272
 — *liliiflorum*, 271
Rhododendron lutescens, 271
 — *Lyi*, 271
 — *Mairei*, 269
 — *Maximowiczianum*, 278
 — *missionarium*, 271
 — *motsouense*, 274
 — *mucronatum*, 278
 — *mucronulatum*, 275
 — *nanum*, 273
 — *polycladum*, 273
 — *poukhanense*, 277
 — *racemosum*, 274
 — *rarosquameum*, 273
 — *rex*, 270
 — *rubro-punctatum*, 272
 — *Seguini*, 272
 — *siderophyllum*, 272
 — *Souliei*, 270
 — *spinigerum*, 276
 — *spinuliferum*, 273
 — *stamineum*, 275
 — *tapelouense*, 272
 — *Taquetii*, 275
 — *tatsienense*, 272
 — *umbelliferum*, 277
 — *xanthoneuron*, 269
 — *yedoense poukhanense*, 277
Rhus Bofillii, 10
 — *Cavaleriei*, 8
Robinia, A karyo-systematic study of, 353, fig.
Rubus umbellifer, 93
Sabia Dielsii, 9
 — *Dunnii*, 9
 — *edulis*, 2, 3
 — *Esquirolii*, 309
 — *gracilis*, 9
 — *parviflora*, 10
 — — *nitidissima*, 10
 — *puberula*, 9
 — *yunnanensis*, 9
Sageretia Bodinieri, 14
 — *Cavaleriei*, 13
 — *Chanetii*, 13
 — *Henryi*, 13
 — *rugosa*, 12
 — *theezans*, 13
 SAX, KARL and BEAL, J. M., Chromosomes of the Cycadales, 255, pl. 107, 108.

- Schefflera Bodinieri*, 114
 — *Delavayi*, 113
 — *elliptica*, 114
 — *sp.*, 114, 115
Sequoia sempervirens, and its significance in the identification of fossil woods, The cambium and its derivative tissues. No. IX. Structural variability in the redwood, 233, pl. 99-106, fig.
 Seventh century of the Reliquiae Farlowianae. Distributed by the Farlow Herbarium of Harvard University, 259, pl. 109.
Sideroxylon Wightianum, 294
Sindechites Esquirolii, 316
Sloanea chengfengensis, 91
 — *Hanceana*, 91
 — *sinensis*, 91
Sonerila Cavaleriei, 111
 — *Esquirolii*, 110
 Speciation in *Uvularia*, 28, pl. 82, 83, figs.
 Spruce rust, *Peridermium Parksianum*, n. sp., A remarkable, 86
Stachyurus Esquirolii, 103
 — *yunnanensis*, 103
Staphylea holocarpa, 1
Stellera Bodinieri, 106
 — *chamaejasme*, 106
Stephanotis yunnanensis, 317
Sterculia malvacea, 95
 — *tiliacea*, 93
 Studies in the genus *Fraxinus*, 118, pl. 87-89, figs.
Styrax Argyi, 295
 — *Bodinieri*, 295
 — *Cavaleriei*, 295, 296
 — *grandiflorus*, 296
 — *iopilina*, 295
 — *japonicus*, 295
 — *Leveillei*, 295
 — *touchanensis*, 296
Symplocos adenopus, 301
 — *anomala*, 300
 — *Argyi*, 296
 — *aurea*, 299
 — *Balfourii*, 299
 — *Bodinieri*, 299
Symplocos Bodinieri, 300
 — *botryantha*, 300
 — *caerulea*, 300
 — *Cavaleriei*, 300
 — *coronigera*, 296
 — *crataegoides*, 297
 — *Dielsii*, 301
 — *Dunniana*, 301
 — *Esquirolii*, 301
 — *fasciculata chinensis*, 298
 — *lancifolia*, 299
 — *laurina*, 298
 — *Mairei*, 301
 — *Martini*, 300
 — *neriifolia*, 301
 — *paniculata*, 297
 — *paniculata*, 297
 — — *biloba*, 297
 — *pinfaensis*, 298
 — *Prainii*, 301
 — *punctata*, 300
 — *setchuensis*, 296
 — *spicata*, 298
 — *splendens*, 300
 — *Stapfiana*, 298
 — *stellaris*, 301
 — *vinoso-dentata*, 299
 — *Wilsonii*, 296
 — *xanthoxantha*, 296
Syringa Fauriei, 303
 — *Mairei*, 302
 — *rugulosa*, 302
Tecoma Cavaleriei, 1
Terminalia Kouytchensis, 18
 — *Mairei*, 108
Tetrapanax papyrifera, 113
Tetrastigma Hemsleyanum, 19
 — *obtectum glabrum*, 21
 — — *Potentilla*, 21
 — *serrulatum*, 20
 — *umbellatum*, 21
Thea Camellia lucidissima, 99
 — *Cavaleriana*, 98
 — *chinensis androxantha*, 98
 — *Costei*, 98
 — *Grijsii*, 98
 — *Mairei*, 99
 — *oleifera*, 98
 — *oleosa*, 98

- Thea Pitardii*, 98
— *lucidissima*, 99
— *podogyna*, 98
— *speciosa*, 98
Tilia Kinashii, 92
— *Miqueliana*, 92
— *tuan*, 92
— — *Cavaleriei*, 92
Trachelospermum axillare, 310
— *Bodinieri*, 312
— *catthayanum*, 312
— *Cavaleriei*, 316
— *divaricatum brevisepalum*, 311
— *Dunnii*, 311
— *Esquirolii*, 313
— *gracilipes*, 311
— — *Cavaleriei*, 311
— *Navillei*, 315
— *rubrinerve*, 311
Trees of the Southeastern States, 266
Trevisia palmata, 113
Tripterygium hypoglaucum, 1
Uredinales, Nomenclatural priority in
the, 263
Urena lobata, 94
Uvularia, Speciation in, 28, pl. 82, 83,
figs.
Uvularia grandiflora, 28
— *perfoliata*, 28
Vaccinium albidens, 283
— *bracteatum*, 282
— *buxifolium*, 287
— *Donianum*, 284
— *Duclouxii*, 284
— *Dunalium urophyllum*, 286
— *Fauriei*, 288
— *foetidissimum*, 286
— *Forrestii*, 284
— *fragile*, 286
— *japonicum*, 288
— — *sinicum*, 288
— *Mairei*, 281
— *malaccense*, 285
— *mandarinorum*, 284
— *mekongense*, 283
— *oligodontum*, 289
— *pubicalyx*, 285
— — *leucocalyx*, 285
— *repens*, 283
Vaccinium siccum, 288
— *Taquetii*, 283
— *triflorum*, 287
— *yunnanense*, 282
— — *Franchetiana*, 282
Vatica cordata, 319
Verification of the occurrence of *Yucca*
Whipplei in Arizona, A, 350, pl. 114-
117
Viburnum Dielsii, 323
Vitex Esquirolii, 310
Vitis arisanensis, 21
— *Bodinieri*, 23
— *Cavaleriei*, 18
— *Chaffanjoni*, 25
— *chrysobotrys*, 2
— *Davidi*, 19
— *Delavayana*, 22
— *dichromocarpa*, 27
— *Dunniana*, 25
— *Esquirolii*, 20
— *Feddei*, 22
— *flexuosa parvifolia*, 18
— *flexuosa*, 18
— — *Mairei*, 19, 20
— *Gentiliana*, 24
— *heterophylla*, 23
— *Labordei*, 19
— *Lyjoannis*, 23
— *Mairei*, 20, 26, 27
— *Marchandii*, 18
— *Martini*, 27
— *megaphylla*, 25
— *multijugata*, 26
— *obtecta glabra*, 21
— — *pilosa*, 22
— — *Potentilla*, 22
— *oligocarpa*, 26
— *Potentilla*, 22
— — *glabra*, 21
— *prunisapida*, 19
— *quelpaertensis*, 27
— *reticulata*, 18
— *rigida*, 24
— *rubrifolia*, 22
— *Seguni*, 2, 3
— *Taquetii*, 23
— *Thunbergii adstricta*, 19
— *umbellata*, 21

- Vitis Wilsonae*, 18
Wehmeyer's "The Genus *Diaporthe* Nitschke and its Segregates," 157
WHELDEN, C. M., Studies in the genus *Fraxinus*, 118, pl. 87-89, figs.
WHITAKER, THOMAS W., A karyo-systematic study of *Robinia*, 353, fig.
— Chromosome constitution in certain monocotyledons, 135, figs.
— The occurrence of tumors on certain *Nicotiana* hybrids, 144, pl. 90, fig.
— and ANDERSON, EDGAR, Speciation in *Uvularia*, 28, pl. 82, 83, figs.
Wikstroemia Bodinieri, 316
— *chamaejasme*, 106
— *Hemsleyana*, 315
— *indica*, 103
— *leuconeura*, 106
— *salicina*, 104
— ***Vaccinium***, 103
Wikstroemia Valbrayi, 103
Woodfordia fruticosa, 107
Wrightia Schlechteri, 312
Xanthoceras enkianthiflora, 1
Xolisma ovalifolia, 281
— — *lanceolata*, 281
— *villosa pubescens*, 281
Xylosma congestum kwangtungense, 102
— *Dunniana*, 102
— *racemosa*, 102
— *racemosum*, 101
— — ***kwangtungense***, 102
Yucca Whipplei in Arizona, A verification of the occurrence of, 350, pl. 114-117
Zenobia cerasiflora, 279
Zizyphus Esquirolii, 17
— *jujuba*, 10
— *mauritiana*, 10



1934. "Index [vol. 15]." *Journal of the Arnold Arboretum* 15(4), 379–389.
<https://doi.org/10.5962/p.185322>.

View This Item Online: <https://www.biodiversitylibrary.org/item/33591>

DOI: <https://doi.org/10.5962/p.185322>

Permalink: <https://www.biodiversitylibrary.org/partpdf/185322>

Holding Institution

Missouri Botanical Garden, Peter H. Raven Library

Sponsored by

Missouri Botanical Garden

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Arnold Arboretum of Harvard University

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.