

INDEX

Synonyms are printed in *italics*; new names in **bold-face** type

- Abies balsamea*, 194
Acer from Guatemala, A new species of, 350
Acer **Skutchii**, 350
 — *spicatum*, 314
Achillea borealis, 306
 — **megacephala**, 306, pl. 199
 — *Millefolium*, 306
 — *multiflora*, 305
 — *sibirica*, 305
Actae rubra, 252
Adoxa Moschatellina, 299
Aecidium ? *Myrtilli*, 122
 — *pseudocolumnare*, 135
Aeschynanthus Esquirolii, 333
Agastache Foeniculum, 292
Agoseris glauca, 311
Agropyron biflorum latiglume, 203
 — *caninum latiglume*, 203
 — *latiglume*, 203
 — *Richardsonii*, 203
 — *Smithii molle*, 202
 — *tenerum*, 203
 — *trachycaulum typicum*, 202
 — — *unilaterale*, 203
 — *violaceum latiglume*, 203
Agrostis borealis typica, 208
 — *hyemalis*, 208
 — *scabra*, 208
Akebia Cavaleriei, 320
Alisma Plantago-aquatica brevipes, 199
 ALLEN, CAROLINE K., Lauraceae, 324
Allium Schoenoprasum sibiricum, 224
 — *sibiricum*, 224
Alnus alnobetula, 243
 — *crispa*, 243
 — — **elongata**, 243, pl. 195
 — *Fauriei*, 66
 — *incana*, 243
 — *Mairei*, 67
 — *nepalensis*, 67
Alopecurus aequalis, 208
 — *aristulatus*, 208
 — *geniculatus aristulatus*, 208
Alseodaphne camphorata, 326
 — *caudata*, 326
Alsine borealis, 248
 — *crassifolia*, 248
 — *longifolia*, 249
 — *longipes*, 248
 — *media*, 249
Alyxia Schlechteri, 54
Amarella plebeia, 290
Amelanchier florida, 264
 — *humilis*, 264
Andromeda Polifolia, 285
Androsace septentrionalis, 288
Anemone canadensis, 253
 — *cylindrica*, 253
 — *multifida hudsoniana*, 253
 — — *sanguinea*, 253
 — *parviflora*, 252
 — *patens Wolfgangiana*, 253
 — *Richardsonii*, 253
Antennaria aprica, 305
 — *campestris*, 305
 — *nitida*, 305
 — *oxyphylla*, 305
 — *plantaginifolia*, 315
 — *pulcherrima*, 304
 — *rosea*, 304
Anthemis Cotula, 305
Antidea elegans, 224
Apocynum androsaemifolium, 290
 — *cannabinum hypericifolium*, 291
 — *hypericifolium*, 290
 — *sibiricum*, 291
 Aposporic parthenogenesis in a triploid apple, *Malus hupehensis*, 90, pl. 179–181
Aquilegia brevistyla, 252
Arabis arenicola, 260
 — *brachycarpa*, 260
 — *divaricarpa*, 260
 — *Drummondi*, 260
 — *hirsuta*, 260
 — *Holboellii*, 260
 — *lyrata*, 259

- Arabis lyrata kamchatica*, 260
 — *retrofracta*, 260
Aragallus gracilis, 272
 — *splendens*, 272
 — *viscidulus*, 272
Aralia nudicaulis, 278
Arceuthobium americanum, 244
Arctagrostis arundinacea, 208
Arctophila fulva, 203
Arctostaphylos rubra, 286
 — *Uva-ursi*, 285
 — — *adenotricha*, 286
Arctous alpina rubra, 286
Arenaria cylindrocarpa, 250
 — *dawsonensis*, 250
 — *humifusa*, 250
 — *lateriflora*, 250
 — *litorea*, 250
 — *macrophylla*, 251
 — *verna pubescens*, 250
Argentina Anserina, 268
Arnica attenuata, 309
 — *chionopappa*, 309
 — *rhizomata*, 309
 Arnold Arboretum, Bibliography of the published writings of the staff and students of the, July 1, 1935–June 30, 1936, 366
 Arnold Arboretum during the fiscal year ended June 30, 1936, 357
 Arnold Arboretum, 1935–36, Staff of the, 370
Artabotrys Esquirolii, 321, 324
Artemisia biennis, 308
 — *borealis*, 308
 — *canadensis*, 308
 — *dracunculoides*, 308
 — *frigida*, 308
 — *Tilesii*, 308
Aspidium fragrans, 189
 — *spinulosum*, 189
Asplenium Trichomanes, 312
Aster angustus, 315
 — *conspicuus*, 301
 — *ericoides*, 302
 — *falcatus*, 303
 — *junceus*, 302
 — *laevis* Geyeri, 302
 — *Lindleyanus*, 301
Aster Lindleyanus ciliolatus, 302
 — — *comatus*, 302
 — *modestus*, 301
 — *multiflorus*, 302
 — *pauciflorus*, 303
 — *puniceus*, 303
 — *Richardsonii*, 301
Astragalus aboriginorum, 314
 — *adsurgens*, 271
 — *alpinus*, 271
 — *canadensis*, 271
 — *eucosmus*, 271
 — *frigidus americanus*, 271
 — *hypoglottis*, 271
 — *neglectus*, 271
 — *tenellus*, 272
 — *yukonis*, 272
 Athabaska–Great Slave Lake region, Phytogeographic studies in the, 180, 241, pl. 190–200, map
Atriplex Nuttallii, 313
 — *patula*, 247
 — — *hastata*, 247
Avena fatua glabrata, 205
 — *Hookeri*, 204
 — *sativa*, 205
 — *striata*, 202
Axyris amaranthoides, 247
Barbarea orthoceras, 259
Beckmannia baicalensis, 209
 — *erucaeformis*, 209
 — *Syzigachne*, 209
Benzoin commune, 330
 — *glaucum*, 331
 — *touyunense*, 331
 — — *megaphyllum*, 331
Berberis acuminata, 322
 — *bicolor*, 322
 — *Cavaleriei*, 321
 — *elegans*, 322, 323
 — *Griffithiana*, 321, 322
 — *Julianae*, 322
 — **Schneideri**, 323
 — *sinensis elegans*, 323
 — *stenophylla*, 322
 — *subacuminata*, 322
Betula alascana, 241
 — *fontinalis*, 242
 — *glandulosa*, 242

- Betula microphylla*, 242
 — *neolaskana*, 241
 — *papyrifera*, 241
 — — *neolaskana*, 241
 — — *occidentalis*, 241
 — *pumila glandulifera*, 242
Bidens cernua, 305
Bilderdykia Convolvulus, 246
Bistorta vivipara, 245
 — *zigzag*, 316
Blitum capitatum, 246
Boschniakia rossica, 295
Botrychium matricariaefolium, 187
 — *multifidum*, 187
 — *ternatum rutaefolium*, 187
Brassica arvensis, 258
Braya humilis, 258
Bromelica striata, 202
Bromus ciliatus, 199
 — *Pumpellianus*, 199
Bucklandia populnea, 333
Burretiodendron, a new genus of *Tiliaceae*, 47, pl. 178
Burretiodendron, 47
 — *Esquirolii*, 48, pl. 178
Bursa Bursa-pastoris, 257
Caeoma Faullianum, 118, 371
 — *Piperianum*, 110
Calamagrostis canadensis, 206
 — — *robusta*, 207
 — — *scabra*, 207
 — *inexpansa brevior*, 207
 — — *typica*, 313
 — *montanensis*, 206
 — *neglecta*, 207
 — — *micrantha*, 312
 — *purpurascens*, 206
Calla palustris, 221
Callitriche hermaphrodita, 274
 — *palustris*, 274
Caltha palustris, 256
Calypso borealis, 227
 — *bulbosa*, 227
Calyptospora Goeppertiana, 123
Camellina sativa, 258
Campanula rotundifolia, 299
Capparis cantoniensis, 332
 — *viminea*, 332
Capnoides aurea, 256
Capnoides sempervirens, 256
Capsella Bursa-pastoris, 257
Cardamine pennsylvanica, 259
 — *pratensis palustris*, 259
Carex abbreviata, 217
 — *aenea*, 215
 — *aquaticis*, 219
 — *arcta*, 214
 — *atherodes*, 219
 — *atratiformis*, 218
 — *aurea*, 217
 — *Bebbii*, 215
 — *brunnescens sphaerostachya*, 214
 — *Buxbaumii*, 218
 — *canescens sublohiacea*, 214
 — *capillaris*, 217
 — *capitata*, 213
 — *chordorrhiza*, 213
 — *compacta*, 220
 — *concinna*, 216
 — *concolor*, 218
 — *Crawfordii*, 215
 — *deflexa*, 216
 — *Deweyana*, 214
 — *diandra*, 213
 — *disperma*, 214
 — *eburnea*, 216
 — *Eleocharis*, 213
 — *Garberi*, 217
 — *glacialis*, 216
 — *gynocrates*, 214
 — *Halleri*, 218
 — *Houghtonii*, 313
 — *lanuginosa*, 313
 — *lasiocarpa*, 217
 — *lenticularis*, 219
 — *leptalea*, 215
 — *limosa*, 218
 — *lohiacea*, 214
 — *membranacea*, 220
 — *membranopacta*, 220
 — *obtusata*, 215
 — *Oederi pumila*, 217
 — *oligosperma*, 220
 — *Parryana*, 218
 — *paupercula irrigua*, 218
 — *pedata*, 216
 — *physocarpa*, 219
 — *prairea*, 313

- Carex pratensis*, 215
 — *praticola*, 215
 — *Raeana*, 220
 — *retrorsa*, 220
 — *Richardsonii*, 216
 — *rigida*, 218
 — *Rossii*, 216
 — *rostrata*, 220
 — *rotundata*, 313
 — *Sartwellii*, 213
 — *saxatilis*, 220
 — — *miliaris*, 220
 — *scirpoidea*, 216
 — *siccata*, 213
 — *stenophylla*, 213
 — *supina*, 215
 — *sychnocephala*, 215
 — *tenella*, 214
 — *tenera*, 215
 — *tenuiflora*, 214
 — *tonsa*, 216
 — *Torreyi*, 217
 — *trichocarpa aristata*, 219
 — *umbellata tinsa*, 216
 — *vaginata*, 217
 — *VahlII inferalpina*, 218
 — *viridula*, 217
Carpinus laxiflora, 67
 — — *chartacea*, 67
 — *pinfaensis*, 67
 — *pubescens*, 67
 — *Seemeniana*, 67
Cassiope tetragona, 285
Castanea Bodinieri, 68
 — *Fauriei*, 68
 — *mollissima*, 68
Castanopsis asymetrica, 69
 — *Bodinieri*, 68
 — *brunnea*, 68
 — *caudata*, 69, 70
 — *cryptoneuron*, 71
 — *cuspidata*, 68
 — *Eyrei*, 69, 371
 — *eyrei*, 70
 — *hystrix*, 68
 — *neo-Cavaleriei*, 69
 — *neo-Cavaleriei*, 69, 371
 — *tibetana*, 70
 — *tribuloides echidnocarpa*, 69, 70, 371
Castanopsis trinervis, 69
 — *yunnanensis*, 68
 — *spec.*, 71
Castilleja pallida, 294
 — *Raupii*, 294
Cerastium alpinum glanduliferum, 249
 — *arvense*, 250
 — *Beerlingianum*, 249
 — *nutans*, 250
Ceratophyllum demersum, 252
Cestrum in Guatemala, The genus, 341
Cestrum aurantiacum, 344
 — — *chaculanum*, 344
 — *Baenitzii*, 345
 — *chaculanum*, 344
 — *chiapense*, 343
 — *cobanense*, 346
 — *dasyanthum*, 344
 — *dumetorum*, 345
 — *elegantissimum*, 347
 — *evanidum*, 346
 — *formosum*, 348
 — *Franceyi*, 345
 — *fraternum*, 345
 — *guatemalense*, 349
 — — *gracile*, 349
 — *jacaltenanginum*, 343
 — *Kellermanii*, 349
 — *lanatum*, 344
 — *luteovirescens*, 348
 — *nocturnum*, 346
 — *pacayense*, 349
 — *panamense*, 348
 — *paucinervium*, 344
 — *pedunculatum*, 346
 — *perilambanum*, 348
 — *racemosum panamense*, 348
 — *Regelii*, 343
 — *scandens*, 348
 — *Skutchii*, 347
Chamaedaphne calyculata, 285
Chamaenerion angustifolium, 277
 — *latifolium*, 277
Chamaepericlymenum canadense, 281
Chamaerhodos Nuttallii, 269
Cheirinia cheiranthoides, 258
Chenopodium album, 247
 — — *viride*, 247
 — *capitatum*, 246

- Chenopodium glaucum*, 246
 — *hybridum*, 313
 — *lanceolatum*, 247
 — *leptophyllum*, 247
 — *rubrum*, 247
Chimaphila umbellata occidentalis, 281
Chondrosea Aizoon, 261
 Chromosome complex at premeiotic anaphase and meiotic metaphase, 42, figs.
 Chromosome numbers and phylogeny in the gymnosperms, 83, figs.
Chrysanthemum Leucanthemum pinna-tifidum, 307
Chrysomyxa Piperiana and *Chrysomyxa Chiogenis*, Two spruce-infecting rusts, 109
Chrysomyxa Chiogenis, 113
 — *Ledi*, 137
 — *Piperiana*, 110
Chrysosplenium tetrandrum, 262
Cicuta bulbifera, 280
 — *mackenzieana*, 279, pl. 197
 — *occidentalis*, 279
Cinna latifolia, 208
Cinnamomum Bodinieri, 324
 — *Camphora*, 324
 — *Cavaleriei*, 325
 — *Esquirolii*, 323
 — *hupehanum*, 324
 — *linearifolium*, 325
 — *Neesianum*, 325
 — *Parthenoxylon*, 325
 — *pedunculatum angustifolium*, 325
 — *Taquetii*, 324
Circaea alpina, 278
Cirsium Drummondii, 311
Clematis coriigera, 318
 — *Gouriana*, 318
 — *grata argenteilucida*, 318
 — — *grandidentata*, 318
 — *Mairei*, 317
 — *Martini*, 319
 — *parviloba ganpiniana*, 319
 — — *glabrescens*, 320
 — *ranunculoides tomentosa*, 317
 — *substipulata*, 318
 — *trullifera*, 318
 — *urophylla*, 317
Clematis urophylla heterophylla, 317
 — *Vitalba argenteilucida*, 318
 — — *Ganpiniana*, 320
 — — *grata*, 318
 — — *micrantha*, 318
 — — *substipulata*, 318
Clerodendron Esquirolii, 64
Cocculus laurifolius, 323
Coeloglossum bracteatum, 226
Coleosporium delicatulum, 139
 — *Helianthi*, 137
 — *inconspicuum*, 138
 — *Ipomoeae*, 138
 — *Laciniariae*, 139
 — *Solidaginis*, 139
 — *Terebinthinaceae*, 139
Collomia linearis, 291
Colpodium fulvum, 203
Comandra livida, 244
 — *pallida*, 244
Comarum palustre, 268
 Convenient sand-culture apparatus, A, 38, pl. 177, fig.
Coptis groenlandica, 252
Corallorrhiza Corallorrhiza, 227
 — *trifida*, 227
Corispermum hyssopifolium, 247
Cornus Baileyi, 281
 — *canadensis*, 281
 — *stolonifera*, 281
 — — *Baileyi*, 281
Corydalis aurea, 256
 — *sempervirens*, 256
Corylus americana, 313
 — *cornuta*, 241
 — *rostrata*, 241
Cotoneaster Blinii, 335
 — *Esquirolii*, 334
Cronartium ribicola, 137
 CROWELL, IVAN H., Two new species of *Gymnosporangium* from Asia, 50, figs.
Cryptogramma acrostichoides, 189
 — *crispa acrostichoides*, 189
Cryptomeria japonica, 55
Cudrania Bodinieri, 332
 — *tricuspidata*, 72
Cunninghamia lanceolata, 55
 — *sinensis prolifera*, 55
Cupressus Duclouxiana, 55

- Cupressus Mairei*, 55
Cyanococcus canadensis, 286
Cypripedium acaule, 226
— *guttatum*, 226
— *passerinum*, 225
Cystopteris fragilis, 188
Cytharea bulbosa, 227
Danthonia intermedia, 206
— *thermalis*, 206
Dasiphora fruticosa, 268
Delphinium scopulorum glaucum, 252
DERMEN, HAIG, Aposporic parthenogenesis in a triploid apple, *Malus hupehensis*, 90, pl. 179–81
— Chromosome complex at premeiotic anaphase and meiotic metaphase, 42, figs.
— Fertilization in the Baldwin Apple, a triploid variety, 106
Deschampsia cespitosa glauca, 205
— *mackenzieana*, 205, pl. 190
Descurainia Richardsonii, 258
— *sophioides*, 258
Desmos cochinchinensis, 324
Deutzia Esquirolii, 333
— *lancifolia*, 333
Diapensia lapponica, 287
Disporum trachycarpum, 225
Distegia involucrata, 299
Distichlis stricta, 202
Distylium chinense, 333
Dodecatheon pauciflorum, 288
Dondia depressa, 247
Draba aurea, 257
— *cinerea*, 257
— *glabella*, 257
— *hirta*, 257
— *incana confusa*, 313
— *lanceolata*, 257
— *nemorosa*, 257
— *stylaris*, 257
Dracocephalum Nuttallii, 292
— *parviflorum*, 292
Drosera anglica, 261
— *rotundifolia*, 261
Dryas Drummondii, 269
— *integrifolia*, 269
Drymocallis agrimonoides, 266
Dryopteris fragrans, 189
Dryopteris spinulosa, 189
Elaeagnus argentea, 276
— *commutata*, 276
Eleocharis acicularis, 213
— *calva*, 212
— *palustris*, 212
— *pauciflora*, 212
— *uniglumis*, 212
Elymus arenarius villosus, 204
— *canadensis*, 203
— *innovatus*, 204
— *Macounii*, 203
— *robustus vestitus*, 203
Empetrum nigrum, 274
Epilobium adenocaulon, 277
— *angustifolium*, 277
— *glandulosum adenocaulon*, 277
— *latifolium*, 277
— *leptocarpum Macounii*, 278
— *molle*, 314
— *palustre*, 277
— — *monticola*, 277
Epimedium Cavaleriei, 320
Epipactis repens ophioides, 227
Equisetum arvense, 190
— *fluviatile*, 191
— *hyemale affine*, 191
— — *robustum*, 191
— *limosum*, 191
— *palustre*, 190
— *pratense*, 190
— *prealtum*, 191
— *robustum*, 191
— *scirpoides*, 191
— *sylvaticum pauciramosum*, 190
— *variegatum*, 191
Erigeron acris arcuans, 303
— — *asteroides*, 303
— — *debilis*, 303
— *canadensis*, 304
— *compositus trifidus*, 303
— *droebachensis*, 303
— *glabellus*, 304
— *hyssopifolius*, 304
— *lonchophyllus*, 303
— *philadelphicus*, 304
— *ramosus*, 304
— *salsuginosus*, 315
Eriobotrya Cavaleriei, 334

- Eriolaena Esquirolii*, 48
Eriophorum alpinum, 211
— *angustifolium*, 211
— *callitrix*, 211
— *Chamissonis albidum*, 210
— *gracile*, 313
— *opacum*, 210
— *Scheuchzeri*, 210
— *spissum*, 211
— *tenellum*, 211
— *vaginatum*, 211
— *viridicarinatum*, 211
Erxlebenia minor, 282
Erysimum cheiranthoides, 258
— *parviflorum*, 258
Eucommia ulmoides, 333
— — *yunnanensis*, 333
Eupatorium purpureum, 314
Euphrasia subarctica, 294
Eurya Esquirolii, 329
Euthamia camporum, 301
Experimental production of polyploidy,
The, 153, pl. 189
Fagopyrum Mairei, 317
— *Statice*, 317
FAULL, J. H., Two spruce-infecting rusts
Chrysomyxa Piperiana and *Chryso-*
myxa Chiogenis, 109
Fertilization in the Baldwin apple, a
triploid variety, 106
Festuca borealis, 200
— *brachyphylla*, 199
— *rubra*, 199
— — *arenaria*, 199
— *saximontana*, 199
Ficus Abelii, 81
— *asymetrica*, 74
— *Blinii*, 73
— *Bonatiana*, 76
— *Bonatii*, 76
— *botryoides*, 76
— *cantoniensis*, 75
— *Cavaleriei*, 78
— *congesta*, 80
— *cuneata*, 77, 78
— *cuspidifera*, 73
— *Cyanus*, 80
— — *viridescens*, 80
Ficus erecta, 77
— *erecta*, 76
— — *Sieboldi*, 77
— *Esquirolii*, 79
— *Fauriei macrocarpa*, 75
— *Feddei*, 73
— *formosana*, 78
— *foveolata*, 75
— — *Thunbergii*, 75
— *gibbosa cuspidifera*, 73
— *glaberrima*, 73
— *hederifolia*, 75
— *heteromorpha*, 77
— *hirta*, 77
— *Jamini*, 75
— *Kingiana*, 73, 79
— *kwangtungensis*, 76
— *laceratifolia*, 78
— *lacor*, 74
— *lacrymans*, 76
— *laevis*, 75
— *Letaqui*, 82
— *longepedata*, 74
— *macrocarpa*, 81
— *macropodocarpa*, 79
— *Marchandii*, 332
— *Martini*, 75
— *Nerium*, 79
— *obscura*, 74
— *pandurata*, 77
— *pseudo-piriformis*, 77
— *pyriformis*, 79
— — *ischnopoda*, 79
— *rhomboidalis*, 73, 78
— *Roxburghii*, 81
— *retusa*, 74
— *retusiformis*, 74
— *scandens*, 75
— *Schinzii*, 81
— *silhetensis*, 80
— *Stapfii*, 81
— *stenophylla*, 79
— *stipulata*, 75
— *suberosa*, 73
— *superba*, 74
— *Tenii*, 74
— *tikoua*, 76
— *Vanioti*, 82
Filix fragilis, 188

- FLORY, WALTER S., Chromosome numbers and phylogeny in the gymnosperms, 83, figs.
- Fluminia festucacea, 200
- Fragaria glauca, 266
- vesca americana, 266
- Galeopsis Tetrahit, 293
- Galium boreale, 297
- trifidum, 297
- triflorum, 297
- Gallowaya pinicola, 139
- Gentiana Amarella, 290
- elegans, 290
- propinqua, 314
- tenuis, 314
- Geocaulon lividum, 244
- Geranium Bicknellii, 274
- Geum macrophyllum perincisum, 269
- oregonense, 269
- strictum, 269
- triflorum, 269
- Gilia linearis, 291
- Glaux maritima, 289
- Glochidion Cavaleriei, 323
- Glyceria borealis, 200
- grandis, 200
- pulchella, 200
- striata stricta, 200
- Glycyrrhiza lepidota, 272
- Gnaphalium uliginosum, 305
- Gnetum Cavaleriei, 56
- Goodyera repens ophioides, 227
- Grindelia perennis, 299
- squarrosa, 299
- Grossularia oxyacanthoides, 263
- Gymnosperms, Chromosome numbers and phylogeny in the, 83, figs.
- Gymnosporangium from Asia, Two new species of, 50, figs.
- Gymnosporangium globosum Farl., Studies on the biology of, 1, pl. 166–175, figs.
- Gymnosporangium leve, 50, fig. 2
- magnum, 50, fig. 1
- Habenaria hyperborea, 226
- obtusata, 226
- viridis bracteata, 226
- Habrothamnus aurantiacus, 343
- Hackelia deflexa, 292
- Hackelia deflexa americana, 292
- Halerpestes Cymbalaria, 256
- Hedysarum alpinum americanum, 273
- Mackenzii, 273
- Helenium autumnale, 315
- Helianthus giganteus, 305
- Helwingia Argyi, 57
- Heracleum lanatum, 280
- Heterosmilax Gaudichaudiana, 64
- — latifolia, 64
- Heuchera Richardsonii, 262
- Hieracium canadense, 311
- Hierochloë odorata, 210
- Hippuris vulgaris, 278
- Holboellia coriacea, 321
- latifolia, 321
- spec., 320
- Homalobus tenellus, 272
- Hordeum jubatum, 204
- vulgare, 204
- Hoya Cavaleriei, 321
- Hudsonia tomentosa intermedia, 275
- HUNTER, LILLIAN M., Morphology and ontogeny of the spermogonia of the Melampsoraceae, 115, pl. 182–188.
- The life histories of Miliesia Scolopendrii, M. Polypodii, M. vogesiaca and M. Kriegeriana, 26, pl. 176
- Hyalopsora Aspidiotus, 123
- Hypericum majus, 275
- Ibidium Romanzoffianum, 226
- Illicium Cavaleriei, 323
- Griffithii, 323
- Impatiens Noli-tangere, 274
- sp., 275
- Isoëtes Braunii, 193
- Juncus albescens, 223
- alpinus, 223
- — insignis, 223
- — rariflorus, 223
- arcticus, 222
- balticus littoralis, 222
- brevicaudatus, 222
- bufonius, 221
- — halophilus, 221
- castaneus, 223
- Dudleyi, 221
- filiformis, 222
- nodosus, 223

- Juncus Richardsonianus*, 223
 — *stygius americanus*, 223
 — *triglumis albescens*, 223
 — *Vaseyi*, 222
Juniperus communis montana, 195
 — *Fargesii*, 56
 — *Franchetiana*, 56
 — *horizontalis*, 195
 — *Lemeeana*, 56
 — *sibirica*, 195
 — *squamata*, 56
 — — *Fargesii*, 56
Kalmia polifolia, 284
Kobresia Bellardi, 313
 — *simpliciuscula*, 213
Koeleria cristata, 204
Lactuca pulchella, 312
Lappula americana, 292
 — *Redowskii occidentalis*, 291
Larix americana, 194
 — *laricina*, 194
Lathyrus ochroleucus, 273
Lechea intermedia var., 275
Ledum groenlandicum, 283
 — *palustre*, 284
 — — *decumbens*, 284
Lemna minor, 221
 — *trisulca*, 221
Lepargyrea canadensis, 276
Lepidium apetalum, 257
Leptasea aizoides, 261
 — *tricuspidata*, 261
Leptilon canadense, 304
Léveillé from eastern Asia, Notes on the ligneous plants described by H., 53, 316
 Life histories of *Milesia Scolopendrii*, *M. Polypodii*, *M. vogesiaca* and *M. Kriegeriana*, 26, pl. 176
Lilium philadelphicum andinum, 224
Limnobotrya lacustris, 263
Limnorchis hyperborea, 226
Limosella aquatica, 293
Lindera Bodinieri, 331
 — *camphorata*, 328
 — *communis*, 331
 — *Esquirolii*, 330
 — *glauca*, 331
 — *megaphylla*, 331
Linnaea americana, 298
 — *borealis americana*, 298
Linum Lewisii, 274
Listera borealis, 227
Litsea coreana, 327
 — *Dunniana*, 329
 — *Esquirolii*, 329
 — *Mairei*, 66
 — *mollis*, 330
 — *myricopsis*, 66
 — *touyunensis*, 331
 — *undulatifolia*, 328
 — *spec.*, 330
Lobelia Dortmanna, 314
 — *Kalmii*, 299
Loiseleuria procumbens, 284
Lomatogonium rotatum, 290
Lonicera glaucescens, 298
 — *involucrata*, 299
 — *villosa*, 314
Lophanthus anisatus, 292
Loranthus Esquirolii, 82
 — *Maclurei*, 82
Luzula campestris alpina, 223
 — *confusa*, 223
 — *hyperborea*, 223
 — *sudetica*, 223
Lychnis Drummondii, 251
Lycopodium alpinum, 312
 — *annotinum*, 191
 — — *acrifolium*, 192
 — — *pungens*, 192
 — *clavatum megastachyon*, 192
 — — *monostachyon*, 192
 — *complanatum*, 192
 — *obscurum dendroideum*, 192
 — *sabinaefolium sitchense*, 192
 — *Selago*, 191
 — *sitchense*, 191
 — *tristachyum*, 193
Lycopus uniflorus, 293
Lysiella obtusata, 226
Lysimachia thyrsoiflora, 288
Machilus camphoratus, 326
 — *Cavaleriei*, 326
 — *longipedicellata*, 326
 — *neurantha*, 328
 — *Rehderi*, 326
 — *Thunbergii*, 327

- MACLACHLAN, J. D., Studies on the biology of *Gymnosporangium globosum* Farl., 1, pl. 166-175, figs.
- Mahonia Bodinieri*, 322
- *elegans*, 322
- *elegans*, 322
- *Leveilleana*, 322
- Maianthemum canadense interius*, 225
- Mairania alpina*, 286
- Malus hupehensis*, Aposporic parthenogenesis in a triploid apple, 90, pl. 179-181
- Matteucia Struthiopteris*, 188
- Melampsora Abietis-canadensis*, 118
- *Abieti-Capraearum*, 116
- *Bigelowii*, 119
- *Larici-Capraearum*, 119
- *Medusae*, 119
- Melampsoraceae, Morphology and ontogeny of the spermogonia of the, 115, 182-188
- Melampsorella Cerastii*, 121
- Melampsoridium betulinum*, 120
- Melampsoropsis Chiogenis*, 113
- *Piperiana*, 110
- Melampyrum lineare*, 295
- Melica purpurascens*, 202
- Mentha arvensis glabrata*, 293
- *canadensis glabrata*, 293
- Menyanthes trifoliata*, 290
- Mertensia paniculata*, 292
- Mexico, Studies in the oaks of the mountains of northeastern, 160
- Milesia Scolopendrii*, *M. Polypodii*, *M. vogesiaca* and *M. Kriegeriana*, The life histories of, 26, pl. 176
- Milesia Blechni*, 127
- *fructuosa*, 125
- *intermedia*, 124
- *Kriegeriana*, 35, 127
- *marginalis*, 126
- *Polypodii*, 34, 128
- *polypodophila*, 127
- *Scolopendrii*, 33, 130
- *vogesiaca*, 34, 131
- Mitella nuda*, 262
- Moehringia lateriflora*, 250
- Moldavica parviflora*, 292
- Monarda mollis menthaefolia*, 293
- Moneses uniflora*, 281
- Monotropa uniflora*, 283
- Morphology and ontogeny of the spermogonia of the Melampsoraceae, 115, pl. 182-188
- MORTON, C. V., The genus *Cestrum* in Guatemala, 341
- Morus integrifolia*, 73
- MUELLER, CORNELIUS H., Studies in the oaks of the mountains of northeastern Mexico, 160
- Muhlenbergia Richardsonis*, 209
- Myrica adenophora*, 66
- *Cavaleriei*, 71, 72
- *esculenta*, 66
- *Gale*, 240
- *rapaneoidea*, 333
- *Seguini*, 333
- Myriophyllum exalbescens*, 278
- *spicatum*, 278
- Najas flexilis*, 315
- Naumbergia thyrsiflora*, 288
- Neillia glandulocalyx*, 334
- *sinensis*, 334
- — *glanduligera*, 334
- Neolitsea undulatifolia*, 328
- *spec.*, 328, 329
- Neslia paniculata*, 258
- New species of *Acer* from Guatemala, A, 350
- Notes on the ligneous plants described by H. Léveillé from eastern Asia, 53, 316
- Nothaphoebe omeiensis*, 327
- Nymphaea variegata*, 251
- Nymphozanthus variegatus*, 251
- Oaks of the mountains of northeastern Mexico, Studies in the, 160
- Oenothera biennis*, 314
- Onoclea Struthiopteris*, 188
- Ophrys borealis*, 227
- Orchis rotundifolia*, 226
- Orthocarpus luteus*, 294
- Oryzopsis asperifolia*, 209
- *canadensis*, 209
- *pungens*, 209
- Oxycoccus Oxycoccus*, 287
- Oxytropis gracilis*, 272
- *hudsonica*, 272

- Oxytropis Lamberti*, 272
 — *retrorsa*, 272
 — *splendens*, 272
 — *viscidula*, 272
Panicularia borealis, 200
 — *grandis*, 200
 — *nervata stricta*, 200
 — *pulchella*, 200
 — *rigida*, 200
Panicum subvillosum, 210
Parnassia Kotzebuei, 262
 — *montanensis*, 262
 — *multisetia*, 262
 — *palustris*, 262
Pedicularis labradorica, 295
 — *lanata*, 295
 — *lapponica*, 295
 — *parviflora*, 295
Pellaea glabella, 189
Pentace Esquirolii, 48
Peramium ophioides, 227
Peridermium balsameum, 133
 — *Parksianum*, 110
 — *rugosum*, 131
Petasites palmatus, 309
 — *sagittatus*, 309
 — *vitifolius*, 309
Phaca americana, 271
Phacelia Franklinii, 291
Phalaris arundinacea, 210
Phegopteris Dryopteris, 189
 — — *Robertiana*, 189
 — *polypodioides*, 188
 — *Robertiana*, 189
Phleum alpinum, 208
 — *pratense*, 209
Phoebe neurantha, 328
Photinia Blinii, 335
 — *Esquirolii*, 334
Phragmites communis Berlandieri, 202
Physostegia parviflora, 292
 Phytogeographic studies in the Athabaska-Great Slave Lake region, 180, 241, pl.190-200, map
Picea alba, 193
 — *canadensis*, 193
 — *glauca*, 193
 — *mariana*, 194
 — *nigra*, 194
Pinguicula villosa, 296
 — *vulgaris*, 295
Pinus alba, 193
 — *Argyi*, 54
 — — *longevaginans*, 54
 — *Banksiana*, 194
 — *Cavaleriei*, 54
 — *contorta latifolia*, 315
 — — *Murrayana*, 315
 — *divaricata*, 194
 — *Massoniana*, 54
 — *Murrayana*, 315
 — *nigra*, 194
 — *tabulaeformis*, 54
Plantago eriopoda, 296
 — *major asiatica*, 296
 — *oliganthos*, 297
Pleurogyne fontana, 290
 — *rotata*, 290
Poa alpina, 201
 — *arida*, 202
 — *Buckleyana*, 202
 — *compressa*, 201
 — *glauca*, 201
 — *glaucifolia*, 202
 — *lanata*, 201
 — *palustris*, 201
 — *pratensis*, 201
 — *triflora*, 201
Podocarpus neriifolius, 54
Polemonium humile, 291
Polygonum aviculare, 245
 — *coccineum*, 313
 — *Convolvulus*, 246
 — *cuspidatum*, 316
 — *Douglasii*, 245
 — *emodi dependens*, 316
 — *lapathifolium salicifolium*, 246
 — *Mairei*, 317
 — *multiflorum*, 317
 — *natans Hartwrightii*, 246
 — *prolificum*, 245
 — *Statice*, 317
 — *tomentosum incanum*, 246
 — *urophyllum*, 317
 — *viviparum*, 245
 — *yunnanense*, 316
 — *zigzag*, 316

- Polyploidy and geographic distribution
in Spiraea, 352
- Polyploidy, the experimental produc-
tion of, 153, pl. 189
- Polypodium virginianum, 190
- Populus adenopoda, 65
- *balsamifera*, 228
- *Duclouxiana*, 65
- *macranthela*, 65
- *rotundifolia Duclouxiana*, 65
- — *macranthela*, 65
- *tacamahacca*, 228
- *tremuloides*, 227
- Potamogeton *alpinus*, 196
- *filiformis borealis*, 198
- — *Macounii*, 315
- *foliosus macellus*, 197
- *Friesii*, 197
- *gramineus graminifolius*, 196
- *heterophyllus*, 196
- *obtusifolius*, 197
- *panormitanus*, 315
- *pectinatus*, 198
- *praelongus*, 197
- *pusillus mucronatus*, 197
- — *polyphyllus*, 197
- *Richardsonii*, 197
- *tenuifolius*, 196
- *vaginatus*, 198
- *zosteriformis*, 197
- Potentilla Anserina, 268
- *arguta*, 266
- *dissecta*, 314
- *fruticosa*, 268
- *millegrana*, 266
- *monspeliensis*, 266
- *multifida*, 267
- *nipharga*, 267
- *nivea*, 267
- — *pentaphylla*, 267
- — *subquinata*, 267
- *norvegica hirsuta*, 266
- *palustris*, 268
- *pectinata*, 268
- *pennsylvanica*, 267
- *pulcherrima*, 267
- *quinquefolia*, 267
- *tridentata*, 268
- Primula egalikensis, 288
- Primula incana, 287
- *mistassinica*, 288
- *stricta*, 288
- Prunus demissa, 270
- *Dunniana*, 340
- *pennsylvanica*, 271
- *Wilsonii leiobotrys*, 340
- Pseudosassafras tzumu*, 328
- Pteretis nodulosa, 188
- Puccinellia *airoides*, 200
- *Nuttalliana*, 200
- Pucciniastrum Abieti-Chamaenerii, 121
- *americanum*, 121
- *arcticum*, 122
- *Epilobii*, 121
- Pulsatilla ludoviciana, 253
- Pyrola asarifolia, 283
- — *incarnata*, 283
- *chlorantha*, 282
- *elliptica*, 283
- *grandiflora*, 282
- *minor*, 282
- *secunda*, 282
- Quercus affinis, 171
- *alamarensis*, 174
- *Argyi*, 71
- *Blakei Vaniotii*, 72
- *brunnea*, 68
- *Canbyi*, 174
- — *attenuata*, 175
- — *Karwinskii*, 175
- — *pedunculata*, 175
- — *setacea*, 175
- — *subovatifolia*, 175
- *Castanopsis*, 70
- *Cavaleriei*, 70
- *cepiifera*, 69
- *chihuahuensis*, 167
- *chrysophylla*, 172
- *clivicola*, 161
- — *consanguinea*, 161
- — *crenifolia*, 162
- — *dentata*, 162
- — *elongata*, 162
- — $\times$ *glaucophylla*, 164
- *cupreata brachystachys*, 176
- — *serrata*, 176
- *duraznillo*, 168
- *Endlichiana*, 169

- Quercus Endlichiana minor*, 169
 — — *serrata*, 170
 — errans *graciliramis*, 169
 — *flocculenta*, 172
 — — *incisa*, 173
 — — *oblongifolia*, 173
 — *Franchetiana*, 70
 — fusiformis, 168
 — *galeanensis*, 173
 — glandulifera, 71
 — glauca, 72
 — glaucophylla, 162
 — — *lobata*, 163
 — — *longifolia*, 163
 — — macropetiolata, 163
 — — *subrotundifolia*, 163
 — — $\times$ *clivicola*, 164
 — *graciliramis*, 177
 — guyavaefolia, 71
 — *Karwinskii*, 175
 — Loeseneri, 166
 — mexicana Bonplandii, 172
 — microphylla, 166
 — monterreyensis, 165
 — Muehlenbergii, 168
 — *pastorensis*, 164
 — *pinnativenulosa*, 171
 — polymorpha, 161
 — — *angustifolia*, 161
 — Prainiana, 72
 — Pringlei, 167
 — — *dentata*, 168
 — reticulata, 165
 — — *longa*, 165
 — — *pungens*, 166
 — — squarrosa, 165
 — revoluta *acuta*, 166
 — rysophylla, 170
 — saltillensis, 174
 — Sartorii, 176
 — *semecarpifolia longispica*, 72
 — serrata, 71
 — *tenuiloba*, 178
 — — *gracilis*, 178
 — — *hirsuta*, 178
 — *trinervis*, 69
 — undulata Vaseyana, 168
 — *verde*, 163
 — vexans, 179

Quercus spec., 72
Ramischia secunda, 282
Ranunculus abortivus, 255
 — acris, 255
 — aquatilis capillaceus, 254
 — *cardiophyllus*, 255
 — Cymbalaria, 256
 — hyperboreus, 254
 — lapponicus, 254
 — Macounii, 255
 — pedatifidus, 254
 — — *cardiophyllus*, 254
 — pennsylvanicus, 255
 — Purshii, 254
 — reptans, 254
 — rhomboideus, 255
 — scleratus, 255
 — tenellus, 255
 — trichophyllus typicus, 254
 RAUP, HUGH M., Phytogeographic studies in the Athabaska-Great Slave Lake region, 180, 241, pl. 190-200, map
Razoumofskya americana, 244
 REHDER, ALFRED, A new species of *Acer* from Guatemala, 350
 — *Burretiodendron*, a new genus of Tiliaceae, 47, pl. 178
 — Notes on the ligneous plants described by H. Léveillé from eastern Asia, 53, 316
Rhamnus alnifolia, 275
Rhaphidophora Dunniana, 57
Rhinanthus Kyrollae, 294
Rhododendron lapponicum, 284
Ribes glandulosum, 263
 — hudsonianum, 263
 — lacustre, 263
 — oxyacanthoides, 263
 — *prostratum*, 263
 — triste, 263
Rorippa obtusa, 259
 — palustris glabrata, 259
 — — hispida, 259
Rosa acicularis, 270
 — adenoclada, 339
 — *calva mohanensis*, 337
 — cymosa, 339
 — Davidi elongata, 339

- Rosa Gentiliana*, 338
 — *Gentiliana*, 338
 — *Henryi*, 338
 — *longicuspis*, 339
 — *Luciae Taquetiana*, 338
 — — *Wichuraiana*, 338
 — *Mairei*, 339
 — *microcarpa*, 339
 — *Mokanensis*, 336
 — *multiflora adenophora*, 336
 — — *mokanensis*, 336
 — — *quelpaertensis*, 337
 — — *quelpaertensis*, 336
 — *Nakaiana*, 336
 — *omeiensis*, 339
 — *Patrum*, 339
 — *polyantha adenochaeta*, 336
 — — *quelpaertensis*, 337
 — *Rubus*, 338
 — *sertata*, 339
 — *Wichuraiana*, 337
 — *Woodsii*, 270
Rubus acaulis, 265
 — *arcticus grandiflorus*, 265
 — *Chamaemorus*, 265
 — *idaeus canadensis*, 264
 — — *strigosus*, 265
 — *pubescens*, 265
 — *subarcticus*, 264
 — *triflorus*, 265
Rumex maritimus fueginus, 245
 — *mexicanus*, 245
 — *occidentalis*, 245
Sabina horizontalis, 195
Sagittaria arifolia, 198, 371
 — *cuneata*, 198
Sagina nodosa, 250
Salicornia europaea, 247
Salix alaxensis, 235
 — *ammaniana*, 313
 — *arbusculoides*, 239
 — *arctica*, 230
 — *arctophila*, 230
 — *athabascensis*, 238
 — *balsamifera*, 235
 — *Bebbiana*, 237
 — *brachycarpa, antimima*, 230
 — — *psammophila*, 230, pl. 191
 — *candida*, 237
Salix Cavaleriei, 65
 — *chlorophylla*, 239
 — *desertorum*, 231
 — *Duclouxii*, 66
 — *eriodlada*, 65
 — *Farrae*, 235
 — *fragilis*, 229
 — *glauca*, 232
 — — *acutifolia*, 232
 — — *poliophila*, 233
 — — *poliophylla*, 233
 — *groenlandica*, 230
 — *interior*, 229
 — — *pedicellata*, 229
 — *kouytchensis*, 66
 — *lasiandra*, 228
 — *linearifolia*, 229
 — *luctuosa*, 66
 — *lutea*, 234
 — *MacCalliana*, 231
 — *Mackenzieana*, 233
 — *myrtillifolia*, 235
 — *Nelsonii*, 239
 — *pedicellaris hypoglauca*, 238
 — — *tenuescens*, 238
 — *petiolaris*, 238
 — *planifolia*, 239
 — *pseudomonticola*, 235
 — *pyrifolia*, 235
 — *reticulata*, 229
 — *Richardsonii*, 313
 — *rostrata*, 237
 — *Scouleriana*, 238
 — *serissima*, 228
 — *silicicola*, 236, pl. 194
 — *subcoerulea*, 239
 — *Turnorii*, 234, pl. 193
 — *Tyrellii*, 231, pl. 192
Sarracenia purpurea, 260
Sassafras tzumu, 328
Saussurea alpina, 311
 SAX, KARL, Polyploidy and geographic distribution in *Spiraea*, 352
 — The experimental production of polyploidy, 153, pl. 189
Saxifraga aizoides, 261
 — *Aizoon*, 261
Scheuchzeria palustris, 198
Schizachne purpurascens, 202

- Schizachne tricuspidata*, 261
Scirpus americanus, 313
 — *atrocinctus*, 212
 — *cespitosus callosus*, 211
 — *hudsonianus*, 211
 — *microcarpus*, 212
 — *paludosus*, 212
 — *rubrotinctus*, 212
 — *validus*, 212
Scolochloa festucacea, 200
Scutellaria epilobiifolia, 292
 — *galericulata*, 292
 — *lateriflora*, 314
Selaginella rupestris, 193
 — *selaginoides*, 193
Senecio cymbalarioides borealis, 310
 — *eremophilus*, 309
 — *indecorus*, 310
 — *integrifolius*, 315
 — *palustris*, 310
 — *pauciflorus*, 310
 — *pauperculus*, 310
Shepherdia argentea, 314
 — *canadensis*, 276
Sibbaldiopsis tridentata, 268
Sieversia triflora, 269
Silene acaulis exscapa, 251
 — *antirrhina*, 251
 — *Menziesii*, 313
Sisymbrium salsuginosum, 258
Sisyrinchium angustifolium, 225
Sium cicutaefolium, 280
 — *suave*, 280
Sloanea sinensis, 70
Smilacina stellata, 224
 — *trifolia*, 224
Smilax Blinii, 58
 — *Bodinieri*, 61
 — *brevipes*, 60
 — *castaneiflora*, 62
 — *Cavaleriei*, 60
 — *China*, 61
 — *China*, 61
 — — *obtusata*, 61
 — *cocculoides lanceolata*, 63
 — *Darrisii*, 59
 — *Dunniana*, 58
 — *Esquirolii*, 60
 — *ferox*, 61
Smilax glabra, 58
 — — *maculata*, 58
 — *glauco-china*, 61
 — *gracillima*, 59
 — *herbacea acuminata*, 58
 — — *foetida*, 58
 — — *heterophylla*, 58
 — *Labordei*, 59
 — *Lebrunii*, 62
 — *leucocarpa*, 60
 — *loupouensis*, 61
 — *luteocaulis*, 62
 — *Lyi*, 63
 — *Mairei*, 59
 — *Martini*, 60
 — *megalantha*, 60
 — *menispermoidea*, 62
 — *microphylla*, 59
 — *microphylla*, 62
 — *micropoda reflexa*, 62
 — *occreata*, 60
 — *opaca*, 63
 — *perfoliata*, 64
 — *perulata*, 64
 — *Pinfaensis*, 63
 — *scobinicaulis*, 60
 — *stemonifolia*, 62
 — *Taquetii*, 61
 — *tortopetiolata*, 63
 — *tortopetiolata*, 63
Solidago canadensis, 300
 — *decumbens oreophila*, 300
 — *elongata*, 300
 — *graminifolia camporum*, 301
 — *juncea*, 314
 — *lepida elongata*, 300
 — — *fallax*, 301
 — *multiradiata*, 300
 — — *scopulorum*, 300
 — *nemoralis decemflora*, 300
 — *oreophila*, 300
Sonchus arvensis glabrescens, 312
Sorbus sitchensis, 264
Sparganium angustifolium, 196
 — *eurycarpum*, 195
 — *fluctuans*, 196
 — *minimum*, 196
 — *multipedunculatum*, 195
Spartina gracilis, 209

- Spartina Michauxiana*, 210
 — *pectinata*, 210
Spergularia marina, 251
 — *salina*, 251
Sphenopholis pallens, 204
Spiraea, Polyploidy and geographic distribution in, 352
Spiraea Martini, 334
Spiranthes Romanzoffiana, 226
Stachys scopulorum, 293
Statice interior, 289, pl. 198
Stauntonia Cavalerieana, 320
 — *obovata*, 320
Stellaria arenicola, 248, pl. 196
 — *borealis*, 248
 — *crassifolia*, 248
 — *longifolia*, 249
 — *longipes*, 248
 — *media*, 249
Stemona Argyi, 57
 — *japonica*, 57
Stipa comata, 209
 — — *intermedia*, 209
 — *Richardsonii*, 209
 Studies in the oaks of the mountains of northeastern Mexico, 160
 Studies on the biology of *Gymnosporangium globosum* Farl., 1, pl. 166-175, figs.
Suaeda depressa, 247
Symphoricarpos albus pauciflorus, 298
 — *occidentalis*, 298
 — *pauciflorus*, 298
 — *racemosus pauciflorus*, 298
 — *vaccinoides*, 314
Tacca Esquirolii, 64
 — *Paxiana*, 64
Tanacetum huronense bifarium, 307
 — — *floccosum*, 307, pl. 200
Taraxacum ceratophorum, 311
 — *dumetorum*, 311
 — *lacerum*, 312
 — *lapponicum*, 312
 — *officinale*, 311
Taxus chinensis, 54
Thalictrum sparsiflorum, 256
 — *venulosum*, 256
Thecopsora Hydrangeae, 123
 — *minima*, 122
Thecopsora Myrtilli, 122
Thelypteris cristata, 312
 — *Dryopteris*, 189
 — *fragrans*, 189
 — *Phegopteris*, 188
 — *Robertiana*, 189
 — *spinulosa*, 189
Thlaspi arvense, 257
Thuja orientalis, 55
 — — *Argyi*, 55
Tissa salina, 251
Tium alpinum, 271
Tofieldia glutinosa, 224
 — *palustris*, 224
Tolypanthus Maclurei, 82
Torresia odorata, 210
Trientalis americana, 289
 — *arctica*, 289
 — *borealis*, 289
 — *europaea arctica*, 289
Triglochin maritima, 198
 — *palustris*, 198
Trillium cernuum macranthum, 313
Trisetum spicatum molle, 204
 — *subspicatum molle*, 204
Tsuga Mairei, 54
 Two new species of *Gymnosporangium* from Asia, 50, figs.
 Two spruce-infecting rusts *Chrysomyxa Piperiana* and *Chrysomyxa Chiogenis*, 109
Typha latifolia, 195
Unifolium canadense, 225
Uredinopsis Atkinsonii, 132
 — *mirabilis*, 131
 — *Osmundae*, 132
 — *Phegopteridis*, 133
 — *Pteridis*, 133
 — *Struthiopteridis*, 133
Urtica gracilis, 244
Utricularia intermedia, 296
 — *minor*, 296
 — *vulgaris*, 296
Vaccinium canadense, 286
 — *Oxycoccus*, 287
 — *uliginosum*, 286
 — *Vitis-Idaea minus*, 287
Vagnera stellata, 224
 — *trifolia*, 224

Valeriana septentrionalis, 299
— *sylvatica*, 299
Vaneria Bodinieri, 332
— *tricuspidata*, 72
Veronica americana, 293
— *peregrina xalapensis*, 294
— *scutellata*, 294
— *xalapensis*, 294
Viburnum pauciflorum, 297
— *trilobum*, 314
Vicia americana, 273
— — *angustifolia*, 273
Viola adunca, 276
— *nephrophylla*, 275
— *ochroleuca*, 314

Viola palustris, 275
— *rinifolia Brainerdii*, 276
— *rugulosa*, 276
Vitis-Idaea Vitis-Idaea, 287
Wahlbergella Drummondii, 251
WARD, ROBERT W., A convenient sand-culture apparatus, 38, pl. 177, fig.
Woodsia glabella, 188
— *ilvensis*, 187
— *oregana*, 188
— *scopulina*, 188
Xanthium commune, 305
— *italicum*, 305
Zygadenus elegans, 224



1936. "Index [vol. 17]." *Journal of the Arnold Arboretum* 17(4), 373–389.
<https://doi.org/10.5962/p.185357>.

View This Item Online: <https://www.biodiversitylibrary.org/item/33593>

DOI: <https://doi.org/10.5962/p.185357>

Permalink: <https://www.biodiversitylibrary.org/partpdf/185357>

Holding Institution

Missouri Botanical Garden, Peter H. Raven Library

Sponsored by

Missouri Botanical Garden

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Arnold Arboretum of Harvard University

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.