

INDEX

- Abelia*, 58
 — *myrtilloides*, 89
 — *uniflora*, 89
Abies, 15, 51, 64, 65
Abramsia, 95, 96, 101
 — *trichotoma*, 101
Acanthaceae, 88
Acanthopanax, *Eleutherococcus* vs., 107–111
Acanthopanax, 107–111
 — sect. *Eleutherococcus*, 109
 — *divaricatus*, 109
 — *evodiifolius* var. *gracilis*, 111
 — *giraldii* var. *pilosulus*, 109
 — *gracilistylus*, 109
 — — var. *nodiflorus*, 109
 — — var. *pubescens*, 109
 — — var. *villosulus*, 110
 — *henryi* var. *faberi*, 109
 — *lasiogyne*, 109
 — *nodiflorus*, 109
 — *pentaphylla* var. *variegatus*, 110
 — *phanerophlebius*, 109
 — *rufinervis*, 109
 — *seoulensis*, 109
 — *sessiliflorus*, 110
 — — var. *parviceps*, 110
 — *setulosus*, 110
 — *sieboldianus* f. *variegatus*, 110
 — *spinifolia*, 110
 — *spinosus*, 107, 110
 — — var. *pubescens*, 109
 — *stenophyllus* f. *angustissimus*, 110
 — — f. *dilatatus*, 110
 — *ternatus*, 111
 — *trifolius*, 110
 — *villosulus*, 110
 — *wardii*, 110
 — *yui*, 111
Acer, 50, 65
 — *amplum*, 82
 — *cordatum*, 82
 — *davidii*, 82
 — *erianthum*, 82
 — *faberi*, 82
 — *henryi*, 82
 — *longipes*, 49, 82
 — *mono*, 49, 82
 — *oliverianum*, 82
 — *sinense*, 82
 — *wilsonii*, 82
Aceraceae, 82
Achlys, 56
Acronychia, 3, 21
Acronychia ornata, 24
Actinidia arguta, 83
 — *callosa*, 83
 — *chinensis*, 83
 — *coriacea*, 83
Actinidiaceae, 83
Actinodaphne, 50
 — *cupularis*, 75
Adenocaulon adhaerescens, 90
Adiantaceae, 71
Adiantum pedatum, 71
Aesculus, 65
 — *wilsonii*, 82
Agrimonia pilosa, 78
Ailanthus, 65
 — *altissima*, 80
Ainsliaea fulvipes, 90
Airosperma (*Rubiaceae*), Notes on, with a New Species from Fiji, 95–105
Airosperma, 95–105
 — *fuscum*, 96, 99–101
 — *grandifolium*, 96, 97, 99
 — *psychotrioides*, 95–101
 — *ramuense*, 95–97, 100, 101
 — *trichotomum*, 96, 97, 101, 104
 — *vanuense*, 96, 97, 102–104
Aizoaceae, 51
Alangiaceae, 84
Alangium, 9, 65
 — *chinense*, 84
 — *handelii*, 49, 84
Albizia, 65
 — *kalkora*, 80
Aldrovanda praevesiculosa, 5
Aleurites, 68
 — *fordii*, 80
Alismataceae, 90
Alniphyllum megaphyllum, 86
Alnus, 65
 — *crematogyne*, 50
Amaranthaceae, 51
Amelanchier, 65
Ampelopsis chaffanjonii, 83
Amphicarpaea edgeworthii, 80
Anacardiaceae, 81, 746, 747
Anaphalis margaritacea, 90
Anemone hupehensis, 74
Angiospermae, 72
Antenoron neofiliforme, 74
Anthurium, 756, 763
Apocynaceae, 87
Aquifoliaceae, 50, 81, 732, 752
Araceae, 56, 752

- Aralia bodinieri*, 84, 85
 — *decaisneana*, 84
Araliaceae, 49, 69, 84, 726, 728, 729, 735, 746, 747, 752
Ardisia, 69
 — *chinensis*, 86
 — *crenata*, 86
Aristolochia, 65
Arthromeris lehmannii, 71
Asclepiadaceae, 87
Aspidiaceae, 71
Aspidium aridum, 71
Astilbe chinensis, 77
Athyriaceae, 71
Aucuba chinensis f. *angustifolia*, 85
- Baccharis*, 763
 — *pedunculata*, 752
Balsaminaceae, 82
Begonia evansiana, 84
 — *pedatifida*, 84
Begoniaceae, 84
Belamcanda chinensis, 91
Benzoin commune, 76
Berberidaceae, 56, 75
Berberis fallax, 75
 — *julianae*, 75
Berchemia, 69
 — *floribunda*, 82
 — *polyphylla*, 82
Besleria, 763
 — *lutea*, 752
Betula, 65
 — *albo-sinensis*, 73
 — *alnoides*, 73
 — *fargesii*, 73
 — *lunifera*, 73
 — *wilsoniana*, 73
Betulaceae, 50, 73
 — tribe *Coryleae*, 739
Bignoniaceae, 88
Belchnum, 763
 — *violaceum*, 754, 759, 763
Boenninghausenia albiflora, 80
Boholia, 95
Boschniakia, 56
Botryopleuron nervosum, 88
Brandon Lignite, Fruits and Seeds of the, V.
 Rutaceae, 1–40
Bromeliaceae, 754
Broussonetia papyrifera, 74
Buddleia davidii, 87
Bulbostylis capillaris, 91
Burseraceae, 746, 747
Buxaceae, 81
Buxus, 64
 — *microphylla*, 81
- Byrsonima*, 766
 — *elegans*, 769
- California, Dicotyledonous Wood from the
 Upper Cretaceous of Central, II, 723–748
Callicarpa bodinieri var. *giraldii*, 87
 — *rubella* var. *hemsleyana*, 87
Calolisianthus, 763
 — *frigidus*, 754, 763
Calophyllum (*Guttiferae*), A Revision of the
 Old World Species of, 117–699
Calophyllum, 117–699 (for complete listing,
 see 692–699)
Calycanthaceae, 75
Camellia, 67, 68
 — *caudata*, 83
 — *cuspidata*, 83
 — *japonica*, 83
 — *oleifera*, 83
 — *sinensis*, 83
Campanulaceae, 90
Campanumoea javanica, 90
Camptotheca acuminata, 50
Caprifoliaceae, 89
Cardiocrinum giganteum, 91
Carex brunnea, 91
Carpesium abrotanoides, 90
Carpinoxylon ostryopsoides, 739
Carpinus, 73
 — *fargesii*, 73
Carpolithus, 6
 — *nitidus*, 5, 6
Carrierea calycina, 84
Carya, 65
Caryophyllaceae, 51
Castanea, 49, 65
 — *henryi*, 73
 — *mollissima*, 73
Castanopsis, 65, 732, 739
 — *chinensis*, 73
 — *eyrei*, 73
 — *hystrix*, 73
 — *sclerophylla*, 73
 — *tibetana*, 73
Casuarina, 732, 733
Casuarinaceae, 732
Catalpa, 65
 — *fargesii*, 88
Caxtonia, 3
Cedrela, 65
Celastraceae, 68, 81
Celastrus, 68
 — *gemmatus*, 81
 — *hypoleucus*, 81
Celtis, 65
 — *labilis*, 74
Cephalotaxaceae, 52, 72

- Cephalotaxus*, 52, 53, 56–58, 65, 70
 — *fortunei*, 56, 57, 72
 — *harringtonia*, 56
 — — *var. drupacea*, 56, 57
 — — *var. harringtonia*, 56, 57
 — — *var. sinensis*, 56, 57
 — *oliveri*, 56–58
Ceratozamia, 714
Cercidiphyllaceae, 74
Cercidiphyllum, 65
 — *japonicum*, 74
Cercis, 49, 65
 — *chinensis*, 49, 80
Cestrum (Solanaceae) from Southern Colombia,
 A New Species of, 113–115
Cestrum, 113–115
 — *diversifolium*, 115
 — *morae*, 113, 114
Chaenomeles, 50
 — *cathayensis*, 78
Chamabainia cuspidata, 74
Chamaecyparis, 65
Chamaerhodos, 56
Chamaesaracha, 56
Charianthus, 763
 — *alpinus*, 752, 755, 756, 761, 762
 — *corymbosus*, 752
Chenopodiaceae, 50, 51, 56
Chimonanthus praecox, 75
Chimonobambus, 90
Chirita bicornuta, 88
Chloranthaceae, 72, 752
Chloranthus henryi, 72
Choerospondias, 64
 — *axillaris*, 81
Cinnamomum, 68
 — *inunctum var. albosericeum*, 76
 — *mairei*, 76
 — *platyphyllum*, 76
Circaea erubescens, 84
Citrus, 3
Cladrastis, 65
 — *sinensis*, 80
 CLAUSEN, KRISTIN S., and RICHARD A. HOWARD.
 The Soufrière Plant of St. Vincent, 765–770
Clematis, 65
 — *chrysocoma*, 75
 — *meyeniana*, 74
 — *montana*, 74
 — *spooneri*, 75
 — — *var. spooneri*, 75
 — — *var. subglabra*, 74
Clerodendron bungei, 84
 — *mandarinorum*, 87
 — *trichotomum*, 87
Clerodendrum, 65
Clethra, 65, 732
 — *fargesii*, 85
Clethraceae, 85, 732
Clidemia guadalupensis, 752
Clusia, 751–753, 756, 760, 761, 763
 — *mangle*, 752, 755, 758–760
Cocculus, 65
 — *orbiculatus*, 75
 Colombia, A New Species of *Cestrum* (Solanaceae) from Southern, 113–115
Combretaceae, 746, 747
Commelina communis, 91
Commelinaceae, 91
Compositae, 49, 90, 736, 752, 754
Coniferae, 52
Coniferopsida, 52
Coniogramma japonica, 70
Convolvulaceae, 50, 87
Coptis chinensis, 75
Coriaria sinica, 81
Coriariaceae, 81
Cornaceae, 85
Cornus, 65
 — *controversa*, 85
 — *kousa var. chinensis*, 85
 — *macrophylla*, 85
Corylopsis, 58
 — *henryi*, 78
 — *platyphala*, 78
 — *sinensis*, 78
Corylus fargesii, 73
Cotoneaster gracilis, 78
 — *hebeophylla*, 78
 — *horizontalis*, 78
 — *salicifolia*, 78
Crataegus, 65
 Cretaceous of Central California, Dicotyledonous Wood from the Upper, II, 723–748
Croton, 68
 — *tiglium*, 80
Cruciferae, 56
Cucurbitaceae, 90
Cudrania tricuspidata, 74
Cullenia malpighioides, 766–768
Cunninghamia, 52, 58, 64, 65
 — *konishii*, 58, 59
 — *lanceolata*, 58, 59, 72
Cunoniaceae, 726, 728, 735, 736, 752
Cupressaceae, 52, 53, 72
Cupressus, 51–53, 56
 — *arizonica*, 56
 — *funbris*, 72
 — *lusitanica*, 56
 — *sempervirens*, 56
 — *torulosa*, 56
Cuscuta chinensis, 50, 87
Cycadaceae, 721
 Cycads, Taxonomy of the West Indian, 701–722
Cycas circinalis, 720
 — *revoluta*, 721

- Cycas rumphii*, 721
Cyclosorus aridus, 71
— *parasiticus*, 71
Cymbidium ensifolium, 91
Cynanchum auriculatum, 87
Cyperaceae, 754, 762
Cyrtilla, 763
— *racemiflora*, 752, 760
Cyrillaceae, 752
Cyrtomium fortunei, 71
Cyperaceae, 49, 91
Cyperus orthostachys, 91
Cypripedium japonicum, 91
- Dalbergia*, 68
— *dyeriana*, 80
— *mimosoides*, 80
Daphniphyllaceae, 81
Daphniphyllum glaucescens, 81
— *longistylum*, 81
DARWIN, STEVEN P. Notes on *Airosperma* (Rubiaceae), with a New Species from Fiji, 95–105
Daucus carota, 85
Decaisnea fargesii, 50, 75
Dendropanax chevalieri, 84
Desmodium podocarpum, 80
Diarrhena, 47
Dichapetalaceae, 728
Dichroea febrifuga, 50
— — *var. glabra*, 77
— *longipila*, 77
Dicotyledoneae, 49, 72–90
Dicotyledonous Wood from the Upper Cretaceous of Central California, II, 723–748
Dicranopteris pectinata, 752
Dictamnus, 9
Didissandra sesquifolia, 88
Didymocarpus bicornutus, 88
— *hwaianus*, 88
— *tibeticus*, 88
Didymopanax, 761, 763
— *attenuatus*, 752, 756, 758, 760, 763
Dillenia, 728
Dilleniaceae, 726, 728, 730
Dioscorea cirrhosa, 91
— *kamaonensis var. fargesii*, 91
Dioscoreaceae, 91
Diospyros, 65
— *lotus*, 86
Diplazium chinense, 71
— *japonicum*, 71
Dipterocarpaceae, 740
Disporum cantoniense, 91
Drupa rhabdosperma, 3, 22, 24
Drymaria fortunei, 71
Dryopteris fuscipes, 71
- Ebenaceae, 86
ECKENWALDER, JAMES E. Taxonomy of the West Indian Cycads, 701–722
Elaeagnaceae, 69, 84
Elaeagnus, 69
— *bockii*, 84
— *henryi*, 49, 84
— *schnabeliana*, 84
— *viridis*, 84
Elaeocarpaceae, 69, 83, 735
Elaeocarpus, 69
— *chinensis*, 83
Elatostema sessile, 74
Eleocharis congesta subsp. *japonica*, 91
— *maculosa*, 762
Eleutherococcus vs. *Acanthopanax*, 107–111
Eleutherococcus, 107–111
— *divaricatus*, 109
— *giraldii* var. *pilosulus*, 109
— *gracilistylus*, 109
— — var. *pubescens*, 109
— *henryi* var. *faberi*, 109
— *lasiogyne*, 109
— *nodiflorus*, 109
— *phanerophlebius*, 109
— *rufinervis*, 109
— *senticosus*, 107
— *seoulensis*, 109
— *sessiliflorus*, 109
— — var. *parviceps*, 110
— *setulosus*, 110
— *sieboldianus* f. *variegatus*, 110
— *spinifolia*, 110
— *spinosus*, 110
— *stenophyllus* f. *angustissimus*, 110
— — f. *dilatatus*, 110
— *trifoliatus*, 108, 110
— *villosulus*, 110
— *wardii*, 110
— *yui*, 111
Emmenopterys henryi, 89
Engelhardtia, 732, 733
Enkianthus chinensis, 85
— *serrulatus*, 85
Epilobium angustifolium, 84
Erechtites, 762
— *hieracifolia*, 762
Ericaceae, 49, 50, 85, 86, 726, 754
Eriobotrya, 67, 68
— *cavaleriei*, 78
— *deflexa*, 78
— *japonica*, 78
Eriocaulaceae, 91
Eriocaulon buergerianum, 91
Escalloniaceae, 726
Eucommia, 49
— *ulmoides*, 49, 50, 74

- Eucommiaceae, 74
 Euodia, 3-9, 11, 15, 17, 28, 29, 68
 — *bodinieri*, 4
 — *colorata*, 4, 7, 8
 — *daniellii*, 4, 9
 — *fargesii*, 80
 — *glauc*, 4, 5, 7, 8
 — *hirsutifolia*, 4, 7, 8
 — *hupehensis*, 4
 — *lignita*, 7-9, 35
 — *meliaefolia*, 80
 — *meliifolia*, 4, 9, 49
 — *nitidus*, 6
 — *officinalis*, 4, 80
 Euonymus, 68
 — *acanthocarpa*, 82
 — — var. *sutchuenensis*, 82
 — *alata*, 82
 — *japonica* var. *acuta*, 82
 — *myriantha*, 82
 — *sanguinea* var. *camptoneura*, 82
 Eupatorium chinense, 90
 — *japonicum*, 90
 — *ossaceum*, 767
 Euphorbiaceae, 49, 68, 80, 81, 738, 752
 Eurotia, 56
 Eurya, 50, 69
 — *nitida* var. *aurea*, 83
 Euscaphis, 58
 — *japonica*, 82
 Evodiopanax, 108
 — *evodiifolius*, 84
 — — var. *gracilis*, 111
 Exbucklandia, 64, 65

 Fagaceae, 49, 56, 73, 732, 733, 735, 736, 739
 Fagara, 3, 17, 20, 29
 Fagus, 49, 64, 65, 733
 — *longipetiolata*, 73
 — *lucida*, 73
 Ficus, 68
 — *heteromorpha*, 74
 — *lacor*, 74
 — *sarmentosa*, 74
 — *stapfii*, 74
 Fiji, Notes on *Airosperma* (Rubiaceae), with
 a New Species from, 95-105
 Flacourtiaceae, 84, 728, 729
 Flora, The Metasequoia, and Its Phytogeographic
 Significance, 41-94
 Fokienia, 65
 Fraxinus, 65
 — *chinensis*, 86
 — *punctata*, 86
 — *trifoliolata*, 87
 Freziera, 763
 — *undulata*, 752
 Fruits and Seeds of the Brandon Lignite, V.
 Rutaceae, 1-40

 Galium bungei, 89
 Gaultheria swartzii, 754, 763
 Gentianaceae, 87, 754
 Gesneriaceae, 88, 752
 Ginkgo, 53, 58
 — *biloba*, 51, 58, 71
 Ginkgoaceae, 71
 Gleditsia macracantha, 80
 Glochidion pubescens, 81
 Glyptostrobos, 64, 65
 Gordonia, 64, 65
 Gramineae, 49, 90, 754
 Guadeloupe, 1977-1979, The Post-Eruptive
 Vegetation of La Soufrière, 749-764
 Guttiferae: Calophyllum, A Revision of the Old
 World Species of, 117-699
 Guttiferae, 83, 735, 752
 Guzmania, 756, 759, 763
 — *dussii*, 754
 — *plumieri*, 752, 754, 759
 Gymnocladus, 65
 — *chinensis*, 80
 Gymnogrammeae, 70
 Gymnospermae, 49, 51, 71, 72
 Gymnostemma pentaphyllum, 90

 Halesia, 65
 Hamamelidaceae, 78, 730
 Hedera nepalensis var. *sinensis*, 84
 Hedyosmum, 763
 — *arborescens*, 752
 Hedyotis lindleyana var. *glabra*, 89
 Helwingia, 58
 — *japonica*, 85
 Hemigraphis cuneata, 88
 — *procumbens*, 89
 Heptapleurum esquirolii, 85
 Heteromeles, 67
 Hibbertia, 730
 Hibiscus syriacus, 83
 Hillia parasitica, 752, 761, 763
 Hippocastanaceae, 82
 Histiopteris, 763
 — *incisa*, 752, 762
 Houttuynia, 58
 — *cordata*, 72
 Hovenia trichocarpa, 82
 HOWARD, RICHARD A., and KRISTIN S. CLAUSEN.
 The Soufrière Plant of St. Vincent, 765-770
 HOWARD, RICHARD A., JACQUES PORTECOP, and
 PIERRE DE MONTAIGNAC. The Post-Eruptive
 Vegetation of La Soufrière, Guadeloupe,

1977-1979, 749-764

HU, SHIU YING. *Eleutherococcus* vs. *Acanthopanax*, 107-111

HU, SHIU YING. The Metasequoia Flora and Its Phytogeographic Significance, 41-94

HUNZIKER, ARMANDO T. A New Species of *Cestrum* (Solanaceae) from Southern Colombia, 113-115

Hydrangea, 64, 65

— *chinensis*, 77

— *paniculata*, 77

— *strigosa*, 77

— *umbellata*, 77

Hydrocharitaceae, 90

Hypericum ascyron, 83

— *attenuatum*, 83

— *hookerianum*, 83

— *patulum*, 83

— *petiolulatum*, 83

Idesia, 65

— *polycarpa*, 50, 84

— — var. *vestita*, 84

Ilex, 9, 50, 64, 65, 732, 763

— *dasyphylla* var. *dasyphylla*, 81

— — var. *lichuanensis*, 81

— *elmerrilliana*, 81

— *ficoidea*, 49, 81

— *intermedia*, 81

— — var. *fangii*, 81

— *macfadyenii*, 752, 756, 758, 760

— *macrocarpa*, 81

— *macropoda*, 81

— *micrococca*, 81

— *pedunculosa*, 81

— *pernyi*, 81

— *suaveolens*, 81

— *wilsonii*, 81

Illiciaceae, 75

Illicium, 9, 15, 29

— *brevistylum*, 75

— *lanceolatum*, 75

Impatiens lucorum, 82

Indigofera, 68

— *amblyantha*, 80

— *pseudotinctoria*, 80

Iridaceae, 91

Iris japonica, 91

Isachne, 763

— *rigidifolia*, 754

Ischaemum, 762

— *latifolium*, 762

Itea, 65

Ixeris gracilis, 90

Jasminum, 69

— *lanceolarium*, 87

Juglandaceae, 50, 72, 73, 732, 733

Juglans, 64, 65

— *cathayensis*, 72

— *regia*, 72

Juncaceae, 91, 754

Juncus, 763

— *guadeloupensis*, 754

— *setchuensis*, 91

Juniperus, 51-54

— sect. *Juniperus*, 51, 54

— sect. *Oxycedrus*, 51

— sect. *Sabina*, 51, 54

— *chinensis*, 54, 72

— *communis*, 54

— *formosana*, 54, 72

— *squamata*, 49, 54, 72

Kadsura longipedunculata, 75

Kalopanax, 65, 108

— *pictus*, 84

— *sciadophylloides*, 108

— *septemlobus*, 84

Karwinskia, 65

Kaunbachia, 728

Kerria, 50

— *japonica*, 78

Keteleeria, 52, 58, 61, 64, 65, 70

— *calcareae*, 60

— *cyclolepis*, 60

— *davidiana*, 60, 71

— *pubescens*, 60

Kyllinga brevifolia, 91

Labiatae, 49, 87

Lacistemaceae, 729

Lagerstroemia indica, 84

Lardizabalaceae, 45

Larix, 52, 53, 70

— *potaninii*, 49, 66, 71

Lasianthus hartii, 89

Lauraceae, 49, 50, 68, 75, 746, 747

Leca, 735

Leeaceae, 735

Leguminosae, 49, 68, 80, 746, 747

Leonia, 728

Leontopodium sinense, 90

Lepisorus pseudonudus, 71

Lespedeza cuneata, 80

— *thunbergii*, 80

Leucothoë, 65

Licania, 740

Ligularia, 58

— *duciformis*, 90

Ligustrum, 69

— *lucidum*, 87

— *quihoui*, 87

— *sinense*, 87

Liliaceae, 49, 50, 56, 91

Lilium leucanthum var. *chloraster*, 91

- Lindera*, 50, 67, 68, 76
 — *cercidifolia*, 76
 — *communis*, 76
 — — *var. esquirolii*, 76
 — *fruticosa*, 76
 — *glauc*, 76
 — *hemsleyana*, 76
 — *ichangensis*, 76
 — *megaphylla*, 76
 — *stewardiana*, 76
 — *subcaudata*, 76
 — *umbellata*, 76
 — *viridis*, 49
Lindsaeaceae, 70
Liquidambar, 64, 65
 — *formosana*, 78
Liriodendron, 65
 — *chinense*, 49, 75
Lithocarpus, 56
 — *glabra*, 73
 — *hancei*, 73
 — *henryi*, 73
Litsea, 50, 68, 77
 — *chunii*, 76
 — *cubeba*, 76
 — *elongata*, 76
 — *esquirolii*, 76
 — *glutinosa*, 76
 — *pungens*, 76
 — *verticillata*, 76
Lloydia, 56
Lobelia, 90, 763
 — *angulata*, 90
 — *davidii*, 90
 — *digitatifolia*, 754
 — *fangiana*, 90
 — *omiensis*, 90
 — *radicans*, 90
Lobeliaceae, 754
Loganiaceae, 87
Lonicera henryi, 89
 — *macranthoides*, 89
Loranthaceae, 50, 74
Loropetalum chinense, 78
Lycopodiaceae, 70, 754
Lycopodium clavatum, 754
 — *complanatum*, 70
Lygodium japonicum, 70
Lyonia, 50
 — *ovalifolia*, 85
Lysichiton, 56
Lysimachia fortunei, 86
Lysionotus pauciflora, 88
Lythraceae, 84

Maackia chinensis, 80
Machaerina, 756, 762, 763
 — *restioides*, 754

Machilus chinensis, 76
 — *ichangensis*, 76
 — *lichuanensis*, 76
Macleaya cordata, 77
Maesa, 69
 — *hupehensis*, 86
Magnolia, 9, 15, 65
 — *denudata*, 75
 — *grandiflora*, 9
 — *officinalis*, 75
 — *sprengeri*, 75
Magnoliaceae, 14, 68, 75, 730, 735
Magnolioxylon panochensis, 730
Malpighia elegans, 766, 769
Malpighiaceae, 765, 767, 768
Mahonia, 56, 65
Malus halliana, 78
 — *prunifolia*, 78
Malvaceae, 83
Marcgraviaceae, 752
Marquesia, 740
Mastixiodendron, 96
Matteuccia orientalis, 71
Melastomataceae, 84, 735, 752, 754
Meliaceae, 80
Meliosma, 69, 728
 — *beaniana*, 82
 — *pendens*, 82
 — *sinensis*, 82
Menispermaceae, 75
Metasequoia Flora and Its Phytogeographic Significance, The, 41–94
Metasequoia, 41–94
 — *glyptostroboides*, 41–44, 46, 50, 51, 63, 65–67, 72
Michelia, 67, 68
 — *floribunda var. hupehensis*, 75
 — *martinii*, 75
 — *wilsonii*, 75
Miconia, 763
 — *coriacea*, 752
 — *vulcanica*, 752
Microcycas, 701, 703, 714, 715
 — *calocoma*, 703, 711–715
Microsorium fortunei, 71
 — *hymenodes*, 71
Mikania ovalis, 754
Miscanthus sinensis, 90
Monetes, 740
Monochoria vaginalis, 91
Monocotyledoneae, 49, 90, 91
 MONTAIGNAC, PIERRE DE, RICHARD A. HOWARD, and JACQUES PORTECOP. The Post-Eruptive Vegetation of La Soufrière, Guadeloupe, 1977–1979, 749–764
Moraceae, 68, 74, 738
Morus cathayana, 74
Mosla chinensis, 87

- Mosla dianthera*, 87
Myrcia, 763
— *platyclada*, 752, 760
Myricaceae, 726
Myrsinaceae, 69, 86, 752
Myrsine, 69, 763
— *coriacea*, 752, 760, 761
— *semiserrata*, 86
Myrtaceae, 740, 752, 760

Neolepisorus phyllomanes, 71
Neolitsea, 50, 77
— *pinninervis*, 77
— *viridis*, 76
— *wushanica*, 77
New Species of *Cestrum* (*Solanaceae*) from Southern Colombia, A, 113–115
Norantea, 763
— *spiciflora*, 752, 762
Notes on *Airosperma* (*Rubiaceae*), with a New Species from Fiji, 95–105
Nothofagus, 733, 735, 736
Nothopanax, 85
— *bodinieri*, 84
— *davidii*, 50, 85
— *delavayi*, 84, 85
— *rosthornii*, 85
Nyssa, 9, 65
— *sinensis*, 84
Nyssaceae, 50, 84

Ochnaceae, 754
Oleaceae, 732, 735, 736
Old World Species of *Calophyllum* (*Guttiferae*), A Revision of the, 117–699
Oleaceae, 69, 86
Onagraceae, 84
Onocleaceae, 71
Onychium japonicum, 70
Orchidaceae, 91
Orixa, 3
— *japonica*, 80
Ormosia puberula, 80
Orobanchaceae, 56
Osmanthus, 69
— *cooperi*, 87
— *fragrans*, 87
Ossana vincentiana, 767, 769
Ostrya, 65
— *multinervis*, 73
Ottelia alismoides, 90
Oxalidaceae, 80
Oxalis griffithii, 80

Paederia chinensis, 89
— *scandens*, 89

PAGE, VIRGINIA M. Dicotyledonous Wood from the Upper Cretaceous of Central California, II, 723–748
Palicourea, 763
— *crocea*, 752, 761
Palma, 702
— *pumila*, 702, 720
Palmae, 49, 752
Palmifolium angustifolium, 715
— *angustissimum*, 715
— *debile*, 715
— *floridanum*, 716
— *integrifolium*, 715
— *kickxii*, 719
— *medium*, 715
— *multifoliolatum*, 716
— *ottonis*, 719
— *pumilum*, 715
— *pygmaeum*, 719
— *strictum*, 715
— *tenuis*, 715
— *yatesii*, 716
Panax, 107
— subg. *Acanthopanax*, 108
— *divaricatus*, 109
— *ginseng*, 107
— *sessiliflorus*, 109
— *spinosum*, 110
Papaveraceae, 77
Parinaria, 740
Paris chinensis, 91
Parnassia wrightiana var. *flavida*, 77
Parrya, 56
Parthenocissus heterophylla, 83
Patrinia villosa, 89
Paulownia fargesii, 88
Paypayrola, 728
Peperomia hernandifolia, 754
— *tenella*, 754
Perilla frutescens, 87
Peristrophe roxburghiana, 89
Phellodendron, 3, 4, 6, 7, 9, 10, 12–17, 29, 36
— *amurense*, 10, 13–15, 36
— *chinense*, 10, 13, 80
— *costatum*, 6–8, 13
— *elegans*, 7, 13
— *europaeum*, 13
— *japonicum*, 10, 13, 14
— *lavalleyi*, 10
— *lusaticum*, 13–15
— *molle*, 10
— *novae-angliae*, 14–16, 35, 36
— *ornatum*, 14
— *sachalinense*, 10
Philadelphus sericanthus, 77
Philodendron, 756, 758, 760
— *giganteum*, 752, 755, 759, 762

- Photinia, 67, 68, 78
 — amphidoxa, 78
 — beauverdiana, 78
 — davidsoniae, 78
 — franchetiana, 78
 — parvifolia, 78
 Phtheirospermum chinense, 88
 Phyllanthus, 68
 — flexuosus, 81
 Phyllostachys, 90
 Phytogeographic Significance, The Metasequoia
 Flora and Its, 41–94
 Phytolacca, 762
 — icosandra, 762
 Picea, 15, 51, 64, 65
 Pieris, 50
 — formosa, 85
 Pilea notata, 74
 — parietaria, 754
 Pinaceae, 49, 50, 52, 53, 71, 72
 Pinus, 51–53, 65
 — subg. Diploxylon, 51
 — subg. Haploxylon, 51
 — subg. Pinus, 51, 53
 — subg. Strobilus, 51, 53
 — armandii, 53, 71
 — massoniana, 53, 71
 Piperaceae, 754
 Pistacia, 65
 Pitcairnia, 756, 763
 — bifrons, 754
 — latifolia, 763
 Pittosporaceae, 68, 78
 Pittosporum, 68
 — adaphniphyloides, 78
 — glabratum, 49
 — — var. glabratum, 78
 — — var. neriifolium, 78
 — truncatum, 78
 Pityrogramma, 762, 763
 — chrysophylla, 754, 762
 Plagiogyria stenoptera, 70
 Plagiogyriaceae, 70
 Plantaginaceae, 89
 Plantago major, 89
 Platanus, 65
 Platycarya, 58
 — strobilacea, 73
 Pleione henryi, 91
 Pogostemon glaber, 87
 Poliothysis sinensis, 50, 84
 Polygalaceae, 80
 Polygala wattersii, 80
 Polygonaceae, 74
 Polygonum cuspidatum, 74
 — multiflorum, 74
 — perfoliatum, 74
 Polygonum runcinatum, 74
 Polypodiaceae, 4, 9, 71, 754
 Polypodium hymenodes, 71
 — lehmannii, 71
 — nipponicum, 71
 — phyllomanes, 71
 Polystichum acutidens, 71
 — tripterum, 71
 — tsus-simense, 71
 Pontederiaceae, 91
 Populus, 65
 — adenopoda, 72
 — tremula var. davidiana, 72
 PORTECOP, JACQUES, PIERRE DE MONTAGNAC,
 and RICHARD A. HOWARD. The Post-Eruptive
 Vegetation of La Soufrière, Guadeloupe,
 1977–1979, 749–764
 Post-Eruptive Vegetation of La Soufrière, Gua-
 deloupe, 1977–1979, The, 749–764
 Pratia, 90
 — fangiana, 90
 — nummularia, 90
 Premna puberula, 87
 Prestoea montana, 752, 759, 761, 763
 Primulaceae, 86
 Protolirion sinii, 50, 91
 Prunella vulgaris, 88
 Prunus, 50, 65, 78
 — conradinae, 78
 — glyptocarpa, 78
 — grayana, 78
 — microbotrys, 78
 — — var. obovata, 79
 — mume, 79
 — padus, 79
 — persica, 79
 — pseudocerasus, 79
 — salicina, 79
 — spinulosa, 78, 79
 — szechuanica, 79
 — venosa, 79
 — wallichii, 78
 — wilsonii, 79
 — — var. leiobotrys, 79
 Pseudolarix, 51–53, 58, 60, 64
 — amabilis, 60, 62, 66, 71
 Pseudotsuga, 52, 53, 55, 56, 65
 — forestii, 55
 — gausenii, 55
 — japonica, 55
 — menziesii, 55
 — sinensis, 55, 72
 — wilsoniana, 55, 63
 Psychotria, 98, 101, 763
 — aubletiana, 752
 — guadalupensis, 752, 763
 — insularum, 101

- Ptelea*, 3
Pteridaceae, 70
Pteridophyta, 49, 70, 71
Pteris henryi, 70
— *vittata*, 70
Pterocarya, 64, 65
— *hupehensis*, 73
— *paliurus*, 73
— *stenoptera*, 73
Pterolepis, 763
— *glomerata*, 754
Pterostyrax hispidus, 86
Pueraria lobata, 80
Punicaceae, 738
Pycnus flavescens, 91
— *sanguinolentus*, 91
Pyracantha crenato-serrata, 79
Pyrrosia lingua, 71
— *sheareri*, 71
Pyrus, 65
— *calleryana*, 79
— *pyrifolia*, 79

Quercus, 9, 50, 64, 65, 73
— *acutissima*, 73
— *aliena*, 73
— *cocciferoides*, 73
— *delavayi*, 73
— *engleriana*, 73
— *fabri*, 73
— *glauca*, 73
— — *var. gracilis*, 73
— *nubium*, 73
— *oxyodon*, 73
— *singuliflora*, 73
— *spathulata*, 73
— *stewardiana*, 73
— *variabilis*, 73

Ranunculaceae, 74
Reineckea carnea, 91
Revision of the Old World Species of *Calophyllum* (*Guttiferae*). A, 117–699
Rhamnaceae, 69, 82
Rhamnus, 69
— *esquirolii*, 82
— *paniculiflorus*, 82
— *rugulosus*, 82
— *utilis*, 82
Rhizophoraceae, 728, 729
Rhododendron, 50, 65
— *argyrophyllum*, 85
— *caeruleum*, 85
— *ciliicalyx*, 85
— *farrerae*, 85
— *fortunei*, 85
Rhododendron lutescens, 85
— *ovatum*, 85
— *oxyphyllum*, 85
— *simsii*, 85
Rhus, 65
— *chinensis*, 81
— *potaninii*, 49, 81
— *trichocarpa*, 81
— *verniciiflua*, 81
Rhynchospora polyphylla, 754
Richeria, 763
— *grandis*, 752, 756, 761
Ricinus communis, 81
Robinia pseudo-acacia, 80
Rondeletia, 763
— *parviflora*, 752
Rosa, 65
— *helenae*, 79
— *roxburghii*, 79
Rosaceae, 49, 50, 56, 68, 78, 79, 740
Rubiaceae: Notes on *Airosperma*, with a New Species from Fiji, 95–105
Rubiaceae, 89, 95, 102, 104, 738, 752
— *tribe Alberteae*, 95
Rubus, 50, 65
— *adenophorus*, 79
— *ampelinus*, 79
— *cavaleriei*, 79
— *ichangensis*, 79
— *malifolius*, 79
— *pectinellus*, 79
— *setchuensis*, 79
Ruta, 3
Rutaceae, Fruits and Seeds of the Brandon Lignite, V., 1–40
Rutaceae, 1–40, 68, 80
— *tribe Toddalieae*, 4, 7
Rutaspermum, 3, 20–22
— *bognorensis*, 20, 21, 28
— *excavatum*, 20, 21, 26
— *glabrum*, 20
— *magnificum*, 21, 24, 26
— *minimum*, 21, 22
— *ornatum*, 21, 24
— *rugosum*, 20
— *striatum*, 21, 24, 27

Sabiaceae, 69, 82, 728
Sageretia, 65
— *henryi*, 82
Sagittaria pygmaea, 90
— *sagittifolia* subsp. *sagittata*, 90
St. Vincent, The Soufrière Plant of, 765–770
Salicaceae, 72
Salix, 50, 65
— *biondiana*, 72

- Salix caprea*, 72
 — *ernestii*, 72
 — *heterochroma*, 72
 — *longiflora*, 72
 — *rosthornii*, 72
Sambucus, 65
 — *racemosa*, 89
Sapium, 68
 — *sebiferum*, 81
Sarcopyramis nepalensis, 84
Sassafras, 50, 65
 — *tzumu*, 77
Saurauia, 728
Saurauiaceae, 728
Saururaceae, 72
Sauvagesia, 762, 763
 — *erecta*, 754, 762
Saxifragaceae, 77
Schefflera, 69
 — *delavayi*, 85
 — *venulosa*, 85
Schima, 67, 69
 — *parviflora*, 83
 — *sinensis*, 83
 — *superba*, 83
Schisandra, 64
 — *sphenanthera*, 75
Schisandraceae, 75, 735
Schizaeaceae, 70
Schoepfia, 65
 — *jasminodora*, 65
Scirpus wallichii, 91
Scrophulariaceae, 88
 Seeds of the Brandon Lignite, Fruits and, V.
 Rutaceae, 1–40
Selaginella uncinata, 70
Selaginellaceae, 70
Serissa foetida, 50, 89
Simaroubaceae, 80
Sinarundinaria, 90
Sinopteridaceae, 70
Skimmia, 3
Sloanea, 69
 — *hemsleyana*, 83
Smelowskia, 56
Smilax lancifolia, 91
 — *megalantha*, 91
 — *myrtillus*, 91
 — *riparia*, 91
Solanaceae: A New Species of *Cestrum* from
 Southern Colombia, 113–115
Solanaceae, 56, 88, 736
Solanum lyratum, 88
Sonneratiaceae, 738
Sophora, 65
Sorbus, 65
 — *aronioides*, 79
 caloneura, 79
 — *folgneri*, 79
 — *wilsoniana*, 79
 Soufrière, Guadeloupe, 1977–1979, The Post-
 Eruptive Vegetation of La, 749–764
 Soufrière Plant of St. Vincent, The, 765–770
Spachea, 766–768
 — *elegans*, 765–770
 — — *f. ossana*, 767, 769
 — *littoralis*, 766–769
 — *ossana*, 766–769
 — *parviflora*, 766–769
 — — *var. perforata*, 767, 769
 — — *var. typica*, 767, 769
 — *perforata*, 765–769
 — *tricarpa*, 766, 768
Spathelia, 3
Spermatophyta, 71
Sphagnum, 752
Sphenomeris chusana, 70
Spiraea, 65
 — *chinensis*, 79
 — *japonica* *var. fortunei*, 79
 — *prunifolia*, 79
Spondias, 64
Stachyuraceae, 84
Stachyurus, 58
 — *himalaicus*, 84
Stangeriaceae, 721
Staphyleaceae, 82, 728
Stenoloma chusana, 70
Stephanandra, 50
 — *chinensis*, 79
 STEVENS, P. F. A Revision of the Old World
 Species of *Calophyllum* (Guttiferae), 117–699
Stranvaesia, 50
 — *davidiana*, 50
Strombosia, 732
Styracaceae, 69, 86
Styrax, 64, 69
 — *bodinieri*, 86
 — *suberifolius*, 86
Swertia bimaculata, 87
Sycopsis sinensis, 78
Symphysia, 763
 — *racemosa*, 752, 762
Symplocaceae, 69, 86
Symplocos, 50, 64, 69
 — *anomala*, 86
 — *botryantha*, 86
 — *caudata*, 86
 — *discolor*, 86
 — *lancifolia*, 86
 — *stellaris*, 86
 Taiwan, 52, 58, 62, 64, 70
 — *cryptomerioides*, 62, 72

- Taiwania flousiana*, 62
Tapiscia sinensis, 50, 82
 Taxaceae, 50, 52, 53, 72
 Taxales, 52
Taxillus sutchuenensis, 50, 74
 Taxodiaceae, 52, 58, 72
Taxodium, 66
 Taxonomy of the West Indian Cycads, 701–722
 Taxopsida, 52
Taxus, 52–54
 — *chinensis*, 72
 — *wallichiana*, 54
Ternstroemia, 50, 69, 763
 — *elliptica*, 752
 — *nitida*, 83
 Tetracentraceae, 74
Tetracentron sinense, 50, 74
Tetrastigma serrulatum, 83
Teucrium bidentatum, 88
 Theaceae, 49, 50, 69, 83, 752
 Thelypteridaceae, 71
Thelypteris decursivo-pinnata, 71
Thuja, 65
Tibouchina, 763
 — *ornata*, 754, 762
 TIFFNEY, BRUCE H. Fruits and Seeds of the
 Brandon Lignite, V. Rutaceae, 1–40
Tilia, 65, 83
 — *tuan*, 83
 Tiliaceae, 83
Toddalia, 3, 68
 — *asiatica*, 80
Toona, 65
 — *sinensis*, 80
Torreya, 51, 52, 55
 — *californica*, 55
 — *grandis*, 55, 72
 — *jackii*, 55
 — *nucifera*, 55
 — *taxifolia*, 55
Torricea intermedia, 85
Toxicodendron, 65
Trachelospermum jasminoides, 87
Trachycarpus fortunei, 47
Trema, 68
 — *laevigata*, 74
Troliis yunnanensis, 75
Tsuga, 52, 54, 64, 65, 70
 — sect. *Hesperopeuce*, 54, 55
 — sect. *Tsuga*, 54
 — *caroliniana*, 54
 — *chinensis*, 54, 72
 — *longibracteata*, 55
 — *mertensiana*, 55
Turpinia, 29
 Ulmaceae, 68, 74
Ulmium mulleri, 746
Ulmium pattersonensis, 746
Ulmus, 65
 — *bergmanniana*, 74
 — *multinervis*, 74
 — *prunifolia*, 74
 Umbelliferae, 85
 Upper Cretaceous of Central California, Dicot-
 yledonous Wood from the, II, 723–748
 Urticaceae, 74, 754
Vaccinium, 50
 — *bracteatum*, 85
 — *carlesii*, 86
 — *hirtum*, 86
 — *iteophyllum*, 86
 — *japonicum*, 86
 — *mandarinorum*, 86
 Valerianaceae, 89
 Vegetation of La Soufrière, Guadeloupe, 1977–
 1979, The Post-Eruptive, 749–764
 Verbenaceae, 87
Viburnum, 50, 65
 — *ichangense*, 89
 — *ovalifolium*, 89
 — *propinquum*, 89
 — — var. *mairei*, 89
 — *rhytidophyllum*, 89
 — *rosthornii* var. *xerocarpa*, 89
 — *setigerum*, 89
 — *sympodiale*, 89
 — *ternatum*, 89
 — *theiferum*, 89
 — *tomentosum*, 89
 — *tsangii*, 89
Viola, 762, 763
 — *confusa*, 83
 — *inconspicua*, 83
 — *stipularis*, 754, 762
 — *triangulifolia*, 83
 Violaceae, 83, 728, 729, 754
 Vitaceae, 14, 83, 735
Vitis, 65
Weigela japonica var. *sinica*, 89
Weinmannia, 763
 — *pinnata*, 752, 761
 West Indian Cycads, Taxonomy of the, 701–722
 Wood from the Upper Cretaceous of Central
 California, Dicotyledonous, II, 723–748
Zamia, 701–710, 712–715
 — *allison-armourii*, 716
 — *angustifolia*, 702, 708, 715, 716
 — — var. *angustissima*, 715
 — — var. *floridana*, 716
 — — var. *stricta*, 715
 — — var. *yatesii*, 715–717

- Zamia angustissima*, 702, 708, 715
 — *brachyphylla*, 716
 — *calcicola*, 716
 — *calocoma*, 713, 714
 — *chamberlainii*, 719
 — *chigua*, 715
 — *concinna*, 716
 — *cylindrica*, 716
 — *debilis*, 702, 715
 — *dentata*, 715
 — *erosa*, 716
 — *floridana*, 708, 710, 716
 — — var. *purshiana*, 715
 — — — f. *silvicola*, 716
 — *furfuracea*, 702, 715, 718, 720
 — *guggenheimiana*, 702, 717
 — *gutierrezii*, 720
 — *humilis*, 715
 — *integrifolia*, 702, 715
 — *kickxii*, 708, 719
 — *latifoliolata*, 702, 708, 716, 720
 — *linearifolia*, 716
 — *linearis*, 716
 — *linifolia*, 716
 — *lucayana*, 712, 716
 — *media*, 702, 708, 715
 — — var. *commeliniana*, 715, 717
 — — — f. *silicea*, 719
 — — var. *gutierrezii*, 720
 — — — f. *calcicola*, 716, 717
 — — var. *jacquiniana*, 715
 — — — f. *brevipinnata*, 717
 — — var. *portoricensis*, 716
 — — var. *tenuis*, 715
 — *multifoliolata*, 702, 716
 — *ottonis*, 708, 719
 — *portoricensis*, 702, 708, 716
 — *pumila*, 702, 703, 708, 712, 713, 715, 716, 718, 720
 — — subsp. *pumila*, 702, 704, 706, 708, 709, 711, 713, 715–720
 — — subsp. *pygmaea*, 703, 704, 706, 708, 709, 711, 713, 717, 719, 720
 — *pygmaea*, 702, 708, 719
 — — var. *kickxii*, 719
 — — var. *ottonis*, 719
 — — var. *wrightii*, 719
 — *rotundifolia*, 719
 — *silicea*, 708, 719
 — *silvicola*, 716
 — *stricta*, 702, 715
 — *subcoriacea*, 717
 — *tenuis*, 715
 — *umbrosa*, 710, 716
 — *verbruggiana*, 717
 — *yatesii*, 702, 715
Zamiaceae, 701, 721
Zanthoxylum, 3, 4, 12, 15–26, 28, 29, 36, 49, 68
 — *acuminatum*, 23, 24
 — *ailanthiforme*, 22
 — *americanum*, 18
 — *bognorensense*, 18
 — *caribaeum*, 23, 24, 36
 — *coco*, 26
 — *compressum*, 21, 28
 — *dissitoides*, 20
 — *dissitum*, 18, 80
 — *echinospermum*, 25–27, 36
 — *foetidum*, 25
 — *giganteum*, 22
 — *hawaiiense*, 22
 — *jamaicense*, 28
 — *kauaiense*, 22
 — *limoncello*, 25
 — *limonella*, 18
 — *melanostictum*, 20, 26
 — *micranthum*, 18
 — *microcarpum*, 18, 25
 — *monophyllum*, 26
 — *myriacanthum*, 18
 — *nitidum*, 20, 80
 — *obtriangulare*, 28
 — *ornatum*, 20
 — *panamense*, 18
 — *pimpinelloides*, 18, 23, 24
 — *piperitum*, 18
 — *piurianum*, 29
 — *planispinum*, 22
 — *pringlei*, 23, 24
 — *procerum*, 18
 — *rhabdospermum*, 18, 22–27, 29, 36
 — *scandens*, 18
 — *schinifolium*, 18
 — *simulans*, 49, 80
 — *tiffneyi*, 22, 27–29, 36
 — *tomentellum*, 26
 — *trifoliatum*, 110
 — *williamsii*, 28
Zelkova, 65
 — *schneideriana*, 74
Zizyphus, 65



1980. "Index [vol. 61]." *Journal of the Arnold Arboretum* 61(4), 771–783.
<https://doi.org/10.5962/p.185900>.

View This Item Online: <https://www.biodiversitylibrary.org/item/33624>

DOI: <https://doi.org/10.5962/p.185900>

Permalink: <https://www.biodiversitylibrary.org/partpdf/185900>

Holding Institution

Missouri Botanical Garden, Peter H. Raven Library

Sponsored by

Missouri Botanical Garden

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Arnold Arboretum of Harvard University

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.