

SCIRPUS PECKII IN CANADA.—The handsome and very distinct *Scirpus Peckii* Britton has heretofore been known only from a limited area, from Somerset County, Maine, to Franklin and Oswego Counties, New York, thence south, very locally, to southwestern New Hampshire, western Massachusetts, northwestern Connecticut, and the Catskill region of southeastern New York. Since at Sutton, Vermont, and at Loon Lake, Franklin County, New York, it is within 30 miles of the Canadian border, it has been natural to suppose that it might get into southwestern Quebec and extreme eastern Ontario. This expectation is partly fulfilled, for I find in the covers of *S. cyperinus* in the Gray Herbarium a very characteristic sheet of flowering *S. Peckii* collected July 23, 1926, at Bellerive, Beauharnois County, Quebec, by Frère Vincent and sent out by Fr. Adrien as no. 1-235. This station is about 50 miles north of Loon Lake.—M. L. FERNALD.

*Volume 45, no. 531, including pages 57-112 and plates 746-748, was issued 18 March, 1943.*



Fernald, Merritt Lyndon. 1943. "Scirpus Peckii in Canada." *Rhodora* 45, 168–168.

**View This Item Online:** <https://www.biodiversitylibrary.org/item/14515>

**Permalink:** <https://www.biodiversitylibrary.org/partpdf/188936>

**Holding Institution**

Missouri Botanical Garden, Peter H. Raven Library

**Sponsored by**

Missouri Botanical Garden

**Copyright & Reuse**

Copyright Status: In copyright. Digitized with the permission of the rights holder.

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.