SPODOPTERA EXCELSA ROUGEOT, A NEW SYNONYM OF ATHETIS PIGRA (GUENEE) (LEP.: NOCTUIDAE)

By C. F. DEWHURST* & M. P. CLIFTON**

Introduction

Rougeot (1983) described some new Lepidoptera from a collection made in the High Simien mountains of Ethiopia during a week's visit in 1981. One of the species described was a noctuid moth to which he gave the name Spodoptera excelsa Rougeot.

As the genus Spodoptera contains some important agricultural pest species in Africa (e.g. Spodoptera exempta Walker), and the genus in Africa and the Near East has been studied in some detail (Brown & Dewhurst, 1975), it was of importance to study this new-ly described species.

Athetis pigra (Guenée)

Caradrina pigra Guenée, 1852: 248.

Proxenus pigra Janse. 1938: 219, 238; Plates 17, 29; Fig. 61. Spodoptera excelsa Rougeot, 1983: 230; Fig. 14. Holotype or, Ethiopia Simien Mts, Sankaber, 3400-3500m, 14.xi.1981, (P.-C. Rougeot) (MNHN, Paris) [examined]. Syn. n.

Athetis pigra (Guenée) (Medler, 1980: 361).

Dissection of the holotype clearly indicates that this is not a *Spodoptera* species, but a male of the species described by Guenée (1852) as *Caradrina pigra*. Janse (1938) provides very good photographs and drawings of the genitalia of this species under the name *Proxenus pigra* (Guenée). The genitalia of this species are clearly recognisable by the unusally shaped uncus and the large tubular densely-toothed cornutus on the vesica of the aedeagus.

Discussion

Athetis pigra occurs widely in East and Southern Africa, Mauritius and Reunion (the type locality), but does not as far as we know have any pest status. Rougeot (1983) mentions the similarity of his species Spodoptera excelsa to another species, Proxenus ignava Guenée, which he also incorrectly referred to the genus Spodoptera. This species should provisionally be known as Athetis ignava

^{*}Tropical Development and Research Institute, Armyworm Project, Desert Locust Control Organisation for Eastern Africa, P.O. Box 30023, Nairobi, Kenya.

^{**} Department of Entomology, National Museums of Kenya, P.O. Box 40658, Nairobi, Kenya.

(Guenée, 1852) (J. D. Holloway, pers. comm.) pending thorough revisionary study of the genera concerned. No material of this species was examined during the present study.

Acknowledgements

We thank Dr. G. Bernardi for allowing us access to the holotype specimen in the Museum National d'Histoire Naturelle (MNHN), Paris and Dr. J. Mark Ritchie and Dr. W. A. Sands for comments on the manuscript.

References

Brown, E.S. and Dewhurst, C. F., 1975, The Genus Spodoptera (Lepidoptera, Noctuidae) in Africa and the Near East. Bull. ent. res. 65: 221-262.

Guenée, A., 1852, in Boisduval, J. A. & Guenée, A., Histoire Naturelle des Insectes. Species general des Lepidopteres. Vol. 5. Noctuelites T. 1. p. 248.

Janse, A. J. T., 1937-39, The Moths of South Africa, Vol. III. Cymatophoridae, Callidulidae and Noctuidae (partim) vx + 435pp.

Medler, J. T., 1980, Insects of Nigeria – Check List and Bibliography. Mem. Am. ent. Inst. 30: vii + 919 pp.

Rougeot, P.-C., 1983, Lepidopteres du Haut-Simyen (Ethiopie du Nord). Bull. Soc. Linn. Lyon 52 (7): 219.

THE SLOE PUG, CHLOROCLYSTIS CHLOERATA (MABILLE), NEW TO NORTHAMPTONSHIRE (VC32) — Whilst beating blackthorn blossom in Weldon Park, near Corby, on the 11th May 1986, a single larva of this species fell onto the tray. Although this moth's range extends northwards to Yorkshire and Westmorland ([Agassiz, D. and others], 1981, An identification guide to the British Pugs, BENHS.) this is apparently the first record for Northamptonshire, (J. Ward pers. comm.). The species has been noted at two further localities in the county this year, namely Castor Hanglands NNR and Bedford Purlieus. — MARK PARSONS, Nature Conservancy Council, Northminster House, Peterborough, Cambs. PE1 1UA.

DIACHRYSIA ORICHALCEA FAB. (LEP.: NOCTUIDAE) IN HAMPSHIRE – A fresh specimen of this rare and beautiful immigrant was taken at my m.v. trap at Brockenhurst, in the New Forest, on 15.viii.1987. A. D. A. RUSSWURM, Coridon, Ober Road, Brockenhurst SO42 7ST.

280



Dewhurst, C F and Clifton, M P. 1987. "Spodoptera excelsa Rougeot, a new synonym of Athetis pigra (Guenee) (Lep.: Noctuidae)." *The entomologist's record and journal of variation* 99, 279–280.

View This Item Online: <u>https://www.biodiversitylibrary.org/item/95141</u> Permalink: <u>https://www.biodiversitylibrary.org/partpdf/197550</u>

Holding Institution Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Sponsored by Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Copyright & Reuse Copyright Status: In copyright. Digitized with the permission of the rights holder. Rights Holder: Amateur Entomologists' Society License: <u>http://creativecommons.org/licenses/by-nc-sa/3.0/</u> Rights: <u>https://biodiversitylibrary.org/permissions</u>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.