

PROPOSED NEW NAME FOR *CEPOLIS TRIZONALIS*, AUCT.,
NON GRAT.

By HUGH C. FULTON.

Read 10th January, 1908.

CEPOLIS DEFINITA, n.n.

Helix trizonalis, Pfr., *non* Grateloup: Conchyl. Cab., *Helix*, Theil ii, p. 474, pl. clviii, figs. 12-15.

H. trizonalis, Rve, *non* Grat.: Conch. Icon., vol. vii, figs. 592*a*, *b*.

H. (Cepolis) trizonalis, Pils.: Man. of Conch., vol. v, p. 93, pl. xlix, figs. 68-70.

This well-known shell, which has been described and figured several times as *H. trizonalis*, Grat., and occurs in most collections under that name, bears in coloration and general form a close likeness to that species, but can easily be distinguished from it by its larger size and much finer sculpture. The oblique striæ are scarcely seen without a lens, whereas in *trizonalis* they are coarse and conspicuous. The terminations of the peristome of *definita* are connected by a very thin callus, whilst in *trizonalis* it is thick and prominent.

I take as the type of *definita* the shell in the British Museum (Cuming Coll.) figured in Reeve's "Conchologia Iconica."



Fulton, Hugh C. 1908. "PROPOSED NEW NAME FOR CEPOLIS TRIZONALIS, auct., non GRAT." *Proceedings of the Malacological Society of London* 8, 45–45.

View This Item Online: <https://www.biodiversitylibrary.org/item/100060>

Permalink: <https://www.biodiversitylibrary.org/partpdf/202966>

Holding Institution

Field Museum of Natural History Library

Sponsored by

Smithsonian

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.