

Alphabetisches Register.

A.	Seite.		Seite.
Aburia	290	melanopa 364, Richardsoni	
Acentropus	222. 316	365, Schönherri 366, Zetter-	
Acidalia frigidaria, Okakaria		stedtii	365
366, Sentinaria, Spuriaria .	368	Anchylopera plagosana	374
Acmonia	290	Andrena 407, aestiva 410, Af-	
Acraephia	289	zeliella 409, albibarbis 408,	
Actias cometes, Idae, Leto,		angulosa 412, apicata 413,	
Maenas	352	bicolor, Clarkella, clypea-	
Aemalodera	9	ris 411, cognata 408, com-	
Aëpus	9	binata 407, consobrina, du-	
Agalliasites absinthii	100	bitata 409, fucata, fuscata,	
Agrotis baja, castanea 332, C.		fuscohirta 410, griseola 408,	
nigrum 333, comes 331,		Gwynana 410, helveola 411,	
comparata 268, conflua 254,		hirtipes 410, lapponica 413,	
dissona 268, fimbria 331,		Lewinella 409, mixta, prae-	
fusca 268, implicata 269,		cox, Smithella 411, squamea	
islandica, laetabilis 268, lit-		410, subdentata, Trimme-	
toralis 265, neglecta 332,		rana 413, varians	411
occulta 269, Okakensis 266,		Andricus burgundus 382, cur-	
plecta 332, pronuba 333, rava		vator, inflator 381, testa-	
268, saucia 332, segetum 333,		ceipes 382, trilineatus	381
septentrionalis 268, sobrina		Anophthalmus	9
331, 399, speciosa 268, Stau-		Anorops	298
dingeri 267, suffusa 333,		Antithesia bipartiana	374
umbratus 254, Wockei 266,		Apis combinata 407, mellifica	110
xanthographa 332, Ypsilon	269	Aracynthus	287
Aliphera	290	Arctia borealis 251, Caja 132,	
Alphina	294	251, Quenseli, speciosa	251
Amantia	289	Argynnis Aphirape, Chari-	
Ammobates bicolor	104	clea, Freya, Frigga, polaris	116
Ammobatoides	107	Aricia Pluto	351
Ammoconia caecimacula	332	Artacia	285
Amphipyra pyramidea, trago-		Asphalia diluta	331
pogonis	332	Aspilates gilvaria	368
Amphisbatis	304	Atalanta	288
Amycle	291	Attacus Polyphemus	316
Anaitis sororaria	368		
Anarta bicycla, cordigera 272,			
funesta 365, lapponica, leu-			
cocycla 366, melaleuca 272,			
		B.	
		Barypus	125
		Batonota viridisignata	279

	Seite.		Seite.
<i>Biastes brevicornis</i>	104	<i>Cnides</i>	9
<i>Biorhiza aptera</i> 386, <i>renum</i>	387	<i>Coelioxix divergens</i> , <i>elongata</i> , <i>erythropyga</i> , <i>rufescens</i>	105
<i>Bledius agriculator</i>	144	<i>Colias Anthyale</i> 113, <i>Nastes</i> 114, <i>Palaeno</i> , <i>Pelidne</i>	113
<i>Bombus marteus</i> , <i>Proteus</i> , <i>ter-</i> <i>restris</i>	106	<i>Compsoptera</i>	287
<i>Botys glacialis</i> , <i>inquinatalis</i> , <i>torvalis</i>	371	<i>Conchylis chalcana</i> , <i>Deut-</i> <i>schiana</i> , <i>gelidana</i>	373
<i>Brotolomia meticulosa</i>	333	<i>Copidocephala</i>	286
<i>Butalis Emichi</i> 143, 306, <i>in-</i> <i>congruella</i> 304, <i>Rouxella</i> 307, <i>Schleichiella</i> 305, <i>se-</i> <i>tiella</i>	309	<i>Coptocycla cynarae</i> , <i>Drew-</i> <i>senii</i> , <i>fuscovittata</i> , <i>graminis</i>	281
		<i>Coptopola</i>	291
		<i>Coremia labradorensis</i>	371
		<i>Corimelaena fulvinervis</i>	98
		<i>Crambus albellus</i> , <i>argillaceel-</i> <i>lus</i> , <i>inornatellus</i> , <i>labrado-</i> <i>riensis</i> , <i>trichostomus</i> , <i>uni-</i> <i>striatellus</i>	372
C.		<i>Craniophora</i>	84
<i>Calocampa exoleta</i> , <i>solidagi-</i> <i>nis</i> , <i>vetusta</i>	332	<i>Cryptus abdominator</i>	110
<i>Calodera rufescens</i>	112	<i>Ctenophora bimaculata</i>	109
<i>Calymnia trapezina</i>	333	<i>Cucullia intermedia</i> , <i>lucifuga</i>	400
<i>Canistra carbonaria</i> , <i>scoriosa</i>	274	<i>Curetia</i>	292
<i>Caradrina sericea</i>	85	<i>Cynips</i> 338, <i>agama</i> 380, <i>albo-</i> <i>punctata</i> 376, <i>autumnalis</i> 343, <i>calicis</i> 338, <i>callidoma</i> 344, <i>collaris</i> 341, <i>corruptrix</i> 339, <i>corticalis</i> 341, <i>corticis</i> 342, <i>disticha</i> 381, <i>fasciata</i> 397, <i>fecundatrix</i> 341, <i>ferruginea</i> 377, <i>folii</i> 379, <i>gemmae</i> 341, <i>glandulae</i> 345, <i>globuli</i> 347, <i>inflorescentiae</i> 396, <i>Kollari</i> 340, <i>lignicola</i> 339, <i>longiven-</i> <i>tris</i> 380, <i>marginalis</i> 397, <i>pe-</i> <i>dunculi</i> 396, <i>radicis</i> 342, <i>ra-</i> <i>micola</i> , <i>rhizomae</i> , <i>semina-</i> <i>tionis</i> 395, <i>tegumentorum</i> 396, <i>vesicatrix</i>	397
<i>Cassida bistrilineata</i> 280, <i>gra-</i> <i>phica</i> 281, <i>spadicea</i>	280	<i>Cyrpoptus</i>	292
<i>Catocala nupta</i> 332, <i>nymphaea</i> 353, <i>sponsa</i>	332		
<i>Ceratina cucurbitina</i> , <i>cyanea</i>	105		
<i>Chelymorpha advena</i> , <i>cruci-</i> <i>fera</i> , <i>graphiptera</i> 278, <i>gut-</i> <i>tula</i> , <i>imperialis</i> 279, <i>indi-</i> <i>gesta</i> 278, <i>infaceta</i> 277, <i>pa-</i> <i>tagonica</i> 278, <i>personata</i> 277, <i>piperata</i> 279, <i>polyspilota</i> , <i>tucumana</i> , <i>variabilis</i>	278		
<i>Chilobia</i>	285		
<i>Chionobas</i> <i>Also</i> 123, <i>Balder</i> 116, 122, <i>Bootes</i> 124, <i>Bore</i> 121, 125, <i>Calais</i> 117, 124, <i>Crambis</i> 123, 125, <i>Fortuna-</i> <i>tus</i> 124, <i>Jutta</i> 116, 122, <i>Norna</i> 124, <i>Oeno</i> 123, <i>se-</i> <i>midea</i> 123, 125, <i>Taygete</i> 123, 125	125		
<i>Chrysobotrys chrysostigma</i> ..	109		
<i>Chrysomela variolosa</i>	357		
<i>Cidaria aqueata</i> 370, <i>aurata</i> 371, <i>brunneata</i> , <i>caesiata</i> , <i>disceptaria</i> , <i>gothicata</i> , <i>ha-</i> <i>stata</i> , <i>incursata</i> , <i>lotaria</i> , <i>luctuata</i> 370, <i>munitata</i> 371, <i>nigrofasciata</i> 370, <i>nubilata</i> 368, <i>obducata</i> , <i>phocata</i> , <i>po-</i> <i>lata</i> 370, <i>russata</i> , <i>strigata</i> , <i>truncata</i>	371		
<i>Cleodora striatella</i> , <i>tanace-</i> <i>tella</i>	258		
<i>Cnemacanthus</i>	125		
		D.	
		<i>Dasychira Rossii</i>	252
		<i>Depressaria sileris</i>	320
		<i>Desmonota crenulata</i> , <i>inter-</i> <i>media</i>	273
		<i>Dianthoecia phoca</i> , <i>subdita</i> ..	269
		<i>Diastrophus rubi</i>	394
		<i>Dichomia aprilina</i>	332
		<i>Diptilon dieides</i> , <i>telamono-</i> <i>phorum</i>	350
		<i>Domitia</i>	290

Seite.

Seite.

E.

Eacles Kadenii	351, Octavus	352
Edapteryx bilineata		252
Enchophora		284
Enhydria		256, 286
Epaphius		9
Epeoloides		104
Ephydra punctato-nervosa	..	108
Epialus hyperboreus, labra-		
doriensis, pulcher		251
Episcius		287
Episema gothica		271
Eristalis arbustorum		78
Eudorea albisinuatella	372,	
centuriella, frigidella		371
Eupithecia fraxinata	337, ge-	
lidata	371, innotata	337,
irriguata	336, luteata	
Euplexia lucipara		332
Euryades Corethrus	414, Du-	
ponchelii		418

G.

Gelechia brumella, labrado-		
rella, labradorica	375, Sa-	
madensis	321, trimaculella	375
Glyphipteryx	..	375
Grammoptera praeusta, ustula		357
Grapholitha nebulosana		374

H.

Hadena arctica, exornata, exul-		
lis	269, lateritia, oculea, poly-	
lyodon, satura		332
Halonota Packardiana		374
Helops obliquatus, pimelia	..	295
Hesperia comma		251
Heydenia		324
Hydroecia micacea	332, 399,	
nictitans		332
Hypaepa		258, 257
Hypena rostralis		332

I.

Japetus		287, 293
Incurvaria labradorella		375

L.

Laternaria		257, 284
Lathridius nodifer		328
Learcha		293

Leucania albipuncta, lithar-		
gyrea, pallens	332, rufostri-	
gata		271
Lithosia aurita	63, moly-	
bdeola, pallifrons	88, ra-	
mosa	63, stramineola	
Lopus satyricus		101
Luperina Haworthii		58, 399
Lycaena Aquilo		116
Lygris destinata	370, lugu-	
brata		368
Lystra		289

M.

Mamestra brassicae, cheno-		
podii, nebulosa, pisi	332,	
Rogenhoferi		269
Melitaea Athalia, Dictynna	..	354
Menenia		288
Mesomphalia auromarginata		
275, funebris	274, inaurata	
275, Lacordairei	275, Silber-	
manni	274, subrugosa	275,
verecunda, vidua		274
Mesostenus niveatus, pygo-		
stolus		109
Miselia oxyacanthae		332

N.

Neuroterus fumipennis, Mal-		
pighii	383, ostreus	386, pe-
zizaeformis	384, Réaumuri	385
Nonagria typhae		108

O.

Odontoptera		257, 283
Odontoscelis Darwinii, Des-		
marestii	125, Waterhousii	126
Oeagra		294
Oecophora devotella	323, fri-	
gidella	375, laserpitiella	322,
statariella		323
Omoplata flava, hyalina, viri-		
disignata		279
Oporina croceago		332
Orgyia antiqua		108
Ornix boreasella		375
Orrhodia erythrocephala, gla-		
bra, rubiginea	332, vaccinii	333
Orthoptera		224
Orthosia ferruginea, litura,		
lota, macilenta	332, nitida	
399, pistacina	332, rufina	333
Osmia acuticornis	107, cae-	
mentaria	106, leucomelaena	107

P.

<i>Pachnobia carnea</i>	271
<i>Pandemis leucophaleratana</i> ..	373
<i>Parapoynx stratiotata</i>	223
<i>Penthe funerea</i> 297, <i>obliquata</i> 295, <i>pimelia</i>	297
<i>Penthina frigidana</i> , <i>fulvifron-</i> <i>tana</i> , <i>gelidana</i> , <i>moestana</i> , <i>murina</i> , <i>tessellana</i>	374
<i>Pelidnopepla</i>	293
<i>Perileptus</i> 9, 362, <i>areolatus</i> 362, <i>ceylanicus</i> , <i>humidus</i> 363, <i>nigritulus</i> 362, <i>rutilus</i> , <i>Stierlini</i> , <i>testaceus</i>	363
<i>Phenax</i>	287
<i>Phileremus nasutus</i> , <i>rufiven-</i> <i>tris</i>	104
<i>Phrictus</i>	284
<i>Phymata conspicua</i> , <i>Feredayi</i>	102
<i>Physonota exarata</i> , <i>fuscata</i> , <i>ingrata</i> , <i>prolixa</i> , <i>sulcipen-</i> <i>nis</i> , <i>testudinaria</i> , <i>unicolor</i>	280
<i>Pieris frigida</i>	113
<i>Pimpla examinador</i>	108
<i>Plusia Hochenwarthi</i> , <i>parilis</i> , <i>u-aureum</i>	272
<i>Poblicia</i>	290
<i>Poecilaspis angulata</i> , <i>bona-</i> <i>riensis</i> , <i>cancellata</i> , <i>decem-</i> <i>pustulata</i> , <i>ducalis</i> , <i>duode-</i> <i>cim-verrucata</i> , <i>macularia</i> , <i>pantherina</i> , <i>porcata</i> , <i>proxi-</i> <i>ma</i> 277, <i>subnervosa</i> 277, <i>tes-</i> <i>sellata</i> , <i>texta</i> 276, <i>vittifera</i> ..	277
<i>Poecilostola</i>	291
<i>Poiocera</i>	269
<i>Polistes diadema</i> 240, <i>gallica</i>	239
<i>Polyommatus Epixanthe</i> 114, <i>Helle</i>	299
<i>Psallus Crotchii</i>	99
<i>Pseudopontia calabarica</i>	348
<i>Pterodictya</i>	288
<i>Pterophorus farfarellus</i>	310
<i>Pyrausta borealis</i>	371

R.

<i>Rhescyntis Hercules</i>	352
<i>Rhodites eglanteriae</i> , <i>rosae</i> 393, <i>spinosissimae</i>	394
<i>Rhonichia</i>	286
<i>Rhyssa curvipes</i>	109

S.

<i>Sarrothripa Revayana</i>	331
<i>Scaralis</i>	294
<i>Sciaphila niveosana</i> , <i>osseana</i> , <i>pratana</i>	373
<i>Scoliopteryx libatrix</i>	332
<i>Scopelosoma satellitia</i>	332
<i>Setina aurita</i> , <i>ramosa</i>	63
<i>Silis ruficollis</i>	112
<i>Spathegaster albipes</i> , <i>aprili-</i> <i>nus</i> 389, <i>baccarum</i> 387, <i>Ta-</i> <i>schenbergi</i> 391, <i>tricolor</i> 388, <i>verrucosus</i> ..	389
<i>Spudaea</i>	84
<i>Strepsiptera</i>	242
<i>Syrichthus centaureae</i>	251

T.

<i>Tachynotus</i>	9
<i>Teras terminalis</i>	386
<i>Thalassophilus</i>	9
<i>Thrips</i>	325
<i>Throscus brevicollis</i> , <i>carini-</i> <i>frons</i> , <i>dermestoides</i> , <i>Duva-</i> <i>lii</i> , <i>elateroides</i> 328, <i>exul</i> 111, 328, <i>obtusus</i>	328
<i>Thyanta</i>	257
<i>Tinea rusticella</i>	375
<i>Tomintus</i>	292
<i>Tortrix gelidana</i> , <i>Moeschle-</i> <i>riana</i>	373
<i>Trechi oculati</i> 7, 145, <i>alphab.</i> <i>Register dazu</i>	196
<i>Trigonaspis crustalis</i>	392
<i>Triphosa dubitata</i>	368
<i>Troglops corniger</i>	144
<i>Tryponaeus</i>	334

U.

<i>Ulubra</i>	286
---------------------	-----

V.

<i>Vanessa Antiopa</i> , <i>cardui</i> , <i>in-</i> <i>terrogationis</i> 116, <i>Polychlo-</i> <i>ros</i>	353
---	-----

X.

<i>Xanthia aurago</i>	332
<i>Xylina rhizolitha</i> ..	332
<i>Xylonomus rufipes</i> ..	108



1870. "Alphabetisches Register." *Entomologische Zeitung* 31, 433–436.

View This Item Online: <https://www.biodiversitylibrary.org/item/35851>

Permalink: <https://www.biodiversitylibrary.org/partpdf/205926>

Holding Institution

Smithsonian Libraries and Archives

Sponsored by

Smithsonian

Copyright & Reuse

Copyright Status: NOT_IN_COPYRIGHT

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.