

New Names for the Texas Taxa of Acacia (Fabaceae)**Billie L. Turner**Plant Resources Center
The University of Texas
Austin, TX 78712**ABSTRACT**

Recent DNA studies of numerous authors (Arce & Bachman 2006; Miller and Bayer, 2003; Seigler, Ebinger and Miller 2006; Seigler Ebinger and Glass, 2012; etc.) have realigned the classically conceived **Acacia**, recognizing from its midst several genera. Amongst the Texas taxa numerous name changes are in order, these having been proposed by various authors, all of these treated as **Acacia** in my Legumes of Texas (Turner, 1959), and in my Atlas of the Vascular Plants of Texas (Turner et al. 2003). Distribution maps of the **Senegalia greggii** complex in Texas are also provided. *Phytologia* 97(2): 120-122 (April 1, 2015). ISSN 030319430.

KEY WORDS: *Acacia*, *Acaciella*, *Senegalia*, *Vachellia*

The following name changes of Texas **Acacia**, sensu Turner (1959; 2003) have been proposed by various authors, largely on the basis of DNA data.

Acacia angustissima (Mill.) Kuntze**Acaciella angustissima** (Mill.) Britton & Rose

var. **chisosiana** (Isely) B.L. Turner, **comb. nov.**
based upon *Acacia angustissima* var. *chisosiana* Isely, Sida 3: 370. 1969.

var. **hirta** (Nutt.) B.L. Turner, **comb. nov.**
based upon *Acacia hirta* Nutt., in Torr. & Gray, Fl. N. Amer. 1: 404. 1840.
[includes *Acacia texensis* Torr. & Gray; cf. Turner 1996]

var. **filicoides** (Cav.) L. Rico, Kew. Bull. 59: 327. 2004.

Acacia berlandieri Benth.**Senegalia berlandieri** (Benth.) Britton & Rose*Acacia greggii* A. Gray**Senegalia greggii** (A. Gray) Britton & Rose*Acacia roemeriana* Scheele**Senegalia roemeriana** (Scheele) Britton & Rose*Acacia wrightii* Benth.

Senegalia wrightii (Benth.) Britton & Rose

Seigler, Ebinger and Miller (2006) treated this taxon at the specific level; Turner (1996) inexplicably treated the taxon at the varietal level (as *A. greggii* var. *wrightii*) and mapped it as such in his Atlas of Texas Plants (2003). Seigler, Ebinger and Glass (2012) are clearly correct in their interpretation of the complex; my restudy of the distribution of two taxa in Texas, based upon their criteria, is shown in Figs. 1 and 2.

Acacia constricta Benth. ex A. Gray

Vachellia constricta (Benth.) Seigler & Ebinger

Acacia farnesiana (L.) Willd.

Vachellia farnesiana (L.) Wight & Arn.

Acacia rigidula Benth.

Vachellia rigidula (Benth.) Seigler & Ebinger

Acacia schaffneri S. Wats.

Vachellia bravoensis (Isley) Seigler & Ebinger

Acacia schottii Torr.

Vachellia schottii (Torr.) Seigler & Ebinger

Acacia vernicosa Britton & Rose.

Vachellia vernicosa (Britton & Rose) Seigler & Ebinger**Hybrid taxa**

Acacia emoryana Benth.



Senegalia x emoryana (Benth.) Britton & Rose
[reportedly hybrid of **S. berlandieri** x **S. greggii**]

Senegalia x turneri Seigler, Ebinger & Glass
[reportedly hybrid of **S. berlandieri** x **S. wrightii**]

I have accepted the collections (cited in Seigler, Ebinger and Glass 2012) of the above hybrids; these are mapped accordingly in my revised Atlas.

LITERATURE CITED

- Arce, M. de L. Rico and S. Bachman. 2006. A taxonomic revision of *Acaciella* (Leguminosae, Mimosoideae). *Anal. Jard. Bot. Madrid* 63: 189-244.
- Miller, J.T. and R.J. Bayer. 2003. Molecular phylogenetics of *Acacia* subgenera *Acacia* and *Aculiferum* (Fabaceae: Mimosoideae), based on the chloroplast *matk* coding sequence and flanking *trnk* intron spacer regions. *Austral. Syst. Bot.* 16: 27-33.
- Seigler, D.S., J.E. Ebinger and C. Glass. 2012. *Senegalia, berlandieri*, *S. greggii*, and *S. wrightii* hybrids (Fabaceae: Mimosoideae) in Texas and adjacent Mexico. *Phytologia* 94: 439-455
- Seigler, D.S., J.E. Ebinger and J. T. Miller. 2006. The genus *Senegalia* (Fabaceae: Mimosoideae) from the New World. *Phytologia* 88: 38-93.
- Turner, B.L. 1959. Legumes of Texas. Univ. of Texas Press, Austin
- Turner, B.L. 1996. Synoptical study of the *Acacia angustissima* (Mimosaceae) complex. *Phytologia* 81: 10-15.
- Turner, B.L et al. 2003. Atlas of the Vascular Plants of Texas (Vol. 1). Sida, Bot. Misc., Bot Res. Inst. Tex., 647 pp.

Fig.1. Distribution of *Senegalia greggii*.Fig. 2. Distribution of *Senegalia wrightii*.



Turner, B. L. 2015. "New Names for the Texas Taxa of Acacia (Fabaceae)."
Phytologia 97(2), 120–122.

View This Item Online: <https://www.biodiversitylibrary.org/item/201069>

Permalink: <https://www.biodiversitylibrary.org/partpdf/220485>

Holding Institution

Phytologia

Sponsored by

IMLS LG-70-15-0138-15

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Phytologia

License: <http://creativecommons.org/licenses/by-nc-sa/4.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.