- CORKHILL, P. 1971. Cannibalistic Great Black-backed Gulls. British Birds 64:30–32.
- DAVIS, W. E., JR., AND J. KRICHER. 2000. Glossy Ibis (*Plegadis falcinellus*). The Birds of North America, no. 545.
- GOOD, T. P. 1998. Great Black-backed Gull (*Larus marinus*). The Birds of North America, no. 330.
- HARRIS, M. P. 1965. The food of some *Larus* gulls. Ibis 107:43–53.
- HARRIS, M. P. 1980. Breeding performance of puffins *Fratercula arctica* in relation to nest density, laying date and year. Ibis 122:193–209.
- HATCH, J. J. 1970. Predation and piracy by gulls at a ternery in Maine. Auk 87:244–254.
- JOHNSON, R. A. 1938. Predation of gulls in murre colonies. Wilson Bulletin 185:161–170.
- KRESS, S. W. 1998. Applying research for effective management: case studies in seabird restoration. Pages 141–154 *in* Avian conservation: research and management (J. M. Marzluff and R. Sallabanks, Eds.). Island Press, Washington, D.C.
- KURY, C. R. AND M. GOCHFELD. 1975. Human interference and gull predation in cormorant colonies. Biological Conservation 8:23–34.
- MACDONALD, S. M. AND C. F. MASON. 1973. Predation of migrant birds by gulls. British Birds 66:361–363.
- Massaro, M., J. W. Chardine, I. L. Jones, and G. J. Robertson. 2000. Delayed capelin (*Mallotus villosus*) availability influences predatory behaviour of large gulls on Black-legged Kittiwakes (*Rissa tridactyla*), causing a reduction in kittiwake breeding success. Canadian Journal of Zoology 78: 1588–1596.

- MAWHINNEY, K. AND A. W. DIAMOND. 1999. Using radio-transmitters to improve estimates of gull predation on Common Eider ducklings. Condor 101: 824–831.
- MENDENHALL, V. M. AND H. MILNE. 1985. Factors affecting duckling survival of eiders *Somateria mollissima* in northeast Scotland. Ibis 127:148–158.
- MIKOLA, J., M. MIETTINEN, E. LEHIKOINEN, AND K. LEHTILÄ. 1994. The effects of disturbance caused by boating on survival and behaviour of Velvet Scoter *Melanitta fusca* ducklings. Biological Conservation 67:119–124.
- PIEROTTI, R. 1983. Gull-puffin interactions on Great Island, Newfoundland. Biological Conservation 26:1–14.
- ROBINSON, H. W. 1930. Departure and landing of Manx Shearwaters. British Birds 23:224–225.
- Russell, J. and W. A. Montevecchi. 1996. Predation on adult puffins *Fratercula arctica* by Great Black-backed Gulls *Larus marinus* at a Newfoundland colony. Ibis 138:791–794.
- RYAN, R. A. 1990. Predation by Great Black-backed Gulls on banded waterfowl. North American Bird Bander 15:10–12.
- SNYDER, F. 1960. Great Black-backed Gulls killing Dovekies. Auk 77:476–477.
- SOBKOWIAK, S. 1986. Greater Black-backed Gull and Bald Eagle predation on American Coots. M.Sc. thesis, McGill University, Montreal, Quebec.
- WHITTAM, R. M. AND M. L. LEONARD. 1999. Predation and breeding success in Roseate Terns (*Sterna dougallii*). Canadian Journal of Zoology 77:851–856.

The Wilson Journal of Ornithology 118(3):422-423, 2006

# Tailless Whipscorpion (*Phrynus longipes*) Feeds on Antillean Crested Hummingbird (*Orthorhyncus cristatus*)

Jennifer L. Owen<sup>1,3</sup> and James C. Cokendolpher<sup>2</sup>

ABSTRACT.—A tailless whipscorpion (*Phrynus longipes*) was observed feeding on an Antillean Crested Hummingbird (*Orthorhyncus cristatus*) atop a large

boulder on the island of Virgin Gorda in the British Virgin Islands. This is the first record of any avian species serving as prey for an amblypygid. *Received* 13 June 2005, accepted 21 March 2006.

Whip spiders (tailless whipscorpions), or amblypygids, are members of the class Arachnida, order Amblypygi. *Phrynus longipes* is the largest amblypygid on many Caribbean islands, including the U.S. and British Virgin Islands (Lazell 2005). The average body length of *P. longipes is* ~35 mm and the an-

<sup>&</sup>lt;sup>1</sup> Dept. of Range, Wildlife, and Fisheries Management, Texas Tech Univ., Box 42125, Lubbock, TX 79409-2125, USA; and Texas Parks and Wildlife, Bentsen Rio Grande Valley State Park, World Birding Center, 2800 South Bentsen Palm Dr., Mission, TX 78572, USA.

<sup>&</sup>lt;sup>2</sup> Invertebrates, Natural Science Research Lab., Museum of Texas Tech Univ., Lubbock, TX 79409, USA.

<sup>&</sup>lt;sup>3</sup> Corresponding author; e-mail: jennifer.owen@tpwd.state.tx.us

tenniform legs can reach an additional 34 mm (Quintero 1981). Amblypygids have no venom glands; instead, they use their sharp raptoral pedipalps (first pair of appendages) to capture prey. They are generally nocturnal and are considered mostly "sit and wait" predators, feeding on prey items found around their home territory in the caves and crevices between and under large rocks, and on trees (Weygoldt 2000). Although the diet of P. longipes consists primarily of arthropods, especially insects, it has been recorded to prey upon vertebrates, such as Anolis lizards (Weygoldt 2000) and Eleuthrodactylus frogs (Reagan and Waide 1996). There are no previous records of avian species serving as prey for any amblypygid.

Antillean Crested Hummingbirds (*Orthorhyncus cristatus*) are diurnal and inhabit the Lesser Antilles, including the British Virgin Islands (Lazell 2005). The main cause of mortality for hummingbirds is predation of their eggs and nestlings; predation on adult hummingbirds is relatively rare (Miller and Glass 1985). Thirteen cases of adult hummingbird predation have been documented worldwide, with only two events involving an invertebrate predator; the Chinese praying mantis (*Tenodera aridifolia*) was the predator in both cases (Miller and Glass 1985). Like amblypygids, the Chinese praying mantis is a "sit and wait" predator.

At 22:00 EST on 20 October 2004, J. Egelhoff observed an adult *P. longipes* (body ~30 mm long) feeding on an adult Antillean Crested Hummingbird (~80 mm long), 1 m above ground, atop a large boulder behind the Little Secrets Nature Gallery in Spanish Town, Virgin Gorda, British Virgin Islands (18° 26.68′

N, 64° 26.38′ W). The *P. longipes* was holding the hummingbird with its raptoral pedipalps and was feeding on the hummingbird's body; it continued to feed for 2 hr. At the time of observation, the hummingbird was no longer alive, and due to the mutilation caused by the feeding amblypygid, we were unable to obtain information on the hummingbird's weight, sex, or breeding status. The amblypygid is now part of the living exhibit at the Little Secrets Nature Gallery.

Although it is unknown how the *P. longipes* acquired its avian prey, our observation is the first record of an amblypygid feeding on a hummingbird, or any other avian species.

# **ACKNOWLEDGMENTS**

We thank Jim Egelhoff and the Little Secrets Nature Gallery on Virgin Gorda, British Virgin Islands, for locating and photographing the predation incident, and to Dr. J. Lazell, The Conservation Agency, and the Falconwood Foundation for supporting research in the British Virgin Islands. We also thank Texas Tech University for financial support. This is manuscript T-9-1054 of the College of Agricultural Sciences and Natural Resources, Texas Tech University. We thank J. M. Wunderle and two anonymous reviewers for the helpful comments that improved this manuscript.

#### LITERATURE CITED

LAZELL, J. 2005. Island: fact and theory in nature. University of California Press, Berkeley.

MILLER, R. S. AND C. L. GLASS. 1985. Survivorship in hummingbirds: is predation important? Auk 102: 175–178.

QUINTERO, D. 1981. The amblypygid genus *Phrynus* in the Americas. Journal of Arachnology 9:117–166.

REAGAN, D. P. AND R. B. WAIDE (Eds.). 1996. The food web of a tropical rainforest. University of Chicago Press, Chicago, Illinois.

WEYGOLDT, P. 2000. Whip spiders (Chelicerata: Amblypygi): their biology, morphology and systematics. Apollo Books, Stenstrup, Denmark.



Owen, Jennifer L and Cokendolpher, James C. 2006. "Tailless Whipscorpion (Phrynus longipes) Feeds on Antillean Crested Hummingbird (Orthorhyncus cristatus)." *The Wilson journal of ornithology* 118(3), 422–423. <a href="https://doi.org/10.1676/05-062.1">https://doi.org/10.1676/05-062.1</a>.

View This Item Online: <a href="https://www.biodiversitylibrary.org/item/214888">https://www.biodiversitylibrary.org/item/214888</a>

**DOI:** https://doi.org/10.1676/05-062.1

**Permalink:** <a href="https://www.biodiversitylibrary.org/partpdf/240812">https://www.biodiversitylibrary.org/partpdf/240812</a>

## **Holding Institution**

Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

### Sponsored by

IMLS LG-70-15-0138-15

#### **Copyright & Reuse**

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Wilson Ornithological Society

License: http://creativecommons.org/licenses/by-nc-sa/4.0/

Rights: https://biodiversitylibrary.org/permissions

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.