

Wet places. Florida. February
to May. - Stem 2° - $3\frac{1}{2}^{\circ}$ high.
Lower leaves 2° - 3° long, 1° - $2\frac{1}{2}^{\circ}$
wide. Perianth $2\frac{1}{2}$ - 3° long.

I looked for and picked
some of the longest leaves that I
could find among this that
grew in the drier soil, but
the flowering stems are just
as they came in my way
without any regard to length.

I shall wait with interest
your decision with regard to this
Iris.

Sincerely yours

Mary Treat.

Please observe that the angles
of the seed-revel ^{are} ~~are~~ ~~now~~ clearly
defined, in this that I send you
today.

Green Cove
April

Dear Professor Lur
I send

and leaves of a form
that might almost
distinct from the
ed, stout-branched.

I have devoted
days almost exclu-
sively, visiting it
- measuring and
it in different

This that I send
grew about a mile
the river in damp
along the roadside
not see a single
stem; what I send
sample of quite a
The ground was
it grew that I



Treat, Mary. 1877. "Treat, Mary Apr. 2, 1877 [to C. S. Sargent]." *Asa Gray correspondence*

View This Item Online: <https://www.biodiversitylibrary.org/item/225452>

Permalink: <https://www.biodiversitylibrary.org/partpdf/253221>

Holding Institution

Harvard University Botany Libraries

Sponsored by

Arcadia 19th Century Collections Digitization/Harvard Library

Copyright & Reuse

Copyright Status: Public domain. The Library considers that this work is no longer under copyright protection

License: <https://creativecommons.org/licenses/by-nc-sa/4.0/>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.