

L. obscur. has spreading branches and only one spike - but we will find the same feature on *L. dens.* too. My opinion is - that there are not distinct characteristics enough to separate *obscur.* from *dens.*

What you do think about it?

Yours Truly
C. H. Sargent

Emma, Saline Co; Mo. May 12th 91,

My dear Sir: Please collect for
me in good specimens:

Lycopod. annot. v. pungens Sprng.

Botrychium borealis

" lanceolatum

Yours Truly

C. H. Demetrios



Demetrio, C. H. 1891. "Demetrio, Charles H. Jan. 13, 1891 [to M. L. Fernald] [2nd item]." *Asa Gray correspondence*

View This Item Online: <https://www.biodiversitylibrary.org/item/221834>

Permalink: <https://www.biodiversitylibrary.org/partpdf/255191>

Holding Institution

Harvard University Botany Libraries

Sponsored by

Arcadia 19th Century Collections Digitization/Harvard Library

Copyright & Reuse

Copyright Status: Public domain. The Library considers that this work is no longer under copyright protection

License: <https://creativecommons.org/licenses/by-nc-sa/4.0/>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.