

1. *C. bromoides* Schk
2. *C. lurida* Walt.
3. *C. echinata*, approach-
ing v. *cephalantha*
4. Looks like a depauper-
ate sprig of *C. monile*.
5. *C. echinata* v. *microstachys*
6. *C. canescens* v. *polystachya*
7. *C. echinata* v. *angustata*
8. *C. straminea* v. *brevior*
9. *C. straminea*
10. *C. scoparia*
11. *C. straminea*
12. *C. straminea*, nearly var.
mirabilis
14. *C. straminea* v. *alata*
15. " " v. *mirabilis*
16. *C. canescens* v. *vulgaris*

17- 16

18. *C. staminea*

19. *C. tribuloides*; much like var.
reducta

20. *C. scoparia*

21. *C. tribuloides* v. *tubata*

22. *C. staminea* v. *brevior*

23. *C. Magellanica* Lam.

(Nothing peculiar about it)

24. *C. uticulata*

Your "*C. bullata*" is

C. monile

L. H. BAILEY,

Ithaca, N. Y.

AUG 16 1890

THE AMERICAN GARDEN.

Much obliged



Bailey, L. H. 1832. "Bailey, Liberty H. undated [list]." *Asa Gray correspondence*

View This Item Online: <https://www.biodiversitylibrary.org/item/221276>

Permalink: <https://www.biodiversitylibrary.org/partpdf/259789>

Holding Institution

Harvard University Botany Libraries

Sponsored by

Arcadia 19th Century Collections Digitization/Harvard Library

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.