

Wright's Cuba Orchids

668.	<i>Neurothallis Wilsoni</i> sp. n.	644x	<i>Epidendr:</i>	<i>rivulane</i> sp. n.
657x	<i>nephelogenes</i> sp. n.	645.	646.	642.
657x	<i>Grobyi</i> Lindl.	630x		<i>umbellatum</i> Swz.
659x	<i>trichophora</i> sp. n.	oo.		<i>ramosum</i> Jacq.
656x	<i>univaginata</i> sp. n.	635x		<i>Wrightii</i> sp. n.
655x	<i>albida</i> sp. n.	636x		<i>variegatum</i> Hooker.
616x	<i>oblongifolia</i> Lindl.	oo		<i>fragrans</i> Swz.
629x	<i>prostrata</i> sp. n.	oo		<i>nocturnum</i> L.
663x	<i>fallax</i> Rehb. f.	628x		<i>virens</i> Lindl.
657x	<i>longilabris</i> sp. n.	oo		<i>fuscatum</i> Swz.
648x	<i>testifolia</i> Lindl.	oo		<i>Boothianum</i> Lindl.
653x	<i>cubensis</i> sp. n.	oo		<i>diffusum</i> Swz.
oo.	<i>hymenantha</i> Lindl.	646 = 640		<i>phoeniceum</i> Lindl.
oo.	<i>rubrovirides</i> sp. n.	643x		<i>cochleatum</i> L.
654x	<i>Octomeria tridentata</i> Lindl.	639x	<i>Brassia</i>	<i>polygonatum</i> sp. n.
662x	<i>Lepanthes dorsalis</i> sp. n.	667x	<i>Ionopsis</i>	<i>caudata</i> Lindl.
oo.	<i>chrysostigma</i> sp. n.	670x	<i>Oncidium</i>	<i>Gardneri</i> ? id
oo.	<i>fulva</i> sp. n.	668x		<i>sylvestre</i> sp. n.
661x	<i>trichodactyla</i> sp. n.	666x		<i>variegatum</i> Swz.
652x	<i>Masdevallia fenestrata</i> Lindl.	oo		<i>lucidum</i> B Lindl.
658x	<i>Stelis ophioglossoides</i> Swz.	669		<i>Lemonianum</i> id
613x	<i>Microstylis umbellulata</i> Lindl.	oo.x	<i>Dichaea</i>	<i>usneoides</i> sp. n.
614x	<i>spicata</i> id.	oo		<i>muricata</i> Lindl.
641x	<i>Bletia verecunda</i> R. Br.	647x		<i>glauca</i> id
677x	<i>patula</i> Hooker	oo		sp. n. ?
665x	<i>Broughtonia sanguinea</i> R. Br.	650x	<i>Camaridium</i>	<i>squarrosa</i> Lindl.
649x	<i>Dinema polybulboa</i> Lindl.	637x	<i>Calia</i>	<i>vestitum</i> Lindl.
oo.	<i>Ischilus globosum</i> Lindl.	627x	<i>Polystachya</i>	<i>Bauerana</i> id
oo.	<i>teretifolium</i> id	631x	<i>Govenia</i>	<i>luteola</i> Hooker.
633x	<i>lineare</i> R. Br.	oo	<i>Warczewiczella</i>	<i>lagenophora</i> Lindl.
		634x	<i>Lycaste</i>	<i>discolor</i> Rehb. f.
				<i>ciliata</i> Lindl.

638. *Macillaria crassifolia* Rehb. f.
 632. *_____ pallidiflora* Hooker
 664. *Companettia falcata*
 672. *Vanilla claviculata* Swz
 625. *Habenaria maculosa* Lindl
 622. *Sauroglossum tenue* sp. n.
 621. *Cranichis monophylla* Lindl
 oo. *_____ pauciflora* Swz.
 620. *_____ muscosa* Swz
 626. *Prescottia colorans* Lindl
 oo. *_____ pellucida* sp. n.
 618. *Stenorkynchus orchoides* Rich
 619. *Spiranthes elata* Rich
 oo. *_____ truncata* Lindl
 624. *Physurus hirtellus* id
 623. *_____ plantagineus* id
 617. *Pelecia setacea* id
 oo. *Chloidia vernalis* id
 615. *Pogonia macrophylla* sp. n.

John Lindley
 Feb. 16. 1855

Quere. No 651? = 661?

"646 Epidendrum
 cochlearium" =
 probably 640,

660, not ~~name~~ found
in this list



Lindley, John. 1855. "Lindley, John Feb. 16, 1855." *Asa Gray correspondence*

View This Item Online: <https://www.biodiversitylibrary.org/item/223801>

Permalink: <https://www.biodiversitylibrary.org/partpdf/262271>

Holding Institution

Harvard University Botany Libraries

Sponsored by

Arcadia 19th Century Collections Digitization/Harvard Library

Copyright & Reuse

Copyright Status: Public domain. The Library considers that this work is no longer under copyright protection

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.