Alor & Species. Standard Stand mennandum Sanssorie - Hyrsefla -Telangon. 4 gonum Sarcocauler Paterion Euploch - (S clavazioites), meloformis Statelini grantifle ? 4 cp, sevene pentagon -Kleini acaulis, articulato depuis mesenty, bartitum Cramela conjubiles Monna carnon -Cramer perfoliat-, falect-

Gamula orbundaris , romlans ly coporoid is anacampieros felamentos -Coylean & cupitate abralla gracilis mesenty. Sectabile. Ceropeji o stapelioe formis Brussviji forephinoe, humilis Cyrtanthus sprialis, obliques, Le. albrea of. Bulbine alorfoh: Errospenne sp. doemanshus of neveral Velkeini untulate, glave. There I.a. bulbs cannot be Kept too dry in their season of cest when Key have perfected their leaves. Shid not be watered overhead, the water set between the scales of bulb trots Hem. Hey are generally lost through the stood in the agnarium to growd flower + there to be enabually dried off



Gray, Asa. 1838. "Gray, Asa undated annotated memorandum." *Asa Gray correspondence. Senders McA-Ma*

View This Item Online: https://www.biodiversitylibrary.org/item/224822

Permalink: https://www.biodiversitylibrary.org/partpdf/262983

Holding Institution

Harvard University Botany Libraries

Sponsored by

Arcadia 19th Century Collections Digitization/Harvard Library

Copyright & Reuse

Copyright Status: Public domain. The Library considers that this work is no longer under

copyright protection

License: https://creativecommons.org/licenses/by-nc-sa/4.0/

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.