

A. *Fungus* *mult. H. Hay*
16 Johns N.B. autumn
B. *of 1905 (04)*

C. *H. serbiculatum*

S. *Dactyloctenium aegyptium*

u. *Polygonum (tomentosum)*

u. *Hydrum sesquipedale*

w. *Helictes citrinus*

X. *Leucotoma*

Y. *Fraxinella umbellata*

u. *Fraxinella umbellata*

D. On cores

t. also on cores. *Callypia*
tenacella.

u.

1.

2. *Omyzma egrina*

3. *Myzophorus laevis*

4. This is not in good condition but seem to be *Corticarius cinnamomeus*. Not the variety semit-sanguineus however. The variety is more common than the type.

5. *Polyphorus* (Fomes)

This seems to be one of the forms of *P. ignarius*.

6. *Boletus sublater*

7. This is not in condition to name

i. ^{Hörneglu.}
~~Epidia~~ aureula-judae

j.
k.

l. Peziza ovotice
m. Epidia glandulosa

n. This species has
many names. Longites
variegata is perhaps
the best. It has
also been called
L. crabaziti.

O. Peziza macrospora

p. = n.

q. & r. 2 is Longites
abietina and the larger
specimen in q. is also
that species. The two
smaller specimens in q.
are too young to name
Lubrosa. L. abietina
& L. ochracea seem to me
to be only one species.



Hay, G. U. 1905. "Fungi Mr. G.U. Hay, autumn of 1905 (04)." *William Gilson Farlow miscellaneous specimen lists : collectors H-K*

View This Item Online: <https://www.biodiversitylibrary.org/item/240531>

Permalink: <https://www.biodiversitylibrary.org/partpdf/263331>

Holding Institution

Harvard University Botany Libraries

Sponsored by

CLIR

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.