PROCEEDINGS

OF THE

BIOLOGICAL SOCIETY OF WASHINGTON

NEW NAMES FOR TWO SUBSPECIES OF *PEROMYSCUS MANICULATUS* (WAGNER).

BY EDGAR A. MEARNS.

Mr. Gerrit S. Miller, Jr., has drawn my attention to the fact that the names applied by me to two forms of the genus *Peromyscus*, defined in 1890, were preoccupied, and are therefore not available.

The name Hesperomys leucopus arcticus Mearns (1890)* must be considered as preoccupied by "[Hesperomys] arcticus, Sauss." of Coues 1877,† in accordance with "opinion 4," rendered by the international commission on zoological nomenclature, ‡ which affirms that "manuscript names acquire standing in nomenclature when printed in connection with the provisions of Art. 25, 5 and the question as to their validity is not influenced by the fact whether such names are accepted or rejected by the author responsible for their publication." In this case it is evident that the author did not intend to set up arcticus as the name of a valid form, as, indeed, he expressly stated that he considered it to show not the slightest departure from the ordinary form of leucopus. The name arcticus can not be regarded as a nomen nudum, as Coues gave a complete history, with no less than eight measurements of specimen No. 3924. Moreover, as the animal from Labrador to which Coues attached the name arcticus, in 1877, is a synonym of Hesperomys maniculatus Wagner, 1845, the name arcticus disappears from nomenclature | and can not be used for the different form from Fort Simpson, Mackenzie, Canada, which I described, in 1890, under the name Hesperomys leucopus arcticus; for the latter I now propose the name borealis.

^{*} Bull. Am. Mus. Nat. Hist., N. Y. II, 1890, p. 285.

[†]Monogr. N. Am. Rodentia, 1877, p. 67 (in text) and p. 61 (where the name is misprinted articus), table XI, line 1 (Labrador).

[‡] Opinions rendered by the International Commission on Zoological Nomenclature. Opinions 1 to 25, publication No. 1938 of the Smithsonian Institution, July, 1910.

[§] International Code of Zoological Nomenclature, 1905, p. 23.

[&]quot;[Hesperomys] bairdii Sauss.", which Coues mentions in the same connection, also from Labrador, has the same status as arcticus; it being a young specimen of Wagner's maniculatus (Not Mus bairdii Hoy and Kennicott, 1856).

Baird's Hesperomys sonoriensis nebrascensis* is a nomen nudum, though it is evident from a comparison of the text and synonymy on pages 462 and 474 of his Mammals of North America that he at first intended to describe this race as a form of sonoriensis, but that, later, he changed his opinion respecting its validity or possibly omitted it through oversight; but Coues repeated the name†, and referred to specimens from Deer Creek, Nebraska, giving measurements and a critical remark on coloration. The name will therefore have to date from Coues. This Nebraskan form was redescribed by Osgood as Peromyscus luteus.‡

The Hesperomys leucopus nebrascensis Mearns §, from Calf Creek, Custer County, Montana, is subspecifically distinct from Hesperomys sono-riensis var. nebrascensis Coues, from Deer Creek, Nebraska, and as it must receive a new name, I propose osgoodi as a subspecific appellation.

The synonymy of the three forms involved stands as follows:

Peromyscus maniculatus borealis, new name.

ARCTIC DEER MOUSE.

Hesperomys leucopus arcticus Mearns, Bull. Am. Mus. Nat. Hist. N. Y., II, 1890, p. 285 (not of Coues). Fort Simpson, Hudson's Bay Territory, September 7th, R. Kennicott.

Peromyscus maniculatus arcticus Osgood, N. Am. Fauna, No. 19, 1900, p. 33.

Peromyscus maniculatus nebrascensis (Coues).

NEBRASKA DEER MOUSE.

Hesperomys sonoriensis var. nebrascensis Baird, Mamm. N. Am., 1857, p. 462 (nomen nudum).

Hesperomys sonoriensis var. nebrascensis Coues, Monogr. N. Am. Rodentia, 1877, p. 79, synonymy under Hesperomys leucopus sonoriensis, p. 28 (critical remark on coloration), p. 80 (mentions specimens from Deer Creek, Nebraska).

Peromyscus nebrascensis of authors (not of Mearns).

Peromyscus luteus Osgood, Proc. Biol. Soc. Washington, XVIII, 1905, p. 78 (Kennedy, Nebraska).

Peromyscus maniculatus luteus Osgood, N. Am. Fauna, No. 28, 1909, p. 77.

Peromyscus maniculatus osgoodi, new name.

BLACK-EARED DEER MOUSE.

Hesperomys leucopus nebrascensis Mearns, Bull. Am. Mus. Nat. Hist., N. Y. 1890, p. 285 (not Hesperomys sonoriensis var. nebrascensis Coues, 1877). Calf Creek, Custer County, Montana.

Peromyscus texanus nebrascensis Allen, Bull. Am. Mus. Nat. Hist., N. Y., VIII, 1896, p. 251 (part).

Peromyscus maniculatus nebrascensis Osgood, N. Am. Fauna, No. 28, 1909, p. 75 (based on Mearns).

^{*} Mamm. N. Am., 1857, p. 462.

[†] Monogr. N. Am. Rodentia, 1877, pp. 28, 79 and 80.

[‡] Proc. Biol. Soc. Washington, 1905, p. 78 (Kennedy, Nebraska).

[§] Bull. Am. Mus. Nat. Hist., N. Y., 1890, p. 285.



Mearns, Edgar Alexander. 1911. "New names for two subspecies of Peromyscus maniculatus (Wagner)." *Proceedings of the Biological Society of Washington* 24, 101–102.

View This Item Online: https://www.biodiversitylibrary.org/item/23914

Permalink: https://www.biodiversitylibrary.org/partpdf/26411

Holding InstitutionMBLWHOI Library

Sponsored by

MBLWHOI Library

Copyright & Reuse

Copyright Status: NOT_IN_COPYRIGHT

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.