

FUNGI OF KWEICHOW PROVINCE, CHINA

Coll. S.Y. Cheo

No.	Date	Name
7	7.17.31	Lenzites betulina L. ex Fr.
131 *	7.27.31	Lenzites betulina L. ex Fr.
300	8.11.31.	Lenzites betulina L. ex Fr.
423	9.7.31.	Lenzites pertenuis (probably a var. of L. betulina)
650	10.3.31	Daedaleopsis confragosa (Bolt.) Schröt. f. Klotzschii
686	10.13.31.	Polyporus varius Fr.
768	10.21.31.	Bondarzewia <i>Berkleyi (Fr.) Sing.</i>
136	7.27.31	Bondarzewia <i>Sing. spec. nov. ined.</i> Ganoderma applanatum var. tornatum
131*	7.27.31	Pycnoporus sanguineus (L.) Murr.
75	7.20.31	Coriolus hirsutus (Wulf. ex Fr.) Quel.
134	7.25.31	Coriolus versicolor (L. ex Fr.) Quel.
159	7.30.31	Coriolus versicolor (L. ex Fr.) Quel.f. subhirsutus Donk
256	8.6. 31	Coriolus versicolor (L. ex Fr.) Quel.
539	9.19.31	Polyporus Korthalsii Lev.
600	9.27.31	Coriolus versicolor (L. ex Fr.) Quel.
639	10.3. 31	Coriolus hirsutus (Wulf. ex Fr.) Quel.
688	10.13.31	Polyporus tegularis Lev.
691.	10.13.31	Bjerkandera adusta (Willd. ex Fr.) Karst.
484	9.14 31.	Piptoporus medulla (Lloyd) Sing. ined. (Polyp. med.)
359	9.3.31	Irpex lacteus Fr.

*) There were two packages with no. 131, each containing a different fungus.

Recd. 1936.

1. Cucurbita Pepo Linn.
2. Cucumis sativa Linn.
4. Mosla (334)
5. Rosa laevigata Michx., or R. longicuspis Bertol., or R. microcarpa Lindl., or R. Roxburghii Tratt., or R. Rubus Levl. & Van., or R. sertata Rolfe.
6. Cunninghamia lanceolata Hook.
7. " "
8. Miscanthus sinensis Anderss.
9. Pennisetum alopecuroides (L.) Spreng.
10. Cunninghamia lanceolata Hook.
11. Carpinus Fargesiana Winkl., or C. kweichowensis Hu, or C. laxiflora var. macrostachya Oliv., or C. tungtzeensis Hu, or C. Wilsoniana Hu
12. Miscanthus sinensis Anderss. (836)
13. Quercus acuta Thunb. var. sinensis Chun, or Q. aliena Blume, or Q. Engleriana Seem., or Q. Fabri Hance, or Q. gilva Blume, or Q. glandulifera Bl. var. brevipedunculata Nakai, or Q. glauca Blume, or Q. jenseniana Hand.-Maz., or Q. myrsinaefolia Blume, or Q. phyllaeoides A. Gray, or Q. Tsoi Chun, or Q. vestita Rehd. & Wils., or Q. dentata Thunb.
14. Lysimachia clethroides Duby (98)
15. Rhamnus leptophyllis Schneid. (90)
16. Rhus punjabensis Stewart var. nucipersica (L.) Schneid.,/or R. verniciflua Stokes or R. semialata Murr.
17. Artemisia lactiflora Wall.
19. Pollinia (209)
20. Saussurea
21. Lespedeza pseudotinctoria Mats., or L. virgata DC.
23. Rubus ampelinus Focke, or R. amplifolius Levl. & Van., or R. hupehensis Oliv., or R. innominatus S. Moore, or R. setchuenensis Bur. & Franch.
24. Liquidambar formosana Hance
25. Phaseolus vulgaris Linn. (189)
26. Prunus microbotrys Koehne (92)
27. Rhynchosia
28. Pueraria Thunbergiana Bentham (287)
29. Saussurea
30. Plantago major Linn.
31. Themeda gigantea villosa Hack., or T. triandra Forsk.
32. Rubus = No. 23
33. Populus nigra Linn.
34. Siegesbeckia orientalis Linn.
35. Rubus setchuenensis Wright (225)
36. Phyllostachys puberula Munro
37. Cucurbita Pepo Linn.
38. Carpinus = No. 11
39. Oleaceae
40. Cirsium arvense (L.) Scop.
41. Pollinia
42. Agrimonia europaea Linn.
43. Rhus = No. 16
44. " "
45. Clematis grata Wall. var. grandidentata Rehd. & Wils. (29)
46. Evodia meliaefolia Benth. (329)
47. Clematis armandi Franch., or C. Buchananiana DC., or C. gracilis Edgew., or C. grata Wall. var. grandidentata Rehd. & Wils., or C. Henryi Oliv., or C. lasiandra Maxim., or C. montana Buchanan, or C. repens Fin. & Gagnep., or C. uncinata Champ., or C. urophylla Franch.
48. Geranium sibiricum Linn. (79)
49. Eupatorium (743)

50. Clematis = No. 47
51. Brunella vulgaris Linn.
52. Rubus = No. 23
53. Artemisia lactiflora Wall.
54. Ilex macrocarpa Levl. (108)
55. Quercus = No. 13
56. Salix ~~xxxMax~~ (33) *longiflora* Anders.
58. Rhus = No. 16
59. Dalbergia balansae Prain, or D. hupeana Hance
61. Pollinia (35)
60. Agrimonia europaea Linn.
62. Phaseolus vulgaris Linn. (189)
63. Rubus setchuenensis Wright (225)
64. Artemisia lactiflora Wall.
65. Zanthoxylum dissitum Hemsl. (172)
66. Viola canescens Wall., or V. Limprichtiana W. Becker
67. Rosa Roxburgii ~~Franch.~~ Tratt.
68. Pollinia (849)
69. Lysimachia callipes Hemsl., or L. clethroides Duby, or L. Fortunei Maxim., or L. Huii Diels, or L. phyllocephala Hand.-Maz.
70. Castanea mollissima Blume, or C. Seguinii Dode
71. Eurya acuminata DC., or E. acuminatissima Merr., or E. glandulosa Merr., or E. Groffii Merr., or E. nitida Korth.
72. Zanthoxylum cuspidatum Champ., or Z. dimorphophyllum Hemsl., or Z. dissitum Hemsl., or Z. myrianthum Wall., or Z. simulans Hance, or Z. alatum Roxb.
73. Quercus = No. 13
- 76.
77. Bambusa
78. Pueraria Thunbergiana Benth.
79. Quercus = No. 13
80. Broussonetia papyrifera Vent.
82. Rubus = No. 23
83. Phyllostachys puberula Munro
84. Quercus = No. 13
85. Zanthoxylum alatum Roxb. (34)
86. Rosa Roxburghii Tratt. (2)
87. Populus nigra Linn.
88. Miscanthus sinensis Anderss.
89. Populus nigra Linn.
90. Trema
91. Glycine Max (L.) Merr.
92. Castanea = No. 70
93. Aralia dasyphylla Miq.
94. Indigofera
95. Buddleia Davidii Franch.
96. Polygonum nepalense Meisner (399)
97. Zanthoxylum = No. 72
98. Andropogon Ischaemum Linn., or A. micranthus Kunth.
99. Broussonetia papyrifera Vent.
100. Polygonum caespitosum Blume (385)
101. Prunus Persica Stokes
102. Pollinia
103. Rhus = No. 16
104. Epimedium
105. Clematis grata Wall. var. grandidentata Rehd. & Wils. (29)
106. Dioscorea batatas Decne., or D. bulbifera Linn., or D. doryophora Hance, or D. glabra Dode, or D. pentaphylla Linn.
107. Vigna sinensis (L.) Hassk.

108. Zanthoxylum (910)
109. Fraxinus chinensis Roxb.
110. Cryptotaenia canadensis DC. (113)
111. Celtis Bungeana Blume, or C. Julianae Schneid., or C. sinensis Pers.
112. Zea Mays Linn.
113. Rhamnus crenata Thunb., or R. Esquirolii Levl., or R. leptophyllus Schneid.,
or R. utilis Decne.
114. Zanthoxylum alatum Roxb. (34)
115. Ailanthus
116. Justicia
117. Lactuca chinensis (Thunb.) Mak., or L. denticulata Maxim., or L. elata Hemsl.
118. Teucrium quadrifarium Buch.-Ham. (187)
119. Patrinia heterophylla Bunge (591)
120. Viola = No. 66
121. Perilla
122. Calystegia sepium R. Br. (194)
123. Lespedeza = No. 21
124. Helianthus annuus Linn.
125. Vicia
126. Torilis anthriscus (L.) Gambl.
127. Rhus punjabensis Stewart var. nucipersica (L.) Schneid. (112)
128. Zanthoxylum = No. 72
130. Zea Mays Linn.
131. Liquidambar formosana Hance
132. Quercus = No. 13
133. Rhus = No. 16
134. " "
135. " "
137. " "
138. Glycine Max (L.) Merr.
139. Artemisia lactiflora Wall.
140. Setaria
141. Bambusa
142. Spiraea japonica Linn.f. var. acuminata Franch. (367)
143. Rhus = No. 16
145. " "
146. Crataegus
147. Phtheirospermum chinense Bunge (632)
149. Angelica
150. Hypericum patulum Thunb. (628)
151. Viola (678)
152. Morus
153. Zanthoxylum simulans Hance (17)
154. Viburnum betulifolium Batal., or V. corylifolium Hook.f. & Thoms., or V. cylindricum Hamilt., or V. fallax Graeber, or V. foetidum Wall. var. rectangulum Rehd., or V. propinquum Hemsl.
155. Sanicula europaea Linn. (178)
156. Quercus = No. 13
157. Aralia (129)
158. Pennisetum alopecuroides (L.) Spreng. (617)
159. Castanea = No. 70
160. Houttuynia cordata Thunb. (118)
161. Clematis = No. 47
163. Zizania
164. Aster (585)
165. Crataegus
166. Elaeagnus lanceolata Warb. subsp. grandifolia Serv. (413)
167. Iris

168. Trachycarpus excelsus Wendl.
 169. " "
 170. " "
 171. Zanthoxylum = No. 72
 172. Rosa Roxburghii Franch. (2)
 173. Pennisetum alopecuroides (L.) Spreng.
 174. Kyllinga brevifolia Rottb., or K. b. var. gracillima (Miq.) Kukenthal
 175. Arthraxon hispidus (Thunb.) Makino (519)
 176. Carex cruciata Wahl., or C. japonica Thunb. ~~//~~ var. chlorostachys (D. Don) Kukenthal, or C. ligata Nees, or C. ligulata Nees
 177. Bambusa
 178. Zanthoxylum = No. 72
 179. Miscanthus sinensis Anderss. (836)
 180. Benzoin commune Rehd., or B. glaucum Sieb. & Zucc., or B. supercostatum (Lect.) Rehd. See also Lindera, No. 239 628
 181. Medicago
 182. Osmunda regalis Linn. (412)
 183. Albizzia kalkora Prain
 184. Rosa Roxburghii Franch. (2)
 185. Rubus = No. 23
 186. Lespedeza = No. 21
 187. Hypericum attenuatum Choisy, or H. japonicum Thunb., or H. patulum Thunb., or H. p. var. Henryi Vetch
 188. Desmodium racemosum (Thunb.) DC. (204)
 189. Pollinia
 190. Bambusa
 191. Mosla (334)
 192. Thea caudata (Wall.) Seem., or T. Grijsii (Hance) Kuntze, or T. oleosa Lour., or T. Pitcardii (Stuart) Rehd., or T. sinensis Linn.
 194. Eurya acuminatissima Merr. (656)
 195. Phyllostachys puberula Munro
 196. Spiraea japonica Linn.f. var. Fortunei Rehd., or S. j. Thunb. var. acuminata Fr.
 197. Polygonum aviculare Linn., or P. barbatum Linn. var. gracile (Danser) Steward, or P. caespitosum Blume, or P. campanulatum Hook.f. var. likiangense (W.W.Sm.) Steward, or P. capitatum Ham., or P. chinense Linn., or P. cuspidatum Sieb. & Zucc., or P. cymosum Trev., or P. Dielsii Levl., or P. dissitiflorum Hemsl., or P. excurrens Steward, or P. Fagopyrum Linn., or P. Hydropiper Linn. var. flaccidum (Meisn.) Steward, or P. japonicum Meisn., or P. lapathifolium Linn., or P. limicola Sam., P. macranthum Meisn., or P. macrophyllum D. Don, or P. orientale Linn., or P. minus Huds., or P. nepalense Meisn., or P. perfoliatum Linn., or P. runcinatum Ham., or P. senticosum (Meisn.) Franch. & Sav., or P. strigosum R. Br. var. muricatum (Meisn.) Steward, or P. sagittifolium Levl. & Van., or P. Thunbergii Sieb. & Zucc., or P. viscosum Ham.
 198. Achyranthes aspera Linn.
 199. Galium aparine Linn. (109)
 201. Sedum
 202. Litsea pungens Hemsl.
 203. ~~Arthraxon hispidus (Thunb.) Makino~~ Pollinia (35)
 204. Arthraxon hispidus (Thunb.) Makino (519)
 205. Bambusa
 206. Rubus = No. 23
 208. Benzoin-glaucum Sieb. & Zucc. (88)
 209. Morus
 210. Arundinella anomala Steud. (215)
 211. Cunninghamia lanceolata Hook.
 212. Phyllostachys puberula Munro
 213. Populus nigra Linn.
 214. Hemerocallis

215. Trachycarpus excelsus Wendl.
216. Pueraria Thunbergiana Benth.
217. Akebia lobata var. australis Diels
218. Polygonum caespitosum Blume (385)
219. Sambucus javanica Blume
220. Rubus = No. 23
221. Brassica
222. Salix = [No. 56] (33) longiflora Anders.
223. Phytolacca
224. Vitis pentagona Diels & Gilg us
225. Osmanthus fragrans Lour., or O. serrulata Rehd.
226. Lithocarpus (692)?
227. Lactuca = No. 117
228. Saussurea.
229. Spodiopogon cotulifer (Thunb. Hack. (347)
232. Bambusa
233. Lactuca = No. 117
234. Celtis = No. 111
235. Viburnum betulifolium Batalin, or V. corylifolium Hook.f. & Thoms., or V. cylindricum Hamilt., or V. fallax Graeber, or V. foetidum Wall. var. rectangulum Rehder, or V. propinquum Hemsl. = No. 154
236. Chaetochloa lutescens Stuntz (289)
237. Arundinella anomala Steud. (215)
238. Quercus acutissima Caruth. (315)
239. Benzoin Lindera = No. 628
241. Anthogonium
242. Rubus inominatus S. Moore (6)
246. Geum strictum Ait. (102)
247. Parietaria
248. Elaeagnus lanceolata Warb. subsp. grandifolia Serv. (666)
249. Helianthus annuus Linn.
250. Miscanthus sinensis Anders.
252. Rosa = No. 5
253. Smilax china Linn., or S. scobinicaulis Wright
254. Goriaria sinica Miq. (9)
255. Themeda triandra Forsk. (210)
256. Cunninghamia lanceolata Hook.
257. Agropyron ciliare Fr., or A. semicostatum Nees
258. Symplocos lanceifolia Sieb. & Zucc., or S. laurina (Retz.) Wall., or S. paniculata Miq., or S. setchuensis Brand, or S. stellaris Brand
259. Zea Mays Linn.
260. Rhus = No. 16
261. Castanea mollissima Blume (27)
262. Zea Mays Linn.
263. Salix longiflora Anders. (33)
264. Morus
265. Artemisia lactiflora Wall.
268. Aleurites Fordii Hemsl.
269. Gleditsia macrantha Desf.
270. Castanea = No. 70
271. Berchemia trichoclada Hand.-Maz. var. leioclada Mand.*Maz.
273. Castanea = No. 70
274. Arundinella anomala Steud. (215)
275. Paederia chinensis Hance, or P. foetida Linn.
276. Paederia = No. 275
277. Sanicula europaea Linn. (103)
278. Dryopteris arida O. Ktze., or D. brunnea (Wall.) C.Chr., or D. decipiens

- O. Ktze., or D. erythrosora O. Ktze., or D. Esquirolii Christ., or D. Handelii O. Christ., or D. nipponicum (Fr. & Sav.) C. Chr., or D. rampans (Baker) C. Chr., or D. sophoroides O. Ktze.
279. Polygonum ~~caespitosum~~ ~~Blume~~ = No. 197
280. Corylus chinensis Franchet
281. Smilax = No. 253
282. Rhus = No. 16
283. Carex = No. 176
284. Coriaria sinica Miq. (9)
285. Populus nigra Linn.
286. Berchemia ~~xxx~~ = No. 271
287. Fagus longipetiolata Seem., or F. lucida Rehd. & Wils.
288. Hibiscus syriacus Linn. (639)
289. Viola Limprechtiana W. Becker (257)
290. Spiraea = No. 142
291. Rhus punjabensis Stewart var. nucipersica (L.) Schneid. (112)
292. Duchesnea indica Focke (226)
293. Akebia lobata var. australis Diels (87)
294. Arundinella arundinacea DC. (627)
295. ~~Hydrocotyle~~ Hydrocotyle rotundifolia Roxb. (266)
296. Bambusa
298. Houttuynia cordata Thunb. (118)
299. Phyllostachys puberula Munro
302. Chaetochloa (220)
303. Bambusa
304. Quercus glauca Thunb. (692)
305. Quercus = No. 13
307. Panicum Matsumurae Hack. (311)
308. Bambusa
310. Triticum aestivum Linn.
311. Bambusa
313. Rubus setchuenensis Wright (225)
314. Trichomanes
315. Ricinus communis Linn.
316. Liquidambar formosana Hance
317. Rosa microcarpa Lindl. (301)
319. Berchemia trichoclada (R. & W.) Hand.-Maz. var. leioclada Hand.-Maz. (553)
320. Pennisetum alopecuroides (L.) Spreng.
321. Polygonum = No. 197
322. Aster
323. Prunus Persica Batsch. var. nucipersica (L.) Schneid. (105)
324. Panicum Matsumurae Hack.
325. Phyllostachys
326. Hemerocallis
327. Dalbergia balansae Prain, or D. hupeana Hance
328. Dalbergia = No. 59
329. Zizania
330. Machilus
331. Polygonum = No. 197
332. Phyllostachys
333. Justicia
334. Vigna sinensis (L.) Savi ex Hassk. (188)
335. Koeleruteria bipinnata Franchet (354)
336. Perilla
337. Panicum Matsumurae Hack.
338. Vanieria tricuspidata (Bur.) Merr.
339. Phyllostachys
340. Sorghum vulgare Pers. (548)

341. Celtis = No. 111
 342. Justicia
 343. Calystegia
 344. Vitis pentagona Diels & Gilg
 345. Justicia
 346. Helianthus annuus Linn.
 347. Evodia meliaefolia Benth. (329)
 348. Polygonum caespitosum Blume (381)
 349. Polygonum = No. 197
 350. Rubus setchuenensis Wright (225)
 351. Castanea = No. 70
 352. Oryza sativa Linn.
 353. Lespedeza = No. 21
 354. Acer oblongum Wall. var. concolor Pax (891)
 355. Adenophora capillaria Hemsl. (739)
 356. Glycine Max (L.) Merr. (190)
 357. Polygonum
 358. Clematis lasiandra Haxim. (801)
 360. Viburnum = No. 235
 361. Arthraxon
 362. Eupatorium (743)
 363. Polygonum campanulatum Hook.f. var. likiangense (W.W.Sm.) Steward (360)
 364. Oryza sativa Linn.
 365. Calamagrostis arundinacea DC. (493)
 366. Smilax = No. 253
 367. Aralia dasyphylla Miq.
 368. Pueraria Thunbergiana Benth. (287)
 369. " " "
 370. Salix longiflora Anders. (33)
 371. Prunus microbotrys Koehne, or P. Persica (L.) Batsch. var. nucipersica (L.) Schneid., or P. perulata Maxim.
 372. Lactuca (446)
 373. Origanum vulgare Linn.
 374. Bletilla hyacinthina R. Br.
 375. Hemerocallis
 376. Agrimonia europaea Linn.
 377. Stauntonia (856)
 378. Rhododendron (721)
 379. Rhododendron Buchii Levl., or R. lilieolorum Levl., or R. seriavinii Maxim., or R. stamineum Franchet, or R. Wilsonae Hemsl. & Wils.
 380. Arundinella anomala Steud., or A. arundinacea DC.
 381. Xolisma ovalifolia (Wall.) Rehd. var. lanceolata (Willd.) Rehd. (626)
 382. Quercus glauca Thunb. (643)
 383. Euonymus acanthocarpa var. sutchuenensis Franchet, or E. aculeata Hemsl., or E. alatus Regel, or E. Dielsiana Loesen., or E. myriantha Hemsl., or E. oblongifolia Loes.
 384. Agrimonia europaea Linn. (60)
 385. Eragrostis (237)
 386. Acalypha brachystachya Hornem. (275)
 388. Phyllostachys
 389. Rubus inominatus S. Moore (390)
 390. Vitis pentagona Diels & Gilg
 391. Smilax = No. 253
 392. Populus nigra Linn.
 393. Desmodium catenaria caudata (Thunb.) DC., or D. racemosa (Thunb.) DC., or D. sequex Wall., or D. szechuense (Craib) Schindl.
 394. Acanthopanax evodiaefolius Franch., or A. gracilistylus W.W.Sm., or A. setchuensis Harms, or A. trifolius (L.) Merr.

395. Clematis = No. 47
 396. Benzoin = No. 180
 397. Eupatorium (743)
 398. Daphniphyllum macropodum Miq. (525)
 399. Smilax = No. 253
 400. Astilbe chinensis Fr. & Sav. (497)
 401. Quercus (846)
 402. Viola (232)
 403. Clematis grata Wall. var. grandidentata Rehd. & Wils. (601)
 405. Viola (620)
 406. Hemiboea follicularis Clarke, or H. Henryi Clarke
 408. Clematis = No. 47
 409. Benzoin (669)
 410. Thea = No. 192
 411. (651)
 412. Smilax china Linn. (642)
 413. Dioscorea pentaphylla Linn. (465)
 414. Oxalis (792)
 415. Arundinella arundinacea DC. (627)
 416. Lysimachia clethroides Duby (98)
 417. Rubus = No. 23
 418. Rhododendron = No. 379
 420. Oryza sativa Linn.
 421. Quercus = No. 13
 422. "
 423. "
 434. Phyllostachys puberula Munro
 435. Spodiopogon cotulifer (Thunb.) Hack. (347)
 436. Castanea = No. 70
 438. Solanum aculeatissimum Jacq., or S. biflorum Lour., or S. dulcamara Linn.,
 or S. lysimachioides Wall., or S. Melongena Linn., or S. nigrum Linn., or
S. verbascifolium Linn.
 439. Castanea mollissima Blume (460)
 440. Salix Cavaleriei Levl., or S. dictyoneura V. Seem., or S. floccosa Diels,
 or S. longiflora Anders., or S. Wallichiana Anders., or S. Wilsonii Seem.
 441. Phytolacca
 442. Dalbergia = No. 327
 443. Acer amplum Rehd., or A. Davidii Franchet, or A. Fabri Hance var. rubrocarpa
~~Pax~~ Metcalf, or A. Fargesii Franchet, or A. laevigata Wall., or A. Maximowiczii
 Pax, or A. oblongum Wall., or A. o. var. concolor Pax, or A. sinensis Pax,
 or A. Wilsonii Rehd., or A. Franchetii Pax
 444. Sorbus Folgeri Rehd. (711)
 445. Eurya acuminatissima Merr. (656)
 446. Thea Pitardii (C. Stewart) Rehd. (933)
 447. Viola (690)
 448. Polygonum = No. 197
 449. Acer sinensis Pax (431)
 450. Arundinella arundinacea DC. (627)
 451. Populus nigra Linn.
 452. Viburnum = No. 154
 453. Rubus setchuenensis Wright (225)
 454. Kyllinga brevifolia Robt. (180)
 455. Porana racemosa Roxb. (429)
 456. Achyranthes aspera Linn.
 457. Lobelia (446)
 459. Oplismenus (274)
 462. Carex = No. 176

463. Prunus Persica (L.) Batsch. var. nucipersica (L.) Schneid. (105)
 464. Phaseolus vulgaris Linn.
 465. Rubus inominatus S. Moore (6)
 466. Miscanthus sinensis Anders. (836)
 467. Chaetochloa (220)
 468. Siegesbeckia orientalis Linn. (481)
 469. Quercus = No. 13
 470. Arundinella arundinacea DC. (627)
 471. Trachycarpus excelsus Wendl.
 472. Phyllostachys
 473. Rosa Roxburghii Franch. (466)
 475. Albizzia kalkora Prain
 476. Agrimonia europaea Linn. (60)
 478. Wisteria
 479. Dioscorea pentaphylla Linn. (465)
 480. Zanthoxylum dissitum Hemsl. (172)
 481. Pollinia (351)
 482. Phyllostachys
 483. Trachycarpus excelsus Wendl.
 485. Rubus = No. 23
 486. Phyllostachys
 487. Hypericum patulum Thunb. (628)
 488. Helianthus annuus Linn.
 489. Zanthoxylum = No. 72
 490. Mallotus barbatus Muell., or M. contubernalis Hance, or M. japonica Muell.-Arg.,
 or M. philippinensis Muell., or M. repandus Muell.-Arg.
 491. Zanthoxylum dissitum Hemsl. (172)
 492. Rohdea japonica Roth (902)
 494. Mosla (334)
 495. Phaseolus vulgaris Linn.
 496. Cucubalus baccifer Linn.
 497. Zizyphus jujuba Mill. var. inermis (Bge.) Rehd. (307)
 501. Digitaria sanguinalis (L.) Scop. (217)
 502. Actinidia
 503. Sorbus calonura Rehder (605)
 504. Fragaria orientalis Loes. (357)
 505. Actinidia callosa Lindley (136)
 506. Vitis pentagona Diels & Gilg
 507. Cucurbita Pepo Linn. (19)
 508. Arundinella anomala Steud. (215)
 509. Rhus = No. 16
 510. Cedrela sinensis Juss.
 511. Viola (678)
 512. Vitis (596)
 513. Arthraxon hispidus (Thunb.) Mak. (519)
 514. Ampelopsis c.f. Watsoniana Wils. (364)
 515. Lactuca (435)
 516. Clerodendron trichotomum Thunb. var. Fargesii Rehder (593)
 517. Rubus setchuenensis Wright (225)
 518. Eurya acuminata DC., or E. acuminatissima Merr., or E. glandulosa Merr., or
E. Groffii Merr., or E. nitida Korth.
 519. Benzoin (669)
 521. Tilia tuan Szysz. (595)
 522. Akebia (87)
 523. Viburnum = No. 154
~~524. Buddleia Davidii Franch.~~ 524. Buddleia Davidii Franch.
 528. Berchemia trichoclada (R.&W.) Hand.-Maz. var. leioclada Hand.-Maz. (553)
 529. Tovara virginiana (L.) Rafin. var. filiformis (Thunb.) Steward (310)

530. Paulownia Fortunei Hemsl.
 531. Rubus setchuenensis Wright (225)
 532. Rosa Rubus Levl. & Van. (462)
 533. " " "
 534. Bambusa
 535. Olematis = No. 47
 536. Cornus capitata Wall., or C. controversa Hemsl., or C. parviflora Chien
 542. Spiraea japonica Linn.f. var. Fortunei Rehd., or S. japonica Thunb. var. acuminata Franchet
 543. Rubus = No. 23
 544. " "
 545. Arthraxon hispidus (Thunb.) Makino (519)
 546. Prunus communis Arcang.
 547. Smilax = No. 253
 548. Goleus
 549. Aster trinervius Roxb. (744)
 551. Begonia fimbriatipula Hance
 552. Berchemia trichoclada Hand.-Maz. var. leioclada Hand.-Maz.
 554. Lophanthus rugosus F. & H. (715)
 555. Juglans regia Linn.
 556. Ilex dubia Trel. var. speudomacropoda Loes., or I. macrocarpa Oliver, or I. microcca Maxim., or I. myrsinoides Levl., or I. Pernyi Franch. var. Veitchii Rehd., or I. pseudomacropoda Loes., or I. purpurea var. Oldhamii (Mig.) Loes., or I. triflora Blume var. loffiana Rolfe, or I. triflora var. vitridis (Champ.) Loes., or I. Tutcheri Merr., or I. yunnanensis Franch.
 557. Acer = No. 443
 562. Berchemia trichoclada Hand.-Maz. var. leioclada Hand.-Maz.
 563. " " "
 564. Thea = No. 192
 565. Albizzia
 567. Lindera (253)
 568. Viola Limprichtiana W. Becker (257)
 569. Stellaria
 570. Actinidia callosa Lindl., or A. chinensis Planch., or A. coriacea Lindl. var. Henryi Maxim.
 571. Ghaetochloa lutescens (Weigel) Stuntz (289)
 572. Vigna sinensis Savi ex Hassk. (188)
 573. " " "
 575. Desmodium racemosum (Thunb.) DC. (204)
 576. Miscanthus sinensis Anders.
 577. Vigna sinensis (L.) Hassk.
 578. Polygonum chinense Linn. (552)
 579. Eremochloa ophioroides (Munro) Hack. (890)
 580. Vitis pentagona Diels & Gilg
 581. Phyllostachys
 582. Vigna sinensis (L.) Hassk.
 583. Sapium sebiferum Roxb.
 584. Artemisia lactiflora Wall.
 585. Miscanthus sinensis Anders. (836)
 586. " " "
 588. Albizzia
 589. Scirpus
 590. Vigna sinensis (L.) Hassk.
 591. Arachis hypogaea Linn.
 592. Arthraxon hispidus (Thunb.) Makino (519)
 593. Erianthus (557)
 594. Vitex Negundo Linn.

595. Morus
 596. Albizzia
 597. Impatiens aristulata Hook.f.
 598. Desmodium = No. 393
 599. Artemisia lactiflora Wall.
 600. Sapium sebiferum Roxb.
 602. Lagenaria
 603. "
 604. Berchemia trichoclada Hand.-Maz. var. leioclada Hand.-Maz.
 605. Lonicera Henryi Hemsl., or L. japonica Thunb., or L. ligustrina Wall., or
L. macrantha DC., or L. pileata Oliver, or L. similis Hemsl. var. Delavayi
 (Franch.) Rehd.
 606. Carpinus Fargesiana Winkl., or C. kweichowensis Hu, or C. laxiflora var.
macrostachya Oliver, or C. tungtzeensis Hu, or C. Wilsoniana Hu
 607. Acanthopanax evodiaefolius Franchet, or A. gracilistylis W.W.Sm., or
A. setchuenensis Harms, or A. trifolius (L.) Merr.
 608. Coriaria sinica Miq. (9)
 609. Quercus = No. 13
 610. "
 611. Setaria italica Beauv.
 612. Pennisetum alopecuroides (L.) Spreng.
 613. Artemisia lactiflora Wall.
 614. Dioscorea bulbifera Linn. (64)
 615. Arundinella anomala Steud., or A. arundinacea DC.
 616. Glematis montana Buch.-Ham. (501)
 617. Dryopteris = No. 278
 618. Athyrium Atkinsoni Bedd. var. Andersoni Clarke (838)
 619. Thea oleosa Lour. (610)
 620. Pedicularis (491)
 621. Kerria japonica DC. (242)
 622. Polygonum = No. 197
 623. Astilbe chinensis F. & Z. (497)
 624. Mahonia Sheridaniana Schneid.
 625. Polygonatum cirrhifolium Royle, or P. multiflorum var. longigolium
 626. Rhododendron = No. 379
 627. Viburnum = No. 235
 628. Lindera communis Hemsl., or L. glauca Blume, or L. Prattii Gamble, or
L. touyenense Levl.
 629. Ilex pseudomacropoda Loesen. (405)
 630. Benzoin = No. 180
 631. Photinia amphidoxa (Schneid.) Rehd. & Wils., or P. Beauverdiana Schneid.
 var. notabilis Rehd. & Wils., or P. glabra Maxim., or P. serrulata Lindl.,
 or P. villosa DC., or P. v. var. sinica Rehd. & Wils., or P. v. var.
setchuenensis Franch. (700)
 632. Symplocos setchuenensis Brand (486)
 633. Litsea (521)
 634. Urticac. (278)
 635. Lysimachia clethroides Duby (633)
 636. Salix floccosa Diels (527)
 637. Viburnum = No. 235
 638. Tovaria yunnanensis Franchet (513)
 639. Fagus = No. 287
 642. Sorbus arnoides Rehder (420)
 643. Bambusa
 644. Impatiens aristulata Hook.f.
 645. Carex = No. 176
 648. Ilex = No. 556
 649. "

651. Polygonum campanulatum Hook.f. var. likiangense (W.W.Sm.) Steward (360)
652. Chrysanthemum
653. Polygonum runcinatum Hamilt. ex D. Don (537)
654. Sanicula europaea Linn.
655. Senecio ligularia Hk. (655)
656. Euphorbia chrysocoma glaucophylla Levl.
657. Polygonum runcinatum Hamilt. ex D. Don (537)
658. Rubus = No. 23
660. Clematis = No. 47
661. " "
662. Gaultheria Cummingiana Vidal. (365)
663. Polygonum = No. 197
664. Rubus = No. 23
665. Photinia villosa (Thunb.) DC. var. sinica Rehd. & Wils. (518)
666. Oryza sativa Linn.
667. " "
668. " "
669. Trichomanes
670. Sacciolepis indica (L.) Chase (723)
671. Polygonum = No. 197
672. Fraxinus chinensis Roxb.
673. Cucurbita Pepo Linn.
674. Phyllostachys
678. Illicium Fargesii F. & G. (516)
679. Olerodendron trichotomum Thunb. var. Fargesii Rehd. (593)
681. Asarum Forbesii Maxim.
682. Lysimachia paradiformis Franch. (127)
683. Artemisia lactiflora Wall. (671)
684. Elaeagnus lanceolata Warb. subsp. grandifolia Serv. (666)
685. Acer = No. 443
687. Ficus congesta Levl. & Van., F. formosana Maxim., F. foveolata Wall., F. f. var. Henryi King, F. gibbosa Blume, F. heteromorpha Hemsl., F. hirta Vahl, F. kwangtungensis Merr., F. lacor Ham., F. Martini Levl., F. pyriformis Hook. & Arn., F. silhetensis Miq., F. stenophylla Hemsl., F. Tsiangii Merr., F. variolosa Lindl., or F. Wightiana Benth.
689. Fagus = No. 287
693. Elaeagnus Henryi Warb., E. lanceolata Warb., or E. l. subsp. grandifolia Serv.
694. Acer = No. 443
698. Illicium Fargesii F. & G. (516)
699. Carpinus = No. 606
700. Daphniphyllum macropodum Miq. (525)
704. Olerodendron foetidum Bunge, G. mandarinorum Diels, or G. trichotomum Thunb. var. Fargesii Rehd.
705. Rhododendron (721)
706. Symplocos setchuenensis Brand (486)
707. Quercus glauca Linn. (874)
708. Lithocarpus spicata (Sm.) Rehd. & Wils. var. chittagonga (King) Rehd. (679)
709. Ficus = No. 687
710. Eurya = No. 518
712. Quercus = No. 13
713. Symplocos stellaris Brand (767)
714. Rubus ampliflorus Levl. & Van. (464)
715. Ficus = No. 687
716. Litsea (682)
717. Rhus = No. 16
718. Quercus = No. 13
720. Aralia dasyphylla Miq.

721. Quercus = No. 13
 723. " "
 724. Ficus = No. 687
 728. Thea = No. 192
 730. Aleurites Fordii Hemsl.
 731. Fagus = No. 287
 732. Isachne globosa (Thunb.) O. Ktze. (406)
 733. Quercus glauca Thunb. (692)
 734. Castanea mollissima Blume (460)
 735. " "
 736. " (129)
 737. Thea = No. 192
 738. Machilus
 739. Rosa = No. 5
 741. Stauntonia (856)
 742. Michelia (764)
 743. Ilex micrococca Maxim. (713)
 744. Agrimonia europaea Linn.
 745. Symplocos setchuenensis Brand (486)
 746. " "
 748. " (700)
 749. Carex = No. 176
 750. Clerodendron = No. 704
 752. Viburnum = No. 235
 753. Rhus = No. 16
 754. " (763)
 755. Eurya acuminatissima Merr. (656)
 756. Euonymus (881)
 757. Castanopsis tibetana Hance (746)
 758. " "
 759. Castanopsis hystrix DC., C. neo-Cavaleriei A. Camus, C. platycantha Rehd. & Wils., or C. tibetana Hance
 760. Bambusa
 761. " "
 762. Corylopsis Veitchiana Bean (571)
 763. Carpinus = No. 606
 764. Benzoin = No. 180
 765. Desmodium racemosum (Thunb.) DC. (204)
 767. Quercus glauca Thunb. (265)
 769. Michelia (764)
 770. Arundinella = No. 615
 771. Calamagrostis Langsdorffii Trin. (787)
 772. Ficus foveolata Wall. (75)
 774. Teucrium (510)
 775. Gardenia jasminoides Ellis (779)
 776. Schefflera Delavayi Harms (776)
 777. Rubus ampliflorus Levl. & Van. (464)
 778. Perilla
 779. Rubus = No. 23
 781. Lophatherum gracile Brongn. (160)
 782. Polygonum = No. 197
 784. Pilea angulata Hand.-Maz.
 785. Vitis pentagona Diels & Gilg
 786. Mallotus = No. 490
 787. Vitis pentagona Diels & Gilg
 788. Lithocarpus spicata (Sm.) Rehd. & Wils. var. chittagonga (King) Rehd. (710)
 789. Cedrela sinensis

790. Quercus = No. 13
 791. Bambusa
 792. Lindera touyunene (Levl.) Rehd. (845)
 793. Stauntonia (856)
 794. Meliosma aff. Stewardii Merr. (135)
 795. Stauntonia (856)
 797. Actinidia = No. 570
 798. Litsea (430)
 800. Mahonia Sheridaniana Schneid.
 801. Bletilla hyacinthina Reichb.f. (165)
 802. Impatiens (325)
 803. Quercus acutissima Carruth. (315)
 804. Desmodium = No. 393
 805. Hosta caerulea (Andr.) Tratt. (865)
 806. Phyllostachys puberula Munro
 807. Senecio ligularia Hook., or S. scandens DG.
 808. Ischaemum ciliare Retz. (350)
 809. Sapium sebiferum (L.) Roxb. (551)
 810. Rubia cordifolia Linn.
 811. Eriobotrya japonica Lindl. (693)
 812. Celtis = No. 111
 813. Rosa laevigata Mx. (951)
 814. Polygonum = No. 197
 815. Paederia = No. 275
 816. Cedrela sinensis Juss.
 817. Actinidia = No. 570
 818. Vitis pentagona Diels & Gilg
 819. Belamcanda chinensis DG. (182)
 820. Morus
 821. Solanum Melongena Linn.
 822. Quercus acutissima Carruth. (315)
 839. Polygonum = No. 197
 840. Lonicera = No. 605
 844. Gerardina palmata Gaudich (852)
 845. Eremochloa ophiuroides (Munro) Hack. (890)
 846. Actinidia = No. 570
 849. Morus
 850. Viburnum = No. 235
 852. Trema
 854. Morus
 855. Brassica
 856. Morus
 857. Betula luminifera Winkl. (440)
 860. Elaeocarpus Duclouxii Gagnep. (861)
 861. Ficus = No. 687
 862. Litsea (349)
 863. Cedrela sinensis
 864. Thea = No. 192
 865. Themeda = No. 31
 866. Carex cruciata Wahl. (467)
 867. Benzoin = No. 180
 868. Lindera = No. 628
 869. "
 870. Sageretia Henryi Dunn & Spr. (918)
 871. Rhododendron aff. Seniavinii Maxim. (822)

872. Hydrangea anomala D. Don, H. aspera D. Don, H. longipes Franchet,
H. opuloides (Lam.) K. Koch. var. hortensia (Sieb.) Dipp., H. paniculata
 Sieb., H. Rosthornii Diels, H. strigosa Rehd., or H. s. var. angustifolia Rehd.
875. Castanea = No. 70
877. " (412)
878. Quercus acutissima Carruth. (215)
879. Sanicula europaea Linn. (178)
880. Miscanthus sinensis Anders.
881. Carex ligulata Nees (166)
882. Litsea (521)
886. Phyllostachys puberula Munro
887. Pterocarya Paliurus Batalin, or P. stenoptera DC.
888. Sophora japonica Linn.
889. Miscanthus sinensis Anders. (836)
890. Rubus ampliflorus Levl. & Van. (464)
891. Clematis = No. 47
892. Phyllostachys
893. "



Cheo, Shuh Yuen. 1931. "Host List - Kweichow Collection - 1931." *Cryptogam lists : China*

View This Item Online: <https://www.biodiversitylibrary.org/item/236650>

Permalink: <https://www.biodiversitylibrary.org/partpdf/264192>

Holding Institution

Harvard University Botany Libraries

Sponsored by

CLIR

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.