

Envoi VI. to Mr. Berkeley. 1852.

3293. *Sph. ns. Ogilvii* aff. *limicifuga* racem.
 3294 *Sphaeria sulglobosa*, Bk. *Cratagi* ramul. mat.
 3295 *Stomphylium Tulgo*, Bk. *Chus glabra*
 3296 *Sph. Virginica*, Bk. *castanea!*
 3297 *Hyst. desfrum*, Bk. *Lign. arid*
 3298 *Coprodii* stat. *Acer. trunc. viv.*
 3299 *Sph. (Sticta.)* f. o. *Ulmus Amer. Ram. dej.*
 3300 *Sph. complanata*, f. o. *Caul. herb.*
 3301. *Lichen* *Lign. arid.*
 2. *Sph. atropurca*, Bk. *Chus glab. mat.*
 3. Immature *Acer. (rubra?) ramul. mat.*
 4. = 3293? *Eupat. purp. mat.*
 5. *Ecolete* *Juglans.*
 6. *Sporidismium Lefraria*, B. *Lign. arid.*
 7. *Sph. elongata.* *Robinia Pseud.*
 8 *Sph. Juglandis (fama)* *Juglans.*
 3309. *Sph. mobilis*, Bk. *Robinia. Ramul. mat.*
 10. *Sph. herbarum*, *Hydrang. vulg. mat.*
 11. *Pez. fibriseda*, Bk. *Ulm. Amer. Ram. mat.*
 12. ^{*Parmicularia*} *too young* *Magnol. cordata. Ramul.*
 13. *Sph. incommiscibilis*, Bk. *Herb. mat.*
 14. *Sph. Americana*, Bk. *Platanus. Ram. mat.*
 15. *Sph. conformis*, *Herb. mat.*
 16. *Sphaeroneura ampelopsidis*, Bk. *ampelops. quing.*
 17. *Sph. mutila?* *Fraxinus? ram. dej.*
 18. *Sph. fuscella*, B. Br. *Rosa parv. mort*
 19. *Cytispora leucosperma* *Morus rubra.*
 20. *Coniothecium Juglandis*, Bk. *Juglans.*
 21 *Sph. sanguinea* *Juglans.*
 22. *Sporidismium fusus*, Bk. *Magnol. acumin.*
 23. *Sph. elongata* *Robinia*
 24 *Hyst. elongatum.* *Robin. Lign. arid.*

3325 Sph. vomitoria, Bb.

26. no spores; imperf.

27 Sph. corticola, "

28. Sph. lata

29. Sph. citrispora, Bb.

30. exdite

31. Sph. nobilis, Bb.

32. Peg. fracta, Bb.

33. Sph. (venatilis)

34. Eup. communis

35. Eupog. incurvata

36. Sph. castanophila, Bb.

37. Ganang, Juglandis, Bb.

38. Tympanis gyrosa Bb.

39. Coryneum decipiens, Bb.

40. Sph. semitecta, Bb.

41. Polystigma rubrum? Fol. Androm. & Azaleae.

42. Coryneum.

Robinia. ram. mort.

Pak a Chestnut log.

Fraxin. ramul. matr

Rosa. dej.

Tiliae ramul. necat.

Acer Penns: ramul.

Tiliae ram. matr

Hydrang. vulg. matr.

Robinia

Galium

lign. humid

Castan. ramul. matr

Juglans l. Fraxinus

Ram. dej.

Platanus. Ram. matr

Laurus Benzoin.

3343. Rhyt. decolorans, Androm. lignotr. fol.

44. "Peg. bad. state." Tiliae glab. lign.

45. Hendersonoid state of Sph. (live.) Robinia
an S. anomia.

46. Myxosporium initidum, Bb. Laurus alternif?

47. Sph. Polynesia, Bb. Old log.

48. Sph. lignatilis, Grev. Ram. dej.

49. Peg. compressa, exdite. lign. arid.

50. Patellaria atrata. lign. Robiniae

51. Sph. coronata, junio. Castan: ramul. necat.

52. Stictis Hydrangia, S. Hydrangia matr.

53. Sph. sericea, Bb. Robinia.

54. Euphodia, no spores Hamamelis?

55. "non intelligo." Juglans?

56. Sph. citrispora, Bb. Tilia glabra.

57. diff. & S. eutypa. Benzoin.

58. p.o. cf. 3292, 3362, 50185. Cinnicif. racemos.

59. Sinella Magnolia. Bb. Magnol. cordata

60. Sph. acuminata, Verbasc. Thapsus.

3361. *Mythosporium Puligo*, Bk. *Phytolac. caul. mat.* 3379 *Diplodia*. *Ulmus fulva*
62. *Leptost. vulgare*. *Cimicif. racem.* 80 *Melancon. oratum*. *Juglans cinerea*
63. *exolete* *Tilia Amer. lign. arid* 81. ^{*Diplodia*} *Spk. (Sublectae) fr. o* *Betul. trunc.*
- 64 *Spk. condensata*, Bk. *Querc. montana.* 82. *Spk. conospora*, Bk. *Acer sacchar. radix*
65. *S. lata* *Robinia mat* 83. *Erysiphe Martii*, Lev. *Pisum sativum*
66. *Ignompha Traxini*, Sch. *Fraxinus.* 84. *Phoma Lilum*, *Trifol. pratense*
67. *Symph. junior.* *Magnol. cordata.* 85. *Pez. cyathoidea*, *lign. arid.*
68. *Symph. Traxini*, L. *Fraxinus.* 86. *imperf.* *Larix Americ.*
69. *Pol. parganensis* *Betula?* 87. *Leptothyrium punctiforme*, Bk. *Pol. Prigeronis*
70. *Stereum quercinum?* *Ram. Castan.* 88. *Leptonia Prigerontis*, Bk. " "
71. *Spex sinuosus*, *Ram. Fagi.* 89. *Erysiphe communis* *Verbena urticif.*
72. *Spoidesmi; Lepraria*, Bk. *Chestnut? Rail.* 90. *Erysiphe communis* *Ranuncul. acis.*
73. *Diplodia* *Rhus typhina* 91. *Melasma Ulmicola*, Bk. *Ulmus Americ*
74. *S. = 3372.* *Castanea? lign.* 92. *Spk. perforata*, L. *Ram. dej*
75. *exolete.* *Trunc. Betulae.* 93. *Bulg. inguinans.* *cort. Querc*
- 76 *Spk. aculeans*, L. *Rhus typhina* 94. *Spex sinuosus*
77. *young & imperf.* *Fagi ramul. mat* 95. *Discella obscura* *Acer striatum*
78. *Macroph. Cheiranthi.* *Castaneae lign.* 96. *bad state.* *Alnus serrulata?*

3397. *Capnodium*. Trunc. *Aceris sacchar*

98. *Laed. unicolor*, Trunc. *Salicis*

99. *Hyst. elongatum* (clatum) lign. *Pinis*

3400. *Erysiphe communis* *Senecio aureus*

1. *bretdung. insip.* milk. *bichorium Intylus*

2. *Caynerum fulvum* *Tilia Americ*

3. *Sporiderm. Leparia*, B.B. *Castan. lign. and*

4. *Sph. (Pucc.) orbicularis*, B.B. *Salix*

5. *Sph. (Coff.) subagula*, B.B. *Acer striatum*

6. = 3403. *Acer. cort. Trunc*

7. *Sph. stilbotoma* *Acer. sacchar.*

8. *Per. scutellata* *Rotting Birch.*

9. *fr. c.* old *Pinus Strobus*

10. *fr. c.* *Salix*

11. *Sph. discepta*, "

12. *mil. perfect.* *Gleditschia*

13. *Hyst. unifilatum*, B.B. *Acer striatum*

14. *Sphaeria mamillaris*, B.B. *Gleditschia*

3415. *Pannus stypticus* ad lign.

16. *Hyst. elongatum* *hiascens*, B.B. "

17. *Estrotrama Trichi*

18. *Sph. (Pucc.) fr. c.* - *sp. 5039. Salix*

3419. *Michenera decipiens*, B.B.

3420. *Uredo* *Astr. Virginic.* *Acer triphyllum*
acidum ardeolatum.

3421. *Sph. pulicaris* *Juglans nigra*

3422. *Sphaeria Persicariae*, B.B. *Looping Peach*

3423. *Erysiphe penicillata* *Lonicera semperv.*

24. *Polyactis vulgaris* *in Rosis ematensis*

25. *Uredo Trifolii*, *Trifolium*

26. *Diplod. cyanostroma*, B.B. *Acer. Ramul. dej.*

27. *Sph. stellulata* *Ulmus Americ*

28. *Uredo* *Waltherii*, L. *Amelops. quing.*

29. *Sph. strobilina*, *Bones of Norway Spruce.*

3430. *Sph. epidermidis* *Nectarine*

31. *Sph. Americana*, B.B. *Ailanthi cort.*

32. *Cytis. Ailanthi*, B.B. "

3433. *Sph. verruciformis* Auer. *laevifol.*
 34. imperf. *Cynilla.*
 35. *Hygrophorum illinoense*, Bk. Bananas.
 36. *Phoma smilacinae*, Bk. *Smilax laevif. mat.*
 37. fr. o. Auer. *obtusil.*
 38. *Utricularia* ~~*phragmitidis*~~ *Hedwigii*, Lk. Auer. *aquatica.*
 39. *Sph. verruciformis.* *Cynilla.* mat.
 40. *Utricularia* ~~*phragmitidis*~~ *serotina*, Bk. *fol. Pteridanthi*
 41. fr. o. *Smilax.* Ram. viv.
 42. non intelligo. *fol. det. Gordoniae.*
 43. *Asterina orbicularis*, Bk. *Prinos coriaceus.*
 44. Agar. *Hygrophorum* - indetum.
 45. *Craterellus cornucopioideus*,
 46. *Polyph. Sartwellii*, Bk.
 47. *Clavaria* - non det.
 48. *Cantharellus crispus* Rotten wood.
 49. *Sph. collinense*, Mamk. Old Pine stick.
 3450. *Rhiz. punctatum*, Fr. *Acor spicatum.* Fol. viv.
 3451. *Rhiz. adunca*, Schw.

3451. *Utricularia* ^{*Utricularia*} *functi*, Schw. *Juncus tenuis.*
 52. *Sph. (Villosae)* fr. o. Rotten Log.
 53. *Isop.* "desuperate Polyph." Rotten Log
 54. *Rezia occidentalis*, Sz. ad terram.
 55. *Utricularia* *suaveolens*, *Cissium areense.*
 56. *Rhiz. Cantharelli*, Bk. *Convolvulus* ^{*terrestris*} ~~*terrestris*~~.
 57. *Rhiz. Cantharelli*, Bk. " "
 58. *Geaster saccatus*, Fr. ad terram.
 59. *Ag. infundibuliformis.* "Cap. concave, flesh thick.
 gills unequal, decurrent. Stipe hollow, equal.
 The whole dingy fulvous. On ground."
 60. *Phyt. Solidaginis.* *Solidago caesia.*
 61. *Rhiz. Menthae,* *Mentha canadensis.*
 62. *Polyph. carneus,* Old log.
 63. *Utricularia* *rimosa*, Lk. (Schw.) *Scirpus pungens.*
 64. *Ag. Exid. cinnabarina*, Bk. Old wood.
 65. *Rhiz. floccosa*, Sz. ad terram.
 66. *Sph. Graminis*, P. fol. mat. *Scirpi.*
 67. *Utricularia* *Solidaginis*, Sz. fol. *Solid. caesia.*

3468. *Hydnum adustum*
(302.8.)

3469. *Agar. (Pluteus) lividus*, Fr. "color tawny smoky.
(248.8.) cap. concave convex, flesh thick, gills unequal,
free, undulate on outer edge. Stipe solid,
enlarged near cap. — ad terram."

3470. on *Parmelia*. Penns.

71. *Erysiphe horridula* Var. strom.
(583.11.)

72. *Erysiphe guttata* Cornus fla.
(568.11.) *Phyllactinia* " Lev.

73. *Erysiphe guttata* *Cortanea vesca*
(529.11.)

74. *Erysiphe guttata* Querc. fol.
(580.11.)

75. fr. o. fl. def. Japi.
(652.11.)

76. *Erysiphe penicillata* *Thunum acicifol.*
(410.11.) *Microsphaera* " Lev.

77. *Vernic.* *Lilium candidum.*
(376.11.)

78. *Agar. excisus*, var. *prosp.* On stumps. Stipe rooting, slender,
(729.11.) der. solid, tough, smooth, pale dusky brown.
Cap. truncate conical, loped, thin, ribbed
smooth, glutinous, dark sooty brown, Lam.
broadish, ventricose, dusky.

79. *Vernicul.* *Allium sativum.*
(615.11.)

80. *Agar. Micheneri* Bk. "On rotten wood. Clusters, rooting.
(243.11.) Stipe slender solid, white, *Cephus* slender, thin,
yellow white. Lam. few compound, narrow,
decurrent, pale yellow."

3481. *Pez. rubella*, Dry Maple log.
(544.11.)

3482. *Erysiphe* *Sambuc. Canadensis*
(319.11.) *Phyllactinia propularia* Lev.

83. *Erysiphe Anthraciae* fol. *Anthraciae*
(514.11.) "communis."

84. *Erysiphe guttata* *Belastus scandens.*
(610.11.) *Phyllactinia* " Lev.

85. *Pyrenopeziza leucosperma*, *Salix Ruspeliana.*
(438.11.)

86. *Corticium stygia*, Bk. *Stygia*, tunc. de J.
(509.11.)

87. *Ph. salicella*. fr. o. *Salix Ruspeliana.*
(718.11.)

88. fr. o. *Morus rubra.*
(694.11.)

89. *Ph. trifolii*, *Trifol. pratense.*
(602.11.)

90. *Agar. Baringtonii*, Moys. Lign. putrid. Wholly
(412.11.) brown, tomentose. Stipe solid, tough, densely
filose below, sparsely above. Cap. conical or
umbonate-convex, becoming explanate, densely
filose. Lam. broad, ventricose, narrowed
within, pale brown tomentose. Spores
brown. "

91. *Ph. Juglandis* *Juglans regia.*
(382.11.)

92. *Ph. arvensis/pruinosa*, Bk. *Phus venenatum.*
(379.11.)

93. *Septoria vulgaris*, var. *Sclerospora villosa.*
(427.11.)

94. *Ph. salicina* *Salix Ruspeliana*
(592.11.)

95. *Pyrenopeziza montana.*
(314.11.)

3496. *Ectostroma*.
(709. M.)

97. *Microthyrium paradoxum*, *Alnus glabra*
(716. M.)

98. *Erysiphe chelonae*, L. *Chelone glabra*.
(456. M.)

99. *Loth. alnea*, L. *Alnus serrulata*.
(493. M.)

3500. *f.o.* *Phleum pratense*.
(642. M.)

3501 *imperf.* *Bernonia canadica*.
(1751. M.)

3502 *f.o.* *Nabalus aluticornis*.
(565. M.)

3. *Agar. facifer*, Brc. *Lesp. tose*, Emoryell.
(313. A. M.) *phosphoreo*. Stipe subcentral, stout, solid, fibrous, whitish-pumose. Cap. muzz, becoming explanate, thin, subumbilicate. Lam. narrow, compound, decurrent. Spores white.

4. *imperf.* *Delphin. consolida*.
(614. M.)

5. *Sp. aspera* *Alnus serrulata*.
(455. M.)

6. *Sp. sinitorus*, *Ram. de J.*
(60. M.)

7. *Asperina distincta*, Brc. *Bernonia Virgin.*
(598. M.)

8. *Sp. mutila*, *Ribes aureum*.
(676. M.)

9. *Sp. metathroa*, Brc. *Crataegus codata*.
(1350. M.)

10. *Lidymium lutes-griseum*, Brc.
(484. M.)

Helictous viridis

3511. *f.o.*

11. *Cladoph. hebarum*
(675. M.)

13. *imperf.*
(616. M.)

14. *Lympanis*.
(679. M.)

15. *exdote*
(390. M.)

16. *Phoma concentrica*, *Jucca aloifoli*.
(546. M.)

17. *Erysiphe*.
(523. M.) *Microthyrium elongatum*, Lév.

18. *Botrytis submentosus*.
(406. M.)

Stipe brownish-yellow. Cap. fleshy, convex, nearly smooth, yell.-ferruginous. Hyphae: convex, tubes irregular, small with margin uneven, united at stipe, light sulph.-yellow."

19. *Pucc. Compositarum*, *Cirsium lanceolatum*.
(639. M.)

20. *Hyd. commune*, *Eupat. purp.*
(684. M.)

21. *Uromyces paradoxa*, Brc. "leaves of young *A. tinctoria*."
(549. M.)

22. *Erysiphe communis*, *Veronica hieracifol.*
(670. M.)

23. *Agar. nebulari*, prox. "Stipe stout, solid, tough, hoary dusky white; cap. of the same color, tough, subumbilicate, smooth & shining; Lam. compound, narrow, decurrent, yell. white."

24. *Sp. epileuca*, Brc. *Morus rubra*.
(700. M.)

Bengoin odorif.

Anethum feniculum

Lachnanthes tinctoria

Querc. tinctoria

Regundo aceroides.

Jucca aloifoli.

Lesm. d. Gillenii

"Road sides."

Cirsium lanceolatum

Eupat. purp.

"leaves of young *A. tinctoria*."

Veronica hieracifol.

"Stipe stout, solid, tough, hoary dusky white; cap. of the same color, tough, subumbilicate, smooth & shining; Lam. compound, narrow, decurrent, yell. white."

Morus rubra.

3525. *immature* (671.11.) *Rhus glabra*
- (364.11.) 26. *Eupithe fuscata*, DC. *Biden. frondosa*
- (763.11.) 27. *Agar. chrysophyllo* prop. *White Oak Log.*
- (627.11.) 28. *Eupithe. communis* *Clematis Virginiana*
- (675.11.) 29. nov. gen. red nov. intelligo. " *Ram. deJ.*
- (636.11.) 30. *Dilopezia*. *Wet log.*
- (167.11.) 31. *Pyrenotheca* *Stump*
- (683.11.) 32. *Microthysium*. f. o. *Eupat. purp.*
- (398.11.) 33. *Epidia truncata*, *Rain. deJ.*
- (479.11.) 34. *Blavaria*. *inter folia*
Lachnocladium Micheneri, DC.
- (467.11.) 35. *Bulg. sarcoides*, *inter folia*
- (769.11.) 36. *Stercum hirsutum* *lign. corrupt.*
- (342.11.) 37. *Microspora drupacearum*, *Prunus. Ram. mort.*
- (433.11.) 38. *Rez. cyathoides*, *Bicula macul.*
- (578.11.) 39. *Sph. (Obtectae)* *Achilus villosus.*
- (608.11.) 40. *Sph. Lulacidea*, Schum. *Smilax rat.*
- (647.11.) 41. *Liscella effusa*, DC. *Decaying Apples.*
- (429.11.) 42. *Cytispora chrysosperma*, *Popul. Graeca.*

3543. *exolete.* *Traxinus copner.*
(684.11.)
- (339.11.) 44. *Agar. chrysophanus*, DC. "Whole plant white when young, stipe & cap becoming brownish, & hymenium yell. orange. Stipe bulbous, solid, fibrous, smooth. Cap fleshy, convex, smooth, or with a few central scales, shining. Lam. con-
noid, numerous, ventricose, rounded within & free, Cap 3-4 in. broad. Stipe 3 or more inches. - Spores orange" - !!
Fields & woods. "
- (703.11.) 45. nov. intelligo. *Salix Russeliana.*
- (395.11.) 46. *Fistulina hepatica* "On Stumps.
Stipe lateral, subhorizontal, short, thick, solid, succulent, pale, thickly covered w. red verrucae. Cap gelatinous-watery on upper surface, thick, tough, yielding a watery fluid when wounded, brown tomentose with red verrucae, - pores discrete, short, pale red-
dusk yellow."
- (746.11.) 47. *Lens. Berkeleyi*, Lev. *Log.*
- (325.11.) 48. *Lg. Lichen.*
- (399.11.) 49. *Stercum striatum*
- (601.11.) 50. *Eupithe communis.* *Soutell. laterifl.*
- (562.11.) 51. *Botrytis agaricina.* ad *Agaric. putresc.*
- (625.11.) 52. f. o. *Quellia stepens.*
- (640.11.) 53. *destroyed.* *Cerasus. ramul.*

3554. *exolate*. " *Smilax rotund.*

3555. *Heloph. lephroleuca*, B&C. " *ad tenam.*

3556. *Myosporium nitidum*, B&C. " *latius altumif.*

57. *Gympanis* " *Rhynchos dentatum.*

58. *Sclerotium herbarum*, *licenta maculata.*

59. *Microthyrium microscopium*, *sem. Phelone glabra.*

60. *Canary. Brunastri.* *Brunus.*

61. *fr. o.*

62. *Phoma Juniperi*, B&C. *Juniper. Virg.*

63. *Mycelium.* *Rotten stump.*

64. *Helminth. vininum*, B&C. *licenta maculata.*

65. *fr. o.* *Baptisia tinet.*

65. *Helminth. vininum*, B&C. *Sorghum sacchar.*

66. *Vermicul.* *Leontia thalict.*

67. = 3559. *fruit of Symphoricarpos*

68. *Vermicul.* *Hydrastis Canad.*

69. *Erysiphe Martii* *Oisum sativum*

70. *Botrytis blackenii*, B&C. *on Hyssopus.*

3571. *Agar. stipitarius*, " *Rotten stump.*

374. *stipe solid, fibrous, strigose-pilose, brown. Cap. convex, umbonate, inflexed, densely fibrillose, deep brown. Lam. numerous, broad, emarginate, pale yell. overh.*

72. *Lophodia herbicola* *Nepeta Cataria.*

73. *Sclerotium* *Juncus.*

74. *Ph. pruinosa*, { *Fraxinus sambucif.*

75. *Sphaeropsis* { " "

76. *Polyp. borealis a galactinus*, B.

77. *Leptoth. congregatum*, B&C. *Smilax rotund.*

78. *Trichamphora oblonga*, B&C.

79. *Capn. elongatum*, B. *Ranunc. Liriodendri.*

80. *Sp. stigma.* *Cornus flor.*

81. *Shephthrix atra*, B&C. *Carpinus. Amur.*

82. *Stem. blackenii*, B&C. *base & shubbery in woods.*

83. *Cladost.* *Phytolacca.*

84. *Pez. Lemnispheica* *Lign. putrid.*

85. *Sp. aspera*, B&C. *Sc. Jagus sylv.*

86. *Phoma asparagi*, B&C. *Asparagus offic.*

3587. *Pez. vulgaris* (656. M.) *Lign. putr.*
3588. *Sp. nebulosa* (686. M.) *Spharagrus*
3589. *Sp. o* (688. M.) *Lonicera tartarica.*
3590. *Pez. Bulg. sarcoides.* (646. M.) "Innocent, pale purplish red, finely hoary tomentose. Stipe stout fleshy. Cap. cupulate becoming explanate, concave, 1/2 in. broad. - Rotten stump."
3591. *Sp. epheuca, Bk.* (349. M.) *Morus rubra.*
92. *Vernicaria.* (633. M.) *Giantus Chiransii.*
93. *Sp. Americana, Bk.* (698. M.) *Acer rubrum.*
94. *Lipod. sp. o* (705. M.) *Leaf shoots & berries.*
95. *Eclostoma.* (631. M.) *Querc. tinctoria. fol.*
96. *Vernicaria.* (431. M.) *Populus Gnaea.*
97. *Pez. aurelia* (591. M.) *Rotten wood.*
98. *Sp. pertusa,* (634. M.)
99. *Lecella microspora,* (725. M.) *Geanthus sp.*
3600. *nil perfectum.* (548. M.) *Yucca filament.*
1. *Ecipula stegosa, Lm. sp.* (566. M.) *Phytolacca dec.*
2. *Pez. circincta, Bk.* (542. M.)
3. *Lecella nigra, Bk.* (174. M.) *Acer rubrum.*
3604. *Stilbospora pyriformis, Hoffm.* (388. M.) *Acer sacchar.*
3605. *Eclostoma* (594. M.) *Salix Ruffel.*
6. *Sp. aurea* (563. M.) *in Agar. putres.*
7. *Isaria brevis, Bk.* (408. M.)
8. *Corticium comedens* (595. M.) *Belastus scand.*
9. *Verm. circinans, B.* (582. M.) *outer coats of Allium Cepa.*
10. *Uncinula spiralis, Bk.* (535. M.) *Vitis Laurusca.*
11. *Pol. ulmaricus,* (47. M.) *Stump.*
12. *Sad. puberula, Bk.* (747. M.) *Rotten stump.*
13. *Agar. Bulgaria rufa.* (198. M.) *Ram. dej.*
14. *Agar. tyrianthia aff.* (497. M.) "Dry wood. Stipe stout, clavate, solid, tough, purplish, with a white tomentum. Cap. fleshy, explanate, subumbilic. Lam. broad, distant, subdecurrent, pale purplish. Gills white."
15. *Pol. Carolinensis, Bk.* (750. M.) *Under among damp rotten logs.*
16. *Pol. rufescens,* (463. M.) "Forming a flat topped mass several in. in diam. on moist sand at the side of the road."
17. *Pol. borealis agalactinus, B.* (734. M.) *Old stump.*
18. *Pol. trames Micheneri, Bk.* (757. M.) *trunk dej.*

3619. Agar. *Ocella*
(486. ch.) "On stumps.
Stipe stout, solid, spongy, smooth, white.
Cap explanate, thin, soft & leathery, pale
wood brown. Lam. broad, thin, distant, de-
current, cinnamon brown. Spores do."

3620. *Lat Stereum portentosum*, Bk.
(653. ch.)

3621. *Lycoperd. delicatum*, Bk. ad terram.
(502. ch.)

22. *So. do.*
(121. ch.)

23. Agar. *Ocella* var. "Cap depressed convex, margin
(559. ch.) often strongly involute, smooth, leathery, dark colored.
Lam. distant concave decurrent, purplish-
white. Stipe thick, solid, finely tomentose,
white below, brownish above, striate. Spores
reddish-brown. Lamp woods."

Galerina
24. *Galerina parvulus*, Bk. "Stipe solid, lamuginose
(357. ch.) below, pale brown. Cap irregular, funnel form,
(413. ch.) smooth, margin finely revolute, reddish white.
Lam. often dichotomous narrow, strongly decurrent,
white. Spores white. Cluster on rotten wood."

25. Agar. *Coprinus (junior)* "Rotten wood.
(Lindh.)

26. nov. gen.

27. *Xylaria*
hypoxylon (junior.)

28. *Marasmi. ferrugineus*, Bk. "Linum equinum.
on open prairie."

29. *Lycoperd. gemmatum*. "Grassy woods."

3630. *Ag. Matulani* & *Coprinus media*. "Among fallen leaves."

31. *Agaricia cinerea* "Rotten wood"

32. *Ag. semiglobatus*

33. Agar. (*Myceus*) "Among leaves."

34. *Mycesm. claviformis*, B. "earth shady bottoms."

35. *Ag. appendiculatus*, " " " "

36. *Marasmi. inoderma*, B. "Rotten wood"

37. *Marasmi. ferrugineus*, B. "Earth or dung, in bottoms."

38. *Ag. Lactar.*

39. *Pol. Lindheimeri*, Bk. "on Salsaparilla."

40. *Myxog. imperfect.* "on Rose Bushes."

41. *Pol. cortigues* "Lead Oak wood"

42. *Sp. maculiformis*, "Unguadia leaves."

43. *Uredo hymenitidis*, B. "Silph. asperum fol."

44. *Meloida amphitricha*, B. "Ganya leaves"

45. *Helv. pallida*, B.

46. *Pythia Titan*, Bk. "Lead trunks of Ganya
(Lindh.) old vacuums, " I send half as near as I
could divide it. Stipe thick, 7 in. long. Whole spec.
5 1/2 in. long, & a little over 2 in. wide."

3647. Polyp. (Resut.)
(Hale)

48 Cortic. laev.

49. Hyd. chrysalbum, B & C.

50 Pol. Hexagona sericea,

51. Tarula colliculosa, B & C.

52. Sph. "exolete"

53. Trani? sehim?

54. Thoma filicida, B.

55. ~~Hexagona~~ Pol. cortigum

56. Pol. clathratus, B & C.

57. Hyd. Halei, B & C.

58. Lem. abietina,

59. Cort. giganteum,

60. ~~Peritheleum~~ ^{Peritheleum} reviviscens, B & C.
~~Hexagona~~ Halei, B & C.

61. Geoglossum hirsutum,

62. Polyp. n. sp. nix. det.

63 Licheni anamaphosis

64 Cort. hummolum, B & C.

3665. Pol. (Resut.)

3666. Hyd. Halei, B & C.

3667. Pol. fuscopurascens

68. Cort. Mycelium

69. Cort. Lichen.

70. Cort. Mycelium

71 Pol. undatus 1. sp. pr.

72 Pol. rubiginoso pr

73. Mycelium

74 Stilbum cinnabarinum, Mont.

75 ~~Cort.~~ ^{Hyphochus} albocinctus,
(Hale.)

76. ~~Cort.~~ ^{Hyphochus} Rosae.

fol. Rosarum cult.

77. Septaria graminum, ~~sem.~~ fol. Panic.

78 Phacid. elegans, B & C. Stip. & sheaths & Pine ling.

79. Cort. cinereum Lonicera cult. ram. mat.

80. Cort. Heliosidii, L. Helianth.

81. Pilocaea fruct. ~~Northam~~ Apple

82. Eriaceum. Hyllae fol. viv.

83. Hypter. exolete Smilax mat.

3684. *Egri. Phlogis*. (communis) fol. *Phlogis*.
 85. *Gotth. capredata*, L. *Bignon. capred. ramul. mat.*
 86. *Partheleum*. Lign. deject.
 87. *Uredo Helianthi*, L. *Helianthi fol.*
 88. *Vermic.* caul. *Polygoni. Penns.*
 89. *Thel. candidum*. trunks.
 90. *Sph. verrucosum*. Moss multice
 91. *Pol. dependens*, Bth. subter. lign. pin. putrid.
 92. *Pol. bardin* $\frac{F}{E}$ rotten wood & leaves.
 93. *Acc. binicif.* fol. bin. racem.
 94. *Sph. orbicula*, L. *A. nigrae fol.*
 95. *Sph. punctiform* Querc. aquatica
 96. *Tanula difpita*, Bth. Inside & bad logs.
 97. *Sph. atravium*, Bth. fol. deej. Virci.
 98. Diseased tissue. fol. deej. Persimmon
 99. Sept. fructicola, Bth. fruct. *Papiflorae*.
 3700 *Thel. tenera*, B. under pine wood.
 3701 non intelligo. under pine rail.
 3702 *Sph. pericarpii*, L. *Caryae pericarp.*
 3. *Sph. caryophagi*, L. *Caryae nux.*
 4 *Sph. calycanthi*, L. *Cam. mat. calycanthi.*
 5 non intelligo. fruct. *Ilex prinoidis?*
 6. *Sph. Americana*, Bth. *Vitis vulpina*, mat.
 7. *Pestalozzia & Desoria*. *Liquidambaris fol.*
 8. *Sph. fissuratum*, Bth. Pine rail.
 9. *Thel. conugata*, Querc. cort. mat.
 10. *Sph. herbarum*, var. caul. *Polyg. Penns.*
 11. *Pez. rubella* *Julchipsin*
 12. *Phetomium chartarum*, Lamp Paper.
 13. *Gemmules.* fol. viv. *Bryi.*
 14. *exolite* - bark of old Oak log.
 15. *Sph. (Confl.)* fr. o. = *S. ampligera.* *Rhus copallina.*
 16. *Thydium stygae*, Bth. Log of *Myssa?*
 17. *Sph. hypericina*, Bth. *Hypericum* - cult.
 18. *Leicidium* ^{inarticulatum, Bth.} *Pam. jun. mat. Liquidambaris*
 19. *Cort. velatum*, var. *Liquidamb?*

3720. *Botrytis fraxina*, Bth. Carious Oak wood.

21 collapsed. Samp. Paper.

22. *Ipiz pendulus* Oak logs

23 *Pidilium Tuckeri*, young. *Vitis rupestris* (Texas.)

24 *Cytispora fraxina*, Bth. Robinia, mat. ramul.

25 *E. hostroma*. *Amundinaria*

26 fr. o. Magnol. glauc. fol.

27. *Sp. inaequalis*, Bth. *Eupat. caesp.*

28 *Thel. arida* Old shed.

29. mould. Small white tufts on
decaying grapes.

30. *Pez. Liriodendri*, B. *Clavus rufus*; cort

31 non intelligo Cat. *Lonicerae*.

32 *Lecanaria cartaceas*. fol. dej.

33 non intelligo. fol. dej.

34 *Erys. guttata* *Eu. falcata*, underside.

35. *Erys. guttata*. " " upper side.

36. *Sp. maculaefomis*. fol. dej. *Liquidambar*.

37. fr. o. " " " "

3738. *Mycelium* side Ram. dej. Querc. alb. imm.

39 imperf. Pine Rail

40 *Capsodermis*, young. Ramul. necat. *Persicac*

41. exoleto. fol. dej. *A. albae*.

42 *Sp. mutila*. Lilac.

43 exoleto fol. dej. *Populi*.

44 *Sp. aspera*, *Sp. fusca*, Bth. *Chus. cypal.* cat. mat.

45. *Erys. penicillata* fol. dej. Querc.

46. imperfect. Northern Apples.

47. immature. *Fol. Cyrtellae*

48. fr. o. = 7999. *Erianthus alopecurus*.

49. *Phoma concentrica*. *Yucca gloriosa*

50 *Erid. pedunculata*, Bth. Lign. Pini.

51. *Ascothia chartarum*. Samp. paper.

52. *Diplodiquisquiliarium*, Bth. *Gibblose rootlet found in
an old bird's nest.*

53. immature Red haws.

54. *Sp. americana*, Bth. *Meliae* mat. ram.

55. imperf. Magnol. glauc. fol.
upper side.

3756. *Sph. Syringae*, B. *Syringa vulgaris*

57. *Hneiffia setigera* Pine rail.

58. collapsed. Old postboard exposed to weather.

59. *Siph. vulgaris*. *Bignonia* or *Rhus*.

60. *Mycelium* Old Oak stump.

61. *Stilbum calceoides*, *l. p. Canyae* ram.

62. *Asper. Ixeris* *fimbriatus*, B. B. (185. M.)

63. *Lachnocladium thichense*, B. B. (367. M.)

64. *Pol. Lindheimeri*, B. B. Texas - C. Wright, sent in a letter. - "Suspended by its stipe under a much larger one attached to the side of a log." - I have divided the specimen.

65. *Mythosporium attenuatum*, *Lulay* rotund. (607. M.)

In Litt.

3766. *Didium*? - Vid. Lit. On old salt codfish.

3767. *Cladoph. compactum*, B. B. fol. *Arundinariae*.

3768. *Tomula quaternata*, B. B. fol. *Saxifragae*. - Texas.

3769. *Uredo Wrightii*, B. B. fol. *Cratogeomys*? Texas. (11. M.)?

3770. *Uredo* *Boerhaaviae* - Texas. (6. M.)

3771. *Uredo* *Monarda* *fulcheriana*, B. B. (3. M.)

3772. *Melasmia*. (4. M.)

3773. *Hymenomyces altus*? See rub. def. cont. (1022. M.)

3774. *Styphelia armeniaca*, B. B. specimen. avium?

3775. *Blasph.*? fol. *vir. Polygon. punctati*.

3776. *Phoma atenina*, B. B. culm. mat. Texas. *Gymnosporium*.

3777. *Verticillium soledatum*, B. B. lign. mat. (26. M.)

3778. *Xylaria Pedicularis*, B. B. (26. M.)

3779. *As. Texensis*, B. B. bark & wood of Live Oak stumps. (25. M.)

3780. *Graphiola Phanicis*, *Anteus*. Leaves of *Chamaecyparis humilis*. (29. M.)

3781. *Sph. lurida* lign. mat. *Tiliae*? (28. M.)

3782. *Stilbum alveolatum*, B. B. Bark of dead *Argemone*. (19. M.)

3783. *Perispor. Wrightii*, B. B. *Opuntia macrochiza*, & others. (31. M.)

3784. *Byssoid*. cort. *Trapa viridis*. (75. P.)

3785. *Tendrina Nysae*, B. B. fol. *Nysae* multist. (11. P.)

3786. *Pucc. Spermococcos*, B. B. *Spermococcos glabra*. (6. P.)

3787. *Secid. Bahia*, B. B. *Bahia biternata*. Miller. Wright.

3788. *Pucc. Centaurea*, B. B. *Conoclinium californicum*. (11. M.)

3789. *Mythosporium*, imperf. old corn stalks.

3790. *Strombosporiella*, B. B. inter *Chamaecyparis*.

3828 " *Conarium concinnum*, Bol. ^{vel proxim.} *Camul. Rusc. falcate.*

3829 " *Septoria Septidis*, Bol. *Septis trifolia*.



Curtis, M. A. and Berkeley, M. J. 1852. "Envoi VI. 1852. Number 3293-3829."
Lists of fungi sent to M.J. Berkeley

View This Item Online: <https://www.biodiversitylibrary.org/item/227882>

Permalink: <https://www.biodiversitylibrary.org/partpdf/264199>

Holding Institution

Harvard University Botany Libraries

Sponsored by

CLIR

Copyright & Reuse

Copyright Status: Public domain. The Library considers that this work is no longer under copyright protection

License: <https://creativecommons.org/licenses/by-nc-sa/4.0/>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.