

5476. *Cladoph. fr. null.*"
(Wm.)
77. *Scytoria. fr. o.*"
(Wm.)
78. *Stigula, young*"
(Wm.)
79. *Archosmia tuberculata, B*"
(Wm.)
80. *Melobla amphitricha*"
(Wm.)
81. *Asterina pelliculosa, B*"
(Wm.)
82. " var "
(Wm.)
83. " var "
(Wm.)
84. *Asterina.*"
(Wm.)
85. *genus dubium*"
(Wm.)
86. *Melobla fuscata, Loo.*
(Wm.)
87. *Agar. sublateralis* on stump.
(Wm.)
88. *Ag. bullaceus, Bull.* Cap 1/4 - 1/4 in. broad, arched
(Wm.) smooth light brown, flesh thin brownish. Gills
numerous thin, not cradled, broad, unequal, ad-
nate, horizontal & straight on edges, dark
grayish purple. Stipe brown pubescent, hollow,
rather slender. Horse dung.
- 5489 - *Agar. depileus, Batsch.* Very thin & delicate,
(Wm.) white, sessile, attachment lateral. Gills
rather distant, unequal.

5490. *Hygroph. miniatus, Fr.* Cap deep reddish yellow,
(24. Wm.) arched, 1 line to 1/2 in. broad, smooth, viscid.
Gills rather distant, unequal, uneven on the edge,
adnate, light yellow, - Stipe pretty stout, even, smooth,
solid, light yellow. Earth among bushes.
91. *Agar. hepaticus Batsch.* Cap flat smooth
(23. Wm.) light glaucous, brown, 1-4 lines broad, umbos
depressed. Gills rather distant, unequal, uneven
& rounded on the edge, adnate, brown. Stipe light
brown pubescent, slightly thickened at top & bottom,
solid. Earth among grass.
92. *Agar. laccatus, Tru.* Cap 1/4 - 1 in. broad
(26. Wm.) slightly arched, edges deflexed, smooth, umbos
depressed. Gills few, unequal, adnate, uneven
on the edge purple. Stipe striate, smooth, rather
slender, solid, slightly thickened at top & bottom.
On earth.
93. *Cortin: ileopodius, Fr.* Cap 1/4 - 1/2 in. broad,
(25. Wm.) arched, smooth, white, striate, umbos prominent.
Hymen: light gray, gills thin unequal, narrow
at & decurrent on 1 stipe, rounded on 1 edge.
Stipe smooth, rather stout, white, solid.
Earth among grass.
94. *Agar. laccatus, Batsch. var.* Cap 1/4 - 1 in. broad, small
(27. Wm.) flattened, light brown; gills light purple, unequal,
free, rounded on 1 edges, rather distant. Stipe short
stout, solid, smooth, striate, slightly thickened at top
& bottom, light brown. Earth
95. *Agar. citrinus, Bull.* Cap 3/8 - 3/4 in. broad,
(104. Wm.) flattened, 1 edges strongly incurved, smooth, ver-
million, gills numerous, unequal, connected by
reticulation, adnate, decurrent, red, narrow. Stipe
stout thickened at top, solid smooth, vermilion
in wood.

5496. *Agar. appendiculatus* Cap 1-1 1/2 in. broad, (101. Wn) high, flattened conic obtuse smooth, white rising yellow at top. Gills very numerous, thin, close, unequal, narrow, free, light purple, edges straight. Stipe moderately stout smooth hollow white. on earth.

97. *Agar. appendiculatus*, Cap 3/4-1 1/2 in. broad, flat (102. Wn) conic obtuse smooth very light brown, darker on edge. Flesh thin. Gills very numerous unequal, close thin uneven on edges, narrowly adnate, light brown. Stipe stout smooth solid white, somewhat clustered. Earth around trees.

98. *Agar. marginatus* Cap 1-2 in. broad, flattened (100. Wn) at length reflexed smooth light brown, flesh thin. Gills unequal numerous thin adnate uneven on edges & slightly rounded, light brown. Stipe stout pubescent solid slightly thickened at top, light brown. Ring 3-4 lines below the gills. On earth.

99. *Agar. tener* Cap conic obtuse smooth (Wn) light brown or chocolate. Gills concolor, free. Grassy land. — Spores ferruginous

5500. *Agar. pygmaeus?* Cap light, yell. brown, smooth (Wn) gills adnate light brown. Stipe hollow. — Stumps.

1. *Agar. fuliginosus*, Fr. Light brownish red, reddish (171. Wn), striate, fibrinous pubescent. Gills light brown adnate. Stipe hollow, fibrous pubescent.

2. *Boletus isaberi*, Cap light brownish. (162. Wn) Hymen. white. Stipe whitish, & dark glandular specks.

3. *Agar. semiglobatus* (Wn)

4. *Agar. applicatus*, (207. Wn) *pezizoides* prop.

5505. *Agar. dulcamarus*, Cap 1/2-1 in. broad, conic (201. Wn) at length flattened, umbos prominent, striate, pubescent light brown. Gills numerous not crowded, unequal narrowly adnate rounded on the edges, light brown. Stipe solid striate smooth slightly thickened at top hollow, light brown. On earth among grass.

6. *Agar. umbelliformis* Cap 1/2-3/4 in. broad, flat (204. Wn) toward at length concave, smooth or slightly pubescent, light red. Gills few remote unequal rounded & irregular on the edges, rather broad, red, adnate. Stipe smooth, red, hollow, cavity small. Earth.

7. *Agar. —?* Cap 1-1 1/2 in. broad, conic (203. Wn) obtuse glaucous pubescent light grayish, flesh thin. Gills numerous rather close narrow unequal, free black. Stipe rather large tender hollow, (cavity large) white floccose pubescent at base. On old boardings.

8. *Agar. fuliginosus*, Fr. Cap light brown ex- (Wn) ~~sp. aff.~~ pilate edges incurved smooth. Gills free whitish, edges nearly straight. Stipe stout solid very light brown smooth. — among grass under trees.

9. *Agar. laccatus* - var. Cap explanate margin (186. Wn) curved smooth, dull red. Gills few narrow adnate red. Stipe firm solid smooth dull red, thickened downwards & slightly at top. Spores white! — Earth among grass under trees.

10. *Agar. — A. lenticulari* aff. (185. Wn)

11. *Agar. carophilius*, l. prox. sp. (179. Wn) Whitish. Old rails

12. *Agar. perfractus*, Fr. cont. *castanea*, (181. Wn)

5513. *Agar. tachisporus*, B. Cap flat conic to flat
(175. Wn) smooth striate & soon splitting at the edge. Light
brown. Gills numerous light brown free. Stipe
white & pubescent slightly enlarged at top & bottom,
solid. - Wood & trees among bushes & grass.

14. *Agar. rimosus*, Bull. Cap flat conic obtuse
(174. Wn) fuscous pubescent substriate light brown, at
length recurved at margin. Hymen. light grayish,
gills numerous free. Stipe pubescent white thickened
at base solid. - Earth among grass.

15. *Agar. semiglobatus* Cap hemispheric light
(176. Wn) yellowish, viscid; - Gills numerous adnate gray
broad, lower edges straight horizontal. Stipe
solid smooth light yellowish. Ring nigerent, a
little below cap. - on horse dung.

16. *Agar. tepidus*, Cap subhemispheric,
(178. Wn) smooth radicate striate, grayish. Gills rather broad
numerous crowded, adnate, rounded on the lower
edge, bluish. Stipe slender smooth subpellucid,
hollow small. Earth.

17. *Agar. appendiculatus*, Cap whitish, smooth, de-
(Wn) pressed conic. Gills dark purplish brown. Stipe white
smooth hollow. Earth.

18. *Agar. virosus*, Cap whitish, at length
(188. Wn) flattened smooth. Gills free. Stipe smooth, solid.
Earth.

19. *Agar. Badhami*, B. Cap light brown, papillose
(189 Wn) mis cracking into large scales, at length flat. Gills
white very broad & imbricate, free. Stipe solid, much
enlarged towards base, white above & ring, reddish
brown below.

5520. *Agar. ^{hypophyllus, B. B.} lacatus*, B. Cap slightly arched smooth
(192. Wn) light dull purplish. Hymen. light purplish.
Gills numerous nearly straight on margin,
adnate. Stipe smooth solid thickened upward
purplish white. Earth.

21. *Paxillus rudis*, B. B. On Pine timber & Rail
(234. Wn) road embankment, growing horizontally in
crevice between timbers.

22. *Agar. tener* Cap 1/8-1/4 in. broad & high,
(126. Wn) smooth, light brown. Gills numerous, rather crowded,
unequal free light brown. Stipe long slender sub
pellucid light brown hollow smooth
ad firmum equinum.

23. *Agar. semihareus*, B. B. Cap 1/8-1/4 in broad, arched
(224. Wn) smooth, light brown becoming darker. Gills rather
few subnate, unequal, free, rounded on edges,
whitish turning light yell. brown. Stipe long
slender pubescent solid thickened & whitish at
top, dark brown below. On dead sticks
among grass & woods.

4. *Agar. tener* Cap yell. brown, smooth,
(119. Wn) bell form. Stipe smooth, hollow. Gills broad
adnate, light brown.

25. *Agar. fibrula*, Cap hemispheric, subulate,
(120. Wn) light reddish white, smooth. Hymen. white. Gills
few adnate decurrent. Stipe smooth, whitish solid.
Earth among mosses.

26. *Agar. lacinus*, = 1588. *Sp. aspera*.
(121. Wn) Cap arched, scaly pubes-
cent, light brown, subulate & soon cleft at
margin. Gills numerous, free light brown.
Stipe fuscous, enlarged at top, solid, light
reddish brown. Earth among grass.

5527. [#]~~Agar.~~ *confusus*, P. Cap 1-2 in. broad, flattened (103. Wm.) at length concave, edges strongly recurved, smooth white. Flesh thin. Gills numerous thin, not crowded, free, rounded on edges, white or light brownish. Stipe leathery rather slender, brown with a dense glaucous or white pubescence, hollow, thickened at top & base. Woods among slopes.

28. *Agar: radicans*, Bull. Cap 1-3 in. broad, flat (99. Wm.) at length reflexed or margin & concave, light brown smooth. Flesh thin. Gills unequal thick rather distant narrowly adnate rounded on edges white. Stipe slender thickened at top flattened solid white above, brown pubescent below.

29. *Coprinus fimetarius* Cap campanulate at (4. Wm.) length nearly flat, 1-2 in. broad, radicate striate, lacerate-reclinate on edges, sometimes white floccose & remains of volva, lead color. Gills very numerous, thin, free, crowded, unequal, dark gray. Stipe long slender hollow smooth, white, fragile. Root long. - On much heaps.

30. *Agar. (Leptonia) varicella*, ^{or *g*} Cap arched, 1/4-1/2 in. broad, (2. Wm.) smooth light brown, umbo concave or depressed, flesh thin. Gills distant broad, unequal, rounded on edges, abruptly narrowed at stalk & adnate, light purplish white. Stipe slender, solid, or with a filiform woolly canal, smooth, greenish blue. Among bushes in damp ground.

31. *Cortin. castaneus* Cap 1/2-1 1/4 in. broad, (3. Wm.) arched, smooth, brown. Flesh thin. Gills numerous, crowded, unequal adnate & narrowed at stalk, rounded on edges, light brown. Stipe rather stout, smooth, solid, purplish white.

In woods on earth.
32. *Agar. vaginatus*, (1. Wm.)

^{Coprinus}
5533. ~~Agar.~~ *Wrightii*, Reb. Cap 1/4-1/2 in. broad, & (5. Wm.) oval becoming nearly flat, acedate striate, light glaucous gray & small brown specks, subpellucid. Gills rather distant unequal free narrow dark gray. Stipe slender smooth pellucid, whitish, hollow.

On earth & flower pots.
34. *Cortin. Wrightii*, Reb. Cap flattened, 1/4-2 1/4 in. (95. Wm.) broad, smooth, viscid, yellow. Flesh thin white. Gills numerous thin rather broad rounded on edges, unequal adnate abruptly narrowed at stalk, light brown. Stipe stout much enlarged at base, smooth, solid, whitish. Ring manifest viscid? In woods.

35. *Agar: semicircularis* Cap 1/4-1/2 in. broad, smooth, (6. Wm.) light brown, arched, at length flattened. Gills numerous, broad unequal adnate rounded & somewhat uneven on edges, purplish or dull gray. Stipe smooth, long rather slender solid, yellowish white.

36. *Agar. (Ecilia)* Cap 1/2 in. broad flat conic (2. Wm.) umbo prominent, smooth, light grayish, flesh thin. Gills numerous & crowded unequal free slightly rounded on edges, light pink. Stipe slender smooth solid, subpellucid, light brownish.

^{Cortin}
37. ~~Agar.~~ *dissepens*, Fr. Cap 1/8-3/8 in. broad, conic (9. Wm.) smooth, white, umbo prominent, flesh thin. Gills numerous, crowded, thin unequal rounded on edges & narrowed at inner end, free or slightly adnate, whitish. Stipe white smooth solid uniform in thickness. Woods among leaves.

38. *Agar: vacuarius*, Fr. Cap 1/4-1/2 in. broad, obtuse conic (Wm.) at length flattened, smooth, brown, flesh thin. Gills numerous thin unequal free broad, rounded on edges light pink. Stipe smooth whitish subpellucid, rather slender solid. On earth around stumps.

5539. Agar. ochropurpureus, B. Cap 1-3 in. broad, arched
(96. Wr.) at length flattened, edges strongly deflexed, light
brown striate subpubescent. flesh rather thick.
gills purple, rather distant, unequal, adnate
thick, wavy on edges. Stipe stout pubescent, light
brown, somewhat enlarged upward & downward, solid.
on ground.

40. Agar. Hyphorum, Dubd. Cap conic, 1-3 lines
(Wr.) broad, smooth umbo prominent, light brown.
gills rather few, free, unequal, broad, rounded on
edges, light brown. Stipe slender, light brown.
among moss on old stumps.

41 Agar. phalloideus, Cap slightly arched
(97. Wr.) smooth, yellow becoming white, 3-4 in. broad.
flesh 2 lines thick. gills white numerous rather close
unequal, free, rounded at summit and leaving a ring
round summit & stipe. Stipe stout solid, smooth
or slightly pubescent white springing rather deep
(1-3 in) beneath & surface. Volva attached near
the surface summit & stipe & hanging round it
like a cloak, white.

42. Agar. frumulus, Cap 1-3 in. broad irreg
(93. Wr.) near, at first arched, at length flattened or concave,
smooth white. flesh rather thick white. gills numerous
unequal adnate decurrent thin white. Stipe stout,
smooth solid white more or less eccentric from mutual
pressure. clustered. In woods.

43 Agar. ~~clavatus~~ ^{luteus}, B. Cap 1-1 1/2 in. broad, conic,
(91. Wr.) at length flattened smooth light brown, umbo
rather prominent. flesh thin white. gills numerous
thin unequal, & crowded rather broad abruptly narrower
at stipe & adnate, light brownish red. Stipe stout solid
smooth white slightly enlarged at top & gradually toward
base. Earth & woods.

Hygroph.
44. Agar. conicus, Fr. Cap 1-1 1/2 in. broad, conical
(90. Wr.) at length somewhat flattened, umbo prominent smooth,
& dark reddish orange | light yellow. flesh thin.
gills distant free unequal broad, rounded on edges,
yellow. Stipe rather stout long soft solid, smooth,
light yellow. - Among leaves & grass & woods.

45 Agar. sandicinus, Fr. clustered. Cap 1-1 1/2 in.
(94. Wr.) broad, arched, smooth, very light purplish brown,
flesh thin white. gills very numerous thin
crowded unequal free, very light purplish. Stipe
rather stout smooth or slightly pubescent white
hollow, cavity small. - Woods.

46. Agar. ~~luteus~~ ^{glaucescens, B.} Cap 1 in. broad arched
(88. Wr.) edges incurved pubescent light brown; flesh
rather thin. gills numerous & crowded unequal
adnate edges straight, white. Stipe stout solid
light brown & a white glaucous. - Woods.

Capit.
47 Agar. anomalus, Fr. Cap 1-1 1/2 in. broad, slightly
(92. Wr.) arched or flattened smooth, very light brown or whitish.
flesh rather thick white. gills numerous & crowded
unequal adnate straight on edge, white gathing
purple. Stipe stout smooth solid enlarged down-
wards & slightly at summit. Earth & woods.

48. ~~Agar. hygrophorum~~ ^{Marasmius velutipes, B.} Cap 1/4-1 in broad, arched
(86. Wr.) umbo depressed or concave, smooth, dark reddish
orange; flesh thin. gills distant unequal ad-
nate broad edges rounded yellow or orange. Stipe
stout smooth, enlarged & hollow at summit, yellow
subcartilagineous. - Woods among leaves.

49 Agar. ~~luteus~~ ^{luteus, B.} Cap 1 1/2-3 in. broad, slightly
(85. Wr.) arched, at length flattened, smooth, very light brown
flesh thin. gills numerous, & crowded, rather broad,
edges straight, unequal, free, very light reddish brown.
Stipe rather stout smooth solid white.
clustered. Earth & woods.

5550. *Lactaria taminous*, ^{of L. scabieulatus?} cap 3/4 - 1 in. broad
(53. Wr) pubescent flattened & concave, umbo deeply depressed, white, flesh rather thick white, gills very numerous thin unequal adnate? white rather narrow straight on 1 edge. Stipe very short stout smooth solid white.
Earth in Wood.
5551. *Lepitium* ~~Agar.~~ *cochleatus*, Fr. cap very irregular &
(60. Wr) mutual pressure 1/2 - 1 in. broad, slightly arched or flattened smooth. Gills numerous thin rather close unequal adnate-decurrent, white. Stipe scutellum or lateral, rather slender, channelled (4 to 6) or angular, solid smooth brown. - Retracent back & a dead oak tree & 1 wood.
52. *Agar. mellius*, var. cap 1 - 3 in. broad,
(61. Wr) flattened, strongly incurved at 1 margin, light brown streaked with a dark brown pubescence, which more dense at 1 umbo; flesh rather thin white, gills rather distant unequal, adnate-decurrent white. Stipe solid thickened at base & 1/4 smooth, glaucous brown.
53. *Boletus spadiceus*
(Wr. = 58?)
54. *Boletus subtomentosus* L. cap slightly arched
(58. Wr) smooth brown, flesh thick white, hymen yellow, very large compressed angular decurrent. Stipe white enlarged upwards, solid. - Earth.
55. *Agar. campanella*, cap 1 - 6 lines broad
(33. Wr) flattened, yellow, smooth, striate, umbo deeply depressed. Gills adnate-decurrent, unequal, uneven on 1 edges, yellow. Stipe slender, thickened at 1/4, smooth dark reddish brown, hollow? clustered on stumps.
5556. *Agar. procens*, var. cap 3 in. broad, flattened
(32. Wr) edges incurved, reddish white areolate, pubescent; Hymen, white of a tinge red. Gills numerous unequal slightly rounded on 1 edges terminating 1/4 in. & 1 stipe & a smooth areolate of an elevated ring on 1 inner edge, between wh. & 1 stipe is a narrow deep groove. Stipe whitish pubescent & solid. Ring an inch & 1/2 thick.
57. *Rhizula*, more than one species cap 1/2 - 1 1/2 in. broad
(31. Wr) flattened, smooth, varying to white or grayish 1 deep red. Gills mostly equal white even rounded on 1 edge, free. Stipe solid smooth thickened downwards bulbous at base, white. Earth.
58. *Agar. cristatus*, Bull. cap 1/2 in. broad flattened
(35. Wr) whitish of brown pubescence, umbo brown. Gills white unequal rounded on 1 edges, free. Stipe hollow rather stout, lignum & floccose white pubescence, on earth by stumps.
59. *Agar. Thrichtii*, Bull. cap 1/2 - 1 1/2 in. broad, flattened at length concave, edges irregularly reflexed, smooth, dull red. Gills unequal free, very uneven on 1 edges & many, light glaucous red. Stipe solid stout somewhat fibrous, laminate thickened at 1/4. Earth shade & trees.
60. *Agar. vaginatus*, Bull. cap 1 - 1 1/2 in. broad, slightly arched striate smooth grayish; flesh thin white, gills numerous thin unequal free, edge straight. Stipe stout whitish pubescent, slightly thickened downwards bulbous at base, cottony within. - Earth.
61. *Agar. carneus*, Bull.
(Wr.)
5562. *Agar. elingis*, Bull.
(Wr.)

5563. *Agar. unicornis*, Batsch. Cap 1 in. broad, conical,
(28. Wr.) at length flattened (umbo prominent) smooth rather
dark striate. Gills numerous thin close unequal
slightly rounded on edges, free, light grayish. Stipe
short, smooth, solid. Earth.

64. *Agar. Batschianus*, Fr. Cap brown, some-
(30. Wr.) what flattened smooth, edges incurved. Gills un-
equal white of a tinge red, free, rounded on
edge, numerous, thin. Stipe striate smooth, light
brown solid rather stout. Earth.

65. *Agar. Thalenanum*, Fr. (Wr.)

66. *Agar. - A. tepido* aff. sed distinctus. (Wr.)

67. *Agar. udus*, P. var. Cap 1/2 - 1 in. broad, obtuse
(20. Wr.) - conic, smooth grayish, umbo brown, flesh thin.
Gills broad thin unequal rounded on edges, dark
gray slightly adnate. Stipe slender solid smooth,
light brown. Earth.

68. *Agar. galericulatus*, Batsch. Cap hemispheric smooth
(19. Wr.) light brown, 1-4 lines broad. Gills numerous un-
equal rather thick slightly adnate-decurrent, light
grayish. Stipe smooth slender peduncled whitish
becoming light brown hollow, lower part covered
of long, ciliolous. - Blistered on stalks.

69. *Agar. hydropneum.* Bull. Cap oval (flesh very thin)
(21. Wr.) striate glaucous light gray becoming brown, umbo
darker & y striate. Gills numerous close, thin, equal
straight on edges, dark grayish, free. Stipe rather
slender smooth hollow whitish. Earth.

70. *Boletus spadiceus*, Schaef. Cap light brown.
(163. Wr.) Hymenium & stipe light yellow.

5571. *Agar. aurantio-luteus*, B. ob. Deep orange
(161. Wr.) Gills adnate-decurrent.

72. *Agar. rachodes*, Vitt. Cap oval, at length
(164. Wr.) subplanate, squamose-fuscescent, reddish white,
4-6 in. broad. Gills numerous free, white.
Stipe smooth, reddish white, tubular above,
incrassate & solid below - Oak stumps.

73. *Agar. praeox*, P. Cap smooth white.
(166. Wr.) Gills light brown, numerous, free,
stipe smooth white solid.

74. *Agar. pediculus*, Fr. Yellowish; Stipe solid.
(127. Wr.) Gills about 10-30 & nearly twice as many perithe-
ones, free, becoming dark brown. Cap white smooth.

75. *Agar. horizontalis*, Low. or new. (145. Wr.)

76. *Agar. retinervis*, Batsch. Conic cap & hollow stipe dark
(170. Wr.) brown, smooth. Gills darker adnate broader & middle
lump ground among grass.

77. *Agar. fuscescens*, P. Cap light brown, smooth.
(169. Wr.) Gills adnate. Stipe hollow.
Lump ground.

78. *Rufula emetica*, Cap flat at length
(173. Wr.) incurved at margin, red & whitish, smooth. Gills num-
erous, narrow, free, white. Stipe solid white, thick-
ened downward.
Earth among grass.

79. *Agar. (Panaeolus)* = 5586.
(220. Wr.)

5580. *Agar. appendiculatus*, Bull.
(Wr.)

5587. *Agar. repens*, var. ^{capitulum, var. subsp.} cap. conic, obtuse, smooth. (202. Wn.) light grayish, $\frac{1}{8}$ - $\frac{3}{8}$ in. broad; - gills numerous rather broad rounded on edges, free, unequal, & whitish becoming dark brown; - stipe long, slender, hollow, smooth, subpellucid, light brownish. Earth.

82. *Hygroph. coccineus*, Fr. cap. $\frac{3}{4}$ - $\frac{1}{4}$ in. broad, (216. Wn.) conic, at length flattened, smooth, deep red, becoming yellow; - flesh thin yellow. Gills rather distant, numerous, unequal, adnate, regularly rounded on edges, yellowed. Stipe stout, hollow, smooth above, pubescent below, orange. Earth in woods.

83. *Agar. vaginatus*, Bull. cap. light lead color, (191. Wn.) arched, margin striate & soon splitting, smooth. Gills white, free, numerous, narrow. Stipe white thickening downwards, pubescent, solid, proportionally large. - Among grass under trees, germinating rather deep beneath the surface.

84. *Boletus micaceus*, Fr. cap. conic becoming (193. Wn.) nearly flat smooth radiate-striate, light yellowish brown grayish & thin on margin, Gills very numerous unequal crowded, rounded on edge, free dark purplish. Stipe smooth hollow. - clustered on rotten stumps.

85. *Agar. tener*, Schaff. cap. ovate conic, rather (209. Wn.) or deeper than broad, $\frac{1}{8}$ - $\frac{1}{2}$ in. broad, smooth, light brown. Gills numerous rather broad rounded on edges, unequal, free, light brown. Stipe slender, smooth, hollow light brown. - fine equis.

86. *Agar. (Panaeolus) = 5579.* cap. $\frac{1}{4}$ - $\frac{1}{2}$ in. broad, (210. Wn.) smooth, dark brown; - gills numerous thin rounded on edge, broad, unequal, slightly adnate?, dark brown, stipe rather rigid hollow (canth. small) smooth dark glaucous purple. Earth.

5587. *Agar. melleus*, Bahl. var. cap. $\frac{1}{4}$ - $\frac{1}{2}$ in. broad, (212. Wn.) minutely scaly pubescent, umbo a little elevated, dull red; flesh rather thick white. Gills numerous, not crowded, narrow, unequal, adnate, light red. Stipe rather stout smooth solid whitish, tapering & connate at base.

sensely clustered about stumps.

88. *Agar. castaneus*, Fr. cap. $\frac{1}{2}$ - $\frac{1}{4}$ in. broad, (213. Wn.) flat smooth, cracked toward edges & irregular, light brown. Gills numerous rather distant unequal rounded on edge abruptly narrowed at stipe & slightly adnate, brown. Stipe stout, smooth, whitish, hollow?, slightly enlarged above Earth.

89. *Agar. melleus*, var. ~~lent. confusus~~, B. (214. Wn.)

90. *Pol. spex sinuosus*, Fr. Elm stumps. (69. Wn.)

91. *Trametes sepium*, B. Old fences (78. Wn.)

92. *Al. fuscocarnus*, P. = 1576. nothing wood (77. Wn.)

93. *Al. spex sinuosus*, Fr. (232. Wn.)

94. *Polyp.* hollow stumps (245. Wn.)

95. *Pol. Boucheanus*, Al. (236. Wn.)

96. *Pol. lentus*, B. (145. Wn.)

97. *Boletus chrysenteron*, Fr. (Wn.)

98. *Pol. luridus*, B & L. (247. Wn.)

5599. *Hydn. alutaceum*, Fr. nothing wood & Crataegus (73. Wn.)

5600. *Asp. sinuosus*, Fr.
(141. Wr.)

1. ^{Polyp.} *Hemiclathrus fimbriatus*, Fr. "Under side & stones & a heap."
(199. Wr.)

2. *Hadrum ochraceum*, P. var.
(199. Wr.)

3. *Hydr. pitthyophellum*, Bb. var.
(208. Wr.)

4. Cort. *C. suberianus* aff. dead herbs in hedges
(144. Wr.)

5. Cort. ~~+~~ ^{*Monticola patelliformis*, Bb.} "Mossy rotten sticks, hymen yellow-white."
(51. Wr.)

6. Cort. *Phlebia vaga*, Fr. Rotten wood in shady places
(112. Wr.)

7. Cort. *incarnatum*, Fr. Whitish. On rotten wood.
(106. Wr.)

8. Cort. *pauperculum*, Bb. "Light purplish or violet. Raril."
(118. Wr.)

9. *Micropera* " — ram. *Aurea nigra*.
(242. Wr.)

10. Cort. *lilacinum*, Bb.
(184. Wr.)

11. *Rez. cyathoidea* " White.
(126. Wr.)

12. *Rez. frutigena*, var. " Light yellow. Largest specimen little over a line in diameter. Highest about 4 lines. — Rotten wood & damp places.
(177. Wr.)

13. *Lycospor. Curtisii*, B.
(197. Wr.)

14. *Rez. ollaris*? " ~~cort. *Acetis*~~
(200. Wr.)

15. *Stilboch. magna*, B. " cort. *Acetis*.
(137. Wr.)

16. *Phoma confluent*, Bb. " ram. *Vitis*.
(135. Wr.)

5617. fr. o. "
(133. Wr.)

18. mil. "
(134. Wr.)

19. *Phallus duplicatus*, Bb. " Subcylindric shaggy (244. Wr.) about 6 in. high, apex perforate. Pileus tiny, long cloak form. — rotten stumps.

20. " *vesicis quid* " *item* " *Uredo*. "
(240. Wr.)

21. ~~Uredo~~? *Uredo Leguminum*, Bb. " Bean pods
(233. Wr.)

22. *Rez. succosa*, L. prox. "
(229. Wr.)

23. *Sphaeropsis* - common form. " cort. *Sambuci*.
(123. Wr.)

24. *Rez. ollaris* Fr. " Golden yell. — *Carta*
(218. Wr.)

25. *Rez. exidiella*, Bb. " caul. herb.
(114. Wr.)

26. *Rez. cyathoidea*, var. "
(113. Wr.)

27. *Phyrum album*, Fr. " ram. *Juniperi*.
(105. Wr.)

28. *Phisemimomera*, Bb. " caul. mat. herb.
(111. Wr.)

29. *Polystella fulchra*, Bb. " Willow bushes.
(Wr.)

30. *Phoma defrepum*, Bb. " caul. herb.
(110. Wr.)

31. *Phh. vitriospora*, Bb. " caul. herb.
(107. Wr.)

32. *Hyph. glomiformis*, Bb. " *Aurea nigra*
(116. Wr.)

33. *Lycospor. Wrightii*, Bb. "
(7. Wr.)

Grape vine

5634 *Stictis hystrina*, Fr. "
(51. Wr.)

35. *Stictis curtisii*, B. " *Hymenophorum*
(222. Wr.) stipitiform tubular then sulcangular, red,
pitted above the middle, tapering to an oblong
point. They covered with a resinous brown
substance of a fetid smell.

36. *Stictis fuliginosa*, B. " *Cort. Platani*,
(63. Wr.)

37. *Patell. applanata*, B. & C. " rotten stumps,
(49. Wr.)

38. *Phaeopsis* - common form. " *ram. Ulmi*
(41. Wr.)

39. *Lepthyrum Ribis*, Lib. " *fol. Ribis nigri*,
(43. Wr.)

40. *Patell. bursiformis*, " *Cup greenish yellow, be-
(48. Wr.) coming dark olivaceous. - Rotten stumps.*

41. *Stictis* - young - spind. o. " *Cort. Salicis*
(56. Wr.)

42. *Phyactis vulgaris* " *Bean pods*,
(16. Wr.)

43. *Stictis Lonicæ*, Mont. "
(18. Wr.)

44. *nil*. "
(15. Wr.)

45. *Cyathia leucoperna* "
(165. Wr.)

46. *Stilboch. magna*, B. "
(156. Wr.)

47. *stat. sclerot.* " *"Lipodia*.
(157. Wr.)

48. *nesio* "
(150. Wr.)

49. *exoleta* "
(151. Wr.)

50. *Stalulana Gyathus Wrightii*, B. & C. "
(11. Wr.)

5651. *Sclerodema Borista-minor*. "
(219. Wr.)

52. *Attila Gyathus Lescurei*, Del. "
(Wr.)

53. *Exopend. signiforme* "
(217. Wr.)

54. *Myxogast. junia* "
(211. Wr.)

55. *Stictis strictostoma*, B. & C. "
(160. Wr.)

56. *f. o.* " *Cort. Juniperi*
(167. Wr.)

57. *Stereum. spadicum*, " Turns blood red on being scratched.
(759. Wr.)

58. *Trametes vesicularis*, Fr. " Running over stems & leaves.
(769. Wr.) Soft-gelatinous

59. *Phy. flavovirens*, B. & C. " *Cup rich yell. brown. Does yellow.*
(801. Wr.)

60. *Lact. nysgimus*, Fr. "
(945. Wr.)

61. *Longites corrugata*, Hb. " *Cup soft smooth dark*
(831. Wr.)

62. *Pol. leuconelas*, Fr. " *Cup soft smooth dark*
(905. Wr.) *concolorous a state, surface very flat-convex. Does*
white turning blackish, decurrent. - 3-5 in broad,
clustered - Sept.

63. *Leptoria herbarum*, B. & C. "
(717. Wr.)

64. *Hydn. membranaceum*, var. "
(783. Wr.)

65. *Phoma scalisuscula*, B. & C.,
(706. Wr.)

66. *Agar. hydrogrammus*, Fr. "
(742. Wr.)

67. " *on Beech*.
(753. Wr.) *nesio quid.*

5668. *Vibipea truncorum*, Fr. " wet stick in water.
(721. Spr.)
69. *Penicillium spicatum*, Bob. "
(829. Spr.)
70. dubium "
(768. Spr.)
71. *Polyt.* (resupin.) " *incrustans*, Bob. "
(732. Spr.)
72. *Xylaria* (young) "
(811. Spr.)
73. *Pol. annosus* Fr. "
(774. Spr.)
74. *Pez. firma*, P. "
(777. Spr.)
75. *Septoria herbarum*, Bob. " *caul. Arabali.*
(709. Spr.)
76. *Reticularia* - young "
(743. Spr.)
77. *Pol. indetenu.* " Pine stump.
(715. Spr.)
78. *Boletus scaber*, Fr. "
(835. Spr.)
79. *Verticillium nanum*, B. & Br. "
(746. Spr.)
80. *Sphaeria collabens*, Bob. "
(728. Spr.)
81. *Myrothecium voxidum* "
(818. Spr.)
82. Lichen - young "
(738. Spr.)
83. fr. o. on line. "
(703. Spr.)
84. *Ceratium* - collapsed "
(712. Spr.)
85. *Polyt. radiatus*, Fr. "
(720. Spr.)

5686. *Stemella sarcoides*, With. "
(834. Spr.)
87. dubium "
(713. Spr.)
88. *Penang. Prunastri* " "on Acer": sed ?
(716. Spr.)
89. *Leprodium Pini*, Bob. " on Pine
(714. Spr.)
90. id & fr. o. "
(734. Spr.)
91. nescio. " conis thetis
(730. Spr.)
92. *Agar. caticola*, " & "*Exidia obliqua*," Bob. "
(823. Spr.)
93. *Agar. caticola* " cort. Querc.
(736. Spr.)
94. *Pez. herbarum* "
(744. Spr.)
95. *Phoma macrospora*, Bob. "
(708. Spr.)
96. *Phlebia cinnabarina* "
(776. Spr.)
97. *Panus periculatus*, Bob. very curious. "
(772. Spr.)
98. exolete but curious " Sph.
(748. Spr.)
99. *Pol. tomentosus* " Pine stump
(820. Spr.)
5700. *Pol. Spragueii*, Bob. " = 5718. " ad tenam.
(822. Spr.)
1. *Lichyminum nectraeforme*, Bob. " fol. Querc.
(828. Spr.)
2. *Pez. cyathoides* "
(830. Spr.)
3. *Endobotrya elegans*, Bob. " cort. Fagi
(734. Spr.)
5704. *Sphaeria Baphisae*, Bob. " *caul. Bapt. tinctoriae*
(769. Spr.)

5705. *Tremella* ?
(705. *Th.*)

6. *Phaeia Munaii*, B.S. " ram. Mali
(970. *Th.*)

7. *Hydnum affurrai*, B.S.
(809. *Th.*)

8. *Hypocrea luteovirens*, var. ^{virens} *or* *Rufula*.
(754. *Th.*)

9. *Glaosporium crocosporum*, B.S. " *on Watermelon*
(975. *Th.*)

10. *Samyra tortus* "
(754. *Th.*)

11. *Agar. Musc. oreades*,"
(825. *Th.*)

12. *Hydnum plumosum*, Luly "
(805. *Th.*)

13. *Craterellus crispus*, B. "
(815. *Th.*)

14. *Hypocrea exigua*, B.S. "
(780. *Th.*)

15. *bad specimen* "
(814. *Th.*)

16. *Pol. (cetroneum) (resup.)* " *ad tenam*
(803. *Th.*)

17. *genus doubtful*. " Blue then flesh col'd. *Entha*
(213. *Th.*)

18. *Pol. Spaguerii*, B.S. "
(974. *Th.*)

19. *Pol. amax*, B.S. " = *P. Berkeleyi*, L. "
(975. *Th.*)

20. *Boletus luridus*,"
(253. *Th.*)

21. *Boletus subtomentosus*, L. "
(254. *Th.*)

22. *Lactarius picipinus*, L. "
(973. *Th.*)

5723. *Agar. Mycenoides*, L. var. *major*.
(967. *Th.*)

5724. *Agar. obtusatus*, L. "
(968. *Th.*)

25. *Agar. Parillus atroamentosus*, L. "
(976. *Th.*)

26. *Agar. sublaticinctus*, L. "
(967. *Th.*)

27. *Agar. Briseus*. " *" phylophilus "* L. "
(963. *Th.*)

28. *Agar. (clathrata) luteo-olivaceus*, B.S. "
(962. *Th.*)

29. *Agar. (Tricholoma) "*
(961. *Th.*)

30. *Agar. malachius*, B.S. "
(960. *Th.*)

31. *Agar. ochropurpureus*, B. "
(958. *Th.*)

32. *Agar. ^{dissectus} L. "*
~~*subcratus*~~, L. "
(957. *Th.*)

33. *Agar. Cortinarius ochroleucus*, L. "
(956. *Th.*)

34. *Agar. tigrinus*, L. "
(955. *Th.*)

35. *Agar. quadratus*, B.S. "
~~*Agar. Cortin. canaliculatus*, L. "~~
(954. *Th.*)

36. *Agar. Cortin. caeruleus*, L. "
(953. *Th.*)

37. *Agar. abortiens*, B.S. "
(952. *Th.*)

38. *Boletus castaneus*, Will. "
(928. *Th.*)

39. *Boletus fiperatus* "
(927. *Th.*)

40. *Boletus bovinus*, "
(926. *Th.*)

41. *Boletus granulatus* "
(930. *Th.*)

42. *Boletus*, "
(929. *Th.*)

5743. Agar. clipeus, Sow.
(936. Spr.)

44. Agar. (Collybia) stereoccephalus, B.B.
(935. Spr.)

45. Agar. sculpturatus "rhinarium, B.B."
(934. Spr.)

46. Boletus, flavidus Fr.
(933. Spr.)

47. Boletus granulatus,
(932. Spr.)

48. Boletus castaneus,
(931. Spr.)

49. Agar. Paxillus griseotomentosus, var.
(930. Spr.)

50. Agar. graveolens
(938. Spr.)

51. Agar. Cortin. elatior, Fr.
(937. Spr.)

52. Agar. utitans, Schaff.
(936. Spr.)

53. Agar. Hygroph. minutus, Fr.
(949. Spr.)

54. Agar. frumulus, Fr. "rachodes"
(948. Spr.)

55. Agar. Lact. volenus
(946. Spr.)

56. Agar. - no notes
(945. Spr.)

57. Agar. Shraguei, B.B.
(944. Spr.)

58. Agar. princeps, B.B.
(943. Spr.)

59. Agar. rachodes, Kt.
(942. Spr.)

60. Agar. Cortin. cinnamomeus, var. a n. sp.
(941. Spr.)

61. Agar. fuffyophilus, Fr.
(940. Spr.)

5762. Theleph. trifaria, B.B.
(971. Spr.)

63. Theleph. pallida, B.
(870. Spr.)

64. Botrytis viticola, B.B. fol. N. Laurusca.
(862. Spr.)

65. Fennicularia " o. Clintonia borealis
(858. Spr.)

66. Cladosp. " do do
(857. Spr.)

67. Ascolobus trifolii, " Trifolium repens
(854. Spr.)

68. Septor. Polygonum, Lem. Polygonum Persicaria.
(850. Spr.)

69. Septor. Rhodis, B.B. " Rhus radicans
(846. Spr.)

70. Sephora Castaneaola, Fr. Castanea vesca
(845. Spr.)

71. discoid tigue. " Ledum latifolium
(840. Spr.)

72. Septoria Nubali, B.B. " fl. Nubali albi
(838. Spr.)

73. Craterellus ~~lutescens, Fr.~~ ^{latentis} "
(837. Spr.)

74. Clavaria abietina " color clear ochre, dry & conis,
(900. Spr.) compressible to the feel.
among pine leaves in damp wood

75. Cortin. sanguineus " color rich dark blood-red-
(899. Spr.) brown, not the brown of cinnamon. beautiful.
damp wood.

76. Hypocrea lateritia, " Wet grounds
(897. Spr.)

77. Agar. (Amanita) " Beautiful yellow or orange
(895. Spr.) yellow, flesh & gills soft warts, tips soft, clammy
furfuraceous - sometimes 5-6 in. broad.

5778. diseased tissue."
(893.3mu.)

79. *Capnodium elongatum*, Bosc. " covering various shrubs
(892.3mu.) all over V 6 ft. around.

80. *Agar. radicans*, Rell. Attached to stumps lichen
(891.3mu.) level of earth, sometimes on a long prolongation of stipe.

81. *Agar. procensus*, Bosc. " Stipe perfractuous, ash color
(890.3mu.) easily rubbed off. Cap do do

7 soft scaly warts. Gills separated & stipe by a
naked ring of cap. Ring movable, persistent.

82. *Agar. (Nicholsonia)* "
(887.3mu.)

83. *Agar. granulosa*, Batsch. " damp wood
(875.3mu.)

84. *Marasmi. confluens*, " among wet moss & fine leaves.
(874.3mu.)

85. *Pholcaca?* fr. " fol. *Lydonia vulgaris*
(884.3mu.)

86. *Phallus clavatus*, Fr. " Wet wood
(883.3mu.)

87. *Lact. calceolus*, B. "
(922.3mu.)

88. *Lact. viridis*, Fr. "
(921.3mu.)

89. *Lact.*
(920.3mu.)

90. *Lact. aridus*, Fr. "
(919.3mu.)

91. *Hygroph. pinnatus*, Fr. "
(918.3mu.)

92. *Hygroph. coccineus*, L. " Sprague indicates this as a
(918.3mu.) var. of the preceding, saying that they vary in color,
yellow, pink yellow, red, orange &c.

93. *Hygroph. coccineus*, L. "
(917.3mu.)

94. *Rufula virescens*, L. "
(916.3mu.)

Skin of ripe Tomato

5795. *Clavaria inaequalis* "
(919.3mu.)

96. *Clavaria tetragona*, L. red ? "
(914.3mu.)

97. *Clavaria argillacea* "
(913.3mu.)

98. *Agar. (Clavaria) staphisagria*, Bosc. " *melilotus*, Bosc. "
(906.3mu.) "cuneus but no notes

99. *Clavaria. b. crispula* aff. "
(910.3mu.)

5800. *Agar. Murrai*, Bosc. " Straw yellow. Wet grounds.
(907.3mu.)

1. *Boletus chrysenteron*, a n. sp. "
(880.3mu.)

2. *Lezites conigata* Kl. "
(170.3mu.)

3. *Polyph. spissus* "
(401.3mu.)

4. *Polyph. radiatus* "
(403.3mu.)

5. *Agar? Canthar. umbonatus* "
(412.3mu.)

6. *Stereum Micheneri*, Bosc. " = 3582 "
(492.3mu.)

7. *Polyph. pubus*, var. l. sp. prop. "
(494 nat. 3mu.)

8. *Polyph. varicolor*, var. "
(494 nat. 3mu.)

9. *Stereum Murrai*, Bosc. "
(576.3mu.)

10. *Sp. culmifraga* " culm. *Panic.*
(577.3mu.)

11. *Stachytichium diffusum*, Fr. "
(577.3mu.)

12. stat. *sebotioid.* " culm. *Laklia*
(569.3mu.)

5813. *Polyph.* - can't refer it to normal form. " *Pannos.*
(573.3mu.)

5814. *Leptoria herbarum*, B.B.
(517.3m.)
15. *Canag. Tympanis confersa*.
(508.3m.)
16. *Nectria coccinea*.
(518.3m.)
17. *mycelium* "cf. *Loth. lineolata*, f."
(521.3m.)
18. on *Sanacenia*? - of so, *Sp. Sanacenia*.
(526.3m.)
19. *Melanconium varium*, B.B. ram. deject.
(596.3m.)
20. *mycelium*. dead bloom?
(594.3m.)
21. *Latic. thel. sebacea*. dead leaves & grass.
(589.)
22. *Polyactis* - very infes.
(588.3m.)
23. *Mucor*
(587.3m.)
24. *Hametia Bengoia*, f. ad *Pinum*
(580.3m.)
25. *Cortic. evolvens* fr.
(621.3m.)
26. *Cortic. scutellare*, B.B.
(634.3m.)
27. *Canag. pithyrum*, fr. on *Abies*
(635.3m.)
28. *Tremcaria*. on living *Ostrya*.
(631.3m.)
29. *Sporidesmium melanum*, B.B. bark & Apple Tree
(638.3m.)
30. *Hyster. fusiger*, B.B. dead Cedar.
(612.3m.)
31. *Tympanis rhadospora*, B.B. in *Acere*.
(618.3m.)
5837. *Cyprod. elongatum*, var.
(619.3m.)
33. *Bladosp. herbarum* dead Hollyhock.
(604.3m.)
34. *Sp. n. perithecia*. "cf. *S. herbarum* decayed wood.
(600.3m.)
35. *exoleta*. on *Aureus*
(616.3m.)
36. *Nectria cucubutula* on *Acer*.
(612.3m.)
37. *Tympanis Morseii*, B.B.
(620.3m.)
38. *Stereum spadicum*.
(649.3m.)
39. *Spheeroph. tomentosa*, B.B. very distinct.
(654.3m.)
40. *Canag. ferruginosum*, var. on *Pinus Strobus*
(644.3m.)
41. *Mucor*. - sp. uncertain. on a Squash.
(645.3m.)
42. *Hendersonia cespitosa*, B.B. dead herb.
(648.3m.)
43. *Sp. n. cupularis*, "tristis not" on *Sambucus*
(647.3m.)
44. *Sp. n. Filice*? - fr. v. on *Filix*
(642.3m.)
45. *Tympanis* = 3514 on dead Oak.
(661.3m.)
46. doubtful - apparently mixed.
(671.3m.)
47. *mycelium*. on *Salix*.
(667.3m.)
48. on *Aureus*
(670.3m.)
49. *Kalsa Sp. undulata*.
(677.3m.)

5850. *Hydnium ochraceum*" (676. *Sp.*) ram. deej.
 51. *Cepnod. young.*" (668. *Sp.*) *Alnus typhina*
 52. *Trametes odoratus*" (684. *Sp.*) pine trunk
 53. *Stereum tabacinum*" (690. *Sp.*)
 54. *Polyh. sulphureus*" heart on old cypress tree (682. *Sp.*)
 55. *Stereum purpureum*" (681. *Sp.*)
 56. *Lenz. bratagi, B.*" (688. *Sp.*)
 57. *Helvella Monachella*" (692. *Sp.*)
 58. *Helvella crista.*" (693. *Sp.*)
 59. *Stereum cretaceum, Fr.*" (689. *Sp.*)
 60. *Polyh.* (680. *Sp.*)
 61. *Stereum spadiceum*" (691. *Sp.*)
 62. *Scedal. confragosa*" (686. *Sp.*)
 63. *Sclerazea* (700. *Sp.*) fol. *Haben. glauca?*
 64. *Siderma valvatum, Fr.*" (186. *Sp.*) on sheaths of bulks & Epidendrum in a conservatory.
 65. *Asarina conglobata, B.*" (229. *R.*) fol. nat. *Arbutus Uva Ursi*
 66. *Scler. cinnamomeus*" (234. *R.*) on *Salix vitellina.*
 67. *Lenz. berari*" (141. *R.*)
 68. *Scleroma pilosum*" (226. *R.*)

5869. *Typharia fr. o*" (223. *R.*) on Oak.
 70. *Hypocrea Richardsoni, B. & M.*" (151. *R.*)
 71. *Sp. macrospora, B. & L.*" (182. *R.*) ram. *Robinia*:
 72. *Phoroc. calicioides*" (54. *R.*) on *Pepul. monilifera*
 73. *Discosia grammata, B. & L.*" (216. *R.*) *Geo. (S.) arborea*, shoots.
 74. *Sp. brachytheca, B. & L.*" (225. *R.*) ram Rose.
 75. *Trachytus atra, B. & L.*" (207. *R.*) damp house paper.
 76. *Phaeopsis - commun*" (223. *R.*) foot of *Thectroma bacca*.
 77. *nil.*" (222. *R.*) " do do
 78. *Phaidium - young.*" (211. *R.*) old dry wood,
 79. *Sp. hibernum?*" (196. *R.*) decaying cabbage leaves,
 80. (432. *R.*) on Quince.
 81. *fr. o*" (197. *R.*) cones of Spruce
 82. *Bladoph. pelliculosum, B. & L.*" (448. *R.*) fol. deject.
 83. *Hyster. hirscent, B. & L.*" (157. *R.*) back & Swamp White Oak.
 84. *Valva "Sp. stellulata."* (112. *R.*)
 85. *Sp. disciformis*" (103. *R.*)
 86. *Sp. verrucaria.*" (168. *R.*)

- 5887 *Vernicia*.
(160.R.)
88. *Sh. guatemata*"
(105.R.)
- 89 *Patellaria filifera*, B. & C. " Wet rotten pine wood,
(57.R.)
90. *Sh. nivea*"
(49.R.)
91. *Lycogala epidendrum*"
(86.R.)
- 92 *Hyth. leucosperma*"
(145.R.)
93. *Macroph. "nihil."*
(136.R.)
- 94 *Saccus, stellatus*"
(219.R.)
95. *Sh. phillogena*, B. & C. "
(106.R.)
96. *Aspergillus cinereus*, B. & C. "
(217.R.)
97. *Phoma*"
(215.R.)
98. *Sh. Phoma capitosa*, B. & C. "
(235.R.)
99. *Stachytropha atra*, B. & C. "
(17.R.)
5900. too old."
(178.R.)
1. *Sh. entomocla*, B. & C. "
(190.R.)
2. *Vernicia*,
(54.R.)
3. "nil."
(40.R.)
5904. "nil."
(96.R.)
- White Birch bark
- Stele Poplar.
- top of stump
- on *Populus grandidentata*
- petioles & *Helianthus*
- on boards.
- Oak bark.
- capsule of *Paeonia*.
- dead stems & *Cactus speciosus*
- Galls on stem of *Nerurus*
- Rotten brown paper in a warm room.
- on *Stele Poplar*
- On fuel & *Stele Lottia*.
- leaves of some tropical Orchid in a greenhouse
- Twigs & *Ulmus americana*
- On *Asargis*.
- 5905 *Hythyspora* - bad." dead currant twigs
(98.R.)
6. *Sphaeria ocellata*, B. & C. "
(50.R.)
7. *Fraxetia dorata*,"
(124.R.)
8. *Shkapsis* " = *St. f. genophora*." twigs & Apple.
(107.R.)
9. *Hythyspora*
(107.R.)
10. *Hythyspora undulatum*. "Too young"
(106.R.)
11. *Hythyspora leucosperma*"
(117.R.)
12. *Hythyspora rubescens*"
(177.R.)
13. *Blad. herb. & Stems, blanchet* "*Maclura major*"
(187.R.)
14. *Trichocarpus*"
(166.R.)
15. *Leptocarpus hermanni*, B. & C. "
(264.R.)
16. *Phoma*? fr. o. "
(272.R.)
17. *Batyti lateritia*, B. & C. "
(290.R.)
18. *Shkapsis stictoides*, B. & C. "
(249.R.)
19. *Hyster. pulicaria*, var."
(291.R.)
20. *Leptocarpus* or *Shkapsis* fr. o. "
(254.R.)
21. *Shkapsis* old base of some *Hysterium* "weather worn wood."
(251.R.)
22. *Hythyspora* - base of pustules only."
(326.R.)
- tropical Orchid.
- Pine timber.
- White *Stele Poplar*
- Robinia Pseudacacia
- Stele Poplar

5923. nil" (196.R.)
- (24) Rhoma" caud. Lili. candidi (185.R.)
- (25) Hyster. elongatum" (289.R.)
- (26) Ectisp. leucosperma" Garden plum (242.R.)
- (27) mycelium" ramul. denud. Pin. Strobus (257.R.)
- (28) fr.o." on some Umbellifer (269.R.)
- (29) too young" lactus triangularis (247.R.)
- (30) Sphaerops. cymbaspora, B.R." on Vaccinium, (246.R.)
- (31) Hyst. linear, & Patell. atrata. " ram. denud. Junip. Virg. (260.R.)
- (32) Patellaria" (300.R.)
- (33) Peridermium - young" (263.R.)
- (34) Acid. laceratum. " on Cydonia Japonica (276.R.)
- (35) Phloeospora Boni, " Apple skin (297.R.)
- (36) Hyst. Hasei, B.R." dead Alnus (331.R.)
- (37) Coriotherium toruloides, B.R." dead willow twig. (328.R.)
- (38) Ectispora compressoides, B.R." Vitis Labrusca (333.R.)
- (39) Sphaerops. Spuntia, B.R." Opuntia vulgaris (316.R.)
- (40) Imph. gyrosa, B.R." dead branch of Apple tree. (255.R.)
- (41) Sphaerops. macrostoma, B.R." on Vaccinium (269.R.)
5942. Laeysm. obliquescens." (245.R.)
- 43 Sektoryium Ribis, Lib." Ribes vulnium. (307.R.)
- 44 Rhoma leptostomatoides, B.R." ram. mat. Vitis. (248.R.)
- 45 Thaidesm. pallidum, B.R." cort. Abietis (341.R.)
46. Asteroma Rosa, Lib." fol. Rosa. (359.R.)
47. cleared spots." fol. Ulmi Americana. (356.R.)
- 48 Sektoria ochroleuca, B.R." fol. Castanea. (357.R.)
49. Canang. Cerasi? " fr.o." dead Cherry, (343.R.)
50. Leth. Ribis" Ribes vulnium. (341.R.)
- 51 Botrytis cinerea" dead Gladiolus stems. (337.R.)
- 52 very imperf." fol. Magnoli. glauc. (378.R.)
- 53 Macrosp. Cheiranthi" Selfshinium (344.R.)
- 54 Phh. (Pentusa) fr.o." bark of Apple Tree (365.R.)
55. Phh. salicina" Willow twig (390.R.)
56. Tubercularia" (336.R.)
57. Gladiolus - young" fol. mat. Anem. alba. (364.R.)
58. mycelium" = 5927 (257 R.) (270.R.)
59. Botrytis cinerea, P." dead tulip leaves (387.R.)
- 60 Ectispora pinastri, Fr." fol. exsicc. Abietis (398.R.)

5961. *Sp. Berberidis* " *Berberis vulgaris*
(293.R.)
62. *Lichysium - destr* " rotten wood.
(283.R.)
63. *Clavaria fastigiata* "
(362.R.)
64. fr. o "
(394.R.)
65. *Exsiphia - young* " *Sapafas twig.*
(244.R.)
66. *Phedochitza* " fol. *Salicis*
(392.R.)
67. *Mycothyrium - fr. o* " fol. *Pyr.*
(391.R.)
68. *Patell. atrata* "
(299.R.)
69. *Kind. Berberid. & Exsiphia guttata* " fol. *Berberidis*
(364.R.)
70. *Sp. m. sp. ? sed fr. o* " twig of *Betula*
(277.R.)
71. *exolite* " *Scirpus triquet.*
(400.R.)
72. *Thoma - P. Phytolacca prox.* " *Gladiolus communis*
(370.R.)
73. *Thoma concentricum, Bern.* " *Yucca filamentosa.*
(369.R.)
74. *Sp. elongata* " *Gleditschia*
(340.R.)
75. *Thoma Geronioides, B. H.* " *Alagonium gonale.*
(353.R.)
76. *Tubercularia* " Wild Plum.
(396.R.)
77. *Sclerot. durum* "
(345.R.)
78. *Phetomium submedium, B. H.* " *Lilium candidum.*
(344.R.)
5979. imperfect " dead *Populus*
(325.R.)
80. *Sp. Berberidis* " *Berberis vulgaris*
(257.R.)
81. *Funago folium, Sp.* " *Nitrus vulum.*
(308.R.)
82.
(265.R.)
83. *Exsiphia - young* " *Verbena hastata*
(310.R.)
84. not a *Funus* " *Hum. Fagi.*
(370.R.)
85. *Tenucaria* " Oak Elm.
(100.R.)
86. *Paxillus panuroides, L.* " on foot of a *Bellar*
(581.Spa.)
87. *Sp. idustus, var.* " ad *Populum.*
(2695.ell.)
88. *Sp. elongatus, B. var.* " ad *Castaneam.*
(2753.ell.)
89. *Corticium hepatica, B. H.* " cart. *Boxini*
(2760.ell.)
90. *Phindrichum burtisii, B.* "
(2752.ell.)
91. *Polyph. fulvus, var. populin* " *Liiodendron*
(2600.ell.)
92. *Sp. fr. o* " old back.
(2796.ell.)
93. *Septoria marginalis, B. H.* " in *Pastinaca.*
(2742.ell.)
94. *Radulum, molare* " sam. *dej.*
(2759.ell.)
95. nil. " in *Junip. Virgin.*
(2740.ell.)
96. *Siphoclia* " young leaves of *Yucca*
(2764.ell.)
97. *Sterium* " on *Alnus ulra.*
(2750.ell.)

5998. *Agar. thocaulum*"
(2738. coll.)
99. *Phlebia radiata*"
(2744. coll.)
6000. *Polyh. spissus*, Sz.
(2737. coll.)
1. too young."
(2730. coll.)
2. fr. o "
(2733. coll.)
3. *Shh. rudis* - young" on *Cytisus Laburnum*
(2713. coll.)
4. *Shh. leucostoma*" cort. *Liriod.*
(2743. coll.)
5. *Stictis fupula* on *Viburnum prunifol.*
(2756. coll.)
6. nil." *Pyrus Malus*
(2709. coll.)
7. *Shh. rubricosa*, Mont. - old." ram. de'j.
(2721. coll.)
8. *Pez. villosa*" on *Liriodendron*
(2731. coll.)
9. *Shh. Micheneri*, Bth." *Bignonia radicans*
(2791. coll.)
10. *Hydn. subvelutinum*, Bth." under old wood
(2725. coll.)
11. *Pol. lifomis*, Hl." on *Liriodendron*.
(2749. coll.)
12. *Shh. pulveracea*" old dry wood.
(2768. coll.)
13. *Polyh. = 5991*" on *Liriod.*
(2679. coll.)
14. *Shh. Americana*, Bth." on *Vitis*
(2777. coll.)
15. *Shh. (versat.)* n. sp? but had ^{stat} on *Sambucus*
(2719. coll.)
16. *Shh. barbatula*, Bth."
(2736. coll.)
6017. *Shh. pulicaris*"
(2710. coll.)
18. *Shh. millegrana*"
(2780. coll.)
19. *Hydn. alutaceum*"
(2714. coll.)
20. *Lepidodia*"
(2765. coll.)
21. *Stereum myosum*,"
(2766. coll.)
22. *Shh. byssisceda*"
(2771. coll.)
23. *Shh. (Stict.) finesp. but fr. o.*" *Viburnum dentatum*
(2764. coll.)
24. *Cort. arachnoideum* - ^{B.} running several feet over dry leaves.
(2640. coll.)
25. *Cort. compactum*, Bth." *Liriodendron*.
(2759. coll.)
26. *Stictia*"
(2727. coll.)
27. *Shh. mutila*"
(2787. coll.)
28. *Shh. stigma*, + *Spiloma*"
(2734. coll.)
29. *Shh. griseotinctus*, Bth." *Juniper. Virg*
(2723. coll.)
30. *Pestalot. compacta*, Bth." on *Lupulus*
(2790. coll.)
31. uncertain - singular." *Acer rubrum*
(2716. coll.)
32. *Shh. caryophaga*, Sz." *Hickory nut*
(2614. coll.)
33. *Shh. mutila*," *Aralia spinosa*
(2786. coll.)
34. *Fusidium toulonum*, Bth." *cane. Brasiliae*
(2707. coll.)
6035. *Shh. mutila*, vel *prox.* *Rhus Toxicodendron*.
(2767. coll.)

6036. *Ecthyra* "
(2778. ill.)
37. *Sphaeropsis hyalospora*, Bot. "*Bignonia radicans*,
(1792. ill. part.)
38. *Sph. ellichemii*, Bot. "*do. do*
(1792. ill. part.)
39. *Sph. & Ecthid?* fr. o. "*lign. Salicis*,
(1792. ill.)
40. *Stecium lenticul.* B. "*on Ribes aureum*,
(1691. ill.)
41. *Loth. crystallifera*, Bot. "*on Colutea arborescens*,
(1692. ill.)
42. *Polyph. biformis*."
(1776. ill.)
43. "
(1783. ill.)
- old stump.
44. *Sph. dubia*, P. l. analog. "*on Bastanea*
(1702. ill.)
45. *Stilbum annulatum*, Bot. "*old cabbage stalk*,
(1699. ill.)
46. *Sph. acuta* "*on Humulus*
(1700. ill.)
47. *Hydn. filamentosum*, Lich. "
(1703. ill.)
48. *Solenia villosa*, "*on Robinia*
(1699. ill.)
49. *Lichena*, fr. o. "*on growing near alba*,
(1704. ill.)
50. *Latic. ephehium*, Bot. "
(923. P.)
51. *Hydnum*, "*cort. Liquidambaris*
(918. P.)
52. *Guepinia petaliforme*, Bot. "
(922. P.)
53. *Geaster limbatum* "
(934. P.)

6054. *Polyph.*, "*ram. mort. Aures.*
(931. P.)
55. *Hydnum succidum* "*lign. Liquidambaris*
(933. ill. P.)
56. *Sph. "no fr." a Gall?* "*ram. Aures.*
(931. P.)
57. *Sph. (bo. fl.)* "*in Juglande nigra*,
(937. P.)
58. *Gum* "*not a Fungus*, "*cort. Magnolia*,
(941. P.)
59. *Peziza decolorans*, Bot. "*White at first, both in shade*,
(953. P.)
60. *Sphaeropsis*, "nil." *fl. stalk & Yucca filamentosa*
(955. P.)
61. *Pez. cyathoides*, *lad.* "*can. herb.*
(954. P.)
62. *Polyph. dibaphus*, Bot. "*trunc. deij. decort. Ilex opaca*,
(950. P.)
63. *Pez.* "*spond. specular.* "*ad terram & locis adustis*
(956. P.)
64. *Agar. infusibiliformis* "*ad terram*,
(964. P.)
65. *Agar. acuminatus* l. *proy.* "*ad terram*,
(966. P.)
66. *Fistulina spatulata*, Bot. "*ad basin Aures.*,
(978. P.)
67. *Stemonitis obtusata* "*lign. fruti. Liquidambaris*
(974. P.)
68. *Pez. ustali*, Bot. "*cort. mat* "
(972. P.)
69. *Pez. coccinea* "*ram. mort. & humidis*
(979. P.)
70. *Corticium* "*ad terram*,
(970. P.)
71. *Heloph. filamentosa*, Bot. "*on old Indian Corn meal*,
(980. P.)

6077. *Physarum Petersii*, B. & C. " lign. mort.
(982. P.)
73. *Cladotrichum scyphophorum*, B. & C. " " "
(984. P.)
74. *Rez.* " ad terram in humidis
(991. P.)
75. *Rez. velutina*, B. & C. " earth near rotten wood.
(992. P.)
76. *Sh. apis/pora*, B. & C. " cauli *Arundinaria*.
(996. P.)
77. *Canth. Petersii*, B. & C. " among moss at base of *Coconut* trees.
(1002. P.)
78. *Cort. laeve* " under fallen branches
(1003. P.)
79. *Helomyces decorans*, B. & C. " " "
(1017. P.)
80. *Cort. prasinum*, B. & C. " yellowish at first & whitish
(1018. P.)
81. *Licea applanata*, B. " subter ram. Querc. alb.
(1009. P.)
82. *Nectria polythalamia*, B. & C. " Liquid. deject.
(1013. P.)
83. *Rez. atrofusca*, B. & C. " robust. Pinum deject.
(1018. P.)
84. *Odontia lateritia*, B. & C. " subter Querc. deject.
(1041. P.)
85. *Sh. disciformis* " ram. Magnolia.
(1019. P.)
86. *Hydn. setulosum*, B. & C. " subter Liquidamb. deject.
(1006. P.)
87. *Cort. laeve* " subter ram. deject. putr. Querc.
(1008. P.)
- 6088 *Cort. cephelium*, B. & C. subter Liquid. deject.
(1004. P.)

6089. *Cort. cephelium*, B. & C. " subter Querc. deject.
(1007. P.)
90. *Sh. umbilica*, B. " subter tunc. & ram. deject.
(1010. P.)
91. *Cort. scutellare*, B. & C. " lign. quercinum.
(1014. P.)
92. " " " ram. deject.
(1025. P.)
93. *Hydn.* " ram. deject.
(1020. P.)
94. *Pidium megalosporum*, B. & C. " on old *Polypori*.
(1022. P.)
95. *Rez. omphalodes* " ad terram & loc. adust.
(1021. P.)
96. *Samolicia encethala* " ram. deject. Querc.
(1023. P.)
97. *Asciis* " fol. Querc. aquaticae
(1039. P.)
98. *Pol. pergamenum* " subter ram. mort. Liquidamb.
(1036. P.)
99. *Polyp. bellus*, B. & C. " subter lign. putr. Abietis.
(1043. P.)
6100. *Rez. Soleniceformis*, B. & C. " lign. Liquidamb.
(1046. P.)
1. *Cort. laeve* " lign. Liquidamb.
(1040. P.)
2. *Polyp. vulgaris* " lign. putr. Abietis
(1041. P.)
3. *Hydn.* " subter lign. mort. Baya.
(1047. P.)
4. *Sepedonium armeniacum*, B. & C. " p. preceding.
(1056. P.)
5. *Hydn. areolatum*, B. & C. " subter lign. mort. Baya.
(1049. P.)
6106. *Hydn. Himantia*, B. & C. " " " *Fraxini*.
(1048. P.)

6107
(1049. P.)

8.
(1044. P.)

9.
(1054. P.)

10.
(1057. P.)

11.
(1060. P.)

12.
(1064. P.)

13.
(1063. P.)

14.
(1067. P.)

15.
(1058. P.)

16.
(1055. P.)

17.
(1059. P.)

18.
(523. P.)

19.
(473. P.)

20.
(1059. P.)

21.
(30. P.)

22.
(34. P.)

23.
(38. P.)

24.
(39. P.)

6107. *Polyph. indetenu.*" *ram. mat.* 6125. *Uredo Potentilla* ^{*Uredo tridentata* Bol.} *fol. Potentill. Perungylu.*
(1047. R.) (41. Dec.)
8. *Poroth. pezizoides*, L." *sulter cort. mat. Linodend.* 26. *Erineum alnigenum*, et al. forsan nov." (144. R.) (44. Dec.)
9. *Cort. chloraum*, Bol." *lign. mat. Abietis - effus.* 27. *Uromyces apiculatus*, ^{Lew.} *in Gentiana acuta.*
(1054. R.) 6 in. or more. (45. Dec.)
10. *Hypocrea polyporoides*, ^{Bol.} *lign. ram. mat. Fagi.* 28. *Pucc. Saxifagaceum*" *fol. & pet. Saxifragaceae.*
(1057. R.) (43. Dec.)
11. *Tygodermus fuscus*, Bda." *sulter Linod. dej.* 29. *Uredo Empetris*, B." (1060. R.) (49. Dec.)
12. *Fumago - imperf.*" *calum. Bee.* 30. *Sclerium - torquans*" or *Polytrichum*
(1064. R.) (52. Dec.)
13. *Hydium parasitans*, Bol." *Ulmus americana* 31. *Erineum alnigenum*, Hze." (1063. R.) (59. Dec.)
14. *stat. sclerotiod.*" *on a dried Quince* 32. *Uredo Solidaginis*" *fol. Solid. & Stenis.*
(1067. R.) (39 & 63. Dec.)
15. *Sph. uliginosa* aff. *fr.*" *trunc. dej. Liquid.* 33. *Macrosp. Cheiranthi*" *fol. Salicis*
(1058. R.) (58. Dec.)
16. *Cort.*" *ad cort. putresc. A. obtusiloba,* 34. *not a Fungus?*" *fol. Grossularia?*
(1055. R.) 2-4 ped. effusum. (54. Dec.)
17. *Pol.* *trunc. dej. Linodendri.* 35. *Cladoph. dendriticum*, Wall." (1059. R.) (55. Dec.)
18. *Cortic. epichlorum*, Bol. = 4552 36. *Pucc. Stenis*" *fol. Stenis l. Solidag.*
(523 bis R.) (64. Dec.)
19. *Cort. ochroleucum*, Fr." *ad muscos.* 37. *Sclerium. blaus*" (473 R.) (61. Dec.)
20. *Boty. Bapiana*, Mont." *Stk worms, Vig. & J. L. H. Pleasants, 1941* 38. *Benang, Pinastri.*" *ad Pinum.*
(70. Dec.) (70. Dec.)
21. *Pucc. Viola*" *fol. Viola?* 39. *Pucc. sticola*" (30. Dec.) (76. Dec.)
22. *Uredo epitea*, ^{& myta} *fol. Salicis?* 40. *Uetria fenestrata*, Bol." (34, 5. Dec.) (77. Dec.)
23. *too young*" *fol. Vaccinii?* 41. *Sph. tumorum*, L." (38. Dec.) (73. Dec.)
24. *Rhytisma Illeis canadensis*, L." *fol — ?* 42. *Sph. ulmea*, L." (39. Dec.) (74. Dec.)

6179. *Stroperium confusum*, var. "dead *Solitea* (Solichos)"
80. fr. o " *Lucubita verrucosa*.
81. fr. o " " "
82. *Rh. maculiformis* " fl. de j. *Cerasi* *cardini*.
83. *Siphodia* " *Yucca alvifolia*
84. musci " " "
85. old fr. o " *Aspidogon mont.*
86. *Pestalozzia Guepinii*, Bern. " fl. de j. *Lagerstræmia*.
87. *Leptoria Solichos*, B. & C. " *Solitea* leaf.
88. *Mucor clavatus*, Fl. " rotting *Marion* *Sperk*.
89. *Hypoxera tomentosa*, Fr. " in *Lactario*?
90. uncertain; consists of ^{nealy globose hyaline lachry.} tips of teeth of *Hymn. Echinaceae*?



Curtis, M. A. and Berkeley, M. J. 1856. "Envoi X. 1856. Number 5476-6179." *Lists of fungi sent to M.J. Berkeley*

View This Item Online: <https://www.biodiversitylibrary.org/item/227882>

Permalink: <https://www.biodiversitylibrary.org/partpdf/264203>

Holding Institution

Harvard University Botany Libraries

Sponsored by

CLIR

Copyright & Reuse

Copyright Status: Public domain. The Library considers that this work is no longer under copyright protection

License: <https://creativecommons.org/licenses/by-nc-sa/4.0/>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.