

Common at Can. but not in N.Y.

- adiant. ped.  
*Polyptichum acrost*  
Wyopt. margin.  
*Botrychium ramosum*  
*Equisetum prat*  
*Picea rubra*  
*Thuja occid*  
*Spiraea. Eurye*  
*Sagittaria latifol*  
" arist  
*Panicum subvill*  
*Alopecurus arist*  
*Eleocharis obtusa*  
" intermedia  
*Scirpus camp. palud*  
*Cladon marie*.  
*Barex torta*  
" stricta  
" albicans  
" communis  
" hysterica  
" lurida  
" retroosa  
*Arisaema triphyllum*  
*Acorus Calamus*  
*Luzula gallica*  
*Vesatrum viride*  
*Smilacina racemosa*  
*Trillium erectum*  
" undulatum  
*Medeola virg.*  
*Orchis rotundifolia*  
*Habenaria Haken*  
*Spiranthes decipiens*  
*Coralorrhiza striata*  
*Liparis Desclii*  
*Calypso bulbosa*  
*Salix serissima*  
" hubacea  
*Populus tremuloides*  
*Betula pendula*  
" pubescens  
*Ulmus americana*  
Cormandra Richardsiana  
*Atriplex pat. litt*  
*Salicornia europ*  
*Suaeda maritima*  
*Spergularia villosperma*  
*Tymphaea microphylla*  
*Ranunc. septentr.*  
*Anemone riparia*  
" - canad.  
*Clematis virgin*  
" vertic  
*Pentaria diff.*  
*Arabis glabra*  
" brasiliensis  
" hirsuta  
*Tilia aquat.*  
*Saxifaga Virgin*  
*Chrysosplen. amee*  
*Parnassia carolin*  
*Spiraea tomentosa*  
*Amelanchier Canadensis*  
*Trofia virg. v. amee*  
*Glechoma virginianum*  
" strictum  
*Rosa acic. v. Bonap*  
" blanda

- Prunus pensylvanica*  
*Astragalus frigidus*, am.  
*Oxalis acetosella*  
" cornicula  
*Polygonatum multiflorum*  
*Rhus typhina*  
" *Toxicodendron*,  
*Acer pensylvanicum*  
" *saccharinum*  
*Hypericum mutilum*  
" *majus*  
*Hedysarum occidentale*  
*Lechea intermedia*  
*Viola scabioscula*  
*Giliastrum mollle*  
*Myriophyllum canescens*  
*Panax trifoliate*  
*Hydrocotyle americana*  
*Odonostigma glaucum*  
" divaricatum  
*Gomphrena diffusa*  
*Chimaphila umbellata*  
*Gaultheria procumbens*  
*Vaccinium corymbosum*  
*Lysimachia thyrsiflora*  
*Cuscuta monogynia*  
*Cypripedium acaule*
- Mitchella repens*  
*Euphorbia corollata*  
*Plantago triandra*  
*Mitchella*  
*Sonicaria canadensis*  
" oblong.  
" involucrata  
*Symphoricarpos racemosa*  
*Sambucus canadensis*  
*Kalmia polifolia*  
*Lobelia inflata*  
*Eupatorium perfoliatum*  
" verticillatum  
*Toledon ligustrina*  
" latifolium  
" bicolor  
" pubescens  
" pinnatifida  
" nemoralis  
" heterotoma  
*Poteria macrocephala*  
" cordifolia  
" latifolia  
" paniculata  
" graminea  
" tuberosa

*Aster acumin*

*inffum* *flavus*

" *acris.* var.

" *accidentalis*

*Graptalium polyc*

" *deaurr.*

*Pidens hyperb.*

" *femina*

*Arnica mollis.*

*Fructifex hispae.*

*Succis discolorans*

" *Robinsonii*

*Lactuca Canad*

" *hirsuta*

*Prenanthes alstro*

*Hieracium scab*



Fernald, Merritt Lyndon. 1910. "Common [in Eastern Canada]." *Notes on distribution of vascular plants of Newfoundland, Labrador, and adjacent Quebec*

**View This Item Online:** <https://www.biodiversitylibrary.org/item/237978>

**Permalink:** <https://www.biodiversitylibrary.org/partpdf/267403>

**Holding Institution**

Harvard University Botany Libraries

**Sponsored by**

CLIR

**Copyright & Reuse**

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.