

Harvard University
HERBARIUM AND LABORATORIES
OF
CRYPTOGAMIC BOTANY

W. G. Farlow, 24 Quincy Street
R. Thaxter, 7 Scott Street



Cambridge, Mass., U.S.A.

Nov. 2, 1908

Dear Mr. Collins,

I enclose some material
of Lithosium Paysonii growing in
a bag round Lily Pond at Chicoma.
I found a little of the species last
year in a pool about a mile
from Lily Pond where it was growing
entangled with other plants in the
water. At Lily Pond it grew in
turfs in a bag with other common

Lophogma. It is common at Teby Pond
but I have rarely seen it elsewhere.

Why I write is to ask you
if you know what the type
of L. Pyralis is? Warnstorf seems
to refer all our forms, except
var. seclusus which certainly has
a different habit, to var. camosum.
But if this is camosum, what
is the type and how does it differ
from this? Yours, very truly

W. G. Tealor.



Farlow, W. G. 1908. "Farlow, William G. Nov. 2, 1908." *James Franklin Collins correspondence*

View This Item Online: <https://www.biodiversitylibrary.org/item/258622>

Permalink: <https://www.biodiversitylibrary.org/partpdf/274191>

Holding Institution

Harvard University Botany Libraries

Sponsored by

Andrew W. Mellon Foundation

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.