FLABELLINA VOIGT, 1834 (GASTROPODA): PROPOSED ADDITION TO THE OFFICIAL LIST OF GENERIC NAMES. Z.N.(S.) 1099

By Henning Lemche (Universitetets Zoologiske Museum, Copenhagen, Denmark)

The object of the present application is to place the generic name Flabellina Voigt, 1834, on the Official List of Generic Names in Zoology. This generic name has, in general use, been dated from Cuvier, 1830. However, in the Règne Anim. (ed. 2) 3:55, Cuvier used the French vernacular names for his genera which he had used in ed. 1 in 1817, and in most cases added the latinized forms. In the case of the "Flabellines" the Latin name is omitted and thus the name remains invalid even though there is a definition and a type-species, Doris affinis Gmelin.

2. The first place in which the latinized form *Flabellina* appeared was in the German edition of Cuvier's work (Voigt, 1834, *Das Thierreich* 3:124) with the type-species, by monotypy, as before, *Doris affinis* Gmelin, 1791 (*Syst. Nat.* (ed. 13) 1:3105). It is now proposed that this name should be placed on the

Official List.

- 3. D'Orbigny, 1839 (in Sagra, Hist. nat. Ile Cuba: 42) introduced the name Flabellina for a genus of foraminifera, but without included species. The following year, d'Orbigny (1840, Mém. Soc. geol. Fr. 4: 23-25) cited three new species as belonging to the genus—rugosa (: 23, Pl. 2, figs. 4, 5, 7); baudouiniana (: 24, Pl. 2, figs. 8-11); and pulchra (: 25, Pl. 2, figs. 12-14). Of these, Cushman, 1927 (Contr. Cushman Lab. foram. Res. 3: 189) selected rugosa as the type-species. The name Flabellina as thus defined, has until recently been in use.
- 4. In 1940, Cushman (Foraminifera: 201) included the genus Flabellina as a synonym of the older genus Palmula Lea, 1833 (Contr. Geol.: 219). In spite of this Bartenstein, 1948 (Senckenbergiana 28:122) introduced the name Neoflabellina as a replacement name for Flabellina d'Orbigny non Voigt. It will therefore be seen that the road has been cleared for using without disturbance the name Flabellina for the nudibranch genus for which it has priority. It is not here proposed that Neoflabellina be placed on the Official List as there seems to be doubt as to the validity of that genus.
- 5. The name Flabellina Forbes & Hanley, 1851, as mentioned in Neave's Nomenclator, is Flabellina Voigt and has no separate status. Flabellina Levinsen, 1902 (Vid. Medd. Dansk. Naturh. Foren.: 21) is an invalid emendation of Flabellaris Water, 1898, a Bryozoan. Flabellina de Gregorio (1930, Ann. géol. Paléont. Palermo 52: 33) was applied to another Bryozoan. Clearly the last two generic names should now be placed on the Official Index.
- 6. The conditions under which the family-group names within most Aeolidacean nudibranchs have been established are such that a special Ruling on the whole problem may be required. In 1890, the experienced opisthobranch specialist R. Bergh ventured "ein gewagter Versuch" to arrange these animals systematically (Zool. Jahrb. (Syst.) 5:39). But this attempt was antedated by

a compilation by Carus (1889–1893, *Prodr. Fauna Medit.* 2) who, although without any experience himself with these animals, cited all of the same subfamily names as Bergh, adding behind each of the names the reference "Bgh.". Thus, it is beyond doubt that Carus intended to publish the names established by Bergh, and that he did so in 1889, the year before Bergh's paper was published. Therefore the Commission is asked to accept that the reference "Bgh." in the work of Carus indicated that the latter author was publishing in his work the subfamily names created by Bergh, and that the reference to author shall be cited as Bergh, 1889, in Carus.

- 7. There is a family name based on Flabellina Voigt, namely FLABELLINIDAE Bergh, 1889 (in Carus, Prodr. Fauna Med. 2:215 as FLABELLININAE). (1931, Handb. Syst. Weichtierk. 1:451) included the genus Coryphella Gray in this family, thereby placing the name CORYPHELLIDAE Bergh, 1889 (in Carus, loc. cit.: 211) as a subjective synonym of FLABELLINIDAE. Pruvot-Fol (1954, Faune France 58:413 and: 421 resp.) keeps these families as distinct. It appears therefore that both of these names should now be placed on the Official List, with a note that FLABELLINIDAE takes precedence over CORYPHELLIDAE in case of competition. The type-genus of CORYPHELLIDAE is Coryphella M. E. Gray, 1850 (Figs. moll. Anim. 4: 109), type-species by subsequent designation by Alder & Hancock, 1855 (Mon. brit. nud. Moll. 7, app.: XXII), Eolis rufibranchialis Johnston, 1832 (Mag. nat. Hist. 5:428). The specific name rufibranchialis, however, is not considered to be the oldest available name for the species concerned and ought not therefore to be placed on the Official List, but should be replaced by Eolidia verrucosa M. Sars, 1829 (Bidr. Soedyr. Naturh. : 9).
 - 8. The Commission is therefore requested:
 - (1) to place the following generic names on the Official List of Generic Names in Zoology:
 - (a) Flabellina Voigt, 1834 (gender: feminine), type-species, by monotypy, Doris affinis Gmelin, 1791;
 - (b) Coryphella M. E. Gray, 1850 (gender: feminine), type-species, by designation by Alder & Hancock, 1855, Eolis rufibranchialis Johnston, 1832;
 - (2) to place the following specific names on the Official List of Specific Names in Zoology:
 - (a) affinis Gmelin, 1791, as published in the binomen Doris affinis (type-species of Flabellina Voigt, 1834);
 - (b) verrucosa M. Sars, 1829, as published in the binomen Eolidia verrucosa;
 - (3) to place the following generic names on the Official Index of Rejected and Invalid Generic Names in Zoology:
 - (a) Flabellina d'Orbigny, 1839 (a junior homonym of Flabellina Voigt, 1834);
 - (b) Flabellina Cuvier, 1830 (a cheironym);
 - (c) Flabellina Levinsen, 1902 (an unjustified emendation of Flabellaris Waters, 1898);

- (d) Flabellina de Gregorio, 1930 (a junior homonym of Flabellina Voigt, 1834);
- (4) to place the following family-group names on the Official List of Family-Group Names in Zoology:
 - (a) FLABELLINIDAE Bergh, 1889, in Carus (type-genus Flabellina Voigt, 1834) (a name selected by Thiele (1931, Handb. Syst. Weichtierk. 1:451) as first reviser, in preference to CORYPHELLIDAE Bergh, 1889);
 - (b) CORYPHELLIDAE Bergh, 1889, in Carus (type-genus Coryphella M. E. Gray, 1850) (for use by those zoologists who consider CORYPHELLIDAE as a taxon distinct from FLABELLINIDAE Bergh, 1889).



Lemche, Henning. 1964. "Flabellina Voigt, 1834 (Gastropoda): proposed addition to the Official List of Generic Names." *The Bulletin of zoological nomenclature* 21, 120–122. https://doi.org/10.5962/bhl.part.28473.

View This Item Online: https://www.biodiversitylibrary.org/item/44463

DOI: https://doi.org/10.5962/bhl.part.28473

Permalink: https://www.biodiversitylibrary.org/partpdf/28473

Holding Institution

Natural History Museum Library, London

Sponsored by

Natural History Museum Library, London

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: International Commission on Zoological Nomenclature

License: http://creativecommons.org/licenses/by-nc-sa/3.0/

Rights: https://biodiversitylibrary.org/permissions

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.