## BRADYPUS URSINUS.

O++++++++++++++++++++++++

CHARACTER GENERICUS.

Dentes Primores nulli utrinque.

Laniarii obtufi, folitarii, molaribus longiores.

Molares utrinque 5 vel 6.

CHARACTER SPECIFICUS.

BRADYPUS niger hirfutiffimus, nafo elongato nudo.

Inter plurima quæ phyficis nuperrime innotuerunt, principem fibi locum non immerito vindicat animal in tabula depictum; quod fortaffe nonnullis videatur novum omnino per fe genus constituere. Opinione tamen firmatus celeberrimi Pennanti, cujus comes, in illius characteres primum fedulo inquisivi, ad genus Bradypi referendum censeo.

Habitu corporis externo ad ursum vulgarem tam prope accedit Bradypus Ursinus, ut pro Ursi specie a quibusdam habitus sit. Vetant tamen omnino dentes, unguesque peculiariter formati, cum cæteris characteribus, ut Ursi speciem esse pronunciem.

Magnitudine est ursi vulgaris, exceptoque vultu, seu rostro, villo nigro, longo, et hirsuto totus obtegitur; qui tamen super collum et tergum multo longior est quam in cætero corpore. In partibus corporis anterioribus antrorsum spectat hirsutia; in posterioribus retrorsum.

trorfum. Oculi minimi : aures parvæ, et denso capiris vellere fere absconditæ. Dentes incisores nulli sunt Utrique maxillæ infunt duo dentes laniarii modici : qui in maxilla superiore fiti sunt uncias circiter duas a se invicem distant; qui in inferiore, paulo minus. maxilla superiore insunt dentes molares tres utrinque, quorum duo maxime remoti feu interiores funt quafi duplices et lobati; alter fimplex est. In inferiore funt utrinque sex molares, quorum remotissimus seu interior fimplex est; duo huic proximi duplices, cæterique tres fimplices. Linguæ lævi nihil peculiare est. Rostrum elongatum est, et tenfile, videturque cartilagine transversa et mobili interius esse instructum. Ungues pedum anticorum, qui quinque, funt validiffimi, modice incurvati et acuminati : pedum posteriorum ungues breviores funt et potius rotundati : Cauda brevissima vix distingui potest.


Ab interiore Bengala allatus est Bradypus Ursinus, et quartum jam annum excessit. Primo detectus Ursum Lotorem Linnæi, qui Raccoon vulgo dicitur, magnitudine vix superavit; illumque latratum quasi caninum emissifie afferunt custodes. Vox illi nunc nulla est præter rugitum brevem et abruptum, qui non nisi lacessito et irritato prodit. Mitis est et tranquilli ingenii. Vegetabilibus et lacticiniis vescitur: gaudet pomis, carnesque fastidit, nisi forte tenerrimas. Medullam tamen ex osse lubentissime exugit. Melle, saccharo, et omnigenis cupediis delectatur. Motus huic non ut in aliis ejusdem generis, tardissimus, sed modicus. Solet itetum atque iterum, more canis cubitum ituri, circumgyrare.

gyrare. Terram scalpere, et sub humo velle se occultaré dicitur, unde a repertoribus primo effossus est.


Ab ingenioso Domino Catton figuram hanc nostram mutuati sumus, qui quicquid animali proprium et singulare est optime expressit.

In altera tabula ringens exhibetur caput, ut fitus dentium oftendatur, nec non ut rostrum superius, ope cartilaginis internæ egregie slexibile, quodammodo demonstretur.

for entitle on its speciment and the delication 









# URSINE BRADYPUS,

OR

### URSIFORM SLOTH.

**\*** 

GENERIC CHARACTER.

Cutting-Teeth none in either jaw.

Canine-Teeth solitary, longer than the grinders.

Grinders in each jaw 5 or 6.

SPECIFIC CHARACTER.

BLACK BRADYPUS with very long shaggy hair, and naked lengthened snout.

Amongst the new species of animals with which Zoology has been lately enriched, the creature here figured claims a distinguished place; and it may be doubted whether it might not with great propriety constitute a new genus. In compliance however with the opinion of Mr. Pennant, in whose company I first made an accurate examination of its characters, I have here placed it as a species of the genus Bradypus, or Sloth.

In its habit, or general appearance, it has a striking resemblance to the common bear, and it has even been considered as a species of bear by some naturalists.

Cc

Its teeth, however, and the peculiar formation of its claws, with feveral other particulars, absolutely forbid it to be any longer confidered as a species of Ursus.

The animal is about the fize of a bear, and is covered all over, except on the face, or rather the fnout, with long, shaggy, black hair, which on the neck and back is much longer than in other parts. On the fore part of the body the hair points forwards, and on the hinder part backwards. The eyes are very fmall; the ears rather small, and partly hid in the long hair of the head. It is totally destitute of incisores or frontteeth: in each jaw are two canine teeth of a moderate fize: those in the upper jaw are situated at the distance of two inches from each other : those in the lower jaw are placed fomewhat less remote. The molares or grinders in the upper jaw are three on each fide; of which the two most remote are double, or lobed: the remaining one fimple. In the lower jaw there are on each fide fix grinders, of which the most remote or backward is fimple; the two next double, and the three remaining ones fimple. The tongue is fmooth, and has nothing remarkable in its appearance. The nofe, or fnout is of a fomewhat elongated form; it also appears as if furnished with a fort of transverse joint, or internal cartilage, which admits of a peculiar kind of motion in this part. The claws on the fore-feet are five in number, and are excessively strong, moderately crooked, and sharp pointed: those on the hind-feet are shorter, and of a rounder shape. The tail is very thort, and inconspicuous.

This animal was brought from the interior parts of Bengal, and is now somewhat more than four years old. When first taken, it is said to have been about the fize of a raccoon, and is reported to have fometimes barked in the manner of a dog. Its voice however at prefent is rather a fort of short, abrupt roar, which it emits when much diffurbed or irritated. It is gentle and good-natured: feeds chiefly on vegetable fubstances and milk; and is fond of apples, and does not willingly eat animal food, except of a very tender nature, as marrow, which it readily fucks from a bone prefented to it. It is also delighted with honey, fugar, and other fweets. Its motions are not as in others of this genus, flow and languid, but moderately lively, and it appears to have an habit of turning itself round and round every now and then, as if for amusement, in the manner of a dog when lying down to fleep. It is faid to have a propenfity to burrowing under ground; and that it was at first dug out of its retreat by those who discovered it.

The figure here given is copied from a drawing by Mr. Catton, an artist who has been peculiarly happy in expressing the appearance of the animal.

In the additional plate is represented a view of the head in a ringent state; in order to shew not only the form and disposition of the teeth, but also in some measure the singular flexibility of the upper part of the snout, as if surnished with a joint or internal cartilage.



Shaw, George. 1790. "The Ursine Bradypus or Ursiform Sloth, Bradypus ursinus [Pl. 59]." *The Naturalist's Miscellany* 2(XVI), <a href="https://doi.org/10.5962/p.310710">https://doi.org/10.5962/p.310710</a>.

View This Item Online: <a href="https://www.biodiversitylibrary.org/item/276232">https://www.biodiversitylibrary.org/item/276232</a>

**DOI:** https://doi.org/10.5962/p.310710

Permalink: <a href="https://www.biodiversitylibrary.org/partpdf/310710">https://www.biodiversitylibrary.org/partpdf/310710</a>

#### **Holding Institution**

Museums Victoria

#### Sponsored by

Atlas of Living Australia

#### **Copyright & Reuse**

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.