PLEURONECTES ROSEUS.

CHARACTER GENERICUS.

Caput parvum: Oculi in eodem capitis latere.

Corpus compressum, altero latere subconvexo dorfum, altero plano pallidiore abdomen referente.


CHARACTER SPECIFICUS.


PLEURONECTES oculis dextris, corpore roseo.

Pinn: pect: rad: 12. ventr. 7. dorf. 60. an. 42. caud. 20.

Continet genus Pleurone Eles pisces qui vulgo compressi nominantur. Huic fere nullus est colorum pulchriorum decor. Sunt sane species aliquot exoticæ quæ variatum jactant splendorem. Europæarum vix ullam novimus præter Pleuronectem Platessam hoc nomine dignam memorari; si excipiamus speciem de qua jam agitur, non quidem rutilam, sed certe elegantem, suaviter nempe rosco-pallentem, partim subslavam, partim argenteo-albentem; inferius pallidiorem longe, seu fere albidam. Pinnæ caudaque pallent susco-flavescentia. Squamæ nullæ sunt, sed squamis similia minuta quædam reticula.

cula. Caret quoque fere omni asperitate tum linea lateralis, tum origo seu basis pinnæ dorsualis. Inter Pleuronectes reponendus est piscis, quorum oculi a dextro latere siti sunt. Pleuronecti Fleso Linnæi admodum assinis est, cujus forsan primo visu varietas haberi possit. Verisimilius tamen est speciem esse revera diversam, nec antea descriptam. In Museo Leveriano exstat specimen ipsissimum, quod in Thamesi captum est, triennio jam abhinc elapso.





ROSE-COLOURED FLOUNDER.

GENERIC CHARACTER.

Head small: Eyes both seated on the same side of the head.

Body compressed; somewhat convex and coloured on one side; flat and paler on the other.

SPECIFIC CHARACTER.

ROSE-COLOURED FLOUNDER, with eyes towards the right.

Obs. In the pectoral fins about 12 rays, in the ventral 7, in the dorsal 60, in the anal 42. In the tail about 20.

The genus Pleuronectes, which contains the fish commonly known by the title of flat-fish, is in general not remarkable for elegance of color: fome few indeed of the exotic species are beautifully variegated; but of those which are natives of Europe the Pleuronectes Platessa or Plaise is perhaps the most decorated. The fish here represented, (if indeed it be really a distinct species, and not a variety of some other,) seems to afford an exception to this rule, and is

is of a color which, if not radiant, must at least be confidered as highly elegant; viz. a most delicate rofe-color, which in some parts is slightly tinged with yellowish, and in others with filvery white. The lower furface of the fifh is still paler, or very nearly white, and the fins and tail are of a pale yellow brown. It is destitute of scales, though marked by very minute scale-like points or reticulations. It is alfo nearly void of all asperity, either on the fideline, or at the origin of the back-fin, &c. feems most allied to the Pleuronectes Flesus, of which it might perhaps on a curfory view be fupposed a variety. There is, however, great reason to believe it a totally new and hitherto undefcribed fpecies. It was taken in the Thames about three years ago, and is now in the Leverian Museum.



Shaw, George. 1795. "The Rose-Coloured Flounder, Pleuronectes roseus [Pl. 238]." *The Naturalist's Miscellany* 7(LXXV), https://doi.org/10.5962/p.310781.

View This Item Online: https://www.biodiversitylibrary.org/item/276356

DOI: https://doi.org/10.5962/p.310781

Permalink: https://www.biodiversitylibrary.org/partpdf/310781

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.