

BULLA? OCCIDUA.



CHARACTER GENERICUS.

Animal Limax.

Testa univalvis, convoluta, inermis.

Apertura coarctata, oblonga, longitudinalis.

Columella obliqua, lævis.

Lin. Syst. Nat. p. 1181.

CHARACTER SPECIFICUS, &c.

BULLA? (Helix?) ovato-oblonga, crassa, al-
bida, spira obtusa, labio purpureo.

HELIX oblonga. H. testa perforata ovato-ob-
longa, striata, labro columellaque roseis.

Müll. Hist. Verm. p. 86. n. 284.

PSEUDO-AURIS MIDÆ, testa ovali oblonga,
subumbilicata, tumida, crassa, anfractibus
sex ventricosus, apice obtuso, labro et labio
roseis, apertura ovata integerrima.

Martini. Vol. 9. p. 30. t. 119.

fig. 1022. 1023.

BUCCINUM admodum crassum, &c. &c.

List. conch. t. 23. *fig.* 21. &c.

t. 1055. *fig.* 1.

COCHLEA

COCHLEA terrestris Americana Plumieri.

List. it. Par. p. 74. t. 3.

HELIX oblonga.

Born. Mus. Cæs. Vind. test. t. 15.

fig. 21. 22.

HELIX oblonga.

Lin. Syst. Nat. Gmel. p. 3637.

COCHLEÆ lævæ.

Seb. Mus. 3. t. 71. fig. 17—20.

Facie formaque generali affinis admodum est Bulla Occidua perpulchræ Bullæ achatinæ, quam in hoc opere jam depinximus. Ab illa tamen facile dignosci possit, quod crassior multo sit, labio non tenui, quale est Bullæ achatinæ, sed circa testæ hiatum solidam in marginem ducto. Differt quoque colore; nam alba paulatim subflavet, labio pulchre roseo, (quo etiam leviter inficitur interna testæ superficies,) caretque omnino eleganti illa variatione qua decoratur Bulla achatina. Terrestris est species, et in variis Americæ meridionalis partibus non raro reperitur, nec non in insulis Americanis seu occiduis. Animal testam incolens helici communi simillimum est. Color est cinereus, umbris striisque huc illuc obscurioribus et lucidioribus variatus, et in aliquibus partibus sub-cæruleo et roseo commistus. Viro celeberrimo Carolo Plumiero, quem circiter finem sæculi jam elapsi merito insigniverunt

scripta

scripta quæ congeffit de naturali novi orbis historia,
de botanice præcipue, figuram archetypam debemus,
quam in tabula imitati fumus, quamque cum Listero
in Lutetia Parifiorum agente, communicavit Plumierus. Ova quæ deponit Bulla occidua putamine
calcario conteguntur, et tum forma tum magnitu-
dine ad ovorum passeris vulgaris fimilitudinem tam
prope dicuntur accedere, ut ab iis vix ac ne vix
possint distingui.

THE OCCIDENTAL BULLA.



GENERIC CHARACTER.

Animal resembling a Limax or Slug.

Shell univalve, convoluted.

Aperture somewhat straitened, oblong, longitudinal, entire at the base.

Column oblique and smooth.

SPECIFIC CHARACTER, &c.

Ovate-oblong thick BULLA? (Helix?) with obtuse spire, and purple lip.

The Rose-lipped SNAIL.

Rose-mouthed BULLA.

Surinam SNAIL.

Oviparous SNAIL.

Der Rosenmund.	} <i>Martini. Kol. 9. p. 30. t. 119.</i>
Roodlip.	
	<i>fig. 1022. 1023.</i>


FAUSSE Oreille de Midas.

Davil. Cat. 1. p. 134. n. 166.

Der rosenmundige SCHNIRKEL.

Born. Mus. Cæs. p. 381. t. 15.
fig. 21. 22.

La





Shaw, George. 1797. "The Occidental Bulla, Bulla? occidua [Pl. 294]." *The Naturalist's Miscellany* 8(XCV), <https://doi.org/10.5962/p.310838>.

View This Item Online: <https://www.biodiversitylibrary.org/item/276320>

DOI: <https://doi.org/10.5962/p.310838>

Permalink: <https://www.biodiversitylibrary.org/partpdf/310838>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.