

SCARABÆUS DICHOTOMUS.



CHARACTER GENERICUS.

Antennæ clavatæ capitulo fissili.

Tibiæ anticæ sæpius dentatæ.

Lin. Syst. Nat. p. 541.

CHARACTER SPECIFICUS, &c.

SCARABÆUS thoracis cornu bidentato, capit-
tis dichotomo, elytris rufis.

Lin. Syst. Nat. Gmel. p. 1528.

Voet. coleopt. t. 14. f. 107.

Aubent. Pl. Enl. t. 40. f. 5.

Sultz. hist. ins. t. 1. f. 1.

In America meridionali invenitur Scarabæus di-
chotomus, cujus veram magnitudinem ostendit ta-
bula.



THE
FORK-HORNED BEETLE.



GENERIC CHARACTER.

Antennæ divided at the tip into lamellæ.

Tibiæ, or second joints of the fore-legs generally toothed.

SPECIFIC CHARACTER, &c.

BEETLE with the horn of the thorax bidentated, that of the head dichotomous, and rufous wing-sheaths.

The Dichotomous BEETLE.

The FORK-HORNED BEETLE.

This remarkable insect is a native of South America. The plate represents it in its natural size.



Shaw, George. 1803. "The Fork-Horned Beetle, *Scarabæus dichotomus* [Pl. 560]." *The Naturalist's Miscellany* 14(CLXI), <https://doi.org/10.5962/p.311005>.

View This Item Online: <https://www.biodiversitylibrary.org/item/278723>

DOI: <https://doi.org/10.5962/p.311005>

Permalink: <https://www.biodiversitylibrary.org/partpdf/311005>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.