PAPILIO CYPARISSIAS.

CHARACTER GENERICUS.

Antennæ apicem versus crassiores, sæpius clavato-capitatæ.

Alæ (sedentis) erectæ sursumque conniventes, (volatu diurno.)

Lin. Syst. Nat. p. 744.

CHARACTER SPECIFICUS, &c.

PAPILIO alis integerrimis nigris, fasciis duabus albis, anteriorum obliquis, posteriorum punctatis.

Lin. Gmel. p. 2273.


Danai festivi.

PAPILIO Dædalus.

Cram. pap. 1. t. 1. f. A. B.

Americam Australem incolit Papilio Cyparissias, cujus veram magnitudinem ostendit tabula.

Antennies spicem versus crawieses, serpius cla-Me (set mins) conclus subminerice, connivences, transmining to data, of st. Ival. p. 714. . Valled State





CYPARISSIAS.

○**************

GENERIC CHARACTER.

Antennæ thickening towards the upper part and generally terminating in a knob.

Wings (when sitting) erect, and meeting upwards. (Flight diurnal.)

SPECIFIC CHARACTER.

BUTTERFLY with entire, black wings, with two white bands; those of the upper wings oblique; of the lower spotted.

The Papilio Cyparissias is a native of South America, and is represented on the plate in its natural size.



Shaw, George. 1803. "Cyparissias, Papilio cyparissias [Pl. 574]." *The Naturalist's Miscellany* 14(CLXV), https://doi.org/10.5962/p.311018.

View This Item Online: https://www.biodiversitylibrary.org/item/278723

DOI: https://doi.org/10.5962/p.311018

Permalink: https://www.biodiversitylibrary.org/partpdf/311018

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.