

SPHINX CLUENTIUS.



CHARACTER GENERICUS.

Antennæ subprismaticæ, utroque fine attenuatæ.

Lingua exserta (plerisque.)

Palpi duo reflexi.

Alæ deflexæ.

CHARACTER SPECIFICUS, &c.

SPHINX alis fuscis subferrugineo-variis, inferioribus basi fasciaque flavis, corpore utrinque luteo-maculato.


SPHINX CLUENTIUS.

Cram. pap. t. 78. f. B. & 126. f. A.

Surinamiam incolit Sphinx Cluentius, magnitudine vera in tabula depictus.



CLUENTIUS.



GENERIC CHARACTER.

Antennæ subprismatic, attenuated at each extremity.

Tongue generally exserted.

Feelers two, reflex.

Wings deflected.

SPECIFIC CHARACTER, &c.

SPHINX with brown wings, with subferruginous variegations; the lower wings yellow at the base and in the middle, and the body marked on each side by deep-yellow spots.

SPHINX CLUENTIUS.

Cramer, t. 78.

The superb Sphinx here exhibited is a native of Surinam, and is represented on the plate in its natural size.



Shaw, George. 1803. "Cluentius, Sphinx cluentius [Pl. 595]." *The Naturalist's Miscellany* 15(CLXX), <https://doi.org/10.5962/p.311038>.

View This Item Online: <https://www.biodiversitylibrary.org/item/280634>

DOI: <https://doi.org/10.5962/p.311038>

Permalink: <https://www.biodiversitylibrary.org/partpdf/311038>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.