

PAPILIO ACHILLES.

VAR.

CHARACTER GENERICUS.

Antennæ apicem versus crassiores, sæpius clavato-capitatae.

Alæ (sedentis) erectæ sursumque conniventes, (volatu diurno.)

Lin. Syst. Nat. p. 744.

CHARACTER SPECIFICUS, &c.

PAPILIO alis dentatis; supra nigris fascia cærulca, subtus fuscis ocellis tribus quinisve.

Lin. Syst. Nat. p. 752.

VAR.

PAPILIO Helenor.

Cramer, t. 86. f. A. B.

In Surinamia generatur pulchrum hoc insectum, et magnitudine vera in tabula depingitur.



710



Pieris neri Guenée

ACHILLES.

Var.

GENERIC CHARACTER.

Antennæ thickening towards the end, and commonly terminating in a clavated tip.

Wings (when at rest) meeting upwards; (flight diurnal.)

SPECIFIC CHARACTER, &c.

Butterfly with denticulated wings, black above with a transverse blue bar, beneath brown, with three ocellated spots on the upper, and four or five on the lower pair.

P. Helenor.

Cram. pl. 86. f. A. B.

This beautiful insect is a native of Surinam, and is represented on the plate in its natural size.



Shaw, George. 1806. "Achilles, Papilio achilles [Pl. 710]." *The Naturalist's Miscellany* 17(CCIV), <https://doi.org/10.5962/p.311147>.

View This Item Online: <https://www.biodiversitylibrary.org/item/281954>

DOI: <https://doi.org/10.5962/p.311147>

Permalink: <https://www.biodiversitylibrary.org/partpdf/311147>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.