

PAPILIO ARCESILAUUS.

CHARACTER GENERICUS.

Antennæ apicem versus crassiores, sæpius clavato-capitatae.

Alæ (sedentis) erectæ sursumque conniventes, (volatu diurno.)

Lin. Syst. Nat. p. 744.

CHARACTER SPECIFICUS, &c.

PAPILIO alis falcatis nigris, primoribus fascia transversa fulva maculaque ad apicem nivea.

PAPILIO ARCESILAUUS.

Cram. t. 294.

PAPILIO Chorinæus. P. alis integerrimis fuscis, anterioribus falcatis, fascia fulva, posterioribus caudatis.

Fabr. sp. ins. 2. p. 60.

Americam Australem, præcipue Surinamiam incolit Papilio Arcesilaus, cujus veram magnitudinem ostendit tabula.



Spencer's Pap. & Lepid.

ARCESILAUS.

GENERIC CHARACTER.

Antennæ thickening towards the end, and commonly terminating in a clavated tip.

Wings (when at rest) meeting upwards; (flight diurnal.)

SPECIFIC CHARACTER, &c.

Butterfly with falcated black wings, the upper pair marked by a transverse fulvous bar and a white speck near the tip.

Chorinæus.

Fab. sp. ins. 2. p. 60.

Sulz. ins. t. 14. f. 4.

Lin. Syst. Nat. Gmel. p. 2281.

The species represented on the present plate is exhibited in its natural size, and is a native of South-America, particularly of Surinam.



Shaw, George. 1805. "Arcesilaus, Papilio arcesilaus [Pl. 716]." *The Naturalist's Miscellany* 17(CXCIII), <https://doi.org/10.5962/p.311153>.

View This Item Online: <https://www.biodiversitylibrary.org/item/281954>

DOI: <https://doi.org/10.5962/p.311153>

Permalink: <https://www.biodiversitylibrary.org/partpdf/311153>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.