

CAPRIMULGUS CAYANUS.

CHARACTER GENERICUS.

Rostrum modice incurvum, minimum, subulatum, basi depresso.

Vibrissæ ad os serie ciliari.

Rictus amplissimus.

Lingua acuta, integerrima.

Lin. Syst. Nat. p. 118.

CHARACTER SPECIFICUS, &c.

Caprimulgus albido-ferrugineus nigro lineatus,
gula alba, remigibus caudaque albo nigro-
que variis.

Caprimulgus Cayanus. C. rufo griseoque va-
rius nigro undulato-lineatus, gula fascia-
que alarum alba, temporibus rufis striis
quinque nigris.

Lath. ind. orn.

Habenda est hæc avis in elegantioribus sui generis.
In America australi generatur, sœpissime in Cayenna.
Idem fere est ei ingenium quod caprimulgo Europæo.
Vescitur variis insectis, et nocte sola ad volandum
utitur.



1045



THE
WHITE-NECKED GOATSUCKER.

GENERIC CHARACTER.

Bill very small, slightly hooked, depressed at the base, and ciliated with bristles.

Gape very wide.

Tongue entire, and sharp-pointed.

SPECIFIC CHARACTER, &c.

Whitish-ferruginous Goatsucker, with black lineations, white throat, and black and white wings and tail.

L'Engoulevent de Cayenne.

Buff. ois. 6. p. 545.

Crapaud-volant variè de Cayenne.

Pl. Enl. 760.

White-necked Goatsucker.

Lath. syn. 2. p. 599.

This bird, which, in point of plumage, may be considered as one of the most elegant of its tribe, is an inhabitant of South America, and particularly of Cayenne. In its manners it resembles the European species, flying only by night, and feeding on various insects.



BHL

Biodiversity Heritage Library

Shaw, George. 1813. "Caprimulgus cayanus, The White-necked Goatsucker [Pl. 1045]." *The Naturalist's Miscellany* 24(CCLXXXIII), -.

<https://doi.org/10.5962/p.322325>.

View This Item Online: <https://www.biodiversitylibrary.org/item/296719>

DOI: <https://doi.org/10.5962/p.322325>

Permalink: <https://www.biodiversitylibrary.org/partpdf/322325>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.