

# COLYMBUS GLACIALIS.

\*\*\*\*\*

## CHARACTER GENERICUS.

*Rostrum rectum, acutum, mandibulis lateribus coarctatis.*

*Nares lineares.*

*Lingua longa, acuta, basi lateribus denticulata.*

*Crura compressa. Pedes tetradactyli, compedes, palmati, digito exteriore longiore, postico parvo interiori membranula coadunato.*

*Cauda brevis, viginti pennis constans.*

*Lath. ind. orn.*

## CHARACTER SPECIFICUS, &c.

*Colymbus niger nitens, maculis quadratis albis; subtus abus; collari albo nigro lineato.*

*Colymbus glacialis. C. pedibus palmatis tetradactylis, capite colloque nigro-violaceo, fascia gulæ cervicisque alba interrupta.*

*Lin. Syst. Nat.*

*Colymbus maximus Ferroensis seu Arcticus.*

*Clus. exot. 102. Worm.*

*mus. 303.*

---

Congenerum maximus *Colymbus glacialis* alitur fere in omnibus Europæ septentrionalis partibus; brevium, stagnorum majorum, et fluviorum incola. Vescitur piscibus et insectis aquaticis. Anserem superat magnitudine, longus quasi tres pedes cum dimidio pedis.

# COLYMBUS GLACIALIS

ANNUAL REPORT OF THE

COLYMBUS GLACIALIS

ANNUAL REPORT OF THE  
COLYMBUS GLACIALIS  
FOR THE YEAR 1855.

ANTHONY L. COPE,

CHIEF OF THE DIVISION OF ORGANIC ZOOLOGY,

U. S. NATIONAL MUSEUM,  
WASHINGTON, D. C.

ANNUAL REPORT.

ANNUAL REPORT OF THE COLYMBUS GLACIALIS,  
FOR THE YEAR 1855.

ANTHONY L. COPE,

CHIEF OF THE DIVISION OF ORGANIC ZOOLOGY,  
U. S. NATIONAL MUSEUM,  
WASHINGTON, D. C.





THE  
NORTHERN DIVER.

\*\*\*\*\*  
*GENERIC CHARACTER.*

*Bill* strong, strait, pointed: upper mandible the longest; the edges of each bending inwards.

*Nostrils* linear; the upper part divided by a small cutaneous appendage.

*Tongue* long and pointed; serrated on each side near the base.

*Legs* thin and flat; toes four in number, the exterior longest, the back toe very small, and joined to the interior by a small membrane.

*Tail* short, consisting of twelve feathers.

*Lath. Syn.*

*SPECIFIC CHARACTER, &c.*

Glossy-black Diver with square white spots; beneath white; with white collar streaked by black lines.

The Northern Diver.

*Penn. Brit. Zool.*

*Lath. synops.*

Greatest Speckled Diver or Loon.

*Will. orn.*

---

This species, the largest hitherto discovered, is an inhabitant of almost all the northern regions of Eu-

rope, frequenting shallow seas, large lakes, and rivers, and feeding on fish and water-insects. Its size is superior to that of a Goose, measuring near three feet and a half in length.



Shaw, George. 1813. "Colymbus glacialis, The Northern Diver [Pl. 1049]." *The Naturalist's Miscellany* 24(CCLXXXIV), -. <https://doi.org/10.5962/p.322329>.

**View This Item Online:** <https://www.biodiversitylibrary.org/item/296719>

**DOI:** <https://doi.org/10.5962/p.322329>

**Permalink:** <https://www.biodiversitylibrary.org/partpdf/322329>

**Holding Institution**

Museums Victoria

**Sponsored by**

Atlas of Living Australia

**Copyright & Reuse**

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.