



MYZOMELA CINERACEA, *Sclater*

*J. Gould & W. Hart, del. et lith.*

*Walter, Imp.*

## MYZOMELA CINERACEA.

### Ash-coloured Honey-eater.

*Myzomela cineracea*, Sclater, Proc. Zool. Soc. 1879, p. 448, pl. xxxvii. fig. 1; 1880, p. 65.—Salvad. Ann. Mus. Civ. Genova, xvi. p. 73, no. 15 (1880).—Id. Orn. della Papuasie &c. ii. p. 304 (1881).  
——— *cinerea*, Reichenow et Schalow, Journ. f. Orn. 1880, p. 197.

---

THIS plain-coloured Honey-eater was met with by the Rev. G. Brown in New Britain, and belongs to the section of the genus without any bright colouring on the throat, and with the under surface of the body of the same colour as the upper surface. Its nearest ally is my *Myzomela obscura* from Northern Australia, which has also been found to inhabit South-eastern New Guinea. The latter bird, however, in addition to its dusky grey colour, has a slight vinous tinge on the head; this is absent in *M. cineracea*, which is entirely ash-coloured above and below. Beyond the mere fact of recording the discovery of this species, I regret to say that I have absolutely nothing to add respecting the habits or mode of life. These are doubtless the same as those of the other species of the genus. As Mr. Forbes remarks, "in their habits the *Myzomelæ* seem to resemble the other smaller Honeysuckers, frequenting flowering shrubs and trees, not apparently so much for the sake of the nectar of the flowers as for the insects attracted thereby."

The following short description of the species is a translation of that given by Dr. Sclater in his paper on Mr. Brown's fourth collection:—Uniform dark ashy; under wing-coverts and inner margins of quills white; bill and feet black. Total length 5·5 inches, wing 2·8, tail 2·4, tarsus 0·8, bill from gape 1·05.

I am again indebted to Dr. Sclater for the opportunity of figuring this species, which has since been added to the collection of the British Museum. The figures in the Plate are drawn from the typical example, and represent the bird in different attitudes, all the figures being of about the size of life.



Gould, John and Sharpe, Richard Bowdler. 1881. "Myzomela cineracea, Ash-coloured Honey-eater [Pl. 69]." *The birds of New Guinea and the adjacent Papuan islands : including many new species recently discovered in Australia* 3(XII), -. <https://doi.org/10.5962/p.322782>.

**View This Item Online:** <https://www.biodiversitylibrary.org/item/229963>

**DOI:** <https://doi.org/10.5962/p.322782>

**Permalink:** <https://www.biodiversitylibrary.org/partpdf/322782>

#### **Holding Institution**

Smithsonian Libraries and Archives

#### **Sponsored by**

Biodiversity Heritage Library

#### **Copyright & Reuse**

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.