

INDEX

- Acanthaceae in the Southeastern United States, The Genera of, 257
 Acanthaceae, 257-309, 542
 — subfam. Acanthoideae, 281-283
 — subfam. Nelsonioideae, 278-280
 — subfam. Ruellioideae, 283-309
 — subfam. Thunbergioideae, 273-280
 — tribe Aphelandreae, 281-283
 — tribe Asystasiae, 299
 — tribe Ruellieae, 283-298
 — subtribe Aphelandrinae, 281-283
 — subtribe Blechinae, 284, 285
 — subtribe Hygrophilinae, 296-298
 — subtribe Justiciinae, 300-309
 — subtribe Odontonematinae, 298-300
 — subtribe Petalidiinae, 292-296
 — subtribe Ruelliinae, 285-292
 Acanthus, 258
 Acanthus Family, 257
 Acronychia, 208-214
 — baueri, 210, 211, 213
 — — majoriflora, 210
 — endlicheri, 209
 — eriocarpa, 211
 — hillii, 210
 — leiocarpa, 209, 213, 214
 — ligustroides, 213
 — ovalifolia, 213
 — ovata, 210
 — petiolaris, 212
 — simplicifolia, 209-213
 — subsp. neo-scotica, 211, 212
 — subsp. petiolaris, 212, 213
 — subsp. simplicifolia, 209-211
 Acrotrema, 93, 94, 96, 100, 404
 — arnottianum, 409
 — costatum, 404, 409
 Actinidia, 408
 Actinocarya, 139
 Additional Notes on the Malesian Species of *Zanthoxylum* (Rutaceae), 423
 Adelanthus brevicaulis, 66, 67
 Adenogramma, 432
 Adiantum, 73, 77
 — capillus-veneris, 77
 — cooperi, 80
 Afrolicania, 528
 Agavaceae, 490
 Agave, 490
 Aizoaceae in the Southeastern United States, The Genera of Molluginaceae and, 431
 Aizoaceae, 443, 448
 — subfam. Aizoöideae, 444, 449
 — subfam. Aptenioideae, 444
 — subfam. Caryotophoroideae, 444
 — subfam. Hymenogynoideae, 444
 — subfam. Ruschioideae, 444
 — tribe Aizoëae, 450
 Aizoön, 444
 Alfaroa, 463, 469, 473, 475
 — costaricensis, 465, 466, 469, 472
 Alobiellopsis dominicensis, 66
 Aloe, 490
 Amentiferae, 538
 Amygdalaceae, 522
 Analysis of the Complex Vascularity in Stems of *Dioscorea composita*, 228
 Anchusa, 137
 — moltkioides, 380
 — tenella, 182
 — zeylanica, 182
 Angostura, 427, 428
 Annamocarya, 463
 Anoplocaryum, 137, 383, 384
 — brandisii, 384
 — compressum, 383
 Apassalus, 293, 295
 Apetalous Genera of Hamamelidoideae, Floral Morphology and Vascular Anatomy of the Hamamelidaceae, The, 310
 Aphragmia, 286
 Ardisia luquillensis, 543
 Arnebia, 136
 Arrhoxystylidium, 286
 Arrhoxystylidium sarmentosum, 542
 Aquifoliaceae, 542
 Asperifoliaceae, 135
 Asperifoliae, 135
 Asperugo, 136
 Asystasia, 298, 299
 Axis of *Dracaena fragrans* (Agavaceae) The Vascular System in the. 2. Distribution and Development of Secondary Vascular Tissue, 478
 AYENSU, EDWARD S. Analysis of the Complex Vascularity in Stems of *Dioscorea composita*, 228
 Bauerella australiana, 210, 211
 — baueri, 210, 211
 Bazzania breuteliana, 63
 — longa, 65
 — longistipula, 64, 65
 — roraimensis, 65

- Bazzania stolonifera*, 65
Beaucarnea, 490
Beloperone, 303
— *guttata*, 304
Beurreria laevis, 147
— *punctata*, 147
BIDINGER, J. M., and M. J. LAPIANA, G. J. PERSINOS, S. K. CHRISTIE. The Ecology of an Elfin Forest in Puerto Rico. 13. Phytochemical Screening and Literature Survey, 540
Bignoniaceae, 542
Bignonia sempervirens, 4
Blackburnia pinnata, 214, 216
— — *tahitensis*, 215
— *pulchella*, 217
Blechum, 284, 285
BOGLE, A. LINN. Floral Morphology and Vascular Anatomy of the Hamamelidaceae: The Apetalous Genera of Hamamelidoideae, 310
BOGLE, A. LINN. The Genera of Molluginaceae and Aizoaceae in the Southeastern United States, 431
Boninia, 428
Boraginaceae of West Pakistan and Kashmir, A Revision of the, 133–184, 367–402, 499–520
Bothriospermum, 137, 182, 183
— *chinense*, 182
— *tenellum*, 182
Brazil, A New Species of *Ormosia* from, 129
Breeding System of *Gelsemium* (Loganiaceae), The Systematics and, 1
Bromeliaceae, 542

Caccinia, 136
Calliaspidia guttata, 304
Calophanes, 293, 294
— *angusta*, 293
Calycogonium squamulosum, 543
Calypogeia cellulosa, 64, 65
— *elliottii*, 65
— *peruviana*, 65
Calypogeiaceae, 65
Calyptranthes krugii, 543
Calyptraria haemantha, 226, 227
Campanulaceae, 542
Cannabaceae in the Southeastern United States, The Genera of the, 185
Cannabaceae, 185, 187, 188
Cannabis, 186, 188–196
Carex polystachya, 541, 542
Carpet-weed, 439
Carpinus betulus, 472
Carya, 463, 467, 472, 473, 475, 534, 538
— sect. *Rhamphocarya*, 463
— *amara*, 469
— *aquatica*, 465, 467, 468, 472
— *cordiformis*, 464, 465, 467–469
— *illinoensis*, 467
— *laciniosa*, 465, 467, 468
— *olivaeformis*, 467
— *ovata*, 465, 467, 468
— *tomentosa*, 465, 468, 469
Cecropia peltata, 541, 543
Celastraceae, 542
Celtis, 21, 32–37
— subg. *Celtis*, 33, 34
— subg. *Euceltis*, 34
— subg. *Momisia*, 33–35
— subg. *Solenostigma*, 34
— subg. *Sponioceltis*, 33
Central America, Notes on the Genus *Galipea* (Rutaceae) in, 427
Cephalozia caribbeana, 65
Cephaloziaceae, 65
Ceratolejeunea flagelliformis, 64, 67
— *maritima*, 67
— *patentissima*, 67
— *valida*, 67
CHRISTIE, S. K., J. M. BIDINGER, and M. J. LAPIANA, G. J. PERSINOS. The Ecology of an Elfin Forest in Puerto Rico, 13. Phytochemical Screening and Literature Survey, 540
Chromosome Numbers in the Juglandaceae, 534
Chrysobalanaceae, 521
Chrysobalanaceae in the Southeastern United States, The Genera of, 521
Chrysobalanaceae
— tribe *Chrysobalaneae*, 521, 528
— tribe *Hirtelleae*, 521
Chrysobalanus, 521, 523–525, 527, 528
Circaeaster, Types of Blind Vein-endings in the Dichotomous Venation of, 70
Circaeaster, 70–88
— *agrestis*, 70
Cleyera albopunctata, 543
Clock-vine, 274
Clusia grisebachiana, 542
Coelanthum, 439
Coldenia, 135, 148
— *procumbens*, 148
Colura clavigera, 62, 67
— *rhynchophora*, 62, 67
Comparative Morphological Studies in Dilleniaceae, V. Leaf Anatomy, 89; VI. Stamens and Young Stem, 403
Complex Vascularity in Stems of *Dioscorea composita*, Analysis of the, 228

- CONDE, LOUIS F., and DONALD E. STONE.
Seedling Morphology in the Juglandaceae, the Cotyledonary Node, 463
- Connaraceae, 412
- Corbichonia, 432
- Cordia, 135, 139-145
— *angustifolia*, 140
— *brownii*, 141
— *dichotoma*, 140-142
— *gharaf*, 140, 141
— *incana*, 144
— *indica*, 141
— *ixiocarpa*, 141
— *latifolia*, 142
— *lourieri*, 141
— *lowriana*, 141
— *macleodii*, 140, 143, 144
— *myxa*, 139, 142, 143, 145
— *obliqua*, 140, 142, 143
— — *obliqua*, 143
— — *tomentosa*, 143
— — *wallichii*, 143
— *rothii*, 140
— *sinensis*, 140
— *suaveolens*, 141
— *subopposita*, 140
— *tomentosa*, 143
— *vestita*, 140, 144, 145
— *wallichii*, 143
- Cordyline, 490
- Cornus *gharaf*, 140, 141
— *sanguinea*, 140, 141
- Corylaceae, 538
- Cotyledonary Node, Seedling Morphology in the Juglandaceae, The, 463
- CRANDALL, BARBARA, RAY STOTLER, and MARGARET FULFORD. The Ecology of an Elfin Forest in Puerto Rico, 11. The Leafy Hepaticae of Pico del Oeste, 56
- Craniospermum *parviflorum*, 368
- Crossosomataceae, 412
- Cryphiacanthus, 286
- Curatella, 90, 93-96, 100, 101, 403, 406
— *americana*, 417, 419, 421, 422
- Cusparia, 427
- Cynoglossospermum *consanguineum*, 507
— *oligacanthum*, 516
— *sessiliflorum*, 503
- Cynoglossum, 139
— *diffusum*, 182
— *laxum*, 398
— *macrophyllum*, 397
— *prostratum*, 182
— *roylei*, 398
— *uncinatum*, 398
— — *var. laxiflorum*, 397
- Cyclolejeunea *accedens*, 62, 67
— *convexistipa*, 62, 67
- Cyperaceae, 542
- Cypselea, 444, 451, 457
- Cyrilla *racemiflora*, 542
- Cyrillaceae, 542
- Cyrtandra *todaiensis*, 241-244
- Cystolejeunea *lineata*, 68
- Daphnopsis *philippiana*, 543
- Dasyllirion, 490
- Davilla, 90, 91, 94-96, 101, 406
— *aspera*, 406, 417, 419
- Decalepidanthus, 136
- Demidovia, 460
- Derris from the Solomon Islands. Studies in the Leguminosae, 11., A New Species of, 251
- Derris sect. *Derris*, 251, 252
— sect. *Euderris*, 251, 252
— *elegans*, 251
— *multiflora*, 251, 252
— *salomonensis*, 251-254
- Development of Secondary Vascular Tissue, Vascular System in the Axis of *Dracaena fragrans* (Agavaceae) 2. Distribution and, 478
- Devil's Grip, 439
- Dianthera, 303, 304, 306, 307
— *ovata* var. *angusta*, 303
— — *lanceolata*, 303
- Dichotomous Venation of *Circaeaster*, Types of Blind Vein-endings in the, 70
- DICKISON, WILLIAM C. Comparative Morphological Studies in Dilleniaceae, VI. Stamens and Young Stem, 403
- DICKISON, WILLIAM C., Comparative Morphological Studies in Dilleniaceae, V. Leaf Anatomy, 89
- Dicliptera, 300-302
— sect. *Dactylostegiae*, 301
— sect. *Dicliptera*, 300
— sect. *Platystegiae*, 300
— sect. *Sphenostegiae*, 301
— *halei*, 301
— *viridiflora*, 300
- Didesmandra, 90, 94, 96, 100, 405
— *aspera*, 417, 419-422
- Dillenia, 90, 93-96, 404
— *alata*, 417, 419
— *aurea*, 404
— *excelsa*, 96, 417, 421
— *fagifolia*, 404
— *indica*, 96, 407, 417, 419, 422
— *megalantha*, 96
— *ochreatea*, 92, 98
— *ovata*, 95, 96, 417, 420

- Dillenia papuana*, 96, 404, 417, 419
 — *parviflora*, 404, 417, 419
 — *philippinensis*, 93, 96, 101, 417, 420
 — *pulchella*, 94, 96, 100, 101
 — *reifferscheidia*, 93, 96, 100
 — *suffruticosa*, 96, 100
Dilleniaceae, V. Leaf Anatomy, Comparative Morphological Studies in, 89; VI. Stamens and Young Stem, Comparative Morphological Studies in, 403
Dilleniaceae, 89–97
 — subfam. *Dillenioideae*, 404, 409
 — subfam. *Tetraceroideae*, 403
 — tribe *Hibbertieae*, 409
 — tribe *Tetracereae*, 409
Dilleniales, 412
Dillenites, 411
Dioscorea composita, Analysis of the Vascularity in Stems of, 228
Dioscorea composita, 228–240
 — *macroura*, 236
 — *preussii*, 236
 — *sansibarensis*, 236
Diplasiolejeunea unidentata, 62, 68
Dipteracanthus, 286
 — *cilius*, 288
 Distribution and Development of Secondary Vascular Tissue, The Vascular System in the Axis of *Dracaena fragrans* (*Agavaceae*) 2., 478
Distylium, 313, 314, 316–324
 — *buxifolium*, 320
 — *chinense*, 323
 — *gracile*, 318, 320
 — *racemosum*, 317–322, 326
 — *stellare*, 318, 324
Doliocarpus, 406
 — *calineoides*, 96, 100
 — *coriaceus*, 96
 — *dentatus*, 96, 406, 417, 419, 420
 — *guianensis*, 96, 101
 — *lasiogyne*, 96
 — *major*, 91, 98, 417, 421
 — *olivaceus*, 90, 94, 96, 99, 100
Dracaena fragrans (*Agavaceae*) 2., The Vascular System in the Axis of, Distribution and Development of Secondary Vascular Tissue, 478
Dracaena, 478, 482, 490, 491
 — *fragrans*, 478, 480, 487–490
Drejerella, 303
 — *guttata*, 304
Drepanolejeunea anoplantha, 68
 — *crucianella*, 68
 — *evansii*, 68
 — *fragilis*, 68
 — *inchoata*, 62, 68
Dyschoriste, 292–296
 — *angusta*, 293
 — — *angusta*, 294
 — — *oblongifolia*, 294
Echinospermum
 — sect. *Anoplocaryum*, 383
 — sect. *Heterocaryum*, 515
 — *barbatum*, 508, 509
 — *canum*, 390
 — *cariensis*, 509
 — *caspicum*, 505
 — *ceratophorum*, 501
 — *consanguineum*, 507
 — *deflexum*, 396
 — — *pumilum*, 396
 — *divaricatum*, 502
 — *echinophorum* var. *sessile*, 516
 — *filiforme*, 508
 — *glochidiatum*, 398
 — — *laxiflorum*, 397
 — *heteracanthum*, 509
 — *heterocaryum*, 517
 — *ispahanicum*, 510
 — *kotschy*, 502
 — *laevigatum*, 516
 — *lappula*, 510
 — — *consanguineum*, 507
 — *microcarpum*, 504
 — *minimum*, 517
 — *oligacanthum*, 504, 515
 — *patulum*, 506
 — *semiglabrum*, 505
 — *semicinctum*, 509
 — *sericeum*, 386
 — *sessiliflorum*, 503
 — *sinaicum*, 502
 — *spathulatum*, 388
 — *squarrosus*, 510
 — *stylosum*, 504
 — *szovitsianum*, 517, 518
 — *thymifolium*, 396
Echiochilon, 136, 183
 — *kotschy*, 184
 — *persicum*, 183, 184
 Ecology of an Elfin Forest in Puerto Rico, The, 10. Notes on Two Species of *Marcgravia*, 41; 11. The Leafy *Hepaticae* of Pico del Oeste, 56; 12. A New Species of *Gonocalyx* (*Ericaceae*) 221; 13. Phytochemical Screening and Literature Survey, 540
Edwardsia chrysophylla, 204
Ehretia, 135, 145–148
Ehretia acuminata var. *serrata*, 145
 — *affinis*, 147
 — *dichotoma*, 147

- Ehretia floribunda*, 147
 — *laevis*, 145, 147, 148
 — — *floribunda*, 147
 — — *platyphylla*, 147
 — *linifolia*, 145
 — *obovata*, 146
 — *obtusifolia*, 145–147
 — *punctata*, 147
 — *serrata*, 145, 146
Eleocharis yunquensis, 542
Elephantorrhiza, 114
 — *elephantina*, 114–125
Elephantorrhiza elephantina, The Morphology and Germination of the seed of, 114
 Elfin Forest in Puerto Rico, 11. The Ecology of an. The Leafy Hepaticae of Pico del Oeste, 56; 12. A New Species of *Gonocalyx* (Ericaceae), 221; 10. Notes on Two Species of *Marcgravia*, 41; 13. Phytochemical Screening and Literature Survey, 540
 ELIAS, THOMAS S. The Genera of Ulmaceae in the Southeastern United States, 18
 ELIAS, THOMAS S., Notes on the Genus *Galipea* (Rutaceae) in Central America, 427
 Elm, 18
Elytraria, 278–280
Endogenia, 401
Engelhardia, 534–536, 538, 463, 469, 473, 475
 — sect. *Engelhardia*, 469, 473
 — sect. *Oreomunnea*, 463, 469, 473
 — sect. *Psilocarpeae*, 469, 473
 — *aceriflora*, 536
 — *apensis*, 469
 — *colebrookeana*, 536
 — *mexicana*, 465, 469, 472
 — *pterocarpa*, 465, 467, 469
 — *roxburghiana*, 463, 465, 466, 469, 470, 535–537
 — *serrata*, 469
 — *spicata*, 536, 537
 — — var. *aceriflora*, 535–537
 — — var. *colebrookeana*, 536, 537
 — *wallichiana*, 536
 Ericaceae, 542
Eritrichium, 139, 384
 — sect. *Endogenia*, 401
 — sect. *Eu-eritrichium*, 384
 — sect. *Oreocharis*, 367, 401
 — *basifixum*, 386
 — *canum*, 385, 390
 — *densiflorum*, 394
 — *elongatum*, 374
Eritrichium fruticulosum, 385, 387
 — *jacquemontii*, 388
 — *longifolium*, 390
 — *munroi*, 393
 — *nanum*, 384, 385
 — — subsp. *villosum* var. *euvillosum*, 386
 — — subsp. *nanum*, 386
 — — subsp. *villosum*, 386, 387
 — *nemorosum*, 378
 — *patens*, 385, 389
 — *pectinatum*, 390
 — *rupestre* var. *pectinatum* subvar. *spathulatum*, 388
 — — *a* *genuinum*, 390
 — — *pectinatum*, 390
 — *secundiflorum*, 372
 — *sericeum*, 390
 — *spathulatum*, 385, 388
 — — *spathulatum*, 389
 — — *thomsonii*, 389
 — *strictum*, 390
 — — *fruticulosum*, 387
 — — *thomsoni*, 390
 — *thomsonii*, 389
 — *tibeticum*, 402
 — *villosum*, 386
Erigenia borinquensis, 543
Esenbeckia, 428
Evodia, 428
 Fagaceae, 472
Fagara gillespieana, 215, 216
 — *nadeaudii*, 215
 — *pinnata*, 214–216
Fagus sylvatica, 472
Fitchia, 471
 Floral Morphology and Vascular Anatomy of the Hamamelidaceae: The Apetalous Genera of Hamamelidoideae, 310
 Floras of Norfolk and Lord Howe Islands, I., Notes Relating to the, 204
 FOSTER, ADRIANCE S. Types of Blind Vein-endings in the Dichotomous Venation of *Circaeaster*, 70
Fothergilla, 313, 314, 343–348
Frullania subtilissima, 67
 Frullaniaceae, 67
 FULFORD, MARGARET, BARBARA CRANDALL, and RAY STOTLER. The Ecology of an Elfin Forest in Puerto Rico, 11, The Leafy Hepaticae of Pico del Oeste, 56
Galenia, 444, 449
 — subgen. *Galenia*, 450
 — subgen. *Kolleria*, 450
Galipea (Rutaceae) in Central America, Notes on the Genus, 427

- Galipea, 427-430
 — *guatemalensis*, 427
 — *jasminiflora*, 427, 428, 430
 — *nicaraguensis*, 427
 — *panamensis*, 427-430
 — *simplicifolia*, 428
 — *trifoliata*, 427
 Gastrocotyle, 137
 Gatesia laete-virens, 301
 Gelsemium (Loganiaceae), The Systematics and Breeding System of, 1
 Gelsemium, 1-17
 — *elegans*, 9-13
 — *lucidum*, 5
 — *nitidum*, 4
 — *rankinii*, 4, 6-9
 — *sempervirens*, 4-8
 — — *inodorum*, 8
 — *sumatranum*, 10
 Genera of Acanthaceae in the Southeastern United States, The, 257
 Genera of the Cannabaceae in the Southeastern United States, The, 185
 Genera of Chrysobalanaceae in the Southeastern United States, The, 521
 Genera of Hamamelidoideae. Floral Morphology and Vascular Anatomy of the Hamamelidaceae: The Apetalous, 310
 Genera of Molluginaceae and Aizoaceae in the Southeastern United States, The, 431
 Genera of Ulmaceae in the Southeastern United States, The, 18
 Geobalanus, 522, 526, 527
 — *pallidus*, 527
 Gerardia, 282
 Germination of the Seed of Elephantorrhiza elephantina, The Morphology and, 114
 Gesneriaceae, 542
 Gesneria sintenisii, 542
 Gieseckia, 436
 GILLETT, GEORGE W. The Taxonomic Status of Protocyrandra (Gesneriaceae), 241
 Ginkgo, 73, 77
 Gisekia, 432, 435, 436
 Glinaceae, 432
 Glinus, 432, 439, 441, 442
 Glischrothamnus, 432, 442
 Gonocalyx (Ericaceae), A New Species of. The Ecology of an Elfin Forest in Puerto Rico, 12., 221
 Gonocalyx concolor, 221-224
 — *portoricensis*, 221-225
 — *pulcher*, 222, 224-227
 — *smilacifolius*, 222
 Gramineae, 542
 GREEN, P. S. Notes Relating to the Floras of Norfolk and Lord Howe Islands, I., 204
 Guttiferae, 542
 Gynaion vestitum, 144
 Hackberry, 33
 Hackelia, 139, 395
 — *deflexa*, 395
 — — *pumila*, 395, 396
 — *glochidiata*, 398
 — *macrophylla*, 395, 397, 398
 — *meeboldii*, 395, 397
 — *roylei*, 398
 — *stewartii*, 395, 399, 400
 — *thymifolia*, 395-397
 — *uncinata*, 395, 398, 399
 Haenianthus salicifolius var. obovatus, 543
 Halimum, 451
 Halimus, 451
 Hamamelidaceae: The Apetalous Genera of Hamamelidoideae, Floral Morphology and Vascular Anatomy of the, 310
 Hamamelidoideae, Floral Morphology and Vascular Anatomy of the Hamamelidaceae: The Apetalous Genera of, 310
 Hamamelidaceae, 310-365
 — tribe Corylopsideae, 314
 — tribe Disanthoideae, 314
 — tribe Distylieae, 313, 314
 — tribe Eustigmateae, 314
 — tribe Fothergilleae, 313
 — tribe Hamamelideae, 314
 — tribe Liquidambaroideae, 314
 — tribe Rhodoleioideae, 314
 — tribe Symingtonioideae, 314
 HANS, A. S. Chromosome Numbers in the Juglandaceae, 534
 Haploid and Diploid Pollen in Hypericum patulum, 247
 Harpalejeunea heterodonta, 68
 — *uncinata*, 68
 HARTLEY, THOMAS G., Additional Notes on the Malesian Species of Zanthoxylum (Rutaceae), 423
 Havilandia, 401
 Hedycrea, 526
 Heliotropium, 135, 149-180
 — *afghanum*, 158
 — *ambiguum*, 178
 — *aucheri*, 151, 168, 169
 — *bacciferum*, 151, 161-164
 — — subsp. *bacciferum*, 161, 162, 164
 — — subsp. *lignosum*, 163, 164
 — — subsp. *tuberculosum*, 162
 — — *bacciferum*, 161, 162, 164

- Heliotropium bacciferum fartakense*, 163, 164
 — — *lignosum*, 163, 164
 — — *tuberculosum*, 161–164
 — *baluchistanicum*, 150, 172, 174
 — *biannulatum*, 150, 172–174
 — *brahuicum*, 151, 166, 167
 — *brevifolium*, 153
 — *broccianum*, 178
 — *cabulicum*, 150, 169–171
 — *calcareum*, 150, 174, 175
 — *chenopodioides*, 179
 — *coromandelianum*, 178, 180
 — — *a obovatum*, 178
 — *crispum*, 151, 158–160
 — *curassavicum*, 149, 178, 179
 — — *obovatum*, 179
 — — *virens*, 179
 — — *zeylanicum*, 155, 157
 — *dasycarpum*, 151, 164–167
 — — *dasycarpum*, 165, 166
 — — *gymnostomum*, 165, 166
 — *dicriophorum*, 172
 — *ditrichum*, 160
 — *eichwaldii*, 177
 — — *lasiocarpum*, 176
 — *ellipticum*, 150, 177
 — — *lasiocarpum*, 176
 — *europaeum*, 150, 175–177
 — — *europaeum*, 176
 — — *lasiocarpum*, 176, 177
 — *fartakense*, 163
 — *fruticosum* var. *persicum*, 183
 — *gillianum*, 150, 167, 168
 — *glaucophyllum*, 179
 — *glaucum*, 179
 — *gymnostomum*, 165, 168
 — — *aucheriiforme*, 168
 — *khyberianum*, 173, 174
 — *kotschyi*, 162
 — *kunzii*, 178
 — *lamondiae*, 151, 168, 169
 — *lasiocarpum*, 176
 — *lignosum*, 163
 — *linifolium*, 155, 157
 — *littorale*, 177
 — *malabaricum*, 180
 — *marifolium*, 149, 154, 155
 — — subsp. *marifolium*, 155
 — — subsp. *wallichii*, 155
 — *multiflorum*, 174
 — *niloticum*, 178
 — *nubicum*, 158
 — *ophioglossum*, 149, 160, 161
 — *ovalifolium*, 150, 178
 — *paniculatum*, 156
 — *persicum*, 158, 183
 — *popovii* subsp. *gillianum*, 167, 168
 — *ramosissimum*, 158
 — *rarifolium*, 149, 151, 152
 — *rechingeri*, 166, 167
 — *remotiflorum*, 150, 171
 — *rottleri*, 154
 — *sarothroclados*, 158
 — *sericocarpum*, 169
 — *strigosum*, 149, 152–154
 — — subsp. *brevifolium*, 153, 154
 — — subsp. *strigosum*, 152–154
 — — *brevifolium*, 153
 — *subulatum*, 151, 157, 158
 — *supinum*, 179, 180
 — — var. *malabarica*, 180
 — *syenites*, 178
 — *taftanicum*, 167
 — *tenuiflorum*, 176
 — *tuberculosum*, 162
 — *turcomanicum*, 158
 — *ulophyllum*, 150, 170, 171
 — *undulatum* var. *ramosissimum*, 158
 — — *tuberculosum*, 162
 — *virens*, 179
 — *zeylanicum*, 149, 155–157
 — — subsp. *paniculatum*, 156, 157
 — — subsp. *zeylanicum*, 156, 157
Hemigymnia macleodii, 143
Hemp, 185, 189–192
Hepaticae of Pico del Oeste, The Leafy.
 The Ecology of an Elfin Forest in
 Puerto Rico, 11., 56
Herbertaceae, 63
Herberta divergens, 63
 — *pensilis*, 63
Heterocaryum, 138, 515
 — *divaricatum*, 503
 — *echinophorum* var. *minimum*, 517, 519
 — — *oligacanthum*, 516
 — — *pachypodium*, 519
 — *inconstans*, 504
 — *laevigatum*, 515, 516
 — *minimum* var. *szovitsianum*, 519
 — *oligacanthum*, 504, 516
 — *pachypodium*, 518
 — — *kotschyanum*, 519
 — *rigidum*, 515, 517
 — *subsessile*, 515
 — *szovitsianum*, 515, 518
Heteroscyphus elliottii, 66
Hibbertia, 89–97, 99, 100, 404, 406
 — *acicularis*, 92, 100
 — *altigena*, 91, 98
 — *australis*, 100
 — *baudouinii*, 93, 94, 96, 99
 — *cistifolia*, 100
 — *coriacea*, 101
 — *crenata*, 99

- Hibbertia cuneiformis*, 96, 99, 407
 — *dentata*, 407, 417, 419, 420, 422
 — *exutiacies*, 417, 419, 420
 — *gilgiana*, 94, 96, 99
 — *glaberrima*, 100
 — *lasiopus*, 92, 99
 — *lucida*, 91, 98
 — *montana*, 90, 92, 99
 — *mucronata*, 92, 98
 — *nana*, 92, 94, 96, 98, 99
 — *oubatchensis*, 91, 98
 — *pachyrhiza*, 94, 100
 — *pancheri*, 90, 91, 94, 96, 99
 — *patula*, 91, 96, 98, 99
 — *pungens*, 94, 96, 100
 — *salicifolia*, 92, 98
 — *saligna*, 92, 99
 — *scandens*, 99, 100, 404, 407, 414, 417, 419, 422
 — *sericea*, 96, 99
 — *stirlingii*, 101
 — *subvaginata*, 91, 100
 — *teretifolia*, 96, 97
 — *tetrandra*, 100, 407, 417, 419
 — *tomentosa*, 100
 — *uncinata*, 100
Hillia parasitica, 541, 543
Hop, 196, 199, 200
Hornemannia racemosa, 542
Horse purslane, 455
 HOWARD, RICHARD, A. The Ecology of an Elfin Forest in Puerto Rico, 10. Notes on Two Species of *Marcgravia*, 41
Humulus, 186, 188, 196–203
Hygrophila, 296, 297
 — subg. *Asteracantha*, 297
 — subg. *Hygrophila*, 297
 — sect. *Euhygrophila*, 297
 — sect. *Hygrophila*, 297
Hymenanthera dentata var. *oblongifolia*, 220
 — *latifolia*, 218, 219
 — *novae-zelandiae*, 219
 — *oblongifolia*, 220
Hypericum patulum, Haploid and Diploid Pollen in, 247
Hypericum patulum, 247–250
 — — *henryi*, 247, 249
 — — ‘Golden Cup’, 249
 — — ‘Hidcote’ 247–249
 — — ‘Sungold’ 248, 249
Hypertelis, 432, 439

Ilex paraguariensis, 541
 — *sintenisii*, 541, 542
Indian chick-weed, 439
Isotachaceae, 63

Jambolifera baueri, 210
 — *endlicheri*, 210
 — *petiolaris*, 212
Jeffersonia, 4
Juglandaceae, 469, 472, 534, 538
Juglandaceae, Chromosome Numbers in the, 534
Juglandaceae, The Cotyledonary Node, Seedling Morphology in the, 463
Juglans, 463, 467, 469, 472, 473, 475, 534, 535, 538
 — *ailantifolia*, 465, 467–469, 472
 — *cinerea*, 469, 534
 — *nigra*, 469, 534
 — *olanchana*, 470, 475
 — *regia*, 467, 469, 534, 535, 537
 — *sieboldiana*, 467
Justicia, 302, 306, 307
 — subg. *Dianthera*, 304
 — subg. *Eujusticia*, 304
 — subg. *Gendarussa*, 304
 — subg. *Justicia*, 304
 — *americana*, 305
 — *angusta*, 303
 — *brandegeana*, 304
 — *cooleyi*, 305
 — *crassifolia*, 305
 — *guttata*, 304
 — *humilis* var. *lanceolata*, 303, 305
 — *laetevirens*, 301
 — *lanceolata*, 303
 — *martinsoniana*, 541, 542
 — *ovata* var. *angusta*, 303
 — — *lanceolata*, 303

 Kashmir, A Revision of the Boraginaceae of West Pakistan and, 133–184, 367–402, 499–520
 KAZMI, S. M. A. A Revision of the Boraginaceae of West Pakistan and Kashmir, 133–184, 367–402, 499–520
Kingdonia, 76, 77
 — *uniflora*, 80

 LAPIANA, M. J., G. J. PERSINOS, S. K. CHRISTIE, J. M. BIDINGER, and. The Ecology of an Elfin Forest in Puerto Rico, 13. Phytochemical Screening and Literature Survey, 540
Lappula, 139, 499, 515
 — *albiflora*, 514
 — *barbata*, 500, 508
 — — *arragonensis*, 508
 — — *barbata*, 508
 — — *cariensis*, 509
 — *ceratophora*, 499, 501
 — *consanguinea*, 500, 507

- Lappula divaricata*, 502
 — *echinata*, 509, 510
 — — *cariensis*, 509
 — — *consanguinea*, 507
 — — *eu-echinata*, 510
 — — *heterocantha*, 509
 — *echinophora* var. *pachypoda*, 519
 — — *sessilis*, 516
 — — *szovitsiana*, 519
 — *glochidiata*, 398
 — *heteracantha*, 500, 509
 — *macrophylla*, 397
 — *microcarpa*, 499, 504, 513
 — *myosotis*, 500, 510
 — *patula*, 500, 506
 — *redowskii*, 505
 — — *patula*, 505, 506
 — — — *semiglabra*, 505
 — *saxatilis*, 508
 — *semiglabra*, 500, 505
 — *sessiliflora*, 499
 — *sinaica*, 499, 502
 — *spinocarpos*, 499, 500
 — *szovitsiana*, 503, 519
 — *thymifolia*, 396
Lasiocaryum, 137, 392, 393
 — *densiflora*, 393, 394
 — *munroi*, 392–394
 Lauraceae, 542
 Leaf Anatomy, Comparative Morphological Studies in Dilleniaceae, V., 89
 Leguminosae, 204, 205, 522
 Leguminosae, 11. Studies in. A New Species of *Derris* from the Solomon Islands, 251
 Lejeuneaceae, 67
Lepechiniella, 138, 511
 — *albiflora*, 511
 — *inconspicua*, 511
 — *microcarpa*, 511
 — *transalaica*, 511
Lepidozia patens, 65
 Lepidoziaceae, 63
Leptopteris, 4
 — *sumatrana*, 10
Leptoscyphus gibbosus, 66
Licania, 521, 523–528
 — subgen. *Moquilea*, 527
 — sect. *Moquilea*, 527
 — *pallida*, 527
 Liliaceae, 490
 Limeae, 432
Limeum, 432, 436
Lindelofia, 139
Lisianthus sempervirens, 5
Lithospermum, 136
 — subg. *Oreocharis*, 367
Lithospermum echioides, 372
 — *elongatum*, 367, 374
 — *heliotropoides*, 180
 — *hispidum*, 158
 — *kotschyi*, 183
Lindelophia lakulensis, 374
Lithospermum lignosum, 163
 — *moltkoides*, 380
 — *ovalifolium*, 378
 — *persicum*, 183
 — *secundiflorum*, 372
Lobelia portoricensis, 541, 542
Lomandra, 490
 LONG, ROBERT W. The Genera of Acanthaceae in the Southeastern United States, 257
 Lophocoleaceae, 66
 Lophoziaceae, 66

Macarthuria, 432
 Malesian Species of *Zanthoxylum* (Rutaceae), Additional Notes on the, 423
 Malvaceae, 206, 207
Marcgravia, 41–55
Marcgravia, Notes on Two Species of. The Ecology of an Elfin Forest in Puerto Rico, 10., 41.
Marcgravia subg. *Orthothalamium*, 44
Marcgravia subg. *Plagiothalamium*, 44
 — *nepenthoides*, 46
 — *rectiflora*, 42, 44, 45, 47–55
 — *sintenisii*, 42, 44, 45, 47–55, 542
 Marcgraviaceae, 41, 542
Marijuana, 189, 192
Mattiastrum, 138
Matudaea, 313, 314, 354–359
 — *hirsuta*, 354, 355
 — *trinervia*, 354
Mecranium amygdalinum, 543
Medicia, 4
 — *elegans*, 9
 Melastomataceae, 543
 Meliaceae, 543
Melicope, 428
Melicytus latifolius, 218
 — *novae-zelandiae*, 219, 220
 — — subsp. *centurionis*, 219
 — *ramiflorus*, 220
 — — subsp. *oblongifolius*, 220
 Mendonciaceae, 258
Mertensia, 33, 367
 — *chitralensis*, 367
 — *coventryana*, 369
 — *echioides*, 372
 — *edelbergii*, 370
 — *efornicata*, 371
 — *elongata*, 374

- Mertensia exserta*, 368
 — *moltkioides*, 378
 — *nemorosum*, 378
 — *nuristanica*, 380
 — *racemosa*, 379
 — *secundiflora*, 372
 — *strigosa*, 372
 — *tibetica*, 380
 — *trollii*, 369
Mesembryanthemum Family, 443, 444
Messerschmidia hispida, 157
 Mexico, A New Species of *Parietaria* (Urticaceae) from Northeastern, 529
Miconia foveolata, 543
 — *pycnoneura*, 543
Microcaryum duthieanum, 394
Micropholis garciniaefolia, 543
Microula, 139, 400
 — *benthamii*, 400
 — *tangutica*, 400
 — *tibetica*, 400, 401
Micropterygium carinatum, 65
Millegrana, 458
 MILLER, NORTON G. The Genera of the Cannabaceae in the Southeastern United States, 185
 MILLER, NORTON G. A New Species of *Parietaria* (Urticaceae) from Northeastern Mexico, 529
 Mimosaceae, 114, 125
Molinadendron, 313, 314, 351–354
 — *guatemalense*, 351
 — *hondurensis*, 351
 — *sinaloense*, 350, 351
 Molluginaceae and Aizoaceae in the Southeastern United States, The Genera of, 431
 Molluginaceae, 432
 — tribe *Corbichonieae*, 432
 — tribe *Gisekieae*, 432
 — tribe *Mollugineae*, 432
 — tribe *Orygieae*, 432
Mollugo, 432, 437–439, 442
Moltkia parviflora, 368
 — *trollii*, 369
Momisia, 33
Moquilea, 526, 527
 Moraceae, 543
 Morphological Studies in Dilleniaceae, Comparative, V. Leaf Anatomy, 89; VI. Stamens and Young Stem, 403
 Morphology and Germination of the Seed of *Elephantorrhiza elephantina*, The, 114
 Morphology in the Juglandaceae, the Cotyledonary Node, Seedling, 463
Myosotis, 138
 — *deflexa*, 395
 — *lappula*, 510
 — *longifolia*, 390
 — *moltkioides*, 380
 — *racemosa*, 379
 — *saxatilis*, 508
 — *villosa*, 386
 Myricaceae, 538
 Myrsinaceae, 543
 Myrtaceae, 543
 Myrtopsis, 428
Neesioscyphus bicuspidatus, 63
 Nettle-tree, 33
Neurolejeunea breutelii, 68
 NEVLING, LORIN I., JR., The Ecology of an Elfin Forest in Puerto Rico, 12. A New Species of *Gonocalyx* (Ericaceae), 221
 New Species of *Derris* from the Solomon Islands, A. Studies in the Leguminosae, 11., 251
 New Species of *Gonocalyx* (Ericaceae), A. The Ecology of an Elfin Forest in Puerto Rico, 12, 221
 New Species of *Ormosia* from Brazil, A, 129
 New Species of *Parietaria* (Urticaceae) from Northeastern Mexico, A, 529
 New Zealand spinach, 460
 Nonea, 136
 Norfolk and Lord Howe Islands, I., Notes Relating to the Floras of, 204
 Notes on the Genus *Galipea* (Rutaceae) in Central America, 427
 Notes Relating to the Floras of Norfolk and Lord Howe Islands, I., 204
 Notes on Two Species of *Marcgravia*. The Ecology of an Elfin Forest in Puerto Rico, 10., 41
Nowellia caribbeana, 65
 — *dominicensis*, 65
Ocotea spathulata, 542
 Oleaceae, 543
Odontoschisma prostratum, 66
 Odontoschismaceae, 66
Omphalodes, 138
 — *thomsoni*, 389
Onosma, 136
Oreocharis, 367
Oreogenia, 392, 393
 — *duthieana*, 394
 — *munroi*, 393
Oreomunnea, 463, 534

- Ormosia* from Brazil, A New Species of, 129
Ormosia friburgensis, 129, 131
 — *ruddiana*, 129–131
 ORNDUFF, ROBERT. Relationships in the *Piriqueta caroliniana*–*Piriqueta cistoides* Complex (Turneraceae), 492
 ORNDUFF, ROBERT. The Systematics and Breeding System of *Gelsemium* (Loganiaceae), 1
Oxalidaceae, 207, 208
Oxalis corniculata, 207, 208
 — *corniculata*, 207, 208
 — *microphylla*, 207, 208
 — *reptans*, 207
 — *reptans*, 207, 208
Pachynema, 405
 — *dilatatum*, 406, 417, 419
 — *junceum*, 417, 421
Paeoniaceae, 413
Paeonia, 413
Pandanus, 279, 481
Paracaryum, 138
 — *glochidiatum*, 398
 — *inconspicuum*, 512
 — *microcarpum*, 513
Parastemon, 528
Parietaria, 529
Parietaria (Urticaceae) from Northeastern Mexico, A New Species of, 529
Parietaria subg. *Euparietaria*, 532
 — subg. *Parietaria*, 532
 — *debilis*, 529
 — *decoris*, 529, 531, 532
 — *floridana*, 529
 — *macrophylla*, 531, 532
 — *obtusa*, 529
 — *officinalis*, 529
 — *pensylvanica*, 529, 533
Parrotia, 313, 314, 337–343
 — *persica*, 325, 337–343
Parrotiopsis, 313, 314, 348–351
 — *jacquemontiana*, 347–351
Pedinogyne, 401
 — *tibetica*, 402
Pelea, 428
 PERSINOS, G. S., S. K. CHRISTIE, J. M. BIDINGER, and M. J. LAPIANA. The Ecology of an Elfin Forest in Puerto Rico, 13. Phytochemical Screening and Literature Survey, 540
Pharnaceum, 439
 Phytochemical Screening and Literature Survey, 13. The Ecology of an Elfin Forest in Puerto Rico, 540
 Pico del Oeste, The Leafy Hepaticae of. The Ecology of an Elfin Forest in Puerto Rico, 11., 56
Pilea yunquensis, 543
Piptoclaina malabarica, 180
 — *supina*, 180
Piriqueta, 492–498
Piriqueta caroliniana–*Piriqueta cistoides* complex (Turneraceae), Relationships in the, 492
Piriqueta caroliniana, 492, 493, 495–497
 — *caroliniana*, 493, 494, 497
 — *glabrescens*, 494, 496, 497
 — *tomentosa*, 494, 496, 497
 — *viridis*, 494, 497
Piriqueta cistoides complex (Turneraceae), Relationships in the *Piriqueta caroliniana*–, 492
Piriqueta cistoides, 492, 493, 495–497
 — *cistoides*, 493, 494
 — *latifolia*, 493, 494
Plagiochilaceae, 66
Plagiochila bidens, 66
 — *bursata*, 66
 — *chinantlana*, 66
 — *dominicensis*, 66
 — *jamaicensis*, 66
 — *rutilans*, 66
 — *subbidentata*, 66
 Planer Tree, 31
Planera, 21, 31, 32
Platycarya, 463, 469, 472, 473, 475, 534
 — *strobilacea*, 464, 465, 466, 470
Pleomele, 490
Plinthus, 450
 Pollen in *Hypericum patulum*, Haploid and Diploid, 247
 PRANCE, GHILLEAN T. The Genera of *Chrysobalanaceae* in the Southeastern United States, 521
Pronium, 230, 236, 238, 491
 — *serratum*, 489
Prionolejeunea aemula, 64, 68
 — *aequitexta*, 68
 — *exauriculata*, 68
 — *innovata*, 68
Protocyrandra (Gesneriaceae), The Taxonomic Status of, 241
Protocyrandra, 241–245
 — *todayensis*, 245
Psammotropha, 432
Pseudomertensia, 137, 367–383
 — *anjumiae*, 368, 377
 — *chitralensis*, 368, 376
 — *drummondii*, 368, 375
 — *echioides*, 136, 367, 372
 — *echioides*, 373, 374
 — *lahulensis*, 374

- Pseudomertensia edelbergii*, 371
 — *efornicata*, 367, 371
 — *elongata*, 368, 374, 375
 — *moltkioides*, 368–383
 — — *leichtlinii*, 381, 383
 — — *moltkioides*, 381
 — — *primuloides*, 381–383
 — — *tanneri*, 381, 383
 — *nemorosa*, 368, 378, 379
 — *parviflora*, 136, 367–369
 — *racemosa*, 379
 — *trollii*, 367, 369–371
 — — var. *edelbergii*, 370
 — — var. *harrissii*, 370
 — — var. *trollii*, 370
Psychotria berteriana, 541, 543
Ptelea pinnata, 214
Pterocarya, 463, 464, 469, 472, 473, 534, 538
 — *fraxinifolia*, 464
 — *rhoifolia*, 464, 465
 — *stenoptera*, 464–466, 470, 474
 Puerto Rico, 10. The Ecology of an Elfin Forest in. Notes on Two Species of *Marcgravia*, 41.
 — 11. The Ecology of an Elfin Forest in, The Leafy Hepaticae of Pico del Oeste, 56
 — 12. The Ecology of an Elfin Forest in. A new species of *Gonocalyx* (*Ericaceae*), 221
 — 13. Phytochemical Screening and Literature Survey, 540

Radiana, 458
Radulaceae, 67
Radula fendleri, 67
 — *saccatiloba*, 67
Ranales, 411–413
Rectolejeunea phyllobola, 68
 Relationships in the *Piriqueta caroliniana*-*P. cistoides* complex (*Turneraceae*), 492
Renealmia antillarum, 543
 Revision of the *Boraginaceae* of West Pakistan and Kashmir, A, 133–184, 367–402, 499–520
Rhapis, 481, 483, 490
 — *excelsa*, 230, 236, 238, 239, 489
Rhoiptelea, 475
Rhytiglossa, 303
 — *viridiflora*, 300
Rindera glochidiata, 398
Rochelia, 136
 — *deflexa*, 396
Rondeletia portoricensis, 543
Rosaceae, 521, 522
 — subfam. *Prunoideae*, 522

Rubiaceae, 543
Ruellia, 285–292
 — sect. *Dipteracanthus*, 289, 291
 — sect. *Physiruellia*, 289
 — sect. *Ruellia*, 289, 291
 — *caroliniensis* subsp. *caroliniensis* var. *succulenta*, 288
 — — subsp. *ciliosa*, 288
 — — — *heteromorpha*, 288
 — — *heteromorpha*, 287, 288
 — *ciliosa*, 288, 289
 — *heteromorpha*, 288
 — *humilis*, 287, 288
 — *hybrida*, 288
 — *pedunculata* subsp. *pinetorum*, 288
 — *pinetorum*, 288
 — *succulenta*, 288
Rutaceae, 208–218
 — tribe *Cusparieae*, 427

Samara blackburnia, 215
Sapotaceae, 543
Saurauia, 406
Scaevola? *novae-zelandiae*, 219
Scapania portoricensis, 67
Scapaniaceae, 67
Schumacheria, 405, 406
 — *castaneifolia*, 91, 94, 96, 417, 419, 421, 422
Scleria secans, 542
Sclerocaryopsis spinocarpus, 500
Sea purslane, 451, 455
 Secondary Vascular Tissue, The Vascular System in the Axis of *Dracaena fragrans* (*Agavaceae*), 2., Distribution and Development of, 478
Sericostoma, 136, 181, 182
 — *pauciflorum*, 181, 182
 — *persicum*, 183
Sesuvium, 444, 451, 452
Shibutaea kumusaca, 238
Sida nummularia, 206
 — *zahlbruckneri*, 206
Smilax megalantha, 238
 SNYMAN, L. and H. P. VAN DER SCHIJFF. The Morphology and Germination of the Seed of *Elephantorrhiza elephantina*, 114
Socratea, 279, 481
Solenanthus, 139
Solenostigma, 33
 Solomon Islands, A New Species of *Derris* from the. Studies in the Leguminosae, 11., 251
Sophora, 205
 — sect. *Edwardsia*, 205
 — *howinsula*, 204

- Sophora microphylla*, 205
 — tetraptera, 204, 205
 — — subsp. *howinsula*, 205
 — — *howinsula*, 205
 — — subsp. *macnabiana*, 205
 Southeastern United States, The Genera of Acanthaceae in the, 257
 Southeastern United States, The Genera of the Cannabaceae in the, 185
 Southeastern United States, The Genera of Chrysobalanaceae in the, 521
 Southeastern United States, The Genera of Molluginaceae and Aizoaceae in the, 431
 Southeastern United States, The Genera of Ulmaceae in the, 18
Sponia, 38
Squibbia, 451
 Stamens and Young Stem. Comparative Morphological Studies in Dilleniaceae, VI, 403
Stenandrium, 281–283
 — sect. *Sphaerostenandrium*, 283
 — sect. *Stenandrium*, 283
 — dulce var. *floridanum*, 281, 282
 STONE, DONALD E., and LOUIS F. CONDE. Seedling Morphology in the Juglandaceae, the Cotyledonary Node, 463
 STOTLER, RAY, MARGARET FULFORD, and BARBARA CRANDALL. The Ecology of an Elfin Forest in Puerto Rico, 11. The Leafy Hepaticae of Pico del Oeste, 56
Strepsilejeunea involuta, 68
 Studies in the Leguminosae, 11. A New Species of *Derris* from the Solomon Islands, 251
Suessenguthiella, 432
 Sugarberry, 33
Suttonia? *tenuifolia*, 218
 × *Sycoparrotia semidecidua*, 325
Sycopsis, 313, 324
 — *dunnii*, 320, 325–328
 — *griffithiana*, 325
 — *laurifolia*, 325
 — *sinensis*, 325, 330–334
 — *tutcheri*, 325
 Symplocaceae, 543
Symplocos micrantha, 543
 Systematics and Breeding System of *Gelsemium* (Loganiaceae), The, 1
Syzygiella perfoliata, 66
Tabebuia rigida, 542
Taxilejeunea sulphurea, 69
 Taxonomic Status of *Protocyrandra* (Gesneriaceae), The, 241
Telaranea sejuncta, 65
Tetracera, 90, 92–94, 99, 403
 — *akara*, 99
 — *boiviniana*, 99
 — *indica*, 96, 99, 100, 407, 417, 419, 422
 — *leiocarpa*, 92, 99
 — *macrophylla*, 407
 — *ovalifolia*, 92, 99
 — *portobellensis*, 92, 99
 — *scandens*, 96, 99, 407
 — *volubilis*, 417, 419
Tetractomia, 428
Tetragonia, 444, 459
 — subgen. *Anisostigma*, 460
 — subgen. *Tetragonoia*, 460
 — subgen. *Tetragonoides*, 460
 — subgen. *Tribulocarpus*, 460
 Tetragoniaceae, 432
 Theaceae, 543
 THOMAS, JOAB L. Haploid and Diploid Pollen in *Hypericum patulum*, 247
 THOTHATHRI, K. Studies in the Leguminosae, 11. A New Species of *Derris* from the Solomon Islands, 251
Thunbergia, 273–278
 — sect. *Euthunbergia*, 274–277
 — sect. *Hexacentris*, 276, 277
 — *alata*, 274
 Thunbergiaceae, 258
 Thymelaeaceae, 543
Tipalia limonella, 424
 TOMLINSON, P. B., and M. H. ZIMMERMAN. The Vascular System in the Axis of *Dracaena fragrans* (Agavaceae) 2. Distribution and Development of Secondary Vascular Tissue, 478
Torrallbasia cuneifolia, 542
Tournefortia edgeworthii, 157
 — *royleana*, 157
 — *subulata*, 157
 — *zeylanica*, 157, 158
Trachylejeunea inflexa, 69
Traxilum, 145
Trema, 37–40
Tretocarya, 400
 — *pratensis*, 400
Trianthema, 444, 451, 453–455
 — subgen. *Papularia*, 455
 — subgen. *Trianthema*, 455
 — sect. *Rocama*, 455
 — sect. *Zaleya*, 455
Trichilia pallida, 543
Trichocolea flaccida, 63
 Trichocoleaceae, 63
Trichodesma, 136
Trigonotis, 138, 401, 402

- Trigonotis clavata*, 401
— *tibetica*, 402
Tubiflora, 279
Turneraceae, 492
(Turneraceae), Relationships in the *Piriqueta caroliniana*-*Piriqueta cistoides* complex, 492
Types of Blind Vein-endings in the Dichotomous Venation of *Circaeaster*, 70
- Ulmaceae, 18-40
Ulmaceae in the Southeastern United States, the Genera of, 18
Ulmaceae tribe *Celteae*, 32-40
— tribe *Ulmeae*, 19-32
Ulmus, 21-30
— sect. *Blepharocarpus*, 23, 24
— sect. *Chaetoptelea*, 23, 24
— sect. *Madocarpus*, 23
— sect. *Microptelea*, 23, 25
— sect. *Trichoptelea*, 23, 25
— sect. *Ulmus*, 23, 24
Urticaceae, 543
- VAN DER SCHIJFF, H. P., and L. SNYMAN.
The Morphology and Germination of the seed of *Elephantorrhiza elephantina*, 114
Varrenia sinensis, 141
Vascular Anatomy of the Hamamelidaceae: The Apetalous Genera of Hamamelidoideae. Floral Morphology and, 310
Vascular System in the Axis of *Dracaena fragrans* (Agavaceae) 2. Distribution and Development of Secondary Vascular Tissue, 478
Vepris simplicifolia, 209
Violaceae, 218-220
Vriesea sintenisii, 542
- Water Elm, 31
Water-Willow, 303
- West Pakistan and Kashmir, A Revision of the Boraginaceae of, 133-184, 367-402, 499-520
- Xanthorrhoea, 490
Xanthoxylon blackburnia, 215
— *howeanum*, 215
- YAKOVLEV, G. P. A New Species of *Ormosia* from Brazil, 129
Yeatsia laete-virens, 301
Yucca, 490
- Zamia*, 77
Zanthoxylum (Rutaceae), Additional Notes on the Malesian Species of, 423
Zanthoxylum, 214-218
— *acanthopodium*, 425, 426
— *avicennae*, 423, 426
— *blackburnia*, 214-216
— *budrunga*, 425
— *conspersipunctatum*, 426
— *forbesii*, 424, 426
— *integrifolium*, 425, 426
— *limonella*, 423, 424
— *megistophyllum*, 423, 424, 426
— *nadeaudii*, 215
— *nitidum*, 423, 426
— *ovalifolium*, 425, 426
— *pancheri*, 216-218
— *pinnatum*, 214-217
— *pluviatile*, 425, 426
— *retroflexum*, 424, 426
— *rhetsa*, 424-427
— *scandens*, 426
- ZIMMERMANN, M. H., and P. B. TOMLINSON. The Vascular System in the Axis of *Dracaena fragrans* (Agavaceae) 2. Distribution and Development of Secondary Vascular Tissue, 478
- Zingiberaceae, 543
Zoelleria, 401
Zoopsis antillana, 66
Zoopsidaceae, 66



1970. "Index [vol. 51]." *Journal of the Arnold Arboretum* 51(4), 547–560.
<https://doi.org/10.5962/p.336476>.

View This Item Online: <https://www.biodiversitylibrary.org/item/41431>

DOI: <https://doi.org/10.5962/p.336476>

Permalink: <https://www.biodiversitylibrary.org/partpdf/336476>

Holding Institution

Missouri Botanical Garden, Peter H. Raven Library

Sponsored by

Missouri Botanical Garden

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Arnold Arboretum of Harvard University

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.