

Evansia: Fifteen Year Index

Bruce Allen & Robert E. Magill

Acarospora subfuscescens, 2:10

Ahti, T. & J. Crowe, Additions to the lichens of Thunder Bay District, Ontario, 12:21

Alabama, liverworts, 15:32; mosses, 15:32, 6:22

Alaska, Hagemeister Island, 7:49; lichens, 12:92, 6:28, 6:7; liverworts, 13:14; mosses, 13:14;
Rhizomnium, 8:53

Allen, B. Delaware mosses, 7:1

Dicranum acutifolium and *Grimmia hartmanii* var. *hartmanii* in New Hampshire, 9:10

Eighth Midwest Bryological & Lichenological foray, 8:17

Errata [*Racomitrium canescens*], 12:80

Hygrohypnum eugyrium and *Clasmatodon parvulus* in Pennsylvania, 13:28

Hypnum plicatulum (Hypnaceae: Musci) in Maine, 13:58

Mosses from the State of Maine, 4:17; II, 4:42; III, 5:34; IV, 6:17; V, 8:1; VI, 10:50; VII,
12:144; 8, 14:14

New Hampshire mosses, 9:33

Observations on the protonemata of *Drummondia prorepens* (Musci:Orthotrichaceae), 4:33

Polytrichum hyperboreum (Polytrichaceae:Musci) reconfirmed in Maine, 11:144

Syrrophodon texanus Sull. new to Delaware, 7:40

The distribution of *Brachelyma subulatum* (P. Beauv.) Schimp. ex Card. with notes on its
paraphyllia, 12:40

The genera *Anomobryum* and *Leptobryum* (Musci:Bryaceae) in Maine, 14:123

The genera *Ceratodon*, *Distichium*, *Pleuridium*, and *Saelania* in Maine, 12:107

The genera *Rhabdoweisia* and *Dichodontium* (Musci:Dicranaceae) in Maine, 14:133

The genus *Blindia* (Musci:Seligeriaceae) in Maine, 11:88

The genus *Andreaea* (Musci) in Maine, 9:1

The genus *Arctoa* in Maine, 15:131

The genus *Bryum* (Musci) in Maine, 12:41

The genus *Dichelyma* (Fontinalaceae:Musci) in Maine, 14:42

The genus *Dicranum* (Musci:Dicranaceae) in Maine, 15:45

The genus *Ditrichum* in Maine, 12:1

The genus *Hypnum* (Hypnaceae:Musci) in Maine, 13:121

The genus *Mielichhoferia* in Maine, 13:112

The genus *Orthodicranum* (Musci:Dicranaceae) in Maine, 15:9

The genus *Rhodobryum* (Musci:Bryaceae) in Maine, 14:57

The genus *Sphagnum* in Panama, 3:46

The genus *Timmia* (Musci:Timmiaceae) in Maine, 15:115

The genus *Trematodon* (Musci:Bruchiaceae) in Maine, 15:99

The Grimmiaceae (Musci) in Maine. I. *Coscinodon* and *Grimmia*, 10:81

Missouri Botanical Garden, P.O. Box 299, St., Louis, Missouri 63166

- The Grimmiaceae (Musci) in Maine.II. *Schistidium*, 11:1
 The Grimmiaceae (Musci) in Maine. III. *Racomitrium*, 11:41
 Three mosses new to Kentucky including *Homomallium incurvatum* re-established in North America, 2:26
 Allen, B. & A. Whittemore. Notes on *Isothecium myosuroides* and *I. obtusatum* (Musci:Brachytheciaceae) in western North America, 13:116
 Allen, B. & R. A. Pursell, The genus *Fissidens* (Musci) in Maine, 10:13
 Allen, B. & R. E. Magill, *Evansia*:fifteen year index, 15:150
 Allred, K. W. C., Second collection of a little moss, *Fissidens littlei* (Williams) Grout, rediscovered from a little sinkhole in New Mexico after 63 years, 15:148
 Allred, K. W. C. Darigo & R. D. Worthington, Additions to the moss flora of New Mexico, 15:95;
Anacolia laevisphaera, 15:81; *webbii*, 15:81
 Anderson L. E. & J. D. Pittillo, A second locality for *Rhabdoweisia crenulata* in North America, 10:41
Andreaea rupestre, 9:1
Anomobryum julaceum, 14:124
 Anonymous, American Bryological and Lichenological Society nomination form, 13:120
 Anonymous, Notice on The Pennsylvania State University bryophyte herbarium, 12:160
 Arctic, lichens, 2:1
Arctoa blytii, 15:132; *fulvella*, 15:134
Arctoparmelia incurva, 12:19
 Arizona, *Leucodon brachypus* var. *andrewsianus*, 13:75; *Splachnobryum obtusum*, 15:127
 Arkansas, hornworts, 14:89; liverworts, 14:89; mosses, 11:157; 12:74, 15:21
Arthonia stellaris, 12:66
Aspicilia moenium, 13:159
Astomum phascoides, 3:44
Atrichum tenellum, 15: 91
 axillary hairs, *Bartramia*, 15:81

Barbula ehrenbergii, 5:14; *indica*, 13:77; *unguiculata*, 13:77
Bartramia ambigua, 15:81; sect. *Bartramia*, 15:82; sect. *Strictidium*, 15:81; sect. *Vaginella*, 15:82; *stricta*, 15:81
 Bathurst Island, lichens, 12:117
 Bessette, A. E. Fluorescence analysis as a taxonomic criterion for crustose lichens, 3:33
 Biechele, L. T. A checklist of the Hepaticae and Anthocerotae of eastern Suffolk County, Long Island, New York, 10:99
Blindia sanguineum, 11:88
 books, bryology, 14:109
 Bowers, F. D. & J. D. Freeman, Notes on Alabama mosses, 6:22
 Bowers, M. C. The fourth Midwest Bryological Foray, 4:38
Brachelyma subulatum, 12:40
 branch patterns, bryophytes, 2:39
 British Columbia, bryophytes, 11:139; hepatics, 5:6; 11:11; Queen Charlotte Islands, 8:74, 9:94
 Brodo, I. M. "*Herpothallon sanguineum*" in Delaware:a reevaluation, 11:87

- Sticta canariensis*: a new lichen for North America, 11:76
Bruchia hallii var. *hartmanii*, 9:44
Bryhnia graminicolor, 2:3
Bryoria brevirostre, 10:58, 10:61
Bryum amblyodon, 13:157; *gerwigii*, 2:32; *pallascens*, 13:93
Bryum, Maine, 12:41
Buck, W. R. Change of editor, 5:48
 New state records for mosses, 10:25
 On pseudoparaphyllia, 1:9
Buck, W. R. & B. Allen, Meritorius Midwest mosses, 9:89
Buck, W. R. & L. E. Anderson, A preliminary list of mosses from Bienville National Forest, Mississippi, 10:94
Buellia amphidexia, new species, 5:41; *pachnidisca*, new species, 5:43; *rubifaciens*, new species, 5:44; *wheeleri*, new species, 5:45; *vainioi*, 5:37
California, bryophytes, 12:121, 4:21; hornworts, 15:122; lichens, 4:21; liverworts, 15:122; mosses, 3:11
Caloplaca scotoplaca, 2:10
calyptra, *Fissidens*, 11:160
Campylopus subulatus, 11:95; *tallulensis*, 11:95
Campylostelium saxicola, 12:157, 15:137
Cash, H. J. & B. J. Rapp, *Bryhnia graminicolor* new to Florida, 2:3
Cárdenas, A. S. El Orden Funariales en el Valle de México, México, 12:9
 Los musgos del Cerro Gordo (San Juan Teotihuacán) Valle de México, 9:61
 Musgos del Valle de México: Pico la Biznaga (Atizapán de Zaragoza), 14:53
Ceratodon purpureus, 12:108
checklist, Interior Highlands, liverworts & hornworts, 14:89
Cheilolejeunea clausa, 15:32
Christy, J. A. Sixth Midwestern Bryological Foray, 6:12
Christy, J. A. & P. J. Johnson, Two mosses new to Idaho, 5:16
Christy, J. A., M. J. Dibben, F. J. Bowers & R. E. Andrus, Ten mosses new to Wisconsin, 3:12
Ciegler, A. South Carolina lichens: a preliminary survey, 14:29
Cladonia metacorallifera, 11:55; *norvegica* var. *hartmanii*, 9:56
Clasmatodon parvulus, 13:28
Cleavitt, N. L. & T. J. Fahey, Checklist of bryophytes for two hemlock ravines in the Delaware Water Gap National Recreation Area, 13:18
Checklist of bryophytes occurring in Hubbard Brook Experimental Forest, 13:67
Clinton, Herbarium, 4:46
Cole, M. & E. Fischer, Mosses of the Minnesota Valley National Park Wildlife Refuge in Hennepin, Dakota, and Scott Counties, Minnesota, 14:7
Colorado, *Aspicilia moenium*, 13:159; lichens, 13:159, 7:17; mosses, 3:8
Connecticut, bryophytes, 10:9; lichens, 10:9
Coscinodon brevirostre, 10:81
Crichton, O. W. Two collections of Delaware lichens separated by 100 years, 11:145
Crosby, M. R. The Hedwigian Classification, 15:[end sheet]

- Crowe, J. Report on Montreal Workshop, 14:108
 The lichens of Thunder Bay District Ontario, Canada, 11:62
- Crum, H. *Lescurea saxicola*, new to Michigan and the Continental Interior, 14:52
 crustose, lichens, 3:33
 crusts, 2:23
Cryphaea filiformis, 12:157; *ravenelii*, 12:157
 cultivation, *Sphagnum*, 3:21
- Darigo, C. *Barbula indica* and *Fissidens crumii* new to Hawaiian Island of Maui and the status of *Barbula unguiculata* in Hawaii, 13:77
 Bryophytes from states of Arkansas, Missouri, Oklahoma and the Interior Highlands of North America, *Fontinalis sphagnifolia*, *Fontinalis welchiana* and *Weissia sharpii* new to Oklahoma, and other new county records, 15:21
 Mosses from the Interior Highlands of North America, states of Missouri and Oklahoma, *Plagiomnium ellipticum* new to Oklahoma, and other new county records, 14:61
 Mosses from the State of Missouri -- New county records, 12:68
 Mosses from the State of Missouri, *Micromitrium megalosporum* and *Bryum pallescens* new to the State and other new County records 13:93
 Mosses of Callaway County, Missouri, 12:98
 Some Alaskan bryophytes, 13:14
- Davison, P. G. & A. C. Risk, Hepatics of Bad Branch Nature Preserve, Letcher County, Kentucky, 9:52;
- Davison, P. G. & A. R. Schotz, Additions to the bryophyte flora of Alabama from two Bibb County nature preserves, including first reports of *Plagiochasma crenulatum* and *Trichosotum brachydontium* east of the Mississippi River and other range extensions, 15:32
- Delaware, *Herpothallon sanguineum*, 11:87; lichens, 11:145; mosses, 7:1, 7:40
 diaphans, *Sphagnum*, 13:103
Dichelyma capillaceum, 14:44; *falcatum*, 14:47; *pallescens*, 14:49
Dichodontium pellucidum, 14:136
Dicranodontium denudatum, 8:52
Dicranum acutifolium, 15:61, 9:10; *bonjeanii*, 15:49; *brevifolium*, 15:146; *condensatum*, 15:63; *elongatum*, 15:65; *fuscescens*, 15:67; *leioneuron*, 15:51; *majus*, 15:53; *muehlenbeckii*, 15:69; *ontariense*, 15:72; *polysetum*, 15:55; *scoparium*, 15:57; *spurium*, 15:74; *undulatum*, 15:76
Didymodon vinealis var. *brachyphyllus*, 13:157
- Dignard, N. Bryophytes from the Old Quebec city walls, Canada, 7:47
 Dignard N. & D. Bastien, *Sphagnum angermanicum* in central Quebec, 7:36
- Dirig, R. Fertile collections and distribution records of *Peltigera didactyla* (Peltigeraceae) in New York State, 3:37
 Moss, 2:48
 Preliminary annotated list of bryophytes of the Pine Bush, Albany County, New York and vicinity, 3:39
Sphagnum of the southwestern Catskills, Hancock Town, Delaware County, New York, 3:4
Distichium capillaceum, 12:110

- Ditrichum polypodioides*, 12:1
 DNA, extraction, 14:131
 Doyle, W. T., Liverworts and of the Santa Rosa Plateau Ecological Reserve, Riverside County, California, 15:122
Drepanocladus glaucescens, 12:135
Drummondia prorepens, 4:33
Dryptodon patens, 8:41
- Eckel, P. M. Addenda, 13:108
Barbula ehrenbergii new to the moss flora of New Mexico with additional Eddy County records, 5:14
 Checklist of the mosses of Albany County, Wyoming, 13:41
 Desert spore: a tool, and notes on collecting bryophytes in arid regions, 13:109
Eucladium verticillatum (Musci) second Ontario station, 7:15
Gymnostomiella orcuttii (Pottiaceae) new to the western coast of Mexico, 2:28
 New state records for Nevada and Idaho, 13:157
Orthotrichum obtusifolium and *Tortula papillosa* in western New York State, 2:11
Pohlia longicolla (Hedw.) Lindb. new to Wyoming, 9:43
Seligeria campylopoda new to Wyoming, 3:23
Weissia phascopsis (= *Astomum phascoides*) new to the moss flora of New Mexico, with additional county records, 3:44
 elaters, left-handed spirals, 3:24
Encalypta ciliata, 14:2; *procera*, 14:4
Enthosthodon, Mexico, 12:9
Ephemerum serratum, 13:3; *spinulosum*, 13:4
 errata, *Racomitrium canescens*, 12:80
Eucladium verticillatum, 7:15
 Exchange, lichen, 13:92
- Farlow, lichen literature, 3:20
 Faubert, J. A disjunct population of *Dicranum brevifolium* (Lindb.) Lindb. in southeastern Québec, Canada, 15:146
 Field, J. H. *Philonotis capillaris* / *Philonotis arnellii*, 2:48
Fissidens crumii, 13:77; *hyalinus*, 9:5; *littlei*, 15:148; *papillosus*, 7:48; *polypodioides*, 11:160; *striatum*, 10:13
 Fleming, E. C. D. A preliminary bryophyte survey of San Felasco Hammock State Preserve with some range extensions for Florida, 14:74
 Flenniken, D. Tropical lichens in the University of Northern Iowa Herbarium, 13:78
 Florida, 2:3; bryophytes, 12:31, 14:74; *Cryphaea filiformis*, 12:157; lichens, 12:31, 4:26, 5:37; *Schoenobryum concavifolium*, 12:157; *Splachnobryum obtusum*, 15:127
Fontinalis sphagnifolia, 15:21; *welchiana*, 15:21
 forays, ABLs 1985, 4:26; ABLs 1986, 5:1; ABLs, 1988, 6:14; ABLs, Toronto, 6:6; ABLs, Washington, 13:34; Andrews 1982, 2:44; Andrews 1985, 2:42; Andrews 1986, 4:1; Andrews, 1987, 5:26; Andrews, 14th, 6:11; Andrews, 16th, 10:9; Andrews, 17th, 9:42; Andrews, 19th, 11:34; Blomquist, 5th, 6:11; Blomquist, 7th, 11:28, 9:32; California lichen

- society, 13:119; Midwest 1983, 1:4; Midwest 4th, 4:38; Midwest, 6th, 6:12; Midwest, 8th, 8:17; Midwest, 10th, 10:47, 9:42; Midwest, 11th, 11:115; Northwest lichen guild, 13:119
- Frahm, J.-P. A contribution to the differentiation of *Campylopus subulatus* and *C. tallulensis* in North America, 11:95
- Funariales, Mexico, 12:9
- Funaria*, Mexico, 12:10
- Galloway, C. M. & C. L. Burandt, Jr., Moss records for South Texas, 10:34
- Moss records for Northcentral Mississippi - 1, 12:13
- Galloway, C. M. & C. Burke & D. Leubert, *Roccella babingtonii* in southern Texas, 13:76
- Gauthier, R. Some *Sphagna* from Great Wass Island, 3:17
- Georgia, bryophytes, 11:81; *Splachnobryum obtusum*, 15:127
- Gigaspermum*, Mexico, 12:10
- Glime, J. M., 1990 Meeting of ABLS at Wakulla Springs, Florida, 8:15
- Reply to McQueen, 7:35
- Should mosses have common names?, 6:1
- Part 5. The common names of Pottiales, 8:32
- Part 6. The common names of Buxbaumiales and Grimmiales, 9:7
- Part 7. The common names of Funariales, 9:45
- Part 8. The common names of Bryales, 10:1
- Part 9. The common names of Orthotrichales, 10:64
- Part 10. The common names of Leucodontales, 11:30
- Part 11. The common names of Hookeriales and Tetraphidales, 11:93
- Part 12. The common names of Hypnales, 11:102
- Glime, J. M. & J. Zhang, Should mosses have common names? Part 4. The Dicranales, 7:41
- Glime, J. M. & Z. Iwatsuki, Should mosses have common names? Part 3. The common names of the primitive orders, 7:9
- Goffinet, B. The North American distribution of *Peltigera retifoveata* Vitik., 9:49
- Gottesfeld, L. M. J. & D. H. Vitt, The selection of *Sphagnum* for diapers by indigenous North Americans, 13:103
- Gould, W. A. Five lichens new to Banks Island, Northwest Territories, Canada, 11:17
- Griffin, D. III, Axillary hairs in *Bartramia* section *Strictidium*, 15:81
- An unusual dimorphism in *Streptopogon calymperes* C. Muell. ex Geh. (Musci; Pottiaceae), 3:1
- Griffin, D. III, F. Snow & W. R. Buck, The bryophytes of Georgia's sandstone outcrops: I. The Broxton Rocks ecological preserve, 11:81
- Griffin, D. III, R. C. Harris & W. R. Buck, Responding to Dr. Pursell, 12:120
- The bryophytes and lichens of Rock Hill Preserve, Florida, 12:31
- Griffin, D. III & W. S. Judd, *Hylocomium brevirostre* new to Jamaica, 10:45
- Grimmia brevirostre*, 10:81; *hartmanii* var. *hartmanii*, 9:10
- Gyalideopsis vainioi*, 5:22
- Gymnostomiella orcuttii*, 2:28
- Gymnostomum angustifolium*, 2:26
- Gyroweisia reflexa*, 15:30

Halecania viridescens, 11:100

Harris, R. C., Additional species not recorded in "The lichens of Long Island, New York", 4:4

Buellia in North and Central Florida or the virtues and rewards of collecting, 5:37

Corrections and additions to the fifth lichen checklist, 5:4

Erratum, 2:3

Four lichens new to North America collected on the 1985 ABLIS Foray in Florida, 4:26

Hypotrachyna costaricensis new to North America, 10:98

Lichens of the New Jersey Pine Barrens collected on the seventh A. LeRoy Andrews Foray, 1982, 2:44

Megalospora porphyritis again: a reply to Sipman, 3:30

Megalospora porphyritis in Eastern North America, 1:24

Name changes for some common lichens and additions to the North American Lichen flora, 1:23

New or rare lichens/lichenicolous fungi for North America, 12:154

Reinstatement of *Lecidea cyrtidia* Tuck. in the North American lichen checklist, 14:69

Some distinctive tropical pyrenolichens in the southeastern United States, 4:28

Sticta, an "easy" genus becomes more difficult, 1:7

The lichen collection of the Clinton Herbarium, The Buffalo Museum of Science (BUF), 4:46

Harris, R. C., C. K. Schmitt & K. Anderson, Lichens of eastern Long Island, New York collected during the 1986 Andrews Foray, 4:1

Harris, R. C. & E. M. Wheeler, *Gyalideopsis vainioi* new to North America, 5:22

Harris, R. C., S. B. Selva, W. R. Buck, J. G. Guccion, J. Nelson & C. Schmitt, Lichens of southern Maine collected on the 1987 Andrews Foray, 5:26

Hawaii, *Barbula indica*, 13:77; *Barbula unguiculata*, 13:77; *Fissidens crumii*, 13:77

He, S. B. Allen & P. L. Redfearn Jr., New records for bryophytes of the Interior Highlands of North America, 3:31

Hedwigia ciliata, 15:92

Heiman, K. Macrolichens of the Blue Ridge Parkway in North Carolina, 13:47
herbarium, Pennsylvania State University, 12:160

Herpothallon sanguineum, 11:87

Heterocladium macounii, 2:26

Homomallium incurvatum, 2:26

Hong, W. S. A study of the Hepaticae of Kootenay National Park, British Columbia, Canada, 11:11

Hong, W. S., B. Deffinbaugh, R. Miller & B. Sparrow, A study of the bryophytes of Thermal Meadow, Hotsprings Island, Queen Charlotte Islands, Canada, 9:94

Hong, W. S., J. Brandvold Jr., E. Damon, W. Nevis Jr. & D. White, A preliminary list of bryophytes from Ramsay Island, and Queen Charlotte Islands, Canada, 11:139

Hong, W. S., J. Snyder Jr., D. Trexler & P. Kuchar, A list of Hepaticae from Yoho National Park, British Columbia, Canada, 5:6

Hong, W. S., K. Flander, D. Stockton & D. Trexler, An annotated checklist of the liverworts and hornworts of Olympic National Park, Washington, 6:33

Hong, W. S., R. Dahl, B. Sparrow & D. Trexler, Additions to the liverwort flora of Naikoon Provincial Park, Queen Charlotte Islands, British Columbia, Canada, 8:74

- Hyerczyk, R. Song for Dr. Cowles, 13:79
Hygroamblystegium noterophilum, 3:8
Hygrohypnum alpestre, 3:8; *subeugyrium*, 13:28
Hylocomium brevirostre, 10:45
Hypnum cupressiforme, 13:127; var. *filiforme*, 13:130; *curvifolium*, 13:125; fertile, 13:132;
hamulosum, 13:135; *imponens*, 13:137; *lindbergii*, 13:140; *mammillatum*, 13:143;
pallenscens, 13:146; *plicatulum*, 13:149, 13:58; *pratense*, 13:152
Hypogymnia subphysodes, 14:106
- Idaho, lichens, 15:37; mosses, 13:157, 5:16
 Illinois, bryophytes, 2:36; hornworts, 14:89; liverworts, 14:89; Midwest foray, 11:115
 Indiana, bryophytes, 1:4; *Campylostelium saxicola*, 12:157
 Iowa, hepatics, 5:46
 Ireland, R. R. Additions to the moss flora of Ontario and Quebec, 4:15
 Mosses new or confirmed from some Canadian Provinces, 10:29
 The genus *Plagiothecium* in North America, 2:4
Isopterygiopsis muelleriana, 7:12
Isothecium myosuroides, 13:116; *obtusatulum*, 13:116
- Jamaica, *Hylocomium brevirostre*, 10:45
 Jamieson, D. W. Notes on new and rare mosses in southwestern Colorado, 3:11
- Kansas, bryophytes, 12:81; mosses, 10:72, 8:25
 Karlin E. F. & K. A. Schaffroth, The mosses of New Jersey, 9:32
 Kaye, G. C. Lichenological literature available from the Farlow, 3:20
 Kentucky, hepatics, 9:52; mosses, 2:26
 keys, synoptic, 4:32
Kiaeria blytii, 15:132
 Krieger, M. & J. Crowe, Mosses of Gray County, Ontario, 15:104
- Ladd, D. G., Wilhelm & R. C. Harris, Additions to the lichen flora of Missouri, 11:131
 Lansing, D. A. & M. Pudiak, A *Sphagnum* growth medium, 4:6
Lauderlindsaya, 14:13
Lecidea cyrtidia, 14:69
 Leonardi, L. *Atrichum tenellum* - new state record in Maine, 15:91
 Bryophytes of two New York state freshwater tidal swamps, 8:22
 The bryophytes of the New York Botanical Garden Forest, 4:8
Leptobryum pyriforme, 14:127
Lescuraea saxicola, 14:52
Leucodon brachypus var. *andrewsianus*, 13:75
 Li, Yenhung & J. M. Glime, Should mosses have common names? Part 2. The common names
 of *Sphagnum*, 6:25
 Long Island, lichens, 4:1, 4:4
Lorentziella, Mexico, 12:10
 Louisiana, *Bruchia hallii*, 9:44; *Fissidens hyalinus*, 9:5; *Splachnobryum obtusum*, 15:129

- Magill, R. E. Editorial, 6:16
 Notes on Texas mosses IV, 8:38
- Mahler, W. F. Additions to the moss flora of New Mexico, 2:30
- Maine, *Anomobryum*, 14:123; *Arctoa*, 15:131; *Atrichum tenellum*, 15:91; *Blindia*, 11:88; *Bryum*, 12:41; *Ceratodon*, 12:107; *Coscinodon*, 10:81; *Dichelyma*, 14:42; *Dichodontium*, 14:133; *Dicranum*, 15:45; *Distichium*, 12:107; *Ditrichum*, 12:1; *Encalypta*, 14:1; *Ephemerum*, 13:3; *Grimmia*, 10:81; *Hypnum plicatulum*, 13:58; *Hypnum*, 13:121; *Kiaeria*, 15:131; *Leptobryum*, 14:123; lichens, 5:26; *Micromitrium*, 13:6; *Mielichhoferia*, 13:112; mosses, 3:17, 4:17, 4:42, 5:34, 6:17, 8:1, 9:1, 10:13, 10:50, 12:144, 14:14; *Orthodicranum*, 15:9; *Pleuridium*, 12:107; *Polytrichum hyperboreum*, 11:144; *Racomitrium*, 11:41; *Rhabdoweisia*, 14:133; *Rhodobryum*, 14:57; *Saelania*, 12:107; *Schistidium*, 11:1; *Timmia*, 15:115; *Trematodon*, 15:99
- Majestyk, P. State and County moss records for Arkansas, 11:157
 State and county moss records for Arkansas II, 12:74
- Manierre, W. R., *Gyroweisia reflexa*, a moss new for the United States, 15:30
- Manitoba, Churchill, 7:54
- Maryland, mosses, 8:52
- McCune, B. *Lauderlindsaya*, a parasitic fungus on *Normandina*, 14:13
Micareia botryoides new to North America, 13:65
 New field tools, 11:159
 Sterile, yellowish lichen crusts on soil in North America, 2:23
- McCune, B. & R. Rosentreter, Distribution and ecology of *Thelomma ocellatum* in western North America, 12:103
Hypogymnia subphysodes new to North America, 14:106
 Improved spot test for *Bryoria*, 10:58
 Macrolichens from Priest River Experimental Forest, Idaho, 15:37
- McKnight, B. N., Notes on the Illinois bryophyte flora. I., 2:36
- McKnight, B. N. & M. L. Sargent, The 1983 Midwest Bryological Foray, 1:4
- McQueen, C. B. A technique for raising and maintaining cultures of *Sphagnum* from spores, 2:15
 Checklist of Vermont liverworts, 3:26
 Common garden cultivation of *Sphagnum* gametophytes, 3:21
 Growth and development of *Sphagnum subtile* protonemata, 5:17
 Macroscopic key to the Sphagnaceae of the northeastern United States, 2:17
 Sphagnaceae of Vermont, 2:13
 The 1985 A. LeRoy Andrews Foray, 2:42
 The 1986 AIBS bryological and lichenological foray, 5:1
 The bryophytes of Vermont, 9:65
 The practical application of common names for the genus *Sphagnum*, 7:29
- Medina, A. L. Lichens and bryophytes of the Rochelle Hills, 11:121
 medium, growth, 4:6
Meesia uliginosa var. *hartmanii*, 9:59
Megalospora porphyritis, 1:24, 3:30
 Melville Island, lichens, 12:117
- Merrill, G. L. S. Contribution to the bryophyte flora of the Lake Erie Islands, 10:114

- New records for Kansas mosses, III, 8:25
 New records for Kansas mosses, IV, 10:72
 Mexican records, *Gymnostomiella orcutii*, 2:28
 Mexico, Cerro Gordo, 9:61; Funariales, 12:9; mosses, 14:53
Micarea botryoides, 13:65
 Michigan, *Lescuraea saxicola*, 14:52
Micromitrium austinii, 13:6; *megalosporum*, 13:9, 13:93; *wrightii*, 11:21
Micromitrium, Mexico, 12:10
Mielichhoferia elongata, 13:112
 Miller, N. G. Recent discoveries in the New York State bryoflora, 4:12
 Miller, N. G. & W. R. Buck, Books for beginners in bryology, 14:109
 Minnesota, mosses, 14:7
 Mississippi, *Dichelyma capillaceum*, 5:33; *Dicranum flagellare*, 5:33; mosses, 4:41, 7:35, 10:94, 12:13
 Missouri, *Hedwigia ciliata*, 15:92; hornworts, 14:89; lichens, 11:131; liverworts, 14:89, 15:28; mosses, 12:68, 12:98, 13:81, 13:93, 14:61, 15:21
 Mniaceae, Ontario, 8:81
Mnium cinclidioides, 8:52
 Montana, hepatics, 15:1; mosses, 15:1
 Moore Island, lichens, 12:117
 Moore, P. D. & R. S. Egan, Are lichens edible?, 8:9
Myrionora albidula, new combination, 5:27
Myrionora, new genus, 5:26
- names, common, 6:1, 6:25, 7:29, 7:35, 7:41, 7:9, 8:32, 9:45, 9:7, 10:1, 10:104, 10:64, 11:102, 11:30, 11:93
 Nash, T. H. III, The Lichen Exchange sponsored by the American Bryological and Lichenological Society, 13:92
 Nebraska, mosses, 15:93
Neosharpiella, Mexico, 12:10
 Nevada, mosses, 13:157
 New Hampshire, liverworts, 13:67; mosses, 9:10, 9:33, 13:67
 New Jersey, lichens, 2:44; mosses, 9:11
 New Mexico, *Fissidens littlei*, 15:148; mosses, 3:44, 5:14, 15:95
 New York, Anthocerotae, 10:99; bryophytes, 3:39, 4:12, 4:8, 8:22; *Cladonia metacorallifera*, 11:55; hepatics, 10:99; lichens, 2:10, 3:37, 4:1, 4:4; mosses, 2:11, 3:4, 11:22; *Palludella*, 8:51; *Sphagnum trinitense*, 13:26; *Sphagnum*, 9:99, 10:32; 15:5
 nomination form, ABLS, 13:120
 Nonnenmacher, H. F. & S. L. Timme, Bryological studies in Kansas:Neosho County, 12:81
 Normandina, 14:13
 North America, 2:32
 North American records, *Acarospora subfuscescens*, 2:10; *Arthonia* cf. *nephromiaria*, 12:92; *Arthonia peltigerina*, 12:92; *Arthonia stellaris*, 12:66; *Aspicilia excavata*, 7:17; *Bryum gerwigii*, 2:32; *Bulbothrix isidiza*, 4:26; *Caloplaca adnexa*, 7:17; *Caloplaca saxifragarum*, 7:17; *Caloplaca scotoplaca*, 2:10; *Candelariella plumbea*, 7:17; *Celidium varians*, 7:17;

Cercidospora decolorella, 12:92; *Cladonia norvegica*, 9:56; *Coccocarpia domingensis*, 4:26; *Crocynia pyxinoides*, 4:26; *Dermatocarpon vellereum*, 7:17; *Ephebe perspinulosa*, 7:17; *Geltingia associata*, 12:92; *Gongylia muscorum*, 7:17; *Gyalideopsis vainioi*, 5:22; *Gyalideopsis vainioi*, 5:22; *Halecania viridescens*, 11:100; *Heterodermia comosa*, 12:154; *Homomallium incurvatum*, 2:26; *Hypogymnia subphysodes*, 14:106; *Hypotrachyna costaricensis*, 10:98; *Lauderlindsaya borreri*, 14:13; *Lecanora leptacinella*, 12:92; *Lecanora subaurea*, 7:17; *Lecidea ahlesii*, 12:154; *Lecidea fissuriseda*, 7:17; *Leciographa lamyi*, 7:17; *Lichenodiplis lichenicola*, 12:92; *Melanolecia transitoria*, 7:17; *Micarea botryoides*, 13:65; *Micarea elachista*, 7:17; *Opegrapha sorediifera*, 11:100; *Parmelinopsis swinscowii*, 7:17; *Peltigera erumpens*, 7:17; *Pharcidia dispersa*, 7:17; *Physcia fragilescens*, 4:27; *Rhizocarpon santessonii*, 7:17; *Rinodina castanomela*, 7:17; *Sarcopyrenia cylindrospora*, 12:154; *Scoliciosporum sarothamni*, 12:27; *Squamarina degelii*, 7:17; *Sticta canariensis*, 11:76; *Zwackhiomyces berengerianus*, 12:92

North Carolina, lichens, 13:47; *Rhabdoweisia crenulata*, 10:44

North Dakota, mosses, 15:93

Northern Iowa Herbarium, tropical lichens, 13:78

Northwest Territories, lichens, 11:17

O'Brien, T. J. An additional North American locality for *Zygodon apiculatus*, 11:79

Ohio, bryophytes, 10:114; lichens, 2:3; mosses, 10:68, 14:26

Oklahoma, hornworts, 14:89; liverworts, 14:89, 15:29; mosses, 14:61, 15:21, 15:93;

Plagiomnium ellipticum, 14:61; *Splachnobryum obtusum*, 15:129

Ontario, lichens, 11:62, 12:21; Mniaceae, 8:81; mosses, 4:15, 7:15, 15:104

Opegrapha sorediifera, 11:100

Oregon, lichens, 12:24; liverworts, 1:13

Orthodicranum flagellare, 15:11; *fulvum*, 15:13; *montanum*, 15:16; *viride*, 15:18

Orthotrichum obtusifolium, 2:11; *rupestre*, 8:78; *striatum*, 9:91

Palamocladium leskeoides, 15:32

Palludella squarrosa, 8:51

Panama, *Sphagnum*, 3:46

paraphyllia, *Brachelyma*, 12:40

Peltigera didactyla, 3:37; *retifoveata* var. *hartmanii*, 9:49

Pennsylvania, liverworts, 13:18; mosses, 13:18; *Ptychomitrium incurvum*, 12:157

peristome, development, 8:55

Philonotis arnellii, 2:48; *capillaris*, 2:48

Physcomitrium collenchymatum, 3:11

Physcomitrium, Mexico, 12:10

Pittam, S. K. The rare lichens project. A progress report, 8:45

Placynthiella hyporhoda, 2:3; *icmalea*, 2:3

Plagiochasma crenulatum, 15:32

Plagiomnium ellipticum, 14:61

Plagiothecium graminicolor, 2:4

Pleuridium subulatum, 12:112

poetry, 2:48; 11:35; 13:79

- Pohlia longicolla* var. *hartmanii*, 9:43
Polytrichum hyperboreum, 11:144
protonemata, *Drummondia*, 4:33; growth, development, 5:17
province records, **British Columbia**. *Scoliosporum sarothamni*, 12:27; **Manitoba**. *Bryum acutiforme*, 7:55; *Bryum arcticum*, 7:55; *Bryum calophyllum*, 7:55; *Bryum salinum*, 7:55; *Bryum teres*, 7:55; *Bryum wrightii*, 7:55; *Cnestrum glaucescens*, 7:56; *Didymodon rigidulus*, 7:56; *Drepanocladus revolvens*, 7:56; *Hylocomium splendens* var. *obtusifolium*, 7:57; *Hypnum subimponens*, 7:57; *Orthotrichum sordidum*, 7:57; *Sphagnum imbricatum*, 7:58; **Ontario**. *Bryum purpurascens*, 4:15; *Dicranella crispa*, 4:15; *Dicranum brevifolium*, 4:15; *Drepanocladus brevifolius*, 10:29; *Philonotis fontana* var. *americana*, 10:29; *Pogonatum dentatum*, 10:29; *Splachnum vasculosum*, 4:15; *Sticta canariensis*, 11:76; *Tayloria serrata*, 4:15; *Warnstorfia pseudostraminea*, 10:30; *Bryum knowltonii*, 4:15; *Seligeria brevifolia*, 4:15; **Quebec**. *Aloina brevirostris*, 4:15; *Brachythecium nelsonii*, 4:16; *Orthothecium chryseum* var. *cochlearifolium*, 4:16; *Orthothecium chryseum*, 4:16; *Polytrichum sexangulare*, 4:16; *Psilopilum laevigatum*, 10:30; *Schistidium holmenianum*, 4:16; *Timmia sibirica*, 4:16; **Saskatchewan**. *Aulacomnium androgynum*, 10:30; *Grimmia teretinervis*, 10:30; *Polytrichum swartzii*, 10:30; *Racomitrium heterostichum*, 10:30; *Seligeria donniana*, 8:79; *Sphagnum rubellum*, 10:31
Pseudephemerum nitidum, 15:112
pseudoparaphyllia, 1:9
Ptychomitrium drummondii, 15:142; *gardneri*, 15:139; *incurvum*, 12:157, 15:142; *serratum*, 15:140; *sinense*, 15:141
Puerto Rico, mosses, 14:80
Pursell, R. A. & B. Allen, The calyptra of *Fissidens polypodioides*, 11:160
The Encalyptaceae (Musci) in Maine, 14:1
The Ephemeraceae (Musci) in Maine, 13:1
Pursell, R. A. & M. A. Bruggeman-Nannenga & Z. Iwatsuki, A new synonym of *Fissidens papillosus*, 7:48
pyrenolichen, 4:28
Quebec, 7:47; *Dicranum brevifolium*, 15:146; mosses, 4:15; *Sphagnum*, 7:36
Racomitrium wrightii, 11:41
RAPD analysis, 14:131
Rectolejeunea spiniloba, 15:32
Redfearn, P. L. Jr. Mosses of the Ozarks National Scenic Riverways, 13:81
On the corticulous habit of *Hedwigia ciliata* (Hedw.) P. Beauv., 15:92
Tortula fragilis in the Interior Highlands of North America, 12:79
Reese, W. D. A third record for *Tortella flavovirens* on the northern Gulf coast, 7:60
Bruchia hallii in Louisiana, 9:44
Campylostelium saxicola new to Indiana, *Cryphaea ravenelii* new to Virginia, comments on *Cryphaea filiformis* and *Schoenobryum concavifolium* in Florida, a note on A. J. Grout's North American Musci Perfecti number 218, and an observation on O. E. Jennings' illustration for *Ptychomitrium incurvum*, 12:157
Collectors of *Syrrhopodon texanus*, 7:26

- Dicranum flagellare* and *Fissidens hallianus* new to Mississippi, 4:41
 Indices to poetry and other literature with references to bryophytes and lichens in The
 Bryologist volumes 69-78, 1966-1975, 11:35
Leucodon brachypus var. *andrewsianus* in Arizona, 13:75
Micromitrium wrightii in Texas, 11:21
 Notes on southern bryophytes, 5:33
Splachnobryum in North America North of Mexico, 15:125
 The moss family Ptychomitriaceae in North America North of Mexico, 15:137
 The second find of *Fissidens hyalinus* in Louisiana, 9:5
 Three mosses new to Mississippi, 7:35
Rhabdoweisia crenulata, 10:41; *crispata*, 14:135
Rhizomnium andrewsianum, 8:53; *gracile*, 8:53
 Rhoades, F. M. Synoptic keys for introducing students to lichens and bryophytes, 4:32
Rhodobryum ontariense, 14:58
 Riley, J. *Arctoparmelia incurva* new to Washington, 12:19
 Riley, J., B. McCune & P. Neitlich, Range extensions of *Usnea sphacelata* in Oregon and
 Washington, 12:24
Roccella babingtonii, 13:76
Roellia roellii, 10:112
 Rosentreter, R., A chemical test for *Verrucaria*, 11:78
 Rosentreter, R. & B. McCune, Distribution and ecology of *Teloschistes contortuplicatus* in North
 America, 13:10
 Rosentreter, R. & L. Eslick, Notes on the *Bryorias* used by flying squirrels for nest construction,
 10:61
 Rosentreter, R., A. DeBolt & C. C. Bratt, Curation of soil lichens, 5:23
 Rosentreter, R., L. C. Smithman & A. DeBolt, Vernacular lichen names: Swedish names
 translated to English, 10:104
 Royte, J., L. Brako & R. C. Harris, Two crustose lichens new to North America, 2:10
 Ryan, B. D. New records of lichens from Washington State, 2:33
 Ryan, B. D. & F. P. McWhorter, Processing lichen colonies growing on soil or moss, with glue
 to facilitate sectioning, 3:14
- Saelania glaucescens*, 12:114
Schistidium, Maine, 11:1
 Schmitt, C. K. *Cladonia metacorallifera* found in New York State, 11:55
 The hepatic, lichen and moss exchanges: aids for beginners as well as experts, 3:29
Schoenobryum concavifolium, 12:157
 Schwartz, O. M. A history of developmental studies of peristomes, 8:55
Scoliciosporum sarothamni, 12:27
Scopelophila cataractae, 3:11
 Scott, P. A. Checklist of bryophytes of Churchill, Manitoba, Canada, 7:54
 sectioning, lichens, 3:14
 sections, free-hand, 7:2.16
Seligeria campylopoda, 3:10; *donniana*, 7:39

- Serrano, Y. Mosses from disturbed sites of forest reserves on the North Coast limestone area of Puerto Rico, 14:80
- Shlyakov, R. N. The systematics of the genus *Drepanocladus* (C. Müll.) G. Roth s.l., 12:135
- Slack, N. B. C. Tan & E. Lay, The bryophytes and lichens collected during the 16th A. L. Andrews foray in northwestern Connecticut, 10:9
- Snider, J. A. & B. Andreas, A catalog and atlas of the mosses of Ohio, 14:26
- Snider, J. & Si He, Observations on mosses new or rare to Ohio, 10:68
- South Carolina, lichens, 14:29
- South Dakota, mosses, 15:93
- Sphagnum* 3:4, 7:29, 9:99, 10:32, 13:26, 13:103, 15:5
- Sphagnum angermanicum*, 7:36; *imbricatum*, 8:18; *papillosa*, 2:13, 2:15; *striatum*, 10:32, 9:99; *subtile*, 5:17; *texasus*, 7:29; *trinitense*, 13:26
- Sphagnum*, growth medium, 4:6; New York, 15:5; Panama, 3:46
- Splachnobryum obtusum*, 15:125
- spores, 2:15
- Sposs, desert, 13:109
- spot tests, *Bryoria*, 10:58
- Spribille, T. List of the bryophytes of Yellow Bay Biological Station, Lake Co., Montana, 15:1
- squirrels, nest construction, 10:61
- Stark, L. R. *Dicranodontium denudatum* and *Mnium cinclioides* new to Maryland, 8:52
- Introducing Phenology, 1:25
- state records, **Alabama**. *Brachymenium systylium*, 6:22; *Bryhnia novae-angliae*, 10:25; *Campylopus fragilis*, 10:25; *Ceratodon purpureus*, 6:23; *Chyrsio-hypnum diminutivum*, 11:28; *Dichodontium pellucidum*, 10:25; *Dicranum montanum*, 10:25; *Heterocladium macounii*, 6:23; *Hypotrachyna costaricensis*, 10:98; *Isopterygiopsis muelleriana*, 10:25; *Oxystegus tenuirostris*, 10:26; *Palamocladium leskeoides*, 15:32; *Plagiochasma crenulatum*, 15:32; *Rectolejeunea spiniloba*, 15:32; *Trichostomum brachydonium*, 15:32; **Alaska**. *Agyrophora leiocarpa*, 6:7; *Arthonia* cf. *nephromiaria*, 12:92; *Arthonia peltigerina*, 12:92; *Belonia fennica*, 6:7; *Belonia russula*, 6:7; *Cercidosporadecolorella*, 12:92; *Geltingia associata*, 12:92; *Lecanora leptacinella*, 12:92; *Lichenodiplis lichenicola*, 12:92; *Zwackhiomyces berengerianus*, 12:92; **Arizona**. *Leucodon brachypus* var. *andrewsianus*, 13:75; **Arkansas**. *Archidium tenerrimum*, 12:74; *Astomum phascoides*, 11:157; *Barbula ehrenbergii*, 9:89; *Bruchia drummondii*, 12:74; *Bryum miniatum*, 3:31; *Ephemerum spinulosum*, 12:74; *Forsstroemia producta*, 3:31; *Grimmia olneyi*, 12:74; *Hygrohypnum eugyrium*, 3:31; *Leskea polycarpa*, 11:158; *Ptychomitrium leibergii*, 9:90; *Sphagnum cyclophyllum*, 12:74; *Sphagnum trinitense*, 12:74; *Tortula fragilis*, 12:79; **California**. *Metzgeria temperata*, 12:122; *Physcomitrium collenchymatum*, 3:11; *Scopelophila cataractae*, 3:11; **Colorado**. 7:17; *Hygroamblystegium noterophilum*, 3:8; *Hygrohypnum alpestre*, 3:8; lichens (127 records); *Seligeria campylopoda*, 3:10; **Connecticut**. *Anomodon rugelii*, 10:9; *Homalia gracilis*, 10:9; *Hypocenomyce scalaris*, 10:9; *Limprichtia cossonii*, 10:9; *Rhizomnium appalachianum*, 10:9; *Scorpidium scorpioides*, 10:9; *Sphagnum bartlettianum*, 10:9; *Sphagnum henryense*, 10:9; *Sphagnum isoviitae*, 10:9; **Delaware**. *Syrrhopodon texanus*, 7:40; **Florida**. *Acarospora schleicheri*, 12:34; *Bryhnia graminicolor*, 2:3; *Buellia mamillana*, 12:37; *Buellia spuria*, 12:37; *Buellia*, 12:37; *Bulbothrix isidiza*, 4:26; *Carbonea latypizodes*, 12:36; *Chrysothrix chlorina*, 12:34;

Cladonia caroliniana, 12:34; *Cladonia dimorphoclada*, 12:35; *Coccocarpia domingensis*, 4:26; *Crocynia pyxinoides*, 4:26; *Diploschistes actinostomus*, 12:38; *Gyalideopsis vainioi*, 5:22; *Gyalideopsis vainioi*, 5:22; *Lecanora oreinoides*, 12:36; *Lecidella viridans*, 12:36; *Lepraria neglecta*, 12:38; *Micarea cyrtidia*, 12:36; *Physcia fragilesceus*, 4:27; *Psorula rufonigra*, 12:38; *Pycnothelia papillaria*, 12:35; *Pyrenopsis*, 12:36; *Toninia tristis*, 12:34; *Xanthoparmelia conspersa*, 12:37; **Georgia**. *Brachymenium systylium*, 11:82; *Cephaloziella byssacea*, 11:82; *Eccremidium floridanum*, 11:82; *Entodon brevisetus*, 10:26; *Fontinalis welchiana*, 10:26; *Gymnocolea inflata*, 11:82; *Palamocladium leskeoides*, 15:33; *Hypnum plicatulum*, 13:58; **Idaho**. *Aloina brevirostris*, 5:16; *Antitrichia curtipendula*, 5:16; *Didymodon vinealis* var. *brachyphyllus*, 13:157; *Tortula caninervis*, 13:158; **Illinois**. *Bryum klinggraeffii*, 2:35; *Bryum muehlenbeckii*, 2:36; *Calliergon giganteum*, 2:37; *Catoscopium nigrum*, 2:37; *Distichium capillaceum*, 2:37; *Ditrichum lineare*, 2:37; *Dumortiera hirsuta*, 2:37; *Grimmia plagiopoda*, 2:37; *Lecidea ahlesii*, 12:155; *Scorpidium scorpioides*, 2:37; **Indiana**. *Campylostelium saxicola*, 12:157; *Desmatodon plinthobius*, 1:4; *Distichium capillaceum*, 1:4; *Orthotrichum anomalum*, 1:4; *Philonotis capillaris*, 1:4; *Sphagnum capillifolium* var. *tenellum*, 1:4; *Sphagnum fuscum*, 1:4; *Sphagnum russowii*, 1:4; *Sphagnum squarrosum*, 1:4; *Sphagnum wulfianum*, 1:4; **Iowa**. *Jungermannia fossombronioides*, 5:46; *Lophozia longidens*, 5:46; *Riccia austinii*, 5:46; *Riccia dictyospora*, 5:46; *Riccia hirta*, 5:46; *Riccia membranacea*, 5:46; *Zygodon apiculatus*, 11:79; **Kansas**. *Aphanorrhagma serratum*, 8:25; *Fissidens bushii*, 12:81; *Leskea polycarpa*, 10:73; *Nowellia curvifolia*, 12:81; *Ozobryum ogalalense*, 10:73; *Physcomitrium immersum*, 8:26; *Platydictya confervoides*, 8:26; *Rhizomnium punctatum*, 12:81; **Kentucky**. *Marsupella paroica*, 9:52; *Metzgeria leptoneura*, 9:52; *Anastrophyllum michauxii*, 9:52; *Gymnostomum angustifolium*, 2:26; *Heterocladium macounii*, 2:26; *Homomallium incurvatum*, 2:26; *Leucolejeunea conchifolia*, 9:52; *Plagiochila caduciloba*, 9:52; *Plagiochila virginica*, 9:52; *Porella japonica* subsp. *appalachiana*, 9:52; *Radula mollis*, 9:52; **Louisiana**. *Bruchia hallii*, 9:44; *Trichocolea tomentella*, 5:33; **Maine**. *Atrichum tenellum*, 15:91; *Bryum amblyodon*, 10:50; *Bryum uliginosum*, 14:14; *Calliergon richardsonii*, 10:50; *Cratoneuron filicinum*, 6:17; *Cyrto-hypnum minutulum*, 8:1; *Dicranella schreberiana* var. *robusta*, 12:144; *Dicranum condensatum*, 14:14; *Ephemerum spinulosum*, 12:144; *Fissidens bushii*, 6:19; *Fissidens fontanus*, 12:144; *Grimmia affinis*, 8:1; *Grimmia hartmanii*, 10:50; *Grimmia hermannii*, 10:50; *Haplocladium microphyllum*, 12:144; *Hygrohypnum subeugyrium*, 10:50; *Hylocomium pyrenaicum*, 5:35, 5:35; *Hypnum plicatulum*, 13:58; *Leucodon julaceus*, 6:20; *Orthotrichum ohioense*, 8:1; *Orthotrichum pusillum*, 10:50; *Sematophyllum demissum*, 8:1; *Sphagnum affine*, 12:144; *Sphagnum angustifolium*, 12:144; *Sphagnum centrale*, 12:144; *Sphagnum russowii*, 6:21; *Sphagnum subtile*, 12:144; *Splachnum rubrum*, 12:144; *Tetraxis geniculata*, 12:144; *Tetradontium ovatum*, 12:144; *Thelia hirtella*, 8:1; *Timmia megapolitana*, 14:14; *Tortula papillosa*, 12:144; **Maryland**. *Dicranodontium denudatum*, 8:52; *Mnium cinclidioides*, 8:52; **Michigan**. *Gyroweisia reflexa*, 15:30; *Lescurea saxicola*, 14:52; *Polytrichum pallidiseta*, 4:38; **Minnesota**. *Pottia bryoides*, 9:90; **Mississippi**. *Cryphaea ravenelii*, 10:26; *Desmatodon porteri*, 12:13; *Dichelyma capillaceum*, 5:33; *Dicranum flagellare*, 4:41; *Ephemerum crassinervium*, 10:26; *Ephemerum spinulosum*, 10:27; *Fissidens hallianus*, 4:41; *Haplocladium virginianum*, 10:27; *Micromitrium megalosporum*, 10:27; *Thelia lescurii*, 12:13; **Missouri**. *Bryum pallescens*, 13:93; *Hypnum cupressiforme* var. *resupinatum*, 3:32; lichens (83

records), 11:131; *Micromitrium megalosporum*, 13:93; *Riccia austinii*, 3:31; **Nebraska.** *Calliergonella cuspidata*, 15:93; *Climacium dendroides*, 15:93; *Grimmia teretineris*, 15:93; *Hypnum pratense*, 15:94; **Nevada.** *Bryum amblyodon*, 13:157; **New Hampshire.** *Dicranum acutifolium*, 9:10; *Grimmia hartmanii* var. *hartmanii*, 9:10; *Pohlia lescuriana*, 13:67; *Tetraplodon angustatus*, 13:67; **New Jersey.** *Bryum muehlenbeckii*, 9:18; *Bryum uliginosum*, 9:18; *Calliergon giganteum*, 9:18; *Climacium dendroides*, 9:19; *Dicranum undulatum*, 9:20; *Ditrichum ambiguum*, 9:20; *Entodon compressus*, 9:21; *Fissidens exilis*, 10:27; *Fontinalis antipyretica*, 9:21; *Fontinalis flaccida*, 9:21; *Fontinalis hypnoides*, 9:21; *Hamatocaulis vernicosus*, 9:22; *Helodium blandowii*, 9:22; *Leskella nervosa*, 9:23; *Limprichtia revolvens*, 9:24; *Mnium spinulosum*, 9:24; *Myurella julacea*, 9:24; *Orthotrichum speciosum* var. *elegans*, 9:24; *Philonotis fontana* var. *caespitosa*, 9:25; *Philonotis muehlenbergii*, 9:25; *Platydictya subtilis*, 9:25; *Pohlia prolifera*, 9:26; *Rhizomnium magnifolium*, 9:27; *Saelania glaucescens*, 9:27; *Sanionia uncinata*, 9:27; *Scorpidium scorpioides*, 9:27; *Tetraplodon angustatus*, 9:29; *Tortula ruralis*, 9:30; *Trematodon ambiguus*, 9:30; **New Mexico.** *Andreaea rupestris*, 2:30; *Astomum phascoides*, 3:44; *Barbula ehrenbergii*, 5:14; *Bartamia potosica*, 15:95; *Bartrami brevifolia*, 15:95; *Brachythecium nelsonii*, 15:95, 15:95; *Brachythecium oedipodium*, 15:95; *Brachythecium plumosum*, 2:30; *Braunia secunda*, 15:95; *Bryohaplodictyon angustifolium*, 15:95; *Bryoxiphium norvegicum*, 15:95; *Bryum caespiticium*, 15:95; *Bryum dichotomum*, 15:96; *Bryum pallens*, 15:96; *Bryum pallescens*, 15:96; *Campylium radicale*, 2:30; *Climacium americanum*, 2:30; *Dichodontium pellucidum*, 15:96; *Dicranum fuscescens*, 15:96; *Dicranum scoparium*, 15:96; *Didymodon rigidulus*, 15:96; *Ditrichum flexicaule*, 15:96; *Fontinalis hypnoides*, 15:96; *Hygrohypnum ochraceum*, 2:30; *Hypnum pratense*, 15:96; *Isopterygiopsis pulchella*, 15:96; *Isopterygium tenerum*, 15:96; *Leptopterigynandrum austro-alpinum*, 15:96; *Lescurea incurvata*, 2:30; *Lescurea saxicola*, 2:30; *Lorentziella imbricata*, 15:96; *Oncophorus wahlenbergii*, 15:97; *Orthotrichum laevigatum*, 15:97; *Palustriella commutata*, 15:97; *Palustriella decipiens*, 15:97; *Plagiomnium ellipticum*, 15, 15:97; *Platyhypnidium riparioides*, 15:97; *Pleurozium schreberi*, 2:30; *Pogonatum alpinum*, 2:30; *Pohlia elongata*, 15:97; *Polytrichum piliferum*, 2:30; *Pottia bryoides*, 15:97; *Rhizomnium pseudopunctatum*, 2:30; *Rhizomnium punctatum*, 15:97; *Rhodobryum ontariense*, 2:30; *Tetraphis pellucida*, 15:97; *Tortula brevipes*, 15:97; *Tortula intermedia*, 15:97; *Tortula norvegica*, 15:97; *Weissia phascopsis*, 3:44; **New York.** *Acarospora subfuscens*, 2:10; *Brachythecium turgidum*, 4:14; *Caloplaca scotoplaca*, 2:10; *Cladonia metacorallifera*, 11:55; *Cladonia psoromica*, 12:154; *Dicranodontium asperulum*, 11:23; *Distichium inclinatum*, 4:13; *Ditrichum flexicaule*, 4:13; *Rhizomnium pseudopunctatum*, 4:13; **North Dakota.** *Brachythecium rutabulum*, 15:93; **Ohio.** *Anomobryum filiforme*, 10:68; *Atrichum tenellum*, 10:68; *Buxbaumia minakatae*, 10:69; *Diphyscium cumberlandianum*, 10:69; *Pleuriditrichum marylandicum*, 10:70; *Polytrichum pallidisetum*, 10:70; *Ptychomitrium drummondii*, 10:70; *Pyrenula lucifera*, 12:155; *Racomitrium aciculare*, 10:71; *Thuidium allenii*, 10:71; **Oklahoma.** *Fissidens neonii*, 9:89; *Fontinalis sphagnifolia*, 15:21; *Fontinalis welchiana*, 15:21; *Plagiomnium ellipticum*, 14:61; *Syntrichia bartramii*, 15:94; *Tortula chisosae*, 9:90; *Weissia sharpii*, 15:21; **Oregon.** *Hypogymnia subphysodes*, 14:106; *Micarea botryoides*, 13:65; *Usnea sphacelata*, 12:24; **Pennsylvania.** *Clasmatodon parvulus*, 13:28; *Hygrohypnum subeugyrium*, 13:28; *Lophocolea cuspidata*, 14:18; **South Dakota.** *Grimmia teretineris*, 15:93; **Tennessee.**

Sarcopyrenia cylindrospora, 12:155; **Texas.** *Bryum radiculosum*, 10:36; *Conardia compacta*, 8:38; *Heterodermia comosa*, 12:154; *Macromitrium richardii*, 8:38; *Micromitrium wrightii*, 11:21; **Virginia.** *Cryphaea ravenelii*, 12:157; **Washington.** *Acarospora sinopica*, 2:34; *Acrtoparmelia incurva*, 12:19; *Agrestia hispida*, 2:34; *Arthonia stellaris*, 12:66; *Bacidia alaskensis*, 2:34; *Barbilophozia kunzeana*, 6:42; *Calicium glaucellum*, 2:34; *Caloplaca laeta*, 2:34, 2:34; *Chaenotheca chrysocephala*, 2:34; *Chrysothrix chlorina*, 2:34; *Collema limosum*, 2:34; *Coniocybe gracillima*, 2:34; *Cypheium lucidum*, 2:34; *Cystocoleus ebeneus*, 2:34, 2:34; *Dermatocarpon vagans*, 2:34; *Dimerella diluta*, 2:34; *Halecania viridescens*, 11:100; *Lauderlindsaya borrieri*, 14:13; *Lecanactis chloroconia*, 2:34; *Lecanora christoi*, 2:34; *Lecanora mellea*, 2:34; *Lecanora palanderi*, 2:34; *Lecidea aeruginosa*, 2:34; *Leptogium teretiusculum*, 2:34, 2:34; *Melanelia exasperatula*, 2:34; *Micarea botryoides*, 13:65; *Mycocalicium albonigrum*, 2:34; *Niebla cephalota*, 2:34; *Normandina pulchella*, 2:34; *Ochrolechia californica*, 2:34; *Ochrolechia szatalaensis*, 2:35; *Opegrapha sorediifera*, 11:101; *Pilophorus nigricaulis*, 2:35; *Porina carpinea*, 2:35; *Porina chlorotica*, 2:35; *Punctelia stictica*, 2:35; *Ramalina thrausta*, 2:35; *Rhizocarpon cookeanum*, 2:355; *Rhizocarpon obscuratum*, 2:35; *Rinodina polyspora*, 2:35; *Scoliosporum sarthamni*, 12:27; *Thrombium epigaeum*, 2:35; *Xanthoparmelia mougeotii*, 2:35; **Wisconsin.** *Anomodon rugelii*, 3:12; *Encalypta rhaptocarpa*, 3:12; *Funaria flavicans*, 3:12; *Micromitrium megalosporum*, 6:13; *Racomitrium heterostichum*, 3:12; *Sphagnum andersonianum*, 3:12; *Sphagnum flexuosum*, 3:12; *Sphagnum henryense*, 3:12; *Sphagnum recurvum*, 3:12, 3:12; *Sphagnum subfulvum*, 3:12; *Tortella inclinata*, 3:13; **Wyoming.** *Lecidella viridans*, 11:121; *Pohlia longicollis*, 9:43; *Seligeria campylopoda*, 3:23

Steen, A. J. Two collections from Calaveras County yield two mosses new to California, 3:11

Steinauer, R. F. & S. P. Churchill, New State and County mosses for the Great Plains, 15:93

Sticta, 1:7; *canariensis*, 11:76

Stoneburner, A. & R. Wyatt, Notes on Mniaceae from the Cochrane District, Ontario, Canada, 8:81

Stotler, R. E Evans - A bryological/lichenological interconnection, 1:2

Stotler, R. & B. Crandall-Stotler, The 11th annual Midwestern foray, Southern Illinois, 11:115

Streptopogon calymperes, 3:1

Syrrhopodon texanus, 7:26, 7:40

systematics, *Drepanocladus*, 12:135

Talbot, S. S. S. L. Talbot & J. W. Thomson, Contribution to the knowledge of the lichen flora of Hagemeister Island, Bering Sea, Alaska, 7:49

TAXACOM, 4:7

Teloschistes contortuplicatus, 13:10

Texas, *Micromitrium*, 11:21; mosses, 8:38; *Rocella babingtonii*, 13:76; south, 10:34;

Splachnobryum obtusum, 15:129

Thelomma ocellatum, 12:103

Thiers, B. M. Studying branch patterns in bryophytes, 2:39

Thomson, J. W. Arctic lichen opportunities, 2:1

Lichens collected on the 10th Midwest Bryological and Lichenological foray on the Keweenaw Peninsula, Michigan, 10:47

Two Wisconsin lichen collections over 100 years old, 15:84

- Thomson, J. W. & G. W. Scotter, Some lichens from Melville, Bathurst, and Moore Islands in the Canadian Arctic Archipelago, 12:117
- Thomson, J. W. & J. K. Doell, Some lichens from southwest Alaska, 6:28
- Thomson, J. W. & L. W. Sowl, Additional records of lichens from Amchitka Island, Alaska, 6:7
- Timme, S. L. Hepatics collected at the eighth Midwest bryological & lichenological foray, 8:48
- Seventh Annual Blomquist Bryological and Lichenological Foray, 11:28
- Timme, S. L. & A. Ross, A simple method to extract DNA from bryophytes for RAPD analysis, 14:131
- Timme, S. L. & P. L. Redfearn, Checklist of the liverworts and hornworts of the Interior Highlands of North America in Arkansas, Illinois, Missouri, and Oklahoma, 14:89
- Timmia megapolitana*, 15:117
- Tønsberg T., Additions to the lichen flora of North America III. *Halecania viridescens* and *Opegrapha sorediifera*, 11:100; IV. *Scoliciosporum sarothamni*, 12:27; V., *Arthonia stellaris*, 12:66
- Tønsberg T. & T. Goward, *Cladonia norvegica* new to North America, 9:56
- tools, field, 11:159
- Tortella flavovirens*, 7:60
- Tortula caninervis*, 13:158; *fragilis*, 12:79; *papillosa*, 2:11
- Town, W. R., M. Corey & M. Pudiak, A preliminary report of the moss flora of the Northern Shawangunk Mountains of Ulster County, New York, 11:22
- Town, W. R. & M. Pudiak, The *Sphagna* of Moss Island, New York, 10:32
- Town, W. R. & M. Pudiak-Town, *Sphagnum trinitense* C. Müll. in New York, 13:26
- The *Sphagna* of Grafton Lakes State park, 15:5
- Town, W. R., M. Pudiak & M. Corey, The *Sphagna* of Peebles Island, 9:99
- Trematodon ambiguus*, 15:100; *longicollis*, 15:102
- Trichostomum brachydontium*, 15:32
- Usnea sphacelata*, 12:24
- Venezuela, *Streptopogon*, 3:3
- Vermont, bryophytes, 9:65; liverworts, 3:26; *Sphagnum*, 2:13
- Verrucaria canariensis*, 11:78
- Virginia, *Cryphaea ravenelii*, 12:157
- Vitt, D. H., The distribution of North American Bryophytes. *Isopterygiopsis muelleriana* (Schimp.) Iwat., 7:12; *Meesia uliginosa* Hedw., 9:59; *Orthotrichum rupestre* Schwaegr., 8:78; *Orthotrichum striatum* Hedw., 9:91; *Roellia roellii*, 10:112; *Seligeria donniana* (Sm.) C. Muell., 7:39.
- Vitt, D. H. & R. Gauthier, The distribution of North American bryophytes. The *Sphagnum imbricatum* Russ. complex, 8:18
- Vitt, D. H. & R. J. Belland, The distribution of North American bryophytes. *Dryptodon patens* (Hedw.) Brid., 8:41
- Wagner, D. H. Artificial key to the genera of liverworts of Oregon, 1:13
- Do all liverwort elators have left-handed spirals?, 3:24
- Wallace, E. C. *Bryum gerwigii* (C. Mull.) Limpr., new to North America, 2:32

- Washington, hornworts, 6:33; lichens, 12:19, 12:24, 2:33; liverworts, 6:33
- Weber, W. A. Additions to the lichen flora of Colorado and North America, 7:17
Aspicilia moenium in the Western Hemisphere, 13:159
- Weber, W. A. C. Bratt & J. Larson, Lichens and bryophytes of the Santa Rosa Plateau Nature Conservancy Reserve, Riverside, California, 4:21
- Weissia phascopsis*, 3:44; *sharpii*, 15:21
- Wesley, F. R. & N. G. Slack, *Palludella* rediscovered in New York, 8:51
- Whittemore, A., 12:135
- Wilson, P. A report on the 1988 ABLs foray, 6:14
How to make thin free-hand sections, 7:16
- Wisconsin, lichens, 15:84; mosses, 3:12
- Wyatt, R. & A. Stoneburner, *Rhizomnium gracile* and *R. andrewsianum* in Arctic Alaska, 8:53
- Wyoming, addenda, 13:103; bryophytes, 11:121; lichens, 11:121; mosses, 9:43, 13:41
- Yip, Kwok Leung The occurrence of *Pseudephemerum nitidum* (Hedw.) Loeske in North America, with some interesting observations, 15:112
- Yurky, P. A preliminary checklist of bryophytes of Marin County, California, 12:121
- Zander, R. H. & P. M. Eckel, TAXACOM (BUF), an electronic bulletin board system, 4:7
- Zehr, D. R. Iowa hepatic and anthocerotae additions, 5:46
- Zhurbenko, M. R. Santesson, D. A. Walker, N. A. Auerbach & B. Lewis, New and interesting lichenicolous fungi and lichens from Alaska, 12:92
- Zygodon apiculatus*, 11:79



Allen, Bruce H. and Magill, Robert E. 1998. "Evansia: fifteen year index." *Evansia* 15(4), 150–168. <https://doi.org/10.5962/p.346468>.

View This Item Online: <https://www.biodiversitylibrary.org/item/312382>

DOI: <https://doi.org/10.5962/p.346468>

Permalink: <https://www.biodiversitylibrary.org/partpdf/346468>

Holding Institution

New York Botanical Garden, LuEsther T. Mertz Library

Sponsored by

New York Botanical Garden, LuEsther T. Mertz Library

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: American Bryological and Lichenological Society

License: <http://creativecommons.org/licenses/by-nc-sa/4.0/>

Rights: <http://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.